

# Christian Daniel Fankhauser

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4346195/publications.pdf>

Version: 2024-02-01

123  
papers

2,456  
citations

331259

21  
h-index

243296

44  
g-index

131  
all docs

131  
docs citations

131  
times ranked

3796  
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment Options and Outcomes for Men with Penile Intraepithelial Neoplasia: A Systematic Review. <i>European Urology Focus</i> , 2022, 8, 829-832.	1.6	12
2	An Algorithm to Personalize Nerve Sparing in Men with Unilateral High-Risk Prostate Cancer. <i>Journal of Urology</i> , 2022, 207, 350-357.	0.2	13
3	Saphenous-sparing Ascending Video Endoscopic Inguinal Lymph Node Dissection Using a Leg Approach: Surgical Technique and Perioperative and Pathological Outcomes. <i>European Urology Open Science</i> , 2022, 35, 9-13.	0.2	6
4	Impact of preoperative systemic immune-inflammation Index on oncologic outcomes in bladder cancer patients treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 106.e11-106.e19.	0.8	14
5	Neoadjuvant Chemotherapy in Elderly Patients With Upper Tract Urothelial Cancer: Oncologic Outcomes From a Multicenter Study. <i>Clinical Genitourinary Cancer</i> , 2022, 20, 227-236.	0.9	3
6	Detection of recurrences using serum miR-371a-3p during active surveillance in men with stage I testicular germ cell tumours. <i>British Journal of Cancer</i> , 2022, 126, 1140-1144.	2.9	23
7	Treatment and follow-up of rare testis tumours. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 667-671.	1.2	2
8	High diagnostic accuracy of inguinal ultrasonography and fine needle aspiration followed by dynamic sentinel lymph node biopsy in men with impalpable and palpable inguinal lymph nodes. <i>BJU International</i> , 2022, 130, 331-336.	1.3	8
9	High-diagnostic accuracy of inguinal ultrasonography and fine needle aspiration followed by dynamic sentinel lymph node biopsy in men with non-palpable and palpable inguinal lymph nodes.. <i>Journal of Clinical Oncology</i> , 2022, 40, 6-6.	0.8	0
10	Minimally invasive retroperitoneal lymph node dissection for men with testis cancer: a retrospective cohort study of safety and feasibility. <i>World Journal of Urology</i> , 2022, 40, 1505-1512.	1.2	12
11	Assessment of Health-Related Quality of Life in Patients with Advanced Prostate Cancer—Current State and Future Perspectives. <i>Cancers</i> , 2022, 14, 147.	1.7	2
12	Lymphovascular and perineural invasion are risk factors for inguinal lymph node metastases in men with T1G2 penile cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2231-2234.	1.2	8
13	Risk factors for concomitant positive midstream urine culture in patients presenting with symptomatic ureterolithiasis. <i>Urolithiasis</i> , 2022, , 1.	1.2	2
14	Single-cell proteomics defines the cellular heterogeneity of localized prostate cancer. <i>Cell Reports Medicine</i> , 2022, 3, 100604.	3.3	7
15	Patterns of Disease Progression and Outcome of Patients With Testicular Seminoma Who Relapse After Adjuvant or Curative Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 113, 825-832.	0.4	2
16	Use of MS-GUIDE for identification of protein biomarkers for risk stratification of patients with prostate cancer. <i>Clinical Proteomics</i> , 2022, 19, 9.	1.1	3
17	Why and How Smoking Cessation Must Be Implemented in Urology Clinics as a Standard of Care. <i>European Urology</i> , 2022, 82, 245-246.	0.9	2
18	Circulating MicroRNAs for Detection of Germ Cell Tumours: A Narrative Review. <i>European Urology Focus</i> , 2022, 8, 660-662.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Metastatic Potential of Small Testicular Germ Cell Tumors: Implications for Surveillance of Small Testicular Masses. <i>European Urology Open Science</i> , 2022, 40, 16-18.	0.2	6
20	Re: Effect of a Smoking and Alcohol Cessation Intervention Initiated Shortly Before Radical Cystectomy—the STOP-OP Study: A Randomised Clinical Trial. <i>European Urology</i> , 2022, , .	0.9	0
21	Oncological and functional outcomes after testis-sparing surgery in patients with germ cell tumors: a systematic review of 285 cases. <i>World Journal of Urology</i> , 2022, 40, 2293-2303.	1.2	4
22	The Role of Frozen Section Examination During Inguinal Exploration in Men with Inconclusive Testicular Tumors: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2021, 7, 1400-1402.	1.6	16
23	A Risk-benefit Analysis of Prophylactic Anticoagulation for Patients with Metastatic Germ Cell Tumours Undergoing First-line Chemotherapy. <i>European Urology Focus</i> , 2021, 7, 1130-1136.	1.6	13
24	Diagnostic accuracy of ultrasonography, computed tomography, cystoscopy and cytology to detect urinary tract malignancies in patients with asymptomatic hematuria. <i>World Journal of Urology</i> , 2021, 39, 97-103.	1.2	13
25	Practice Patterns Among Penile Cancer Surgeons Performing Dynamic Sentinel Lymph Node Biopsy and Radical Inguinal Lymph Node Dissection in Men with Penile Cancer: A eUROGEN Survey. <i>European Urology Open Science</i> , 2021, 24, 39-42.	0.2	7
26	Benefit of a more extended pelvic lymph node dissection among patients undergoing radical prostatectomy for localized prostate cancer: A causal mediation analysis. <i>Prostate</i> , 2021, 81, 286-294.	1.2	4
27	Clinicopathological characteristics and outcomes in men with mesothelioma of the tunica vaginalis testis: analysis of published case-series data. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2671-2679.	1.2	7
28	Re: Paolo Dell'Aglio, Hielke M. de Vries, Elio Mazzone, et al. Hybrid Indocyanine Green <sup>99m</sup> Tc-nanocolloid for Single-photon Emission Computed Tomography and Combined Radio- and Fluorescence-guided Sentinel Node Biopsy in Penile Cancer: Results of 740 Inguinal Basins Assessed at a Single Institution. <i>Eur Urol</i> 2020;78:865–72. <i>European Urology</i> , 2021, 79, e76-e77.	0.9	1
29	Effectiveness of Flexible Ureterorenoscopy Versus Extracorporeal Shock Wave Lithotripsy for Renal Calculi of 5–15 mm: Results of a Randomized Controlled Trial. <i>European Urology Open Science</i> , 2021, 25, 5-10.	0.2	7
30	The prognostic significance of lactate dehydrogenase levels in seminoma patients with advanced disease: an analysis by the Global Germ Cell Tumor Collaborative Group (G3). <i>World Journal of Urology</i> , 2021, 39, 3407-3414.	1.2	4
31	Radical Prostatectomy: Sequelae in the Course of Time. <i>Frontiers in Surgery</i> , 2021, 8, 684088.	0.6	4
32	Assessment of Diagnostic Yield of Cystoscopy and Computed Tomographic Urography for Urinary Tract Cancers in Patients Evaluated for Microhematuria. <i>JAMA Network Open</i> , 2021, 4, e218409.	2.8	16
33	Survival and New Prognosticators in Metastatic Seminoma: Results From the IGCCCG-Update Consortium. <i>Journal of Clinical Oncology</i> , 2021, 39, 1553-1562.	0.8	83
34	Predicting Outcomes in Men With Metastatic Nonseminomatous Germ Cell Tumors (NSGCT): Results From the IGCCCG Update Consortium. <i>Journal of Clinical Oncology</i> , 2021, 39, 1563-1574.	0.8	108
35	<sup>68</sup> Ga-PSMA-11 PET imaging in patients with ongoing androgen deprivation therapy for advanced prostate cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1109-1116.	1.2	8
36	ASO Visual Abstract: Radical Hemiscrotectomy and En Bloc Orchidectomy—Surgical Technique, Perioperative and Oncologic Outcomes of a Supra-Regional UK Referral Centre. <i>Annals of Surgical Oncology</i> , 2021, 28, 563-564.	0.7	1

#	ARTICLE	IF	CITATIONS
37	Re: Lucia Nappi, Marisa Thi, Nabil Adra, et al. Integrated Expression of Circulating miR375 and miR371 to Identify Teratoma and Active Germ Cell Malignancy Components in Malignant Germ Cell Tumors. <i>Eur Urol</i> 2021;79:16â€“19. <i>European Urology</i> , 2021, 80, e35-e36.	0.9	1
38	Focal Therapy for Prostate Cancer: Complications and Their Treatment. <i>Frontiers in Surgery</i> , 2021, 8, 696242.	0.6	13
39	Radiation Therapy After Radical Prostatectomy: What Has Changed Over Time?. <i>Frontiers in Surgery</i> , 2021, 8, 691473.	0.6	5
40	Recommendations to Balance Benefits and Risks Of Thromboprophylaxis and to Avoid Central Venous-access Devices During First-line Chemotherapy in Men with Metastatic Germ Cell Tumors: The European Association Of Urology Testicular Cancer Panel Position in 2021. <i>European Urology</i> , 2021, 80, 4-6.	0.9	6
41	Radical Hemiscrotectomy and En Bloc Orchidectomy: Surgical Technique and Perioperative and Oncologic Outcomes of a Supra-Regional UK Referral Centre. <i>Annals of Surgical Oncology</i> , 2021, 28, 9217-9222.	0.7	1
42	Nerve-sparing Robot-assisted Retroperitoneal Lymph Node Dissection: The Monoblock Technique. <i>European Urology Open Science</i> , 2021, 32, 1-7.	0.2	4
43	A novel 5x multiplex immunohistochemical staining reveals PSMA as a helpful marker in prostate cancer with low p504s expression.. <i>Pathology Research and Practice</i> , 2021, 228, 153667.	1.0	5
44	Detection Rate and Localization of Prostate Cancer Recurrence Using <sup>68</sup> Ga-PSMA-11 PET/MRI in Patients with Low PSA Values â‰‰ 0.5 ng/mL. <i>Journal of Nuclear Medicine</i> , 2020, 61, 194-201.	2.8	39
45	Re: Rivaroxaban for Thromboprophylaxis in High-risk Ambulatory Patients with Cancer. <i>European Urology</i> , 2020, 77, 388-390.	0.9	3
46	Large retroperitoneal lymphadenopathy and increased risk of venous thromboembolism in patients receiving firstâ€“line chemotherapy for metastatic germ cell tumors: A study by the global germ cell cancer group (G3). <i>Cancer Medicine</i> , 2020, 9, 116-124.	1.3	17
47	Re: Hiten D. Patel, Farzana A. Faisal, Bruce J. Trock, et al. Effect of Pharmacologic Prophylaxis on Venous Thromboembolism After Radical Prostatectomy: The PREVENTER Randomized Clinical Trial. <i>Eur Urol</i> 2020;78:360â€“8. <i>European Urology</i> , 2020, 78, e239-e240.	0.9	0
48	Indications and Complications of Androgen Deprivation Therapy. <i>Seminars in Oncology Nursing</i> , 2020, 36, 151042.	0.7	3
49	Risk factors and treatment outcomes of 239 patients with testicular granulosa cell tumors: a systematic review of published case series data. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2829-2841.	1.2	23
50	Convergent network effects along the axis of gene expression during prostate cancer progression. <i>Genome Biology</i> , 2020, 21, 302.	3.8	17
51	Human chorionic gonadotropinâ€“positive seminoma patients: A registry compiled by the global germ cell tumor collaborative group (G3). <i>European Journal of Cancer</i> , 2020, 132, 127-135.	1.3	8
52	HNF1Î² is a sensitive and specific novel marker for yolk sac tumor: a tissue microarray analysis of 601 testicular germ cell tumors. <i>Modern Pathology</i> , 2020, 33, 2354-2360.	2.9	13
53	Inferior Cancer Survival for Men with Localized High-grade Prostate Cancer but Low Prostate-specific Antigen. <i>European Urology</i> , 2020, 78, 637-639.	0.9	5
54	A Call for Standardized Reporting of Adverse Events. <i>European Urology</i> , 2020, 78, 481-482.	0.9	3

#	ARTICLE	IF	CITATIONS
55	Sertoli Cell Tumors of the Testes: Systematic Literature Review and Meta-Analysis of Outcomes in 435 Patients. <i>Oncologist</i> , 2020, 25, 585-590.	1.9	22
56	Leydig-cell tumour of the testis: retrospective analysis of clinical and therapeutic features in 204 cases. <i>World Journal of Urology</i> , 2020, 38, 2857-2862.	1.2	13
57	Treatment options and results of adjuvant treatment in nonmuscle-invasive bladder cancer (NMIBC) during the Bacillus Calmette-Guérin shortage. <i>Current Opinion in Urology</i> , 2020, 30, 365-369.	0.9	23
58	Risk Factors and Treatment Outcomes of 1,375 Patients with Testicular Leydig Cell Tumors: Analysis of Published Case Series Data. <i>Journal of Urology</i> , 2020, 203, 949-956.	0.2	30
59	Prognostic impact of LDH and HCG levels in marker-positive seminomas. <i>Journal of Clinical Oncology</i> , 2020, 38, 392-392.	0.8	4
60	Reply by Authors. <i>Journal of Urology</i> , 2020, 203, 956-956.	0.2	0
61	Benefit of prophylactic anticoagulation before and during first-line chemotherapy on patients with metastatic germ cell tumors. <i>Journal of Clinical Oncology</i> , 2020, 38, 402-402.	0.8	0
62	Is loss of power output due to laser fiber degradation still an issue during prostate vaporization using the 180W GreenLight XPS laser?. <i>World Journal of Urology</i> , 2019, 37, 181-187.	1.2	3
63	Current and potential future role of PSMA-PET in patients with castration-resistant prostate cancer. <i>World Journal of Urology</i> , 2019, 37, 457-467.	1.2	19
64	CXCL12 expression is an adverse predictor for disease recurrence in patients with metastatic non-seminomatous testicular germ cell tumors. <i>BMC Cancer</i> , 2019, 19, 802.	1.1	4
65	EAU-EANM-ESTRO-ESUR-SIOG Prostate Cancer Guideline Panel Consensus Statements for Deferred Treatment with Curative Intent for Localised Prostate Cancer from an International Collaborative Study (DETECTIVE Study). <i>European Urology</i> , 2019, 76, 790-813.	0.9	151
66	High-throughput proteomic analysis of FFPE tissue samples facilitates tumor stratification. <i>Molecular Oncology</i> , 2019, 13, 2305-2328.	2.1	100
67	A systematic review of treatment outcomes in localised and metastatic spermatocytic tumors of the testis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 3037-3045.	1.2	16
68	Pre-orchietomy tumor marker levels should not be used for International Germ Cell Consensus Classification (IGCCCG) risk group assignment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 781-785.	1.2	14
69	Comparative analysis of mRNA and protein degradation in prostate tissues indicates high stability of proteins. <i>Nature Communications</i> , 2019, 10, 2524.	5.8	35
70	Serum Levels of MicroRNA-371a-3p (M371 Test) as a New Biomarker of Testicular Germ Cell Tumors: Results of a Prospective Multicentric Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 1412-1423.	0.8	246
71	Pure Bipolar Plasma Vaporization of the Prostate: Results from a Prospective 3D Ultrasound Volumetry Study with Clinical Outcome After 3 Years. <i>Journal of Endourology</i> , 2019, 33, 107-112.	1.1	0
72	The inflammatory potential of diet and bladder cancer risk: results from a prospective cohort study. <i>Translational Andrology and Urology</i> , 2019, 8, S491-S492.	0.6	0

#	ARTICLE	IF	CITATIONS
73	Study Protocol for the DETECTIVE Study: An International Collaborative Study To Develop Consensus Statements for Deferred Treatment with Curative Intent for Localised Prostate Cancer. <i>European Urology</i> , 2019, 75, 699-702.	0.9	8
74	Prognostic value of unifocal and multifocal positive surgical margins in a large series of robot-assisted radical prostatectomy for prostate cancer. <i>World Journal of Urology</i> , 2019, 37, 1837-1844.	1.2	16
75	Systemic inflammatory markers have independent prognostic value in patients with metastatic testicular germ cell tumours undergoing first-line chemotherapy. <i>British Journal of Cancer</i> , 2018, 118, 825-830.	2.9	58
76	Three-Dimensional Texture Analysis with Machine Learning Provides Incremental Predictive Information for Successful Shock Wave Lithotripsy in Patients with Kidney Stones. <i>Journal of Urology</i> , 2018, 200, 829-836.	0.2	38
77	Improved survival in metastatic germ-cell cancer. <i>Annals of Oncology</i> , 2018, 29, 347-351.	0.6	14
78	Extracorporeal shock wave lithotripsy versus flexible ureterorenoscopy in the treatment of untreated renal calculi. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 364-369.	1.4	23
79	Prevention of bladder cancer incidence and recurrence. <i>Current Opinion in Urology</i> , 2018, 28, 88-92.	0.9	44
80	Prediction of successful shock wave lithotripsy with CT: a phantom study using texture analysis. <i>Abdominal Radiology</i> , 2018, 43, 1432-1438.	1.0	22
81	Re: Sophia C. Kamran, Thomas Seisen, Sarah C. Markt, et al. Contemporary Treatment Patterns and Outcomes for Clinical Stage IS Testicular Cancer. <i>Eur Urol</i> 2018;73:262â€“70.. <i>European Urology</i> , 2018, 73, e94-e95.	0.9	1
82	Questioning the Value of Fluorodeoxyglucose Positron Emission Tomography for Residual Lesions After Chemotherapy for Metastatic Seminoma: Results of an International Global Germ Cell Cancer Group Registry. <i>Journal of Clinical Oncology</i> , 2018, 36, 3381-3387.	0.8	49
83	Genetic polymorphisms may explain association between alcohol consumption and bladder cancer risk in East Asian men. <i>Translational Andrology and Urology</i> , 2018, 7, S252-S254.	0.6	3
84	Multi-region proteome analysis quantifies spatial heterogeneity of prostate tissue biomarkers. <i>Life Science Alliance</i> , 2018, 1, e201800042.	1.3	51
85	Prevalence of hypertension and diabetes after exposure to extracorporeal shock-wave lithotripsy in patients with renal calculi: a retrospective non-randomized data analysis. <i>International Urology and Nephrology</i> , 2018, 50, 1227-1233.	0.6	4
86	Automated Gleason grading of prostate cancer tissue microarrays via deep learning. <i>Scientific Reports</i> , 2018, 8, 12054.	1.6	278
87	Comprehensive immunohistochemical analysis of PD-L1 shows scarce expression in castration-resistant prostate cancer. <i>Oncotarget</i> , 2018, 9, 10284-10293.	0.8	44
88	Baseline characteristics and patterns of care in testicular cancer patients: first data from the Swiss Austrian German Testicular Cancer Cohort Study (SAG TCCS). <i>Swiss Medical Weekly</i> , 2018, 148, w14640.	0.8	15
89	Prognostic Role of Preoperative Serum Lipid Levels in Patients Undergoing Radical Prostatectomy for Clinically Localized Prostate Cancer. <i>Prostate</i> , 2017, 77, 549-556.	1.2	34
90	Re: Won Sik Ham, Heather J. Chalfin, Zhaoyong Feng, et al. New Prostate Cancer Grading System Predicts Long-term Survival Following Surgery for Gleason Score 8â€“10 Prostate Cancer. <i>Eur Urol</i> 2017;71:907â€“12. <i>European Urology</i> , 2017, 72, e9-e10.	0.9	1

#	ARTICLE	IF	CITATIONS
91	MP62-11 EXTRACORPOREAL SHOCK-WAVE LITHOTRIPSY (ESWL) FOR RENAL STONES IS ASSOCIATED WITH DECREASED KIDNEY FUNCTION AFTER LONG TERM FOLLOW-UP. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
92	A curated collection of tissue microarray images and clinical outcome data of prostate cancer patients. <i>Scientific Data</i> , 2017, 4, 170014.	2.4	21
93	MP80-08 DIAGNOSTIC VALUE OF FROZEN SECTION EXAMINATION (FSE) DURING INGUINAL EXPLORATION IN PATIENTS WITH INCONCLUSIVE TESTICULAR LESIONS. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
94	Excessive Wound Fluid Discharge during Retroperitoneal Negative Pressure Wound Therapy. <i>Annals of Vascular Surgery</i> , 2017, 43, 314.e1-314.e3.	0.4	0
95	MP80-17 CXCL12 IS A PREDICTOR FOR DISEASE RECURRENCE IN PATIENTS WITH METASTATIC NON-SEMINOMA. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
96	MP02-02 PURE BIPOLAR PLASMA VAPORIZATION OF THE PROSTATE: 5-YEAR FOLLOW-UP FROM A PROSPECTIVE 3D ULTRASOUND VOLUMETRY STUDY. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
97	PD23-05 INFERIOR TISSUE ABLATION AFTER 120W GREENLIGHT LASER VAPORIZATION DOES NOT TRANSLATE INTO INFERIOR CLINICAL OUTCOME COMPARED CONVENTIONAL TURP: 3-YEAR RESULTS OF A PROSPECTIVE 3D ULTRASOUND VOLUMETRY STUDY. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
98	Prostate volume reduction following pure transurethral bipolar plasma vaporization and conventional transurethral resection of the prostate: a prospective investigation using transrectal 3D ultrasound volumetry. <i>World Journal of Urology</i> , 2017, 35, 429-435.	1.2	4
99	Risk stratification for venous thromboembolism in patients with testicular germ cell tumors. <i>PLoS ONE</i> , 2017, 12, e0176283.	1.1	39
100	FDG PET scan (PET) positive residual lesions after chemotherapy (chemo) for metastatic seminoma: Results of an International Global Germ Cell Cancer Group (G3) registry.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4521-4521.	0.8	11
101	Image-based computational quantification and visualization of genetic alterations and tumour heterogeneity. <i>Scientific Reports</i> , 2016, 6, 24146.	1.6	28
102	Clinical impact of prostate biopsy undergrading in an academic and community setting. <i>World Journal of Urology</i> , 2016, 34, 1481-1490.	1.2	6
103	MP42-12 DO WE ABLATE MORE TISSUE USING THE 180W XPS GREENLIGHT LASER? RESULTS FROM A PROSPECTIVE 120W HPS VS. 180W XPS GREENLIGHT LASER 3D-VOLUMETRY STUDY. <i>Journal of Urology</i> , 2016, 195, .	0.2	0
104	TRIM24 Is an Oncogenic Transcriptional Activator in Prostate Cancer. <i>Cancer Cell</i> , 2016, 29, 846-858.	7.7	228
105	MP33-19 COMPARISON OF STONE-FREE RATES BETWEEN EXTRACORPOREAL SHOCK WAVE LITHOTRIPSY (ESWL) AND FLEXIBLE URETERORENOSCOPY (FURS) FOR UNTREATED RENAL CALCULI. <i>Journal of Urology</i> , 2016, 195, .	0.2	0
106	MP81-03 SYSTEMIC INFLAMMATORY RESPONSE MARKERS IN PATIENTS WITH METASTATIC GERM CELL TUMORS UNDERGOING CHEMOTHERAPY MIGHT BE OF PROGNOSTIC VALUE. <i>Journal of Urology</i> , 2016, 195, .	0.2	0
107	Absorption of irrigation fluid during XPS, GreenLight laser vaporization of the prostate: results from a prospective breath ethanol monitoring study. <i>World Journal of Urology</i> , 2016, 34, 1261-1267.	1.2	10
108	Antegrade valve embolization after transcatheter treatment for pure aortic regurgitation. <i>European Heart Journal</i> , 2016, 37, 856-856.	1.0	2

#	ARTICLE	IF	CITATIONS
109	Predictive value of low tube voltage and dual-energy CT for successful shock wave lithotripsy: an in vitro study. <i>Urolithiasis</i> , 2016, 44, 271-276.	1.2	10
110	L1-CAM is commonly expressed in testicular germ cell tumours. <i>Journal of Clinical Pathology</i> , 2016, 69, 460-462.	1.0	3
111	Oxygen supply maps for hypoxic microenvironment visualization in prostate cancer. <i>Journal of Pathology Informatics</i> , 2016, 7, 3.	0.8	10
112	Large retroperitoneal lymphadenopathy (RPLN) and increased risk of venous thromboembolism (VTE) in patients (pts) with metastatic germ cell tumours (mGCT): A Global Germ Cell Cancer Group (G3) Study.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16058-e16058.	0.8	0
113	CD10 expression in 325 testicular germ cell tumours. <i>Journal of Clinical Pathology</i> , 2015, 68, 400-403.	1.0	0
114	Long-term Adverse Effects of Extracorporeal Shock-wave Lithotripsy for Nephrolithiasis and Ureterolithiasis: A Systematic Review. <i>Urology</i> , 2015, 85, 991-1006.	0.5	19
115	Emerging Therapeutic Targets for Male Germ Cell Tumors. <i>Current Oncology Reports</i> , 2015, 17, 54.	1.8	9
116	Absorption of Irrigation Fluid Occurs Frequently during High Power 532 nm Laser Vaporization of the Prostate. <i>Journal of Urology</i> , 2015, 193, 211-216.	0.2	21
117	Frequent expression of PD-L1 in testicular germ cell tumors.. <i>Journal of Clinical Oncology</i> , 2015, 33, 379-379.	0.8	1
118	2006 IRRIGATION FLUID ABSORPTION DURING 120W HIGH-POWER GREENLIGHT LASER VAPORIZATION OF THE PROSTATE: RESULTS FROM A PROSPECTIVE INVESTIGATION USING EXPIRED BREATH ETHANOL MEASUREMENTS. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
119	Pure Bipolar Plasma Vaporization of the Prostate: The Zürich Experience. <i>Journal of Endourology</i> , 2013, 27, 1261-1266.	1.1	11
120	Prospective evaluation of irrigation fluid absorption during pure transurethral bipolar plasma vaporisation of the prostate using expired breath ethanol measurements. <i>BJU International</i> , 2013, 112, 647-654.	1.3	19
121	Tissue ablation after 120W greenlight laser vaporization and bipolar plasma vaporization of the prostate: a comparison using transrectal three-dimensional ultrasound volumetry. , 2012, , .		0
122	1984 ABLATIVE EFFICIENCY OF GREENLIGHT LASER VAPORIZATION AND CONVENTIONAL TRANSURETHRAL RESECTION OF THE PROSTATE 12 MONTHS RESULTS OF A TRANSRECTAL 3D ULTRASOUND VOLUMETRY STUDY. <i>Journal of Urology</i> , 2012, 187, .	0.2	0
123	2021 PROSPECTIVE EVALUATION OF IRRIGANT ABSORPTION DURING PURE TRANSURETHRAL BIPOLAR PLASMA VAPORIZATION OF THE PROSTATE BY EXPIRED BREATH ETHANOL MEASUREMENTS. <i>Journal of Urology</i> , 2012, 187, .	0.2	0