

Tomáš Etrych

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/434842/publications.pdf>

Version: 2024-02-01

175
papers

7,141
citations

50276

46
h-index

71685

76
g-index

186
all docs

186
docs citations

186
times ranked

7133
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeted Drug Delivery and Theranostic Strategies in Malignant Lymphomas. <i>Cancers</i> , 2022, 14, 626.	3.7	11
2	Glycopolymers Decorated with 3-O-Substituted Thiodigalactosides as Potent Multivalent Inhibitors of Galectin-3. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 3866-3878.	6.4	10
3	Tumor Stimulus-Responsive Biodegradable Diblock Copolymer Conjugates as Efficient Anti-Cancer Nanomedicines. <i>Journal of Personalized Medicine</i> , 2022, 12, 698.	2.5	0
4	Simultaneous Delivery of Doxorubicin and Protease Inhibitor Derivative to Solid Tumors via Star-Shaped Polymer Nanomedicines Overcomes P-gp- and STAT3-Mediated Chemoresistance. <i>Biomacromolecules</i> , 2022, 23, 2522-2535.	5.4	0
5	Singlet Oxygen In Vivo: It Is All about Intensity. <i>Journal of Personalized Medicine</i> , 2022, 12, 891.	2.5	4
6	HPMA Copolymer Mebendazole Conjugate Allows Systemic Administration and Possesses Antitumour Activity In Vivo. <i>Pharmaceutics</i> , 2022, 14, 1201.	4.5	2
7	Metastatic spread inhibition of cancer cells through stimuli-sensitive HPMA copolymer-bound actinonin nanomedicines. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2022, 44, 102578.	3.3	0
8	Cytarabine nanotherapeutics with increased stability and enhanced lymphoma uptake for tailored highly effective therapy of mantle cell lymphoma. <i>Acta Biomaterialia</i> , 2021, 119, 349-359.	8.3	7
9	HPMA-Based Copolymers Carrying STAT3 Inhibitor Cucurbitacin-D as Stimulus-Sensitive Nanomedicines for Oncotherapy. <i>Pharmaceutics</i> , 2021, 13, 179.	4.5	4
10	HPMA Copolymer-Based Nanomedicines in Controlled Drug Delivery. <i>Journal of Personalized Medicine</i> , 2021, 11, 115.	2.5	40
11	Polymer-ritonavir derivate nanomedicine with pH-sensitive activation possesses potent anti-tumor activity in vivo via inhibition of proteasome and STAT3 signaling. <i>Journal of Controlled Release</i> , 2021, 332, 563-580.	9.9	11
12	Polymer-Based Drug-Free Therapeutics for Anticancer, Anti-Inflammatory, and Antibacterial Treatment. <i>Macromolecular Bioscience</i> , 2021, 21, e2100135.	4.1	10
13	Unraveling the role of Intralipid in suppressing off-target delivery and augmenting the therapeutic effects of anticancer nanomedicines. <i>Acta Biomaterialia</i> , 2021, 126, 372-383.	8.3	7
14	HPMA-Based Polymer Conjugates for Repurposed Drug Mebendazole and Other Imidazole-Based Therapeutics. <i>Polymers</i> , 2021, 13, 2530.	4.5	2
15	Acid-responsive HPMA copolymer-bradykinin conjugate enhances tumor-targeted delivery of nanomedicine. <i>Journal of Controlled Release</i> , 2021, 337, 546-556.	9.9	11
16	The role of the biotin linker in polymer antibody mimetics, iBodies, in biochemical assays. <i>Polymer Chemistry</i> , 2021, 12, 6009-6021.	3.9	3
17	The development of a high-affinity conformation-sensitive antibody mimetic using a biocompatible copolymer carrier (iBody). <i>Journal of Biological Chemistry</i> , 2021, 297, 101342.	3.4	2
18	Targeted Polymer-Based Probes for Fluorescence Guided Visualization and Potential Surgery of EGFR-Positive Head-and-Neck Tumors. <i>Pharmaceutics</i> , 2020, 12, 31.	4.5	12

#	ARTICLE	IF	CITATIONS
19	High-Affinity N-(2-Hydroxypropyl)methacrylamide Copolymers with Tailored N-Acetylglucosamine Presentation Discriminate between Galectins. <i>Biomacromolecules</i> , 2020, 21, 641-652.	5.4	24
20	HPMA-based star polymer biomaterials with tuneable structure and biodegradability tailored for advanced drug delivery to solid tumours. <i>Biomaterials</i> , 2020, 235, 119728.	11.4	33
21	Coating Persistent Luminescence Nanoparticles With Hydrophilic Polymers for in vivo Imaging. <i>Frontiers in Chemistry</i> , 2020, 8, 584114.	3.6	2
22	Overcoming resistance to rituximab in relapsed non-Hodgkin lymphomas by antibody-polymer drug conjugates actively targeted by anti-CD38 daratumumab. <i>Journal of Controlled Release</i> , 2020, 328, 160-170.	9.9	11
23	Glycopolymers for Efficient Inhibition of Galectin-3: In Vitro Proof of Efficacy Using Suppression of T Lymphocyte Apoptosis and Tumor Cell Migration. <i>Biomacromolecules</i> , 2020, 21, 3122-3133.	5.4	25
24	Polymer Nanomedicines with Ph-Sensitive Release of Dexamethasone for the Localized Treatment of Inflammation. <i>Pharmaceutics</i> , 2020, 12, 700.	4.5	6
25	Intratumoral Distribution and pH-Dependent Drug Release of High Molecular Weight HPMA Copolymer Drug Conjugates Strongly Depend on Specific Tumor Substructure and Microenvironment. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6029.	4.1	3
26	Structure-to-Efficacy Relationship of HPMA-Based Nanomedicines: The Tumor Spheroid Penetration Study. <i>Pharmaceutics</i> , 2020, 12, 1242.	4.5	5
27	Graft copolymers with tunable amphiphilicity tailored for efficient dual drug delivery via encapsulation and pH-sensitive drug conjugation. <i>Polymer Chemistry</i> , 2020, 11, 4438-4453.	3.9	13
28	Polymer nanomedicines based on micelle-forming amphiphilic or water-soluble polymer-doxorubicin conjugates: Comparative study of in vitro and in vivo properties related to the polymer carrier structure, composition, and hydrodynamic properties. <i>Journal of Controlled Release</i> , 2020, 321, 718-733.	9.9	22
29	HPMA copolymer-antibody constructs in neoplastic treatment: an overview of therapeutics, targeted diagnostics, and drug-free systems. <i>Journal of Controlled Release</i> , 2020, 325, 304-322.	9.9	11
30	Highly effective anti-tumor nanomedicines based on HPMA copolymer conjugates with pirarubicin prepared by controlled RAFT polymerization. <i>Acta Biomaterialia</i> , 2020, 106, 256-266.	8.3	20
31	Polymer Cancerostatics Containing Cell-Penetrating Peptides: Internalization Efficacy Depends on Peptide Type and Spacer Length. <i>Pharmaceutics</i> , 2020, 12, 59.	4.5	12
32	Molecular Mechanisms of the Interactions of N-(2-Hydroxypropyl)methacrylamide Copolymers Designed for Cancer Therapy with Blood Plasma Proteins. <i>Pharmaceutics</i> , 2020, 12, 106.	4.5	12
33	Oligopeptide-targeted polymer nanoprobe for fluorescence-guided endoscopic surgery. <i>Multifunctional Materials</i> , 2019, 2, 024004.	3.7	7
34	Augmentation of EPR Effect and Efficacy of Anticancer Nanomedicine by Carbon Monoxide Generating Agents. <i>Pharmaceutics</i> , 2019, 11, 343.	4.5	46
35	Micelle-Forming Block Copolymers Tailored for Inhibition of P-gp-Mediated Multidrug Resistance: Structure to Activity Relationship. <i>Pharmaceutics</i> , 2019, 11, 579.	4.5	12
36	In memory of Karel Ulbrich. <i>Journal of Controlled Release</i> , 2019, 309, 343.	9.9	0

#	ARTICLE	IF	CITATIONS
37	Fluorescence Imaging as a Tool in Preclinical Evaluation of Polymer-Based Nano-DDS Systems Intended for Cancer Treatment. <i>Pharmaceutics</i> , 2019, 11, 471.	4.5	23
38	Superior Penetration and Cytotoxicity of HPMA Copolymer Conjugates of Pirarubicin in Tumor Cell Spheroid. <i>Molecular Pharmaceutics</i> , 2019, 16, 3452-3459.	4.6	17
39	Singlet oxygen phosphorescence detection in vivo identifies PDT-induced anoxia in solid tumors. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 1304-1314.	2.9	17
40	Inhibitor-Decorated Polymer Conjugates as a Versatile Tool for Detection and Visualization of Cancer-Associated Carbonic Anhydrase Isoforms. <i>ACS Omega</i> , 2019, 4, 6746-6756.	3.5	10
41	Tris-(Nitrilotriacetic Acid)-Decorated Polymer Conjugates as Tools for Immobilization and Visualization of His-Tagged Proteins. <i>Catalysts</i> , 2019, 9, 1011.	3.5	6
42	Impact of Polymer-TLR-7/8 Agonist (Adjuvant) Morphology on the Potency and Mechanism of CD8 T Cell Induction. <i>Biomacromolecules</i> , 2019, 20, 854-870.	5.4	32
43	Polymer Cancerostatics Targeted by Recombinant Antibody Fragments to GD2-Positive Tumor Cells. <i>Biomacromolecules</i> , 2019, 20, 412-421.	5.4	11
44	Biological Therapy of Hematologic Malignancies: Toward a Chemotherapy-free Era. <i>Current Medicinal Chemistry</i> , 2019, 26, 1002-1018.	2.4	11
45	Interaction of spin-labeled HPMA-based nanoparticles with human blood plasma proteins – the introduction of protein-corona-free polymer nanomedicine. <i>Nanoscale</i> , 2018, 10, 6194-6204.	5.6	37
46	Macromolecular HPMA-Based Nanoparticles with Cholesterol for Solid Tumor Targeting: Behavior in HSA Protein Environment. <i>Biomacromolecules</i> , 2018, 19, 470-480.	5.4	17
47	Inhibitor-GCPII Interaction: Selective and Robust System for Targeting Cancer Cells with Structurally Diverse Nanoparticles. <i>Molecular Pharmaceutics</i> , 2018, 15, 2932-2945.	4.6	25
48	A Novel Approach to Increase the Stability of Liposomal Containers via In Prep Coating by Poly[N-(2-Hydroxypropyl)Methacrylamide] with Covalently Attached Cholesterol Groups. <i>Macromolecular Chemistry and Physics</i> , 2018, 219, 1700508.	2.2	14
49	Happy Birthday Karel!. <i>Macromolecular Bioscience</i> , 2018, 18, 1700400.	4.1	0
50	Bloodstream Stability Predetermines the Antitumor Efficacy of Micellar Polymer-Doxorubicin Drug Conjugates with pH-Triggered Drug Release. <i>Molecular Pharmaceutics</i> , 2018, 15, 3654-3663.	4.6	18
51	Iterative Photoinduced Chain Functionalization as a Generic Platform for Advanced Polymeric Drug Delivery Systems. <i>Macromolecular Rapid Communications</i> , 2018, 39, 1700502.	3.9	7
52	Intended and Unintended Targeting of Polymeric Nanocarriers: The Case of Modified Poly(glycerol) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50	4.1	24
53	Polymer nitric oxide donors potentiate the treatment of experimental solid tumours by increasing drug accumulation in the tumour tissue. <i>Journal of Controlled Release</i> , 2018, 269, 214-224.	9.9	27
54	HPMA copolymer conjugate with pirarubicin: In vitro and ex vivo stability and drug release study. <i>International Journal of Pharmaceutics</i> , 2018, 536, 108-115.	5.2	14

#	ARTICLE	IF	CITATIONS
55	HPMA Copolymer-Drug Conjugates with Controlled Tumor-Specific Drug Release. <i>Macromolecular Bioscience</i> , 2018, 18, 1700209.	4.1	61
56	Biocompatible glyconanomaterials based on HPMA-copolymer for specific targeting of galectin-3. <i>Journal of Nanobiotechnology</i> , 2018, 16, 73.	9.1	32
57	Augmentation of the Enhanced Permeability and Retention Effect with Nitric Oxide-Generating Agents Improves the Therapeutic Effects of Nanomedicines. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 2643-2653.	4.1	83
58	Effective doxorubicin-based nano-therapeutics for simultaneous malignant lymphoma treatment and lymphoma growth imaging. <i>Journal of Controlled Release</i> , 2018, 289, 44-55.	9.9	26
59	N-(2-Hydroxypropyl)methacrylamide-Based Linear, Diblock, and Starlike Polymer Drug Carriers: Advanced Process for Their Simple Production. <i>Biomacromolecules</i> , 2018, 19, 4003-4013.	5.4	22
60	Binding of HSA to Macromolecular HPMA Based Nanoparticles for Drug Delivery: An Investigation Using Fluorescence Methods. <i>Langmuir</i> , 2018, 34, 7998-8006.	3.5	12
61	Nanotherapeutics with suitable properties for advanced anticancer therapy based on HPMA copolymer-bound ritonavir via pH-sensitive spacers. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2018, 131, 141-150.	4.3	5
62	N-(2-hydroxypropyl)methacrylamide polymer conjugated pyropheophorbide-a, a promising tumor-targeted theranostic probe for photodynamic therapy and imaging. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2018, 130, 165-176.	4.3	36
63	Cell-Penetrating Peptides: a Useful Tool for the Delivery of Various Cargoes Into Cells. <i>Physiological Research</i> , 2018, 67, S267-S279.	0.9	73
64	Polymer-Drug Conjugates in Inflammation Treatment. <i>Physiological Research</i> , 2018, 67, S281-S292.	0.9	17
65	Drug Carriers With Star Polymer Structures. <i>Physiological Research</i> , 2018, 67, S293-S303.	0.9	8
66	Polymeric Nanogels as Drug Delivery Systems. <i>Physiological Research</i> , 2018, 67, S305-S317.	0.9	45
67	Synthesis of Water-Soluble Star Polymers Based on Cyclodextrins. <i>Physiological Research</i> , 2018, 67, S357-S365.	0.9	2
68	Influence of molar mass, dispersity, and type and location of hydrophobic side chain moieties on the critical micellar concentration and stability of amphiphilic HPMA-based polymer drug carriers. <i>Colloid and Polymer Science</i> , 2017, 295, 1313-1325.	2.1	12
69	Comparison of the pharmacological and biological properties of HPMA copolymer-pirarubicin conjugates: A single-chain copolymer conjugate and its biodegradable tandem-diblock copolymer conjugate. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 106, 10-19.	4.0	15
70	Glycan-decorated HPMA copolymers as high-affinity lectin ligands. <i>Polymer Chemistry</i> , 2017, 8, 2647-2658.	3.9	30
71	The structure of polymer carriers controls the efficacy of the experimental combination treatment of tumors with HPMA copolymer conjugates carrying doxorubicin and docetaxel. <i>Journal of Controlled Release</i> , 2017, 246, 1-11.	9.9	27
72	Ability of polymer-bound P-glycoprotein inhibitor ritonavir to overcome multidrug resistance in various resistant neuroblastoma cell lines. <i>Anti-Cancer Drugs</i> , 2017, 28, 1126-1130.	1.4	6

#	ARTICLE	IF	CITATIONS
73	Inhibitor-Decorated Polymer Conjugates Targeting Fibroblast Activation Protein. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 8385-8393.	6.4	21
74	Polymer donors of nitric oxide improve the treatment of experimental solid tumours with nanosized polymer therapeutics. <i>Journal of Drug Targeting</i> , 2017, 25, 796-808.	4.4	10
75	A tumor-targeted polymer theranostics platform for positron emission tomography and fluorescence imaging. <i>Nanoscale</i> , 2017, 9, 10906-10918.	5.6	29
76	Overcoming multidrug resistance using folate receptor-targeted and pH-responsive polymeric nanogels containing covalently entrapped doxorubicin. <i>Nanoscale</i> , 2017, 9, 10404-10419.	5.6	58
77	Overcoming multidrug resistance via simultaneous delivery of cytostatic drug and P-glycoprotein inhibitor to cancer cells by HPMA copolymer conjugate. <i>Biomaterials</i> , 2017, 115, 65-80.	11.4	43
78	Tumor-targeted micelle-forming block copolymers for overcoming of multidrug resistance. <i>Journal of Controlled Release</i> , 2017, 245, 41-51.	9.9	36
79	Star Polymer-Drug Conjugates with pH-Controlled Drug Release and Carrier Degradation. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-10.	2.7	12
80	Tailoring the physicochemical properties of core-crosslinked polymeric micelles for pharmaceutical applications. <i>Journal of Controlled Release</i> , 2016, 244, 314-325.	9.9	37
81	Overcoming multidrug resistance in Dox-resistant neuroblastoma cell lines via treatment with HPMA copolymer conjugates containing anthracyclines and P-gp inhibitors. <i>Journal of Controlled Release</i> , 2016, 233, 136-146.	9.9	30
82	PCL-PEG graft copolymers with tunable amphiphilicity as efficient drug delivery systems. <i>Journal of Materials Chemistry B</i> , 2016, 4, 6228-6239.	5.8	38
83	Passive Tumor Targeting of Polymer Therapeutics: In Vivo Imaging of Both the Polymer Carrier and the Enzymatically Cleavable Drug Model. <i>Macromolecular Bioscience</i> , 2016, 16, 1577-1582.	4.1	6
84	Biodegradable Micellar HPMA-Based Polymer-Drug Conjugates with Betulinic Acid for Passive Tumor Targeting. <i>Biomacromolecules</i> , 2016, 17, 3493-3507.	5.4	30
85	Micelle-forming HPMA copolymer conjugates of ritonavir bound via a pH-sensitive spacer with improved cellular uptake designed for enhanced tumor accumulation. <i>Journal of Materials Chemistry B</i> , 2016, 4, 7620-7629.	5.8	14
86	Pronounced Cellular Uptake of Pirarubicin versus That of Other Anthracyclines: Comparison of HPMA Copolymer Conjugates of Pirarubicin and Doxorubicin. <i>Molecular Pharmaceutics</i> , 2016, 13, 4106-4115.	4.6	34
87	Dual fluorescent (2-hydroxypropyl) methacrylamide-based conjugates for passive tumor targeting with reduction-sensitive drug release: Proof of the concept, tumor accumulation, and biodistribution. <i>Journal of Bioactive and Compatible Polymers</i> , 2016, 31, 348-360.	2.1	6
88	Acid-labile pHPMA modification of four-arm oligoaminoamide pDNA polyplexes balances shielding and gene transfer activity in vitro and in vivo. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016, 105, 85-96.	4.3	16
89	Fluorescence optical imaging in anticancer drug delivery. <i>Journal of Controlled Release</i> , 2016, 226, 168-181.	9.9	107
90	Improved Tumor-Specific Drug Accumulation by Polymer Therapeutics with pH-Sensitive Drug Release Overcomes Chemotherapy Resistance. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 998-1007.	4.1	31

#	ARTICLE	IF	CITATIONS
91	The structure-dependent toxicity, pharmacokinetics and anti-tumour activity of HPMA copolymer conjugates in the treatment of solid tumours and leukaemia. <i>Journal of Controlled Release</i> , 2016, 223, 1-10.	9.9	38
92	HPMA Copolymer-Conjugated Pirarubicin in Multimodal Treatment of a Patient with Stage IV Prostate Cancer and Extensive Lung and Bone Metastases. <i>Targeted Oncology</i> , 2016, 11, 101-106.	3.6	75
93	High-Molecular-Weight HPMA-Based Polymer Drug Carriers for Delivery to Tumor. <i>Physiological Research</i> , 2016, 65, S179-S190.	0.9	22
94	Intracellular Fate of Polymer Therapeutics Investigated by Fluorescence Lifetime Imaging and Fluorescence Pattern Analysis. <i>Physiological Research</i> , 2016, 65, S217-S224.	0.9	2
95	The pH-Dependent and Enzymatic Release of Cytarabine From Hydrophilic Polymer Conjugates. <i>Physiological Research</i> , 2016, 65, S225-S232.	0.9	15
96	HPMA Copolymer-Based Polymer Conjugates for the Delivery and Controlled Release of Retinoids. <i>Physiological Research</i> , 2016, 65, S233-S241.	0.9	8
97	Anti-Lymphoma Efficacy Comparison of Anti-Cd20 Monoclonal Antibody-Targeted and Non-Targeted Star-Shaped Polymer-Prodrug Conjugates. <i>Molecules</i> , 2015, 20, 19849-19864.	3.8	19
98	Traceless pH sensitive coating of polyplexes prepared from well-defined polycations. <i>Journal of Controlled Release</i> , 2015, 213, e70.	9.9	0
99	Comparison between linear and star-like HPMA conjugated pirarubicin (THP) in pharmacokinetics and antitumor activity in tumor bearing mice. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015, 90, 90-96.	4.3	43
100	Synthesis and Properties of Star HPMA Copolymer Nanocarriers Synthesised by RAFT Polymerisation Designed for Selective Anticancer Drug Delivery and Imaging. <i>Macromolecular Bioscience</i> , 2015, 15, 839-850.	4.1	33
101	Thermoresponsive Polymer Micelles as Potential Nanosized Cancerostatics. <i>Biomacromolecules</i> , 2015, 16, 2493-2505.	5.4	37
102	In vivo characterization of the physicochemical properties of polymer-linked TLR agonists that enhance vaccine immunogenicity. <i>Nature Biotechnology</i> , 2015, 33, 1201-1210.	17.5	362
103	High-molecular weight star conjugates containing docetaxel with high anti-tumor activity and low systemic toxicity in vivo. <i>Polymer Chemistry</i> , 2015, 6, 160-170.	3.9	24
104	The Comparison of In Vivo Properties of Water-Soluble HPMA-Based Polymer Conjugates with Doxorubicin Prepared by Controlled RAFT or Free Radical Polymerization. <i>Physiological Research</i> , 2015, 64, S41-S49.	0.9	12
105	Nanotherapeutics Shielded With a pH Responsive Polymeric Layer. <i>Physiological Research</i> , 2015, 64, S29-S44.	0.9	8
106	Nanotherapeutics With Anthracyclines: Methods of Determination and Quantification of Anthracyclines in Biological Samples. <i>Physiological Research</i> , 2015, 64, S1-S10.	0.9	3
107	Two step mechanisms of tumor selective delivery of N-(2-hydroxypropyl)methacrylamide copolymer conjugated with pirarubicin via an acid-cleavable linkage. <i>Journal of Controlled Release</i> , 2014, 174, 81-87.	9.9	98
108	Nanomedicines for Inflammatory Arthritis: Head-to-Head Comparison of Glucocorticoid-Containing Polymers, Micelles, and Liposomes. <i>ACS Nano</i> , 2014, 8, 458-466.	14.6	133

#	ARTICLE	IF	CITATIONS
109	Polymer conjugates of doxorubicin bound through an amide and hydrazone bond: Impact of the carrier structure onto synergistic action in the treatment of solid tumours. <i>European Journal of Pharmaceutical Sciences</i> , 2014, 58, 1-12.	4.0	65
110	HPMA Copolymer Conjugates of DOX and Mitomycin C for Combination Therapy: Physicochemical Characterization, Cytotoxic Effects, Combination Index Analysis, and Antitumor Efficacy. <i>Macromolecular Bioscience</i> , 2013, 13, 1648-1660.	4.1	27
111	Dual fluorescent HPMA copolymers for passive tumor targeting with pH-sensitive drug release II: Impact of release rate on biodistribution. <i>Journal of Controlled Release</i> , 2013, 172, 504-512.	9.9	47
112	Hydrolytically Degradable Polymer Micelles for Drug Delivery: A SAXS/SANS Kinetic Study. <i>Biomacromolecules</i> , 2013, 14, 4061-4070.	5.4	39
113	Synthesis of Well-Defined Semitelechelic Poly[N-(2-hydroxypropyl)methacrylamide] Polymers with Functional Group at the End of the Polymer Chain by RAFT Polymerization. <i>Macromolecules</i> , 2013, 46, 2100-2108.	4.8	33
114	Combination chemotherapy using core-shell nanoparticles through the self-assembly of HPMA-based copolymers and degradable polyester. <i>Journal of Controlled Release</i> , 2013, 165, 153-161.	9.9	57
115	Intrinsically active nanobody-modified polymeric micelles for tumor-targeted combination therapy. <i>Biomaterials</i> , 2013, 34, 1255-1260.	11.4	111
116	Noninvasive Optical Imaging of Nanomedicine Biodistribution. <i>ACS Nano</i> , 2013, 7, 252-262.	14.6	102
117	Fine needle aspiration biopsy proves increased T-lymphocyte proliferation in tumor and decreased metastatic infiltration after treatment with doxorubicin bound to PHPMA copolymer carrier. <i>Journal of Drug Targeting</i> , 2013, 21, 648-661.	4.4	3
118	HPMA Copolymer-Bound Doxorubicin Induces Immunogenic Tumor Cell Death. <i>Current Medicinal Chemistry</i> , 2013, 20, 4815-4826.	2.4	24
119	Polymer Carriers for Anticancer Drugs Targeted to EGF Receptor. <i>Macromolecular Bioscience</i> , 2012, 12, 1714-1720.	4.1	18
120	Macromolecular HPMA-Based Nanoparticles with Cholesterol for Solid-Tumor Targeting: Detailed Study of the Inner Structure of a Highly Efficient Drug Delivery System. <i>Biomacromolecules</i> , 2012, 13, 2594-2604.	5.4	51
121	Dual Fluorescent HPMA Copolymers for Passive Tumor Targeting with pH-Sensitive Drug Release: Synthesis and Characterization of Distribution and Tumor Accumulation in Mice by Noninvasive Multispectral Optical Imaging. <i>Biomacromolecules</i> , 2012, 13, 652-663.	5.4	61
122	Self-assembly of biodegradable copolyester and reactive HPMA-based polymers into nanoparticles as an alternative stealth drug delivery system. <i>Soft Matter</i> , 2012, 8, 9563.	2.7	35
123	HPMA copolymer-doxorubicin conjugates: The effects of molecular weight and architecture on biodistribution and in vivo activity. <i>Journal of Controlled Release</i> , 2012, 164, 346-354.	9.9	116
124	Hydrolytically Degradable Polymer Micelles for Anticancer Drug Delivery to Solid Tumors. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 858-867.	2.2	37
125	Overcoming cellular multidrug resistance using classical nanomedicine formulations. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 45, 421-428.	4.0	53
126	Novel star HPMA-based polymer conjugates for passive targeting to solid tumors. <i>Journal of Drug Targeting</i> , 2011, 19, 874-889.	4.4	33

#	ARTICLE	IF	CITATIONS
127	Synergistic effect of EMFâ€“BEMER-type pulsed weak electromagnetic field and HPMA-bound doxorubicin on mouse EL4 T-cell lymphoma. <i>Journal of Drug Targeting</i> , 2011, 19, 890-899.	4.4	11
128	Biodegradable star HPMA polymerâ€“drug conjugates: Biodegradability, distribution and anti-tumor efficacy. <i>Journal of Controlled Release</i> , 2011, 154, 241-248.	9.9	167
129	Biodegradable star HPMA polymer conjugates of doxorubicin for passive tumor targeting. <i>European Journal of Pharmaceutical Sciences</i> , 2011, 42, 527-539.	4.0	94
130	Interaction of N-(2-Hydroxypropyl)methacrylamide Copolymer-Doxorubicin Conjugates with Human Liver Microsomal Cytochromes P450: Comparison with Free Doxorubicin. <i>Drug Metabolism and Disposition</i> , 2011, 39, 1704-1710.	3.3	8
131	High-molecular-weight Polymers Containing Biodegradable Disulfide Bonds: Synthesis and <i>In Vitro</i> Verification of Intracellular Degradation. <i>Journal of Bioactive and Compatible Polymers</i> , 2010, 25, 5-26.	2.1	19
132	HPMA Copolymer Conjugates of Paclitaxel and Docetaxel with pH-Controlled Drug Release. <i>Molecular Pharmaceutics</i> , 2010, 7, 1015-1026.	4.6	113
133	Doxorubicin attached to HPMA copolymer via amide bond modifies the glycosylation pattern of EL4 cells. <i>Tumor Biology</i> , 2010, 31, 233-242.	1.8	18
134	Preclinical Evaluation of Linear HPMA-Doxorubicin Conjugates with pH-Sensitive Drug Release: Efficacy, Safety, and Immunomodulating Activity in Murine Model. <i>Pharmaceutical Research</i> , 2010, 27, 200-208.	3.5	56
135	N-(2-Hydroxypropyl)methacrylamide-based polymer conjugates with pH-controlled activation of doxorubicin for cell-specific or passive tumour targeting. Synthesis by RAFT polymerisation and physicochemical characterisation. <i>European Journal of Pharmaceutical Sciences</i> , 2010, 41, 473-482.	4.0	120
136	Core-crosslinked polymeric micelles with controlled release of covalently entrapped doxorubicin. <i>Biomaterials</i> , 2010, 31, 7797-7804.	11.4	241
137	Micellar and Antibodyâ€“Targeted Polymer Therapeutics. <i>Macromolecular Symposia</i> , 2010, 295, 1-12.	0.7	6
138	Synergistic Action of Doxorubicin Bound to the Polymeric Carrier Based on N-(2-Hydroxypropyl)methacrylamide Copolymers through an Amide or Hydrazone Bond. <i>Molecular Pharmaceutics</i> , 2010, 7, 1027-1040.	4.6	29
139	HPMA copolymer conjugates with reduced anti-CD20 antibody for cell-specific drug targeting. I. Synthesis and in vitro evaluation of binding efficacy and cytostatic activity. <i>Journal of Controlled Release</i> , 2009, 140, 18-26.	9.9	44
140	HPMA-based polymer conjugates with drug combination. <i>European Journal of Pharmaceutical Sciences</i> , 2009, 37, 405-412.	4.0	85
141	Biological Evaluation of Polymeric Micelles with Covalently Bound Doxorubicin. <i>Bioconjugate Chemistry</i> , 2009, 20, 2090-2097.	3.6	63
142	N-(2-Hydroxypropyl)methacrylamide-based polymer conjugates with pH-controlled activation of doxorubicin. I. New synthesis, physicochemical characterization and preliminary biological evaluation. <i>Journal of Applied Polymer Science</i> , 2008, 109, 3050-3061.	2.6	105
143	New HPMA copolymer-based drug carriers with covalently bound hydrophobic substituents for solid tumour targeting. <i>Journal of Controlled Release</i> , 2008, 127, 121-130.	9.9	123
144	Doxorubicin release is not a prerequisite for the in vitro cytotoxicity of HPMA-based pharmaceuticals: In vitro effect of extra drug-free GlyPheLeuGly sequences. <i>Journal of Controlled Release</i> , 2008, 127, 110-120.	9.9	26

#	ARTICLE	IF	CITATIONS
145	Conjugates of doxorubicin with graft HPMA copolymers for passive tumor targeting. <i>Journal of Controlled Release</i> , 2008, 132, 184-192.	9.9	93
146	HPMA copolymer conjugates for dual therapy. <i>Journal of Controlled Release</i> , 2008, 132, e63-e65.	9.9	1
147	Overcoming Immunescape Mechanisms of BCL1 Leukemia and Induction of CD8+ T-Cell-Mediated BCL1-Specific Resistance in Mice Cured by Targeted Polymer-Bound Doxorubicin. <i>Cancer Research</i> , 2008, 68, 9875-9883.	0.9	13
148	Star-shaped immunoglobulin-containing HPMA-based conjugates with doxorubicin for cancer therapy. <i>Journal of Controlled Release</i> , 2007, 122, 31-38.	9.9	62
149	HPMA based macromolecular therapeutics: Internalization, intracellular pathway and cell death depend on the character of covalent bond between the drug and the peptidic spacer and also on spacer composition. <i>Journal of Drug Targeting</i> , 2006, 14, 391-403.	4.4	35
150	Use of synthetic vectors for neutralising antibody resistant delivery of replicating adenovirus DNA. <i>Gene Therapy</i> , 2006, 13, 1579-1586.	4.5	14
151	Properties of HPMA copolymer-doxorubicin conjugates with pH-controlled activation: Effect of polymer chain modification. <i>Journal of Controlled Release</i> , 2006, 115, 26-36.	9.9	95
152	Hydroxybisphosphonate-containing polymeric drug-delivery systems designed for targeting into bone tissue. <i>Journal of Applied Polymer Science</i> , 2006, 101, 3192-3201.	2.6	35
153	Release of Polyanions from Polyelectrolyte Complexes by Selective Degradation of the Polycation. <i>Journal of Bioactive and Compatible Polymers</i> , 2006, 21, 89-105.	2.1	12
154	Polyelectrolyte complex formation and stability when mixing polyanions and polycations in salted media: A model study related to the case of body fluids. <i>European Journal of Pharmaceutical Sciences</i> , 2005, 25, 281-288.	4.0	53
155	Effect of physicochemical modification on the biodistribution and tumor accumulation of HPMA copolymers. <i>Journal of Controlled Release</i> , 2005, 110, 103-118.	9.9	125
156	Chemotherapy based on HPMA copolymer conjugates with pH-controlled release of doxorubicin triggers anti-tumor immunity. <i>Journal of Controlled Release</i> , 2005, 110, 119-129.	9.9	66
157	HPMA copolymers containing doxorubicin bound by a proteolytically or hydrolytically cleavable bond: comparison of biological properties in vitro. <i>Journal of Controlled Release</i> , 2004, 99, 301-314.	9.9	48
158	Polymer-coated polyethylenimine/DNA complexes designed for triggered activation by intracellular reduction. <i>Journal of Gene Medicine</i> , 2004, 6, 337-344.	2.8	117
159	Polymeric anticancer drugs with pH-controlled activation. <i>International Journal of Pharmaceutics</i> , 2004, 277, 63-72.	5.2	79
160	Antibody-targeted Polymer-doxorubicin Conjugates with pH-controlled Activation. <i>Journal of Drug Targeting</i> , 2004, 12, 477-489.	4.4	119
161	Cytotoxic and Immunomodulatory Activities of Polymer-Bound Drugs. , 2004, , 67-78.		2
162	Starlike vs. classic macromolecular prodrugs: two different antibody-targeted HPMA copolymers of doxorubicin studied in vitro and in vivo as potential anticancer drugs. <i>Pharmaceutical Research</i> , 2003, 20, 1558-1564.	3.5	50

#	ARTICLE	IF	CITATIONS
163	HPMA copolymers with pH-controlled release of doxorubicin. <i>Journal of Controlled Release</i> , 2003, 87, 33-47.	9.9	196
164	Cytostatic and immunomobilizing activities of polymer-bound drugs: experimental and first clinical data. <i>Journal of Controlled Release</i> , 2003, 91, 1-16.	9.9	64
165	HPMA copolymer-bound doxorubicin targeted to tumor-specific antigen of BCL1 mouse B cell leukemia. <i>Journal of Controlled Release</i> , 2003, 92, 315-330.	9.9	51
166	Drug-HPMA-Hulg Conjugates Effective Against Human Solid Cancer. , 2003, 519, 125-143.		19
167	Synthesis and Properties of Poly[N-(2-Hydroxypropyl) Methacrylamide] Conjugates of Superoxide Dismutase. <i>Journal of Bioactive and Compatible Polymers</i> , 2002, 17, 105-122.	2.1	25
168	Star Structure of Antibody-Targeted HPMA Copolymer-Bound Doxorubicin: A Novel Type of Polymeric Conjugate for Targeted Drug Delivery with Potent Antitumor Effect. <i>Bioconjugate Chemistry</i> , 2002, 13, 206-215.	3.6	64
169	HPMA-hydrogels result in prolonged delivery of anticancer drugs and are a promising tool for the treatment of sensitive and multidrug resistant leukaemia. <i>European Journal of Cancer</i> , 2002, 38, 602-608.	2.8	24
170	Differences in the intracellular fate of free and polymer-bound doxorubicin. <i>Journal of Controlled Release</i> , 2002, 80, 101-117.	9.9	68
171	HPMA-hydrogels containing cytostatic drugs. <i>Journal of Controlled Release</i> , 2002, 81, 101-111.	9.9	32
172	Synthesis of HPMA Copolymers Containing Doxorubicin Bound via a Hydrazone Linkage. Effect of Spacer on Drug Release and in vitro Cytotoxicity. <i>Macromolecular Bioscience</i> , 2002, 2, 43-52.	4.1	127
173	New HPMA copolymers containing doxorubicin bound via pH-sensitive linkage: synthesis and preliminary in vitro and in vivo biological properties. <i>Journal of Controlled Release</i> , 2001, 73, 89-102.	9.9	319
174	Doxorubicin bound to a HPMA copolymer carrier through hydrazone bond is effective also in a cancer cell line with a limited content of lysosomes. <i>Journal of Controlled Release</i> , 2001, 74, 225-232.	9.9	103
175	Characterisation of the binding interaction between poly(L-lysine) and DNA using the fluorescamine assay in the preparation of non-viral gene delivery vectors. <i>FEBS Letters</i> , 1999, 461, 96-100.	2.8	30