Akihiko Kawahara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4349900/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Association of PD-L1 overexpression with activating EGFR mutations in surgically resected nonsmall-cell lung cancer. Annals of Oncology, 2014, 25, 1935-1940. | 1.2 | 541 |
| 2 | Induction of PD-L1 Expression by the EML4–ALK Oncoprotein and Downstream Signaling Pathways in Non–Small Cell Lung Cancer. Clinical Cancer Research, 2015, 21, 4014-4021. | 7.0 | 392 |
| 3 | Predictive relevance of PD-L1 expression combined with CD8+ TIL density in stage III non-small cell lung cancer patients receiving concurrent chemoradiotherapy. European Journal of Cancer, 2016, 55, 7-14. | 2.8 | 163 |
| 4 | Loss of PTEN Expression by Blocking Nuclear Translocation of EGR1 in Gefitinib-Resistant Lung Cancer Cells Harboring Epidermal Growth Factor Receptor–Activating Mutations. Cancer Research, 2010, 70, 8715-8725. | 0.9 | 142 |
| 5 | Molecular Diagnosis of Activating EGFR Mutations in Non–Small Cell Lung Cancer Using Mutation-Specific Antibodies for Immunohistochemical Analysis. Clinical Cancer Research, 2010, 16, 3163-3170. | 7.0 | 108 |
| 6 | FOXP3 expression in tumor cells and tumor-infiltrating lymphocytes is associated with breast cancer prognosis. Molecular and Clinical Oncology, 2013, 1, 625-632. | 1.0 | 99 |
| 7 | FGFR1 activation is an escape mechanism in human lung cancer cells resistant to afatinib, a pan-EGFR family kinase inhibitor. Oncotarget, 2014, 5, 5908-5919. | 1.8 | 92 |
| 8 | Association of EGFR Exon 19 Deletion and EGFR-TKI Treatment Duration with Frequency of T790M Mutation in EGFR-Mutant Lung Cancer Patients. Scientific Reports, 2016, 6, 36458. | 3.3 | 75 |
| 9 | Insulinoma-associated protein 1 (INSM1) is a useful marker for pancreatic neuroendocrine tumor. Medical Molecular Morphology, 2018, 51, 32-40. | 1.0 | 74 |
| 10 | Digital PCR analysis of plasma cell-free DNA for non-invasive detection of drug resistance mechanisms in EGFR mutant NSCLC: Correlation with paired tumor samples. Oncotarget, 2015, 6, 30850-30858. | 1.8 | 72 |
| 11 | Tumor-Derived Interleukin-1 Promotes Lymphangiogenesis and Lymph Node Metastasis through M2-Type Macrophages. PLoS ONE, 2014, 9, e99568. | 2.5 | 72 |
| 12 | Expression of HER2 and Estrogen Receptor α Depends upon Nuclear Localization of Y-Box Binding Protein-1 in Human Breast Cancers. Cancer Research, 2008, 68, 1504-1512. | 0.9 | 70 |
| 13 | Immune Suppression by PD-L2 against Spontaneous and Treatment-Related Antitumor Immunity. Clinical Cancer Research, 2019, 25, 4808-4819. | 7.0 | 66 |
| 14 | Identification of non-small-cell lung cancer with activating EGFR mutations in malignant effusion and cerebrospinal fluid: Rapid and sensitive detection of exon 19 deletion E746-A750 and exon 21 L858R mutation by immunocytochemistry. Lung Cancer, 2011, 74, 35-40. | 2.0 | 64 |
| 15 | Loss of Activating EGFR Mutant Gene Contributes to Acquired Resistance to EGFR Tyrosine Kinase Inhibitors in Lung Cancer Cells. PLoS ONE, 2012, 7, e41017. | 2.5 | 62 |
| 16 | Nuclear β-catenin expression in basal cell adenomas of salivary gland. Journal of Oral Pathology and Medicine, 2011, 40, 460-466. | 2.7 | 55 |
| 17 | Infiltration of thymidine phosphorylase-positive macrophages is closely associated with tumor angiogenesis and survival in intestinal type gastric cancer. Oncology Reports, 2010, 24, 405-15. | 2.6 | 51 |
| 18 | Prognostic value of PD-1 and PD-L1 expression in patients with metastatic clear cell renal cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 499.e9-499.e16. | 1.6 | 50 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Phase II Study of Personalized Peptide Vaccination for Previously Treated Advanced Colorectal Cancer. Cancer Immunology Research, 2014, 2, 1154-1162. | 3.4 | 49 |
| 20 | Clinical Impact of Tumor-Infiltrating Lymphocytes in Esophageal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2017, 24, 3763-3770. | 1.5 | 49 |
| 21 | Prognostic stratification of patients with nasopharyngeal carcinoma based on tumor immune microenvironment. Head and Neck, 2018, 40, 2007-2019. | 2.0 | 47 |
| 22 | Epidermal growth factor receptor mutation status in cellâ€free <scp>DNA</scp> supernatant of bronchial washings and brushings. Cancer Cytopathology, 2015, 123, 620-628. | 2.4 | 44 |
| 23 | Predictive factors of the tumor immunological microenvironment for longâ€ŧerm followâ€up in early stage breast cancer. Cancer Science, 2017, 108, 81-90. | 3.9 | 41 |
| 24 | N-myc Downstream-regulated Gene 1 Promotes Tumor Inflammatory Angiogenesis through JNK Activation and Autocrine Loop of Interleukin-11± by Human Gastric Cancer Cells. Journal of Biological Chemistry, 2013, 288, 25025-25037. | 3.4 | 39 |
| 25 | Fine-needle aspiration cytology of basal cell adenoma of the parotid gland: Characteristic cytological features and diagnostic pitfalls. Diagnostic Cytopathology, 2007, 35, 85-90. | 1.0 | 35 |
| 26 | Salivary duct carcinoma cytologically diagnosed distinctly from salivary gland carcinomas with squamous differentiation. Diagnostic Cytopathology, 2008, 36, 485-493. | 1.0 | 31 |
| 27 | Association of the Expression of Mutant Epidermal Growth Factor Receptor Protein as Determined with Mutation-Specific Antibodies in Non-small Cell Lung Cancer with Progression-Free Survival after Gefitinib Treatment. Journal of Thoracic Oncology, 2012, 7, 122-127. | 1.1 | 31 |
| 28 | Fixation effect of SurePath preservative fluids using epidermal growth factor receptor mutationâ€specific antibodies for immunocytochemistry. Cancer Cytopathology, 2014, 122, 145-152. | 2.4 | 31 |
| 29 | Diagnostic utility of phosphorylated signal transducer and activator of transcription 5 immunostaining in the diagnosis of mammary analogue secretory carcinoma of the salivary gland: A comparative study of salivary gland cancers. Cancer Cytopathology, 2015, 123, 603-611. | 2.4 | 31 |
| 30 | Breast Cancer Resistance to Antiestrogens Is Enhanced by Increased ER Degradation and ERBB2 Expression. Cancer Research, 2017, 77, 545-556. | 0.9 | 30 |
| 31 | Association between PD-L1 expression combined with tumor-infiltrating lymphocytes and the prognosis of patients with advanced hypopharyngeal squamous cell carcinoma. Oncotarget, 2017, 8, 92699-92714. | 1.8 | 29 |
| 32 | Association between soluble immune mediators and tumor responses in patients with nonsmall cell lung cancer treated with antiâ€PDâ€1 inhibitor. International Journal of Cancer, 2019, 144, 1170-1179. | 5.1 | 29 |
| 33 | A Combined test using both cell sediment and supernatant cellâ€free <scp>DNA</scp> in pleural effusion shows increased sensitivity in detecting activating <i><scp>EGFR</scp></i> mutation in lung cancer patients. Cytopathology, 2018, 29, 150-155. | 0.7 | 28 |
| 34 | The expression of programed death ligandâ€1 could be related with unfavorable prognosis in salivary duct carcinoma. Journal of Oral Pathology and Medicine, 2018, 47, 683-690. | 2.7 | 28 |
| 35 | Preâ€treatment <scp>CD</scp> 8 ⁺ tumourâ€infiltrating lymphocyte density predicts distant metastasis after definitive treatment in patients with stage <scp>III</scp> / <scp>IV</scp> hypopharyngeal squamous cell carcinoma. Clinical Otolaryngology, 2018, 43, 1312-1320. | 1.2 | 27 |
| 36 | Targeting Phosphorylation of Y-Box–Binding Protein YBX1 by TAS0612 and Everolimus in Overcoming Antiestrogen Resistance. Molecular Cancer Therapeutics, 2020, 19, 882-894. | 4.1 | 27 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Necroptosis-driving genes <i>RIPK1, RIPK3</i> and <i>MLKL-p</i> are associated with intratumoral CD3 ⁺ and CD8 ⁺ T cell density and predict prognosis in hepatocellular carcinoma. , 2022, 10, e004031. | | 27 |
| 38 | Higher expression of deoxyuridine triphosphatase (dUTPase) may predict the metastasis potential of colorectal cancer. Journal of Clinical Pathology, 2009, 62, 364-369. | 2.0 | 26 |
| 39 | Prognostic impact of p16 and PD-L1 expression in patients with oropharyngeal squamous cell carcinoma receiving a definitive treatment. Journal of Clinical Pathology, 2019, 72, 542-549. | 2.0 | 26 |
| 40 | The activation of SRC family kinases and focal adhesion kinase with the loss of the amplified, mutated EGFR gene contributes to the resistance to afatinib, erlotinib and osimertinib in human lung cancer cells. Oncotarget, 2017, 8, 70736-70751. | 1.8 | 26 |
| 41 | Heterogeneity of Anaplastic Lymphoma Kinase Gene Rearrangement in Non–Small-Cell Lung Carcinomas: A Comparative Study Between Small Biopsy and Excision Samples. Journal of Thoracic Oncology, 2015, 10, 800-805. | 1.1 | 24 |
| 42 | <scp>Insulinomaâ€associated protein </scp> 1 expression in pancreatic neuroendocrine tumours in endoscopic ultrasoundâ€guided fineâ€needle aspiration cytology: An analysis of 14 patients. Cytopathology, 2019, 30, 194-200. | 0.7 | 24 |
| 43 | Impaired differentiation of macrophage lineage cells attenuates bone remodeling and inflammatory angiogenesis in Ndrg1 deficient mice. Scientific Reports, 2016, 6, 19470. | 3.3 | 23 |
| 44 | lmage analysis of irregularity of cluster shape in cytological diagnosis of breast tumors: Cluster analysis with 2D-fractal dimension. Diagnostic Cytopathology, 2005, 33, 71-77. | 1.0 | 20 |
| 45 | Cytological features of cystadenocarcinoma in cyst fluid of the parotid gland: Diagnostic pitfalls and literature review. Diagnostic Cytopathology, 2010, 38, 377-381. | 1.0 | 20 |
| 46 | Nuclear expression of N-myc downstream regulated gene 1/Ca2+-associated protein 43 is closely correlated with tumor angiogenesis and poor survival in patients with gastric cancer. Experimental and Therapeutic Medicine, 2011, 2, 471-479. | 1.8 | 20 |
| 47 | Comparison of the expression levels of napsin A, thyroid transcription factor-1, and p63 in nonsmall cell lung cancer using cytocentrifuged bronchial brushings. Cancer Cytopathology, 2011, 119, 335-345. | 2.4 | 20 |
| 48 | A diagnostic algorithm using EGFR mutation-specific antibodies for rapid response EGFR-TKI treatment in patients with non-small cell lung cancer. Lung Cancer, 2012, 78, 39-44. | 2.0 | 19 |
| 49 | PD-L1 expression in pancreatic adenosquamous carcinoma: PD-L1 expression is limited to the squamous component. Pathology Research and Practice, 2018, 214, 2069-2074. | 2.3 | 19 |
| 50 | Different responses to nivolumab therapy between primary and metastatic tumors in a patient with recurrent hypopharyngeal squamous cell carcinoma. Oral Oncology, 2020, 101, 104366. | 1.5 | 19 |
| 51 | Usefulness of lavage cytology during endoscopic transpapillary catheterization into the gallbladder in the cytological diagnosis of gallbladder disease. Diagnostic Cytopathology, 2009, 37, 402-406. | 1.0 | 17 |
| 52 | Predictive value of CD73 expression for the efficacy of immune checkpoint inhibitors in NSCLC. Thoracic Cancer, 2020, 11, 950-955. | 1.9 | 17 |
| 53 | Insulinomaâ€associated protein 1 is a novel diagnostic marker of small cell lung cancer in bronchial brushing and cell block cytology from pleural effusions: Validity and reliability with cutoff value. Cancer Cytopathology, 2019, 127, 598-605. | 2.4 | 16 |
| 54 | Morphometric image analysis of pancreatic disease by ThinPrep liquidâ€based cytology. Diagnostic Cytopathology, 2012, 40, 970-975. | 1.0 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Decreased expression of insulin and increased expression of pancreatic transcription factor PDX-1 in islets in patients with liver cirrhosis: a comparative investigation using human autopsy specimens. Journal of Gastroenterology, 2013, 48, 277-285. | 5.1 | 15 |
| 56 | High expression of the putative cancer stem cell marker, DCLK1, in rectal neuroendocrine tumors. Oncology Letters, 2015, 10, 2015-2020. | 1.8 | 15 |
| 57 | Prognostic Value of Tumor Proportion Score in Salivary Gland Carcinoma. Laryngoscope, 2021, 131, E1481-E1488. | 2.0 | 15 |
| 58 | Clinical significance of plasma-free amino acids and tryptophan metabolites in patients with non-small cell lung cancer receiving PD-1 inhibitor: a pilot cohort study for developing a prognostic multivariate model. , 2022, 10, e004420. | | 15 |
| 59 | Characterization of the Epithelial Components in Pleomorphic Adenoma of the Salivary Gland. Acta Cytologica, 2002, 46, 1095-1100. | 1.3 | 14 |
| 60 | The correlation between FDG uptake and biological molecular markers in pancreatic cancer patients. European Journal of Radiology, 2016, 85, 1804-1810. | 2.6 | 14 |
| 61 | A multiâ€institutional study of salivary gland cytopathology: Application of the Milan System for Reporting Salivary Gland Cytopathology in Japan. Cancer Cytopathology, 2022, 130, 30-40. | 2.4 | 14 |
| 62 | Cytomorphologic Features of a Polymorphous Low Grade Adenocarcinoma of the Palate. Acta Cytologica, 2003, 47, 1127-1130. | 1.3 | 13 |
| 63 | p63 expression of clear myoepithelial cells in epithelial-myoepithelial carcinoma of the salivary gland. Cancer, 2005, 105, 240-245. | 4.1 | 13 |
| 64 | Mucinous cystic tumor with <scp>CK20</scp> and <scp>CDX2</scp> expression of the thymus: Is this a benign counterpart of adenocarcinoma of the thymus, enteric type?. Pathology International, 2016, 66, 29-33. | 1.3 | 13 |
| 65 | Programmed cell death-ligand 1 expression and immunoscore in stage II and III non-small cell lung cancer patients receiving adjuvant chemotherapy. Oncotarget, 2017, 8, 61618-61625. | 1.8 | 13 |
| 66 | NDRG1 activates VEGF-A-induced angiogenesis through PLCl̂ ³ 1/ERK signaling in mouse vascular endothelial cells. Communications Biology, 2020, 3, 107. | 4.4 | 13 |
| 67 | Phase I study of a new cancer vaccine of ten mixed peptides for advanced cancer patients. Cancer Science, 2016, 107, 590-600. | 3.9 | 12 |
| 68 | Thyroid sclerosing mucoepidermoid carcinoma with eosinophilia distinct from the salivary type. Endocrine Journal, 2018, 65, 427-436. | 1.6 | 12 |
| 69 | The close correlation between 8-hydroxy-2′-deoxyguanosine and epidermal growth factor receptor activating mutation in non–small cell lung cancer. Human Pathology, 2010, 41, 951-959. | 2.0 | 11 |
| 70 | Feasibility study of personalized peptide vaccination for advanced non-small cell lung cancer patients who failed two or more treatment regimens. International Journal of Oncology, 2015, 46, 55-62. | 3.3 | 11 |
| 71 | Periostin Expression in Non-Small Cell Lung Cancer: Clinical Significance. Kurume Medical Journal, 2017, 64, 13-20. | 0.1 | 11 |
| 72 | Screening system for epidermal growth factor receptor mutation detection in cytology cellâ€freeDNAof cerebrospinal fluid based on assured sample quality. Cytopathology, 2019, 30, 144-149. | 0.7 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Clinicopathological investigation of secretory carcinoma cases including a successful treatment outcome using entrectinib for high-grade transformation: a case report. BMC Medical Genomics, 2022, 15, 6. | 1.5 | 11 |
| 74 | Extracellular material in adenoid cystic carcinoma of the salivary glands: A comparative cytological study with other salivary myoepithelial tumors. Diagnostic Cytopathology, 2004, 31, 14-18. | 1.0 | 10 |
| 75 | Eml4â€alkâ€positive lung adenocarcinoma with signetâ€ring cells. Diagnostic Cytopathology, 2014, 42, 460-463. | 1.0 | 10 |
| 76 | Assessment of 99mTc-MIBI SPECT(/CT) to monitor multidrug resistance-related proteins and apoptosis-related proteins in patients with ovarian cancer: a preliminary study. Annals of Nuclear Medicine, 2015, 29, 643-649. | 2.2 | 10 |
| 77 | Mucoepidermoid carcinoma of the sublingual gland harboring a translocation of the MAML2 gene: A case report. Oncology Letters, 2017, 14, 2970-2974. | 1.8 | 9 |
| 78 | Cytopathological and immunocytochemical findings of pancreatic anaplastic carcinoma with <scp>ZEB1</scp> expression by means of touch imprint cytology. Diagnostic Cytopathology, 2018, 46, 198-203. | 1.0 | 9 |
| 79 | CD8 + T Cell Infiltration Predicts Chemoradiosensitivity in Nasopharyngeal or Oropharyngeal Cancer. Laryngoscope, 2021, 131, E1179-E1189. | 2.0 | 9 |
| 80 | The assessment of correlation and prognosis among 18F-FDG uptake parameters, Glut1, pStat1 and pStat3 in surgically resected non-small cell lung cancer patients. Oncotarget, 2018, 9, 31971-31984. | 1.8 | 8 |
| 81 | AXL/CDCP1/SRC axis confers acquired resistance to osimertinib in lung cancer. Scientific Reports, 2022, 12, . | 3.3 | 8 |
| 82 | Cytopathological features of an epithelial-myoepithelial carcinoma with predominant clear myoepithelial cells in the parotid gland. Diagnostic Cytopathology, 2004, 30, 280-283. | 1.0 | 6 |
| 83 | Granulocyte colonyâ€stimulating factorâ€producing pancreatic anaplastic carcinoma in ascitic fluid at initial diagnosis: A case report. Diagnostic Cytopathology, 2017, 45, 463-467. | 1.0 | 6 |
| 84 | Predictive value of CD8 / FOXP3 ratio combined with PDâ€L1 expression for radiosensitivity in patients with squamous cell carcinoma of the larynx receiving definitive radiation therapy. Head and Neck, 2020, 42, 3518-3530. | 2.0 | 6 |
| 85 | The augmented expression of the cytidine deaminase gene by 5-azacytidine predicts therapeutic efficacy in myelodysplastic syndromes. Oncotarget, 2019, 10, 2270-2281. | 1.8 | 6 |
| 86 | Cytological features of myxomatous fibroadenoma of the breast. Diagnostic Cytopathology, 2012, 40, 316-320. | 1.0 | 5 |
| 87 | Humoral Immune Responses to EGFR-Derived Peptides Predict Progression-Free and Overall Survival of Non-Small Cell Lung Cancer Patients Receiving Gefitinib. PLoS ONE, 2014, 9, e86667. | 2.5 | 5 |
| 88 | Phosphorylation of mTOR Ser2481 is a key target limiting the efficacy of rapalogs for treating hepatocellular carcinoma. Oncotarget, 2016, 7, 47403-47417. | 1.8 | 5 |
| 89 | Morphometric analysis and p63 improve the identification of myoepithelial cells in breast lesion cytology. Diagnostic Cytopathology, 2011, 39, 172-176. | 1.0 | 4 |
| 90 | Evaluation of immunohistochemistry using two different antibodies and procedures for primary lung adenocarcinoma harboring anaplastic lymphoma kinase rearrangement. Oncology Letters, 2014, 8, 2155-2159. | 1.8 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Cytological nuclear atypia classification can predict prognosis in patients with endometrial cancer. Cytopathology, 2015, 26, 157-166. | 0.7 | 4 |
| 92 | SurePath [®] LBC improves the diagnostic accuracy of intrahepatic and hilar cholangiocarcinoma. Cytopathology, 2018, 29, 349-354. | 0.7 | 4 |
| 93 | Changes in immune parameters between pre-treatment and recurrence after (chemo) radiation therapy in patients with head and neck cancer. Scientific Reports, 2020, 10, 11973. | 3.3 | 4 |
| 94 | Atezolizumab plus carboplatin and etoposide in small cell lung cancer patients previously treated with platinum-based chemotherapy. Investigational New Drugs, 2021, 39, 269-271. | 2.6 | 4 |
| 95 | Dentigerous cyst exhibiting prominent mucous cell metaplasia: report of a unique case mimicking central mucoepidermoid carcinoma. Medical Molecular Morphology, 2021, 54, 253-258. | 1.0 | 3 |
| 96 | Molecular biological correlation of fluorine-18 fluorodeoxyglucose uptake in esophageal squamous cell carcinoma. Nuclear Medicine Communications, 2016, 37, 1053-1061. | 1.1 | 2 |
| 97 | <scp>HER</scp> 2/ <scp>HER</scp> 3â€positive metastatic salivary duct carcinoma in the pleural effusion: A case report. Diagnostic Cytopathology, 2018, 46, 429-433. | 1.0 | 2 |
| 98 | Copy number gain in recurrent anaplastic lymphoma kinase (<i>ALK</i>) rearrangementâ€lung adenocarcinoma in the pleural effusion. Diagnostic Cytopathology, 2018, 46, 744-747. | 1.0 | 2 |
| 99 | Investigation of clinicopathological characters and gene expression features in colorectal signetâ€ring cell carcinoma utilizing CMS classification. Molecular and Clinical Oncology, 2021, 14, 98. | 1.0 | 2 |
| 100 | A retrospective analysis of fine needle aspiration findings in the salivary gland region using the Milan System for Reporting Salivary Gland Cytopathology. The Journal of the Japanese Society of Clinical Cytology, 2020, 59, 24-29. | 0.0 | 2 |
| 101 | Large cell neuroendocrine carcinoma of the maxillary sinus on fine needle aspiration cytology: Report of a rare case with a focus on pitfalls in diagnosis. Diagnostic Cytopathology, 2018, 46, 187-192. | 1.0 | 1 |
| 102 | Prognostic value of dual-point fluorine-18 fluorodeoxyglucose PET imaging, partial volume correction and glucose transporter-1 expression in resected nonsmall cell lung cancer patients Nuclear Medicine Communications, 2020, 41, 48-57. | 1.1 | 1 |
| 103 | Nucleic acid quality and protein expression in sodium alginate FFPE cell blocks prepared under different formalin fixing conditions. The Journal of the Japanese Society of Clinical Cytology, 2021, 60, 15-21. | 0.0 | 1 |
| 104 | Nucleic acid quality in sodium alginate cell blocks prepared from liquid-based cytology specimens. The Journal of the Japanese Society of Clinical Cytology, 2021, 60, 102-109. | 0.0 | 1 |
| 105 | Influence of the storage temperature on the nucleic acid quality in liquid-based cytology samples prepared using fixed in CytoRich Red. The Journal of the Japanese Society of Clinical Cytology, 2021, 60, 212-218. | 0.0 | 1 |
| 106 | The effectiveness of combined use of liquid based cytology and conventional methods in diagnosis of Warthin tumor. The Journal of the Japanese Society of Clinical Cytology, 2016, 55, 7-12. | 0.0 | 1 |
| 107 | The Future Direction in Endometrial Oncology through the Liquid Biopsy. , 2022, , 235-250. | | 1 |
| 108 | Liquid-based cytology of oral brushings in a case of adenoid cystic carcinoma arising from the palate. The Journal of the Japanese Society of Clinical Cytology, 2021, 60, 33-37. | 0.0 | 0 |

| # | Article | lF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Salivary Duct Carcinoma arising from pre-existing Epithelial-Myoepithelial Carcinoma of the parotid gland: Another rare example with Cytological Correlation. , 0, , 01-12. | | 0 |
| 110 | Characteristic cytological findings in pancreatic cancer with small nuclei vs. inflammatory pancreatic lesions. The Journal of the Japanese Society of Clinical Cytology, 2011, 50, 255-260. | 0.0 | 0 |
| 111 | A case of primary lung cancer with ECFR mutation which needed to be distinguished from lung metastasis of breast cancer. The Journal of the Japanese Society of Clinical Cytology, 2012, 51, 120-124. | 0.0 | 0 |
| 112 | A case of breast cancer coexisting with solid tubular carcinoma together with squamous cell differentiation and secretory carcinoma. The Journal of the Japanese Society of Clinical Cytology, 2015, 54, 264-269. | 0.0 | 0 |
| 113 | Cytological findings of a pineal parenchymal tumor of intermediate differentiation. The Journal of the Japanese Society of Clinical Cytology, 2016, 55, 107-111. | 0.0 | 0 |
| 114 | The fixation effect of CytoRich Red preservative fluid in immunocytochemistry of effusion cytology. The Journal of the Japanese Society of Clinical Cytology, 2017, 56, 9-14. | 0.0 | 0 |
| 115 | Evaluation of cytomorphological findings and diagnostic efficacy in liquid-based cytology and smear cytology of pancreatic endoscopic ultrasound-guided fine-needle aspiration. The Journal of the Japanese Society of Clinical Cytology, 2022, 61, 1-9. | 0.0 | 0 |
| 116 | Cytological features of epithelial-mesenchymal transition cells in effusion cytology in cases of pancreatic cancer. The Journal of the Japanese Society of Clinical Cytology, 2022, 61, 107-115. | 0.0 | 0 |