

Nicodemo G Passalacqua

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4350341/publications.pdf>

Version: 2024-02-01

68
papers

2,126
citations

331538

21
h-index

265120

42
g-index

71
all docs

71
docs citations

71
times ranked

2255
citing authors

#	ARTICLE	IF	CITATIONS
1	An Insight into <i>Salvia haematodes</i> L. (Lamiaceae) Bioactive Extracts Obtained by Traditional and Green Extraction Procedures. <i>Plants</i> , 2022, 11, 781.	1.6	2
2	Essential Oils and Extracts of <i>Juniperus macrocarpa</i> Sm. and <i>Juniperus oxycedrus</i> L.: Comparative Phytochemical Composition and Anti-Proliferative and Antioxidant Activities. <i>Plants</i> , 2022, 11, 1025.	1.6	7
3	Monitoring biomass in two heterogeneous mountain pasture communities by image based 3D point cloud derived predictors. <i>Ecological Indicators</i> , 2021, 121, 107126.	2.6	2
4	In Vitro Hypolipidemic and Hypoglycaemic Properties of Mushroom Extracts. , 2021, 6, .		0
5	<i>Salvia officinalis</i> L. from Italy: A Comparative Chemical and Biological Study of Its Essential Oil in the Mediterranean Context. <i>Molecules</i> , 2020, 25, 5826.	1.7	26
6	The Essential Oil of <i>Salvia rosmarinus</i> Spenn. from Italy as a Source of Health-Promoting Compounds: Chemical Profile and Antioxidant and Cholinesterase Inhibitory Activity. <i>Plants</i> , 2020, 9, 798.	1.6	32
7	An inventory of the names of native, non-endemic vascular plants described from Italy, their loci classici and types. <i>Phytotaxa</i> , 2019, 410, 1-215.	0.1	31
8	Surveying pasture communities in diachronic analyses by 3D models: the diachronic canopy variation model. <i>Ecosphere</i> , 2019, 10, e02613.	1.0	1
9	A new species of <i>Psathyrella</i> (Psathyrellaceae, Agaricales) from Italy. <i>MycKeys</i> , 2019, 52, 89-102.	0.8	10
10	An updated checklist of the vascular flora native to Italy. <i>Plant Biosystems</i> , 2018, 152, 179-303.	0.8	508
11	An updated checklist of the vascular flora alien to Italy. <i>Plant Biosystems</i> , 2018, 152, 556-592.	0.8	300
12	A study of <i>Salvia fruticosa</i> Mill subsp. <i>thomasii</i> (Lacaita) Brullo, Guglielmo, Pavone & Terrasi, an endemic Sage of Southern Italy. <i>Plant Biosystems</i> , 2018, 152, 130-141.	0.8	8
13	It's a long way to the top: Plant species diversity in the transition from managed to old-growth forests. <i>Journal of Vegetation Science</i> , 2018, 29, 98-109.	1.1	26
14	Comparative evaluation of petitgrain oils from six <i>Citrus</i> species alone and in combination as potential functional anti-radicals and antioxidant agents. <i>Plant Biosystems</i> , 2018, 152, 986-993.	0.8	10
15	A new species of <i>Lavandula</i> sect. <i>Lavandula</i> (Lamiaceae) and review of species boundaries in <i>Lavandula angustifolia</i> . <i>Phytotaxa</i> , 2017, 292, 161.	0.1	21
16	Assessment of antioxidant, antitumor and pro-apoptotic effects of <i>Salvia fruticosa</i> Mill. subsp. <i>thomasii</i> (Lacaita) Brullo, Guglielmo, Pavone & Terrasi (Lamiaceae). <i>Food and Chemical Toxicology</i> , 2017, 106, 155-164.	1.8	42
17	At the intersection of cultural and natural heritage: Distribution and conservation of the type localities of Italian endemic vascular plants. <i>Biological Conservation</i> , 2017, 214, 109-118.	1.9	46
18	Exploring the acclimation to depth of <i>Posidonia oceanica</i> comparing the morphological variation to the histo-anatomical characteristics of the leaves. <i>Plant Biosystems</i> , 2017, 151, 1045-1053.	0.8	1

#	ARTICLE	IF	CITATIONS
19	Lectotypification of four <i>Lacaita</i> ™s names in the genus <i>Centaurea</i> (Asteraceae). <i>Phytotaxa</i> , 2016, 269, 54.	0.1	5
20	An inventory of the names of vascular plants endemic to Italy, their loci classici and types. <i>Phytotaxa</i> , 2015, 196, 1.	0.1	138
21	On the definition of element, chorotype and component in biogeography. <i>Journal of Biogeography</i> , 2015, 42, 611-618.	1.4	16
22	Histo-anatomical leaf variations related to depth in <i>Posidonia oceanica</i> . <i>Functional Plant Biology</i> , 2015, 42, 418.	1.1	2
23	<i>Berberis aetnensis</i> and <i>B. libanotica</i> : a comparative study on the chemical composition, inhibitory effect on key enzymes linked to Alzheimer's disease and antioxidant activity. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 1726-1735.	1.2	31
24	Typification of names and taxonomic notes within the genus <i>Thymus</i> L. (<i>Lamiaceae</i>). <i>Taxon</i> , 2013, 62, 1308-1314.	0.4	21
25	Antiproliferative Activities on Renal, Prostate and Melanoma Cancer Cell Lines of <i>Sarcopoterium spinosum</i> Aerial Parts and its Major Constituent Tormentonic Acid. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2013, 13, 768-776.	0.9	24
26	Intraspecific classification of <i>Alyssum diffusum</i> (Brassicaceae) in Italy. <i>Willdenowia</i> , 2012, 42, 37-56.	0.5	22
27	Intricate variation patterns in the diploid–polyploid complex of <i>Alyssum montanum</i> A. repens (Brassicaceae) in the Apennine Peninsula: Evidence for long-term persistence and diversification. <i>American Journal of Botany</i> , 2011, 98, 1887-1904.	0.8	33
28	Acetylcholinesterase and butyrylcholinesterase inhibitory activity of <i>Pinus</i> species essential oils and their constituents. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2010, 25, 622-628.	2.5	92
29	Conservation priorities differ at opposing species borders of a European orchid. <i>Biological Conservation</i> , 2010, 143, 2207-2220.	1.9	30
30	Non-native flora of Italy: Species distribution and threats. <i>Plant Biosystems</i> , 2010, 144, 12-28.	0.8	103
31	<i>In vitro</i> cytotoxic effects of <i>Senecio stibianus</i> Lacaita (Asteraceae) on human cancer cell lines. <i>Natural Product Research</i> , 2009, 23, 1707-1718.	1.0	46
32	Phylogeography and genetic structure of the orchid <i>Himantoglossum hircinum</i> (L.) Spreng. across its European central–marginal gradient. <i>Journal of Biogeography</i> , 2009, 36, 2353-2365.	1.4	46
33	Taxonomy of the <i>Onosma echioides</i> (L.) L. complex (Boraginaceae) based on morphometric analysis. <i>Botanical Journal of the Linnean Society</i> , 2008, 157, 763-774.	0.8	33
34	A biosystematic study of the <i>Jacobaea maritima</i> group (Asteraceae, <i>Senecioneae</i>) in the Central Mediterranean area. <i>Taxon</i> , 2008, 57, 893-906.	0.4	9
35	Pyrrolizidine Alkaloid Profiles of the <i>Senecio cineraria</i> Group (Asteraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007, 62, 467-472.	0.6	13
36	<i>In vitro</i> angiotensin converting enzyme inhibiting activity of <i>Salsola oppositifolia</i> Desf., <i>Salsola soda</i> L. and <i>Salsola tragus</i> L.. <i>Natural Product Research</i> , 2007, 21, 846-851.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Contribution to the knowledge of the folk plant medicine in Calabria region (Southern Italy). <i>FÄ-toterapÄ-Äç</i> , 2007, 78, 52-68.	1.1	140
38	Contribution to the knowledge of the veterinary science and of the ethnobotany in Calabria region (Southern Italy). <i>Journal of Ethnobiology and Ethnomedicine</i> , 2006, 2, 52.	1.1	53
39	Typification of the accepted names in the <i>Jacobaea maritima</i> group (<i>Asteraceae</i>). <i>Taxon</i> , 2006, 55, 1001-1004.	0.4	6
40	Comparative chemical variability of the non-polar extracts from <i>Senecio cineraria</i> group (<i>Asteraceae</i>). <i>Biochemical Systematics and Ecology</i> , 2005, 33, 1071-1076.	0.6	8
41	Re-evaluation of <i>Polygala apiculata</i> (<i>Polygalaceae</i>), a rare endemic of S Italy. <i>Willdenowia</i> , 2005, 35, 65.	0.5	2
42	On the lectotypification of the names of four species described by Desfontaines reported for Calabria (S. Italy). <i>Taxon</i> , 2004, 53, 543-547.	0.4	3
43	Lectotypification of <i>Aizoon hispanicum</i> , <i>Plantago albicans</i> , and <i>Staphylea pinnata</i> , names of three Linnaean species occurring in Calabria (S. Italy). <i>Taxon</i> , 2004, 53, 540-542.	0.4	3
44	The genus <i>Paeonia</i> L. in Italy: taxonomic survey and revision. <i>Webbia</i> , 2004, 59, 215-268.	0.1	8
45	On a new subspecies of <i>Adoxa moschatellina</i> (<i>Adoxaceae</i>), apoenemic in Calabria (S Italy). <i>Nordic Journal of Botany</i> , 2004, 24, 249-256.	0.2	2
46	<i>Plantago sinuata</i> Lam. (<i>Plantaginaceae</i>), a misinterpreted unit, typical of moist places. Morphological and karyological evidence. <i>Webbia</i> , 2003, 58, 441-450.	0.1	2
47	On <i>Ranunculus aspromontanus</i> (<i>Ranunculaceae</i>) and its taxonomic relationship. <i>Willdenowia</i> , 2003, 33, 255-264.	0.5	5
48	Biosystematic and taxonomic considerations about Italian units of the genus <i>Ornithogalum</i> (<i>Hyacinthaceae</i>) showing reflexed pedicels. <i>Webbia</i> , 2002, 57, 193-216.	0.1	8
49	<i>Paeonia morisii</i> sp. nov. (<i>Paeoniaceae</i>), a new species from Sardinia. <i>Webbia</i> , 2001, 56, 229-240.	0.1	4
50	On the taxonomy and distribution of <i>Paeonia mascula</i> L. in Italy based on rDNA ITS1 sequences. <i>Plant Biosystems</i> , 2000, 134, 61-66.	0.8	1
51	Considerazioni floristiche e fitogeografiche sulla flora lito-casmofila di alcune cime dell'Appennino meridionale. <i>Webbia</i> , 1998, 52, 213-264.	0.1	8
52	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 11. <i>Italian Botanist</i> , 0, 11, 45-61.	0.0	2
53	Notulae to the Italian native vascular flora: 3. <i>Italian Botanist</i> , 0, 3, 29-48.	0.0	2
54	Notulae to the Italian native vascular flora: 3. <i>Italian Botanist</i> , 0, 3, 29-48.	0.0	6

#	ARTICLE	IF	CITATIONS
55	Notulae to the Italian native vascular flora: 5. Italian Botanist, 0, 5, 71-81.	0.0	21
56	Notulae to the Italian native vascular flora: 6. Italian Botanist, 0, 6, 45-64.	0.0	25
57	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 7. Italian Botanist, 0, 7, 69-91.	0.0	3
58	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 8. Italian Botanist, 0, 8, 47-62.	0.0	3
59	Notulae to the Italian native vascular flora: 8. Italian Botanist, 0, 8, 95-116.	0.0	13
60	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 9. Italian Botanist, 0, 9, 35-46.	0.0	3
61	Notulae to the Italian alien vascular flora: 9. Italian Botanist, 0, 9, 71-86.	0.0	11
62	Notulae to the Italian native vascular flora: 9. Italian Botanist, 0, 9, 71-86.	0.0	10
63	Global and Regional IUCN Red List Assessments: 9. Italian Botanist, 0, 9, 111-123.	0.0	5
64	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 12. Italian Botanist, 0, 12, 49-62.	0.0	2
65	Notulae to the Italian native vascular flora: 12. Italian Botanist, 0, 12, 85-103.	0.0	2
66	Notulae to the Italian alien vascular flora: 12. Italian Botanist, 0, 12, 105-121.	0.0	6
67	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 13. Italian Botanist, 0, 13, 1-17.	0.0	2
68	Do marginal plant populations enhance the fitness of larger core units under ongoing climate change? Empirical insights from a rare carnation. AoB PLANTS, 0, , .	1.2	0