Cecilia P Chung

List of Publications by Citations

Source: https://exaly.com/author-pdf/435043/cecilia-p-chung-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers5,520
citations40
h-index73
g-index110
ext. papers6,504
ext. citations6.5
avg, IF5.33
L-index

#	Paper	IF	Citations
103	Atypical antipsychotic drugs and the risk of sudden cardiac death. <i>New England Journal of Medicine</i> , 2009 , 360, 225-35	59.2	858
102	Increased coronary-artery atherosclerosis in rheumatoid arthritis: relationship to disease duration and cardiovascular risk factors. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3045-53		270
101	Prevalence of the metabolic syndrome is increased in rheumatoid arthritis and is associated with coronary atherosclerosis. <i>Atherosclerosis</i> , 2008 , 196, 756-63	3.1	232
100	An automated database case definition for serious bleeding related to oral anticoagulant use. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 560-6	2.6	230
99	Prescription of Long-Acting Opioids and Mortality in Patients With Chronic Noncancer Pain. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2415-23	27.4	218
98	Inflammatory mediators and premature coronary atherosclerosis in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1580-5		166
97	Outcomes with concurrent use of clopidogrel and proton-pump inhibitors: a cohort study. <i>Annals of Internal Medicine</i> , 2010 , 152, 337-45	8	161
96	Adipocytokines are associated with radiographic joint damage in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 60, 1906-14		160
95	Inflammation-associated insulin resistance: differential effects in rheumatoid arthritis and systemic lupus erythematosus define potential mechanisms. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2105-12		159
94	High prevalence of the metabolic syndrome in patients with systemic lupus erythematosus: association with disease characteristics and cardiovascular risk factors. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 208-14	2.4	158
93	Trans-ethnic association study of blood pressure determinants in over 750,000 individuals. <i>Nature Genetics</i> , 2019 , 51, 51-62	36.3	152
92	Adipocytokines in systemic lupus erythematosus: relationship to inflammation, insulin resistance and coronary atherosclerosis. <i>Lupus</i> , 2009 , 18, 799-806	2.6	125
91	Obesity is an independent contributor to functional capacity and inflammation in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3651-9		107
90	Assessment of adherence to and persistence on disease-modifying antirheumatic drugs (DMARDs) in patients with rheumatoid arthritis. <i>Medical Care</i> , 2007 , 45, S66-76	3.1	103
89	Cardiovascular risks of nonsteroidal antiinflammatory drugs in patients after hospitalization for serious coronary heart disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009 , 2, 155-63	5.8	100
88	Prevalence of traditional modifiable cardiovascular risk factors in patients with rheumatoid arthritis: comparison with control subjects from the multi-ethnic study of atherosclerosis. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 535-44	5.3	95
87	Childhood systemic lupus erythematosus in Latin America. The GLADEL experience in 230 children. <i>Lupus</i> , 2008 , 17, 596-604	2.6	94

(2008-2006)

86	Increased concentration of proatherogenic inflammatory cytokines in systemic lupus erythematosus: relationship to cardiovascular risk factors. <i>Journal of Rheumatology</i> , 2006 , 33, 539-45	4.1	81	
85	Association of Oral Anticoagulants and Proton Pump Inhibitor Cotherapy With Hospitalization for Upper Gastrointestinal Tract Bleeding. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2221-2230	27.4	80	
84	Utility of the Framingham risk score to predict the presence of coronary atherosclerosis in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2006 , 8, R186	5.7	78	
83	Novel cardiovascular risk factors in premature coronary atherosclerosis associated with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2008 , 35, 1789-94	4.1	78	
82	Risk of peptic ulcer hospitalizations in users of NSAIDs with gastroprotective cotherapy versus coxibs. <i>Gastroenterology</i> , 2007 , 133, 790-8	13.3	71	
81	Outpatient Opioid Prescriptions for Children and Opioid-Related Adverse Events. <i>Pediatrics</i> , 2018 , 142,	7.4	69	
80	Increased oxidative stress in patients with depression and its relationship to treatment. <i>Psychiatry Research</i> , 2013 , 206, 213-6	9.9	69	
79	Oxidative stress in systemic lupus erythematosus: relationship to disease activity and symptoms. <i>Lupus</i> , 2007 , 16, 195-200	2.6	66	
78	A systematic review of validated methods for identifying patients with rheumatoid arthritis using administrative or claims data. <i>Vaccine</i> , 2013 , 31 Suppl 10, K41-61	4.1	65	
77	Cardiovascular risk scores and the presence of subclinical coronary artery atherosclerosis in women with systemic lupus erythematosus. <i>Lupus</i> , 2006 , 15, 562-9	2.6	62	
76	Serum osteoprotegerin is increased and independently associated with coronary-artery atherosclerosis in patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2007 , 195, e135-41	3.1	58	
75	Out-of-hospital mortality among patients receiving methadone for noncancer pain. <i>JAMA Internal Medicine</i> , 2015 , 175, 420-7	11.5	57	
74	Obesity is independently associated with impaired quality of life in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2007 , 26, 1831-5	3.9	57	
73	Drugs Used in the Treatment of Rheumatoid Arthritis: Relationship between Current Use and Cardiovascular Risk Factors. <i>Archives of Drug Information</i> , 2009 , 2, 34-40		54	
72	Atherosclerosis and inflammation: insights from rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2007 , 26, 1228-33	3.9	49	
71	Association of Proton Pump Inhibitors With Reduced Risk of Warfarin-Related Serious Upper Gastrointestinal Bleeding. <i>Gastroenterology</i> , 2016 , 151, 1105-1112.e10	13.3	48	
70	Adipocytokines, insulin resistance, and coronary atherosclerosis in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 1259-64		46	
69	Amino-terminal fragment of the prohormone brain-type natriuretic peptide in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 58, 2662-9		45	

68	Genetics of serum concentration of IL-6 and TNFIIn systemic lupus erythematosus and rheumatoid arthritis: a candidate gene analysis. <i>Clinical Rheumatology</i> , 2015 , 34, 1375-82	3.9	42
67	The ability of the 2013 American College of Cardiology/American Heart Association cardiovascular risk score to identify rheumatoid arthritis patients with high coronary artery calcification scores. <i>Arthritis and Rheumatology</i> , 2015 , 67, 381-5	9.5	41
66	Utility of a novel inflammatory marker, GlycA, for assessment of rheumatoid arthritis disease activity and coronary atherosclerosis. <i>Arthritis Research and Therapy</i> , 2015 , 17, 117	5.7	41
65	A computer case definition for sudden cardiac death. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 563-72	2.6	40
64	Interaction between oxidative stress and high-density lipoprotein cholesterol is associated with severity of coronary artery calcification in rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2010 , 62, 1473-80	4.7	40
63	Increased augmentation index in rheumatoid arthritis and its relationship to coronary artery atherosclerosis. <i>Journal of Rheumatology</i> , 2007 , 34, 2388-94	4.1	40
62	Lipoprotein subclasses determined by nuclear magnetic resonance spectroscopy and coronary atherosclerosis in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2010 , 37, 1633-8	4.1	39
61	Computerized definitions showed high positive predictive values for identifying hospitalizations for congestive heart failure and selected infections in Medicaid enrollees with rheumatoid arthritis. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 890-5	2.6	39
60	Mapping eGFR loci to the renal transcriptome and phenome in the VA Million Veteran Program. <i>Nature Communications</i> , 2019 , 10, 3842	17.4	36
59	Oxidative stress in fibromyalgia and its relationship to symptoms. Clinical Rheumatology, 2009 , 28, 435-	8 3.9	33
58	Development and validation of the Edmonton Ankylosing Spondylitis Metrology Index. <i>Arthritis and Rheumatism</i> , 2006 , 55, 575-82		33
57	An index of patient reported outcomes (PRO-Index) discriminates effectively between active and control treatment in 4 clinical trials of adalimumab in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2006 , 33, 2146-52	4.1	33
56	GlycA, a novel marker of inflammation, is elevated in systemic lupus erythematosus. <i>Lupus</i> , 2016 , 25, 296-300	2.6	32
55	Work disability in early rheumatoid arthritis: higher rates but better clinical status in Finland compared with the US. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 1653-7	2.4	31
54	Aspirin therapy and thromboxane biosynthesis in systemic lupus erythematosus. <i>Lupus</i> , 2007 , 16, 981-6	2.6	25
53	Lipoprotein subclasses and particle size determined by nuclear magnetic resonance spectroscopy in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2008 , 27, 1227-33	3.9	24
52	Inflammatory mechanisms affecting the lipid profile in patients with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2007 , 34, 1849-54	4.1	24
51	The effect of genetic variation in PCSK9 on the LDL-cholesterol response to statin therapy. Pharmacogenomics Journal, 2017 , 17, 204-208	3.5	21

(2017-2013)

50	Progression of coronary artery atherosclerosis in rheumatoid arthritis: comparison with participants from the Multi-Ethnic Study of Atherosclerosis. <i>Arthritis Research and Therapy</i> , 2013 , 15, R134	5.7	21
49	Association Between Low-Density Lipoprotein Cholesterol Levels and Risk for Sepsis Among Patients Admitted to the Hospital With Infection. <i>JAMA Network Open</i> , 2019 , 2, e187223	10.4	20
48	Free fatty acids are associated with insulin resistance but not coronary artery atherosclerosis in rheumatoid arthritis. <i>Atherosclerosis</i> , 2011 , 219, 869-74	3.1	19
47	Declines in number of tender and swollen joints in patients with rheumatoid arthritis seen in standard care in 1985 versus 2001: possible considerations for revision of inclusion criteria for clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 878-83	2.4	19
46	Exploring the Lipid Paradox Theory in Rheumatoid Arthritis: Associations of Low Circulating Low-Density Lipoprotein Concentration With Subclinical Coronary Atherosclerosis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1426-1436	9.5	18
45	Development of an algorithm to identify serious opioid toxicity in children. <i>BMC Research Notes</i> , 2015 , 8, 293	2.3	17
44	Heart Failure Risk Associated With Rheumatoid Arthritis-Related Chronic Inflammation. <i>Journal of the American Heart Association</i> , 2020 , 9, e014661	6	15
43	Relationship between very low low-density lipoprotein cholesterol concentrations not due to statin therapy and risk of type 2 diabetes: A US-based cross-sectional observational study using electronic health records. <i>PLoS Medicine</i> , 2018 , 15, e1002642	11.6	15
42	Association of Rivaroxaban vs Apixaban With Major Ischemic or Hemorrhagic Events in Patients With Atrial Fibrillation <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2395-2404	27.4	14
41	Endothelial function in systemic lupus erythematosus: relationship to disease activity, cardiovascular risk factors, corticosteroid therapy, and coronary calcification. <i>Vascular Health and Risk Management</i> , 2005 , 1, 357-60	4.4	14
40	Development and validation of a simple tape-based measurement tool for recording cervical rotation in patients with ankylosing spondylitis: comparison with a goniometer-based approach. <i>Journal of Rheumatology</i> , 2006 , 33, 2242-9	4.1	14
39	N-terminal pro-brain natriuretic peptide in systemic lupus erythematosus: relationship with inflammation, augmentation index, and coronary calcification. <i>Journal of Rheumatology</i> , 2008 , 35, 1314-	. 4 .1	13
38	Urinary albumin excretion is increased in patients with rheumatoid arthritis and associated with arterial stiffness. <i>Journal of Rheumatology</i> , 2015 , 42, 593-8	4.1	12
37	High-Dose Citalopram and Escitalopram and the Risk of Out-of-Hospital Death. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 190-195	4.6	11
36	Causes of creatine kinase levels greater than 1000 IU/L in patients referred to rheumatology. <i>Clinical Rheumatology</i> , 2016 , 35, 1541-7	3.9	11
35	Genetic variation and coronary atherosclerosis in patients with systemic lupus erythematosus. <i>Lupus</i> , 2014 , 23, 876-80	2.6	10
34	Characteristics and treatment of African-American and European-American patients with resistant hypertension identified using the electronic health record in an academic health centre: a case-control study. <i>BMJ Open</i> , 2018 , 8, e021640	3	10
33	Coronary Artery Calcification and Rheumatoid Arthritis: Lack of Relationship to Risk Alleles for Coronary Artery Disease in the General Population. <i>Arthritis and Rheumatology</i> , 2017 , 69, 529-541	9.5	9

32	Increased Incidence of Resistant Hypertension in Patients With Systemic Lupus Erythematosus: A Retrospective Cohort Study. <i>Arthritis Care and Research</i> , 2020 , 72, 534-543	4.7	9
31	Patient preference in a crossover clinical trial of patients with osteoarthritis of the knee or hip: face validity of self-report questionnaire ratings. <i>Journal of Rheumatology</i> , 2005 , 32, 533-9	4.1	9
30	A variant in the osteoprotegerin gene is associated with coronary atherosclerosis in patients with rheumatoid arthritis: results from a candidate gene study. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 3885-94	6.3	8
29	Drugs to Treat Systemic Lupus Erythematosus: Relationship between Current Use and Cardiovascular Risk Factors. <i>Archives of Drug Information</i> , 2008 , 1, 23-28		8
28	A Genetic Approach to the Association Between PCSK9 and Sepsis. <i>JAMA Network Open</i> , 2019 , 2, e1911	113:04	7
27	Rheumatologic skills development: what are the needs of internal medicine residents?. <i>Clinical Rheumatology</i> , 2016 , 35, 2109-2115	3.9	7
26	Individual short-acting opioids and the risk of opioid-related adverse events in adolescents. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1448-1456	2.6	7
25	Co-Prescription of Strong CYP1A2 Inhibitors and the Risk of Tizanidine-Associated Hypotension: A Retrospective Cohort Study. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 105, 703-709	6.1	7
24	Association between urinary sodium and potassium excretion and blood pressure and inflammation in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2018 , 37, 895-900	3.9	5
23	The effect of low-dose prednisone on bone mineral density in Peruvian rheumatoid arthritis patients. <i>Rheumatology International</i> , 2005 , 25, 114-7	3.6	5
22	Does height influence the assessment of spinal and hip mobility measures used in ankylosing spondylitis?. <i>Journal of Rheumatology</i> , 2006 , 33, 2035-40	4.1	5
21	Pleiotropy in the Genetic Predisposition to Rheumatoid Arthritis: A Phenome-Wide Association Study and Inverse Variance-Weighted Meta-Analysis. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1483-1492	9.5	4
20	Suboptimal inhibition of platelet cyclooxygenase 1 by aspirin in systemic lupus erythematosus: association with metabolic syndrome. <i>Arthritis Care and Research</i> , 2014 , 66, 285-92	4.7	4
19	Paroxysmal Hypertension Associated With Presyncope. <i>Hypertension</i> , 2019 , 74, 718-725	8.5	3
18	Tissue sodium content in patients with systemic lupus erythematosus: association with disease activity and markers of inflammation. <i>Lupus</i> , 2020 , 29, 455-462	2.6	3
17	Combining clinical and candidate gene data into a risk score for azathioprine-associated leukopenia in routine clinical practice. <i>Pharmacogenomics Journal</i> , 2020 , 20, 736-745	3.5	3
16	Comparative out-of-hospital mortality of long-acting opioids prescribed for non-cancer pain: A retrospective cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 48-53	2.6	3
15	RheumatologistsTperception of systemic lupus erythematosus quality indicators: significant interest and perceived barriers. <i>Clinical Rheumatology</i> , 2017 , 36, 97-102	3.9	3

LIST OF PUBLICATIONS

14	Precision medicine for rheumatologists: lessons from the pharmacogenomics of azathioprine. <i>Clinical Rheumatology</i> , 2021 , 40, 65-73	3.9	3
13	TPMT and NUDT15 Variants Predict Discontinuation of Azathioprine for Myelotoxicity in Patients with Inflammatory Disease: Real-World Clinical Results. <i>Clinical Pharmacology and Therapeutics</i> , 2021 ,	6.1	3
12	APOL1 Risk Variants, Acute Kidney Injury, and Death in Participants With African Ancestry Hospitalized With COVID-19 From the Million Veteran Program <i>JAMA Internal Medicine</i> , 2022 ,	11.5	2
11	High-throughput framework for genetic analyses of adverse drug reactions using electronic health records. <i>PLoS Genetics</i> , 2021 , 17, e1009593	6	2
10	Mortality and concurrent use of opioids and hypnotics in older patients: A retrospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003709	11.6	2
9	Association of estimated sodium and potassium intake with blood pressure in patients with systemic lupus erythematosus. <i>Lupus</i> , 2016 , 25, 1463-1469	2.6	2
8	Oxidative stress, microvascular dysfunction, and scleroderma: an association with potential therapeutic implications, a commentary on "Postocclusive reactive hyperemia inversely correlates with urinary 15-F2t-isoprostane levels in systemic sclerosis". Free Radical Biology and Medicine, 2006	7.8	1
7	, 40, 1698-9 Brief Report: Predicted Expression of Genes Involved in the Thiopurine Metabolic Pathway and Azathioprine Discontinuation Due to Myelotoxicity Clinical and Translational Science, 2022,	4.9	1
6	Ambulatory blood pressure in patients with systemic lupus erythematosus: Association with markers of immune activation. <i>Lupus</i> , 2020 , 29, 1683-1690	2.6	1
5	CYP2D6 genotype and reduced codeine analgesic effect in real-world clinical practice. <i>Pharmacogenomics Journal</i> , 2021 , 21, 484-490	3.5	1
4	Pleiotropy of systemic lupus erythematosus risk alleles and cardiometabolic disorders: A phenome-wide association study and inverse-variance weighted meta-analysis. <i>Lupus</i> , 2021 , 30, 1264-12	726	1
3	Host Genetic Determinants Associated With Helicobacter pylori Eradication Treatment Failure: A Systematic Review and Meta-analysis. <i>Gastroenterology</i> , 2021 , 161, 1443-1459	13.3	1
2	Association of Apparent Treatment-Resistant Hypertension With Differential Risk of End-Stage Kidney Disease Across Racial Groups in the Million Veteran Program. <i>Hypertension</i> , 2021 , 78, 376-386	8.5	1
1	4577 Resistant hypertension potentiates the risk of End-Stage Kidney Disease among African-Americans independent of APOL1 genotype in the Million Veteran Program. <i>Journal of Clinical and Translational Science</i> 2020 4 36-36	0.4	