

Gary S Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4350548/publications.pdf>

Version: 2024-02-01

67

papers

1,174

citations

394421

19

h-index

454955

30

g-index

67

all docs

67

docs citations

67

times ranked

873

citing authors

#	ARTICLE	IF	CITATIONS
1	Roles of roadside vegetation in insect conservation in Australia. <i>Austral Entomology</i> , 2021, 60, 128-137.	1.4	30
2	Developmental biology and seasonal phenology of <i>Aacanthocnema dobsoni</i> (Hemiptera: Triozidae) and the influence of climate-mediated changes in body size on vibrational signals. <i>Austral Entomology</i> , 2021, 60, 234-243.	1.4	2
3	Population declines and the conservation of insects and other terrestrial invertebrates in Australia. <i>Austral Entomology</i> , 2021, 60, 3-8.	1.4	9
4	Butterflies on the brink: identifying the Australian butterflies (Lepidoptera) most at risk of extinction. <i>Austral Entomology</i> , 2021, 60, 98-110.	1.4	31
5	A national-scale dataset for threats impacting Australia's imperiled flora and fauna. <i>Ecology and Evolution</i> , 2021, 11, 11749-11761.	1.9	27
6	A likely association of damselflies with the habitat heterogeneity provided by the freshwater swamp lily, <i>Ottelia ovalifolia</i> , in Eyre Peninsula granite rock-holes, with a review of potential threats to this ephemeral habitat. <i>Transactions of the Royal Society of South Australia</i> , 2021, 145, 152-167.	0.4	1
7	Case of mistaken identity: resolving the taxonomy between <i>Trioza eugeniae</i> Froggatt and <i>T. adventicia</i> Tuthill (Psylloidea: Triozidae). <i>Bulletin of Entomological Research</i> , 2020, 110, 340-351.	1.0	6
8	Illuminating Insights into the Biodiversity of the Australian Psyllids (Hemiptera: Psylloidea) Collected Using Light Trapping. <i>Insects</i> , 2020, 11, 354.	2.2	7
9	<p>New species of gall fly (Diptera: Fergusoniidae) from Eucalyptus camaldulensis(Myrtaceae) in southern Australia and its associated parasitoids and inquilines</p>. <i>Zootaxa</i> , 2019, 4701, 401-416.	0.5	0
10	First record of Fergusonina (Diptera: Fergusoniidae) and associated Fergusobia (Tylenchida:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 species. <i>Insect Systematics and Evolution</i> , 2018, 49, 183-206.	0.7	1
11	New species of <i>Acizzia</i> (Hemiptera: Psyllidae) from an Australian endemic <i>Solanum</i> (Solanaceae). <i>Austral Entomology</i> , 2018, 57, 297-302.	1.4	8
12	Strategic national approach for improving the conservation management of insects and allied invertebrates in Australia. <i>Austral Entomology</i> , 2018, 57, 124-149.	1.4	71
13	Insect conservation in Australia. <i>Austral Entomology</i> , 2018, 57, 119-123.	1.4	2
14	Nematodes from galls on Myrtaceae. XI. Descriptions of five new species of Fergusobia from Australia. <i>Zootaxa</i> , 2018, 4399, 1.	0.5	0
15	DNA Barcoding Highlights Cryptic Diversity in the New Zealand Psylloidea (Hemiptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 18	1.7	26
16	New species of <i>Acizzia</i> Heslop-Harrison (Hemiptera: Psyllidae) from Loranthaceae in Australia and New Guinea. <i>Austral Entomology</i> , 2017, 56, 355-383.	1.4	4
17	Phylogenetics of Australasian gall flies (Diptera: Fergusoniidae): Evolutionary patterns of host-shifting and gall morphology. <i>Molecular Phylogenetics and Evolution</i> , 2017, 115, 140-160.	2.7	4
18	Unravelling mummies: cryptic diversity, host specificity, trophic and coevolutionary interactions in psyllid parasitoid food webs. <i>BMC Evolutionary Biology</i> , 2017, 17, 127.	3.2	14

#	ARTICLE	IF	CITATIONS
19	Codivergence of the primary bacterial endosymbiont of psyllids versus host switches and replacement of their secondary bacterial endosymbionts. <i>Environmental Microbiology</i> , 2016, 18, 2591-2603.	3.8	50
20	Effects of eucalypt nutritional quality on the <i>Bogong gumâ€¢ Victorian</i> metapopulation of <i>Ctenarytaina bipartita</i> and implications for host and range expansion. <i>Ecological Entomology</i> , 2016, 41, 211-225.	2.2	13
21	Settling down to dine on a dioecious <i>Gondwanan relict: why are Acanthocnema dobsoni</i> nymphs more abundant at the base of branchlets?. <i>Entomologia Experimentalis Et Applicata</i> , 2016, 159, 77-91.	1.4	5
22	A new genus and twenty new species of Australian jumping plant-lice (Psylloidea: Triozidae) from <i>Eremophila</i> and <i>Myoporum</i> (Scrophulariaceae: Myoporeae). <i>Zootaxa</i> , 2016, 4073, 1-84.	0.5	26
23	<i>Myotrioza myopori</i> Taylor, a designation of the type species for the genus <i>Myotrioza</i> gen. nov. (Psylloidea: Triozidae). <i>Zootaxa</i> , 2016, 4097, 584.	0.5	0
24	Galling problemsâ€¢ the <i>Fergusobia</i> nematode/Fergusonina fly mutualism on myrtaceous hosts. <i>Nematology</i> , 2016, 18, 629-649.	0.6	4
25	Concordance in evolutionary history of threatened plant and insect populations warrant unified conservation management approaches. <i>Biological Conservation</i> , 2016, 198, 135-144.	4.1	13
26	Characteristics of the Signals of Male <i>Anoeconeossa bundoorensis</i> Taylor and Burckhardt (Hemiptera: Aphalaridae) Associated with Female Responsiveness. <i>Journal of Insect Behavior</i> , 2016, 29, 1-14.	0.7	13
27	Bionomics and feeding impact of <i>Ctenarytaina eucalypti</i> (Hemiptera: Psylloidea) Tj ETQql 1 0.784314 rgBT /Overlock 10 Wales. <i>Austral Entomology</i> , 2015, 54, 159-171.	1.4	8
28	Diversity and host specificity of Psylloidea (Hemiptera) inhabiting box mistletoe, <i>A. myemai</i> miquelii (Loranthaceae) and three of its host <i>Eucalyptus</i> species. <i>Austral Entomology</i> , 2015, 54, 306-314.	1.4	11
29	Feeding and oviposition behaviour of a gall inducing species of <i>Glycaspis</i> (<i>Synglycaspis</i>) (Hemiptera: Psylloidea) Tj ETQql 1 0.784314 rgBT /Overlock 10 (Myrtaceae) in central western New South Wales, Australia. <i>European Journal of Entomology</i> , 2015, 112, 75-90.	1.2	7
30	Trophic cascades in bell minerâ€¢ associated dieback forests: Quantifying relationships between leaf quality, psyllids and <i>Psyllaphagus</i> parasitoids. <i>Austral Ecology</i> , 2015, 40, 77-89.	1.5	18
31	Visual acuity trade-offs and microhabitat driven adaptation of searching behaviour in psyllids (Hemiptera: Psylloidea: Aphalaridae). <i>Journal of Experimental Biology</i> , 2015, 218, 1564-71.	1.7	24
32	Two new species of Selitrichodes (Hymenoptera: Eulophidae: Tetrastichinae) inducing galls on Casuarina (Casuarinaceae). <i>Zootaxa</i> , 2014, 3790, 534.	0.5	6
33	Nematodes from galls on Myrtaceae. VII. <i>Fergusobia</i> from â€¢leafyâ™ leaf bud galls in Australia, with re-description of <i>Fergusobia tumifaciens</i> (Currie 1937) Wachek 1955 and descriptions of <i>Fergusobia planchoniana</i> n. sp. and <i>Fergusobia viminalisae</i> n. sp.. <i>Zootaxa</i> , 2014, 3856, 529-54.	0.5	10
34	Nematodes from galls on Myrtaceae. X. <i>Fergusobia</i> from galls on narrow-leaved <i>Melaleuca</i> spp. in Australia, with descriptions of three new species. <i>Zootaxa</i> , 2014, 3889, 237-58.	0.5	6
35	Nematodes from galls on Myrtaceae. VI. <i>Fergusobia</i> from galls on <i>Angophora</i> in Australia, with description of <i>F. colbrani</i> n. sp. and key. <i>Zootaxa</i> , 2014, 3856, 326-48.	0.5	11
36	Nematodes from galls on Myrtaceae. VIII. <i>Fergusobia</i> from small galls on shoot buds, with descriptions of four new species. <i>Zootaxa</i> , 2014, 3857, 1-40.	0.5	7

#	ARTICLE	IF	CITATIONS
37	Nematodes from galls on Myrtaceae. IX. <i>Fergusobia rosettae</i> n. sp. on <i>Melaleuca quinquenervia</i> and <i>F. tolgaensis</i> n. sp. on <i>Syzygium luehmannii</i> , from Queensland. <i>Zootaxa</i> , 2014, 3889, 214-36.	0.5	6
38	Further evidence of the coextinction threat for jumping plant-lice: three new <i>Acizzia</i> (Psyllidae) and <i>Trioza</i> (Trioziidae) from Western Australia. <i>Insect Systematics and Evolution</i> , 2014, 45, 283-302.	0.7	17
39	First Record of the Australian Psyllid <i>Blastopsylla Occidentalis</i> Taylor (Hemiptera, Psylloidea) from Uruguay. <i>Transactions of the Royal Society of South Australia</i> , 2014, 138, 231-236.	0.4	3
40	An emerging example of tritrophic coevolution between flies (Diptera: Fergusoniidae) and nematodes (Nematoda: Neotylenchidae) on Myrtaceae host plants. <i>Biological Journal of the Linnean Society</i> , 2014, 111, 699-718.	1.6	16
41	Three new Australian species of <i>Trioza</i> ... Foerster (Hemiptera: Trioziidae) with a remarkable adaptation to oviposition on articulate branchlets of Allocasuarina (Casuarinaceae). <i>Australian Journal of Entomology</i> , 2013, 52, 42-52.	1.1	9
42	Nymphal development and lerp construction of <i>Glycaspis</i> sp. (Hemiptera: Psylloidea) on <i>Eucalyptus sideroxylon</i> (Myrtaceae) in central-west New South Wales, Australia. <i>Arthropod Structure and Development</i> , 2013, 42, 551-564.	1.4	20
43	Sex-limited association of <i>Fergusobia</i> nematodes with female <i>Acizzia</i> flies in a unique <i>Australasian mutualism</i> (<i>Neotylenchidae</i>; <i>Diptera: ergusoninidae</i>). <i>Australian Journal of Entomology</i> , 2013, 52, 125-128.	1.1	7
44	Potential economic pests of solanaceous crops: a new species of <i>Solanum</i> -feeding psyllid from Australia and first record from New Zealand of <i>Acizzia solanicola</i> (Hemiptera: Psyllidae). <i>Zootaxa</i> , 2013, 3613, 257-73.	0.5	24
45	<p class="HeadingRunIn">Nematodes from galls on Myrtaceae. V. <i>Fergusobia</i> from large multilocular shoot bud galls from Angophora and Eucalyptus in Australia, with descriptions of six new species</p>. <i>Zootaxa</i> , 2013, 3741, 101.	0.5	11
46	<i>Ctenarytaina bipartita</i> sp. n. (Hemiptera, Psylloidea), a new eucalypt psyllid from Southeast Australia. <i>Zootaxa</i> , 2013, 3613, 589-96.	0.5	10
47	<p class="HeadingRunIn">Nematodes from galls on Myrtaceae. IV. Fergusobia from flat leaf galls on Eucalyptus and Corymbia, with descriptions of two new species</p>. <i>Zootaxa</i> , 2013, 3741, 151.	0.5	12
48	Anoeconeossa bundoorensis> sp. n., a new psyllid (Hemiptera) from Australia. <i>Zootaxa</i> , 2013, 3609, 351-359.	0.5	8
49	Nematodes from galls on Myrtaceae. II. <i>Fergusobia/Fergusonina</i> from small axillary bud ('stem') and leaf ('pea') galls in Australia, with descriptions of two new species. <i>Zootaxa</i> , 2012, 3415, .	0.5	16
50	A new genus and species of gall midge (Diptera: Cecidomyiidae) from Casuarinatrees in Australia. <i>Australian Journal of Entomology</i> , 2012, 51, 223-228.	1.1	5
51	Nematodes from galls on Myrtaceae. III. <i>Fergusobia</i> from flower bud and stigma galls on <i>Eucalyptus</i> , with descriptions of four new species. <i>Zootaxa</i> , 2012, 3532, 1.	0.5	14
52	A new genus and ten new species of jumping plant lice (Hemiptera: Trioziidae) from Allocasuarina (Casuarinaceae) in Australia. <i>Zootaxa</i> , 2011, 3009, 1.	0.5	23
53	Two new species of <i>Acizzia</i> Crawford (Hemiptera: Psyllidae) from the Solanaceae with a potential new economic pest of eggplant, <i>Solanum melongena</i>. <i>Australian Journal of Entomology</i> , 2010, 49, 73-81.	1.1	19
54	<i>Casuarinicola</i> , a new genus of jumping plant lice (Hemiptera: Trioziidae) from Casuarina (Casuarinaceae). <i>Zootaxa</i> , 2010, 2601, 1.	0.5	25

#	ARTICLE	IF	CITATIONS
55	The nematode genus <i>Fergusobia</i> (Nematoda: Neotylenchidae): molecular phylogeny, descriptions of clades and associated galls, host plants and <i>Fergusonina</i> fly larvae. <i>Zootaxa</i> , 2010, 2633, 1.	0.5	35
56	In threat of co-extinction: two new species of <i>Acizzia</i> Heslop-Harrison (Hemiptera: Psyllidae) from vulnerable species of <i>Acacia</i> and <i>Pultenaea</i> . <i>Zootaxa</i> , 2009, 2249, 20-32.	0.5	24
57	A new species of <i>Cerotrioza</i> Crawford (Hemiptera: Triozidae) damaging New South Wales Christmas Bush, <i>Ceratopetalum gummiferum</i> , in eastern Australia. <i>Australian Journal of Entomology</i> , 2008, 47, 330-335.	1.1	3
58	New species of gall flies (Diptera: Fergusoninidae) and an associated nematode (Tylenchida: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Tj Entomology, 2008, 47, 336-349.	1.1	25
59	Molecular phylogenetics and the evolution of host plant associations in the nematode genus <i>Fergusobia</i> (Tylenchida: Fergusobiinae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 123-141.	2.7	93
60	First record of <i>Fergusonina</i> (Diptera: Fergusoninidae) and associated <i>Fergusobia</i> (Tylenchida: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Entomology, 2007, 32, 548-557.	3.9	27
61	Psyllid communication: acoustic diversity, mate recognition and phylogenetic signal. <i>Invertebrate Systematics</i> , 2006, 20, 431.	1.3	70
62	Insects 'Down Under'- Diversity, endemism and evolution of the Australian insect fauna: examples from select orders. <i>Australian Journal of Entomology</i> , 2004, 43, 216-234.	1.1	111
63	Revision of <i>Fergusonina</i> Malloch gall flies (Diptera : Fergusoninidae) from <i>Melaleuca</i> (Myrtaceae). <i>Invertebrate Systematics</i> , 2004, 18, 251.	1.3	32
64	New genus and two new species of gall midge (Diptera: Cecidomyiidae) damaging buds on <i>Eucalyptus</i> in Australia. <i>Australian Journal of Entomology</i> , 2002, 41, 23-29.	1.1	7
65	Meiotic karyotypes and structure of testes in males of 17 species of Psyllidae: Spondylaspidae (Hemiptera: Psylloidea) from Australia. <i>Australian Journal of Entomology</i> , 2001, 40, 349-356.	1.1	9
66	Meiotic karyotypes and structure of testes in males of 12 species of Psyllidae: Acizziinae, Carsidaridae and Triozidae (Hemiptera: Psylloidea) from Australia. <i>Australian Journal of Entomology</i> , 2001, 40, 357-364.	1.1	6
67	New species of <i>Acizzia</i> Heslop-Harrison (Hemiptera: Psyllidae) from Australian mistletoe (Loranthaceae). <i>Australian Journal of Entomology</i> , 1999, 38, 66-71.	1.1	12