## Miguel-Angel Muñoz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4350922/publications.pdf

Version: 2024-02-01

76 papers

10,413 citations

32 h-index 77 g-index

81 all docs

81 docs citations

times ranked

81

14020 citing authors

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 1  | Variability in Cardiovascular Risk Factor Control in Patients with Heart Failure According to Gender and Socioeconomic Status. Journal of Women's Health, 2022, , .  | 1.5 | 1         |
| 2  | General Practice/Family Medicine Research During the Pandemic: Showing The Links to the EGPRN Research Strategy. Eurasian Journal of Family Medicine Avrasya Aile HekimliÄŸi Dergisi, 2022, 11, 1-7.                           | 0.0 | 0         |
| 3  | Efficacy of capacitive resistive monopolar radiofrequency in the physiotherapeutic treatment of chronic pelvic pain syndrome: A randomized controlled trial. Neurourology and Urodynamics, 2022, 41, 962-972.                  | 0.8 | 4         |
| 4  | Short-Term Mortality in Patients with Heart Failure at the End-of-Life Stages: Hades Study. Journal of Clinical Medicine, 2022, 11, 2280.  | 1.0 | 3         |
| 5  | Impact of isolating COVID-19 patients in a supervised community facility on transmission reduction among household members. Journal of Public Health, 2021, 43, 499-507.   | 1.0 | 11        |
| 6  | Predictive model for atrial fibrillation in hypertensive diabetic patients. European Journal of Clinical Investigation, 2021, 51, e13633.  | 1.7 | 6         |
| 7  | Adherence to a priori dietary indexes and baseline prevalence of cardiovascular risk factors in the PREDIMED-Plus randomised trial. European Journal of Nutrition, 2020, 59, 1219-1232.  | 1.8 | 24        |
| 8  | Relationship between the place of living and mortality in patients with advanced heart failure. BMC Family Practice, 2020, 21, 145.  | 2.9 | 4         |
| 9  | Precipitating factors of heart failure decompensation, short-term morbidity and mortality in patients attended in primary care. Scandinavian Journal of Primary Health Care, 2020, 38, 473-480.                                | 0.6 | 9         |
| 10 | <p>Risk of Atrial Fibrillation, Ischemic Stroke and Cognitive Impairment: Study of a Population Cohort ≥65 Years of Age</p> . Vascular Health and Risk Management, 2020, Volume 16, 445-454.                                   | 1.0 | 4         |
| 11 | Lessons learned from the approach to the COVID-19 pandemic in urban primary health care centres in Barcelona, Spain. European Journal of General Practice, 2020, 26, 106-107.  | 0.9 | 22        |
| 12 | Short-term mortality in end-stage heart failure patients. Atencion Primaria, 2020, 52, 477-487.  | 0.6 | 5         |
| 13 | Living with advanced heart failure: A qualitative study. PLoS ONE, 2020, 15, e0243974.   | 1.1 | 15        |
| 14 | Comprehensive Geriatric Assessment in Cardiovascular Disease. Advances in Experimental Medicine and Biology, 2020, 1216, 87-97.  | 0.8 | 4         |
| 15 | Strategies to improve research capacity across European general practice: The views of members of EGPRN and Wonca Europe. European Journal of General Practice, 2019, 25, 25-31.   | 0.9 | 11        |
| 16 | Medication patterns in older adults with multimorbidity: a cluster analysis of primary care patients. BMC Family Practice, 2019, 20, 82.   | 2.9 | 13        |
| 17 | Mediterranean alcohol-drinking pattern, low to moderate alcohol intake and risk of atrial fibrillation in the PREDIMED study. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 676-683.                            | 1.1 | 34        |
| 18 | Effect of a high-fat Mediterranean diet on bodyweight and waist circumference: a prespecified secondary outcomes analysis of the PREDIMED randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2019, 7, e6-e17. | 5.5 | 90        |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 19 | Dietary Diversity and Nutritional Adequacy among an Older Spanish Population with Metabolic Syndrome in the PREDIMED-Plus Study: A Cross-Sectional Analysis. Nutrients, 2019, 11, 958.   | 1.7  | 35        |
| 20 | Social Risk and Mortality. Journal of Cardiovascular Nursing, 2019, 34, E8-E15.  | 0.6  | 8         |
| 21 | N-Terminal Pro B-Type Natriuretic Peptide's Usefulness for Paroxysmal Atrial Fibrillation Detection Among Populations Carrying Cardiovascular Risk Factors. Frontiers in Neurology, 2019, 10, 1226.                              | 1.1  | 10        |
| 22 | Effectiveness of a multidisciplinary BIOPSYCHOSOCIAL intervention for non-specific SUBACUTE low back pain in a working population: a cluster randomized clinical trial. BMC Health Services Research, 2019, 19, 962.             | 0.9  | 8         |
| 23 | The prognostic value of blood pressure control delay in newly diagnosed hypertensive patients.<br>Journal of Hypertension, 2019, 37, 426-431.  | 0.3  | 9         |
| 24 | Cohort Profile: Design and methods of the PREDIMED-Plus randomized trial. International Journal of Epidemiology, 2019, 48, 387-3880.   | 0.9  | 179       |
| 25 | Dairy products intake and the risk of incident cataracts surgery in an elderly Mediterranean population: results from the PREDIMED study. European Journal of Nutrition, 2019, 58, 619-627.                                      | 1.8  | 7         |
| 26 | Dietary Intake in Population with Metabolic Syndrome: Is the Prevalence of Inadequate Intake Influenced by Geographical Area? Cross-Sectional Analysis from PREDIMED-Plus Study. Nutrients, 2018, 10, 1661.                      | 1.7  | 9         |
| 27 | Seafood Consumption, Omega-3 Fatty Acids Intake, and Life-Time Prevalence of Depression in the PREDIMED-Plus Trial. Nutrients, 2018, 10, 2000.   | 1.7  | 43        |
| 28 | Multimorbidity patterns in the elderly: a prospective cohort study with cluster analysis. BMC Geriatrics, 2018, 18, 16.  | 1.1  | 94        |
| 29 | Mortality in heart failure with atrial fibrillation: Role of digoxin and diuretics. European Journal of Clinical Investigation, 2018, 48, e13014.  | 1.7  | 8         |
| 30 | Risk of peripheral artery disease according to a healthy lifestyle score: The PREDIMED study. Atherosclerosis, 2018, 275, 133-140.   | 0.4  | 21        |
| 31 | Primary Prevention of Cardiovascular Disease with a Mediterranean Diet Supplemented with Extra-Virgin Olive Oil or Nuts. New England Journal of Medicine, 2018, 378, e34.  | 13.9 | 2,065     |
| 32 | Health inequalities in hospitalisation and mortality in patients diagnosed with heart failure in a universal healthcare coverage system. Journal of Epidemiology and Community Health, 2018, 72, 845-851.                        | 2.0  | 8         |
| 33 | Mediterranean diet and quality of life: Baseline cross-sectional analysis of the PREDIMED-PLUS trial. PLoS ONE, 2018, 13, e0198974.  | 1.1  | 100       |
| 34 | Validation of heart failure diagnosis registered in primary care records in two primary care centres in Barcelona (Spain) and factors related. A cross-sectional study. European Journal of General Practice, 2017, 23, 107-113. | 0.9  | 12        |
| 35 | Which DSM validated tools for diagnosing depression are usable in primary care research? A systematic literature review. European Psychiatry, 2017, 39, 99-105.  | 0.1  | 35        |
| 36 | Heart failure labelled patients with missing ejection fraction in primary care: prognosis and determinants. BMC Family Practice, 2017, 18, 38.   | 2.9  | 10        |

| #  | Article  | IF     | CITATIONS                            |
|----|--|--------|--------------------------------------|
| 37 | European General Practice Research Network (EGPRN). European Journal of General Practice, 2017, 23, 227-240.   | 0.9    | 1                                    |
| 38 | Dairy product consumption and risk of type 2 diabetes in an elderly Spanish Mediterranean population at high cardiovascular risk. European Journal of Nutrition, 2016, 55, 349-360.                    | 1.8    | 122                                  |
| 39 | Determinants of survival and hospitalization in older, heart failure patients receiving home healthcare. International Journal of Cardiology, 2016, 207, 145-149.                                      | 0.8    | 6                                    |
| 40 | High dietary protein intake is associated with an increased body weight and total death risk. Clinical Nutrition, 2016, 35, 496-506.   | 2.3    | 64                                   |
| 41 | Cross-Cultural Validation of the Definition of Multimorbidity in the Bulgarian Language / ĐšÑƒĐ»ÑŒÑ,ÑƒÑ€Đ°Đ₃<br>Medica, 2015, 57, 127-132.   | »ÑŒĐ½Đ | °Ñ <sub>2</sub> Вал <mark>Đ</mark> ; |
| 42 | EGPRN: European General Practice Research Network EGPRN meetings and a new membership period. European Journal of General Practice, 2015, 21, 91-92.   | 0.9    | 0                                    |
| 43 | Impact of the sustained control of cardiovascular risk factors on first episode heart failure: The relevant role of primary care. European Journal of General Practice, 2015, 21, 224-230.             | 0.9    | 4                                    |
| 44 | Factores clÃnicos que influyen en la probabilidad diagnóstica pretest de trombosis venosa profunda en pacientes ambulatorios. Angiologia, 2015, 67, 373-379.   | 0.0    | 1                                    |
| 45 | Mediterranean Diet, Retinopathy, Nephropathy, and Microvascular Diabetes Complications: A Post Hoc<br>Analysis of a Randomized Trial. Diabetes Care, 2015, 38, 2134-2141.                              | 4.3    | 104                                  |
| 46 | Empirically-derived food patterns and the risk of total mortality and cardiovascular events in the PREDIMED study. Clinical Nutrition, 2015, 34, 859-867.  | 2.3    | 38                                   |
| 47 | The European General Practice Research Network Presents the Translations of Its Comprehensive Definition of Multimorbidity in Family Medicine in Ten European Languages. PLoS ONE, 2015, 10, e0115796. | 1.1    | 41                                   |
| 48 | Impact of psychosocial factors on cardiovascular morbimortality: a prospective cohort study. BMC Cardiovascular Disorders, 2014, 14, 135.  | 0.7    | 13                                   |
| 49 | Impact of multimorbidity: acute morbidity, area of residency and use of health services across the life span in a region of south Europe. BMC Family Practice, 2014, 15, 55.                           | 2.9    | 51                                   |
| 50 | Effect of the Mediterranean diet on heart failure biomarkers: a randomized sample from the <scp>PREDIMED</scp> trial. European Journal of Heart Failure, 2014, 16, 543-550.                            | 2.9    | 121                                  |
| 51 | Dietary Intake of Vitamin K Is Inversely Associated with Mortality Risk. Journal of Nutrition, 2014, 144, 743-750.   | 1.3    | 65                                   |
| 52 | Blood pressure values and depression in hypertensive individuals at high cardiovascular risk. BMC Cardiovascular Disorders, 2014, 14, 109.   | 0.7    | 9                                    |
| 53 | Burden of multimorbidity, socioeconomic status and use of health services across stages of life in urban areas: a cross-sectional study. BMC Public Health, 2014, 14, 530.                             | 1.2    | 91                                   |
| 54 | Extravirgin Olive Oil Consumption Reduces Risk of Atrial Fibrillation. Circulation, 2014, 130, 18-26.  | 1.6    | 194                                  |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 55 | Dietary Magnesium Intake Is Inversely Associated with Mortality in Adults at High Cardiovascular Disease Risk. Journal of Nutrition, 2014, 144, 55-60.  | 1.3  | 52        |
| 56 | Prevention of Diabetes With Mediterranean Diets. Annals of Internal Medicine, 2014, 160, 1-10.  | 2.0  | 533       |
| 57 | Guidelines adherence to lower urinary tract infection treatment in out-of-hours primary care in European countries. Quality in Primary Care, 2014, 22, 221-31.  | 0.8  | 12        |
| 58 | Comparison of the information provided by electronic health records data and a population health survey to estimate prevalence of selected health conditions and multimorbidity. BMC Public Health, 2013, 13, 251.  | 1.2  | 141       |
| 59 | Mediterranean Diet Reduces the Adverse Effect of the <i>TCF7L2</i> -rs7903146 Polymorphism on Cardiovascular Risk Factors and Stroke Incidence. Diabetes Care, 2013, 36, 3803-3811.   | 4.3  | 125       |
| 60 | Socioeconomic Status and Health Inequalities for Cardiovascular Prevention Among Elderly Spaniards. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 803-811.   | 0.4  | 8         |
| 61 | A Research Group from the European General Practice Research Network (EGPRN) Explores the Concept of Multimorbidity for Further Research into Long Term Care. Journal of the American Medical Directors Association, 2013, 14, 132-133.                                     | 1.2  | 14        |
| 62 | The European General Practice Research Network Presents a Comprehensive Definition of Multimorbidity in Family Medicine and Long Term Care, Following a Systematic Review of Relevant Literature. Journal of the American Medical Directors Association, 2013, 14, 319-325. | 1.2  | 167       |
| 63 | Primary Prevention of Cardiovascular Disease with a Mediterranean Diet. New England Journal of Medicine, 2013, 368, 1279-1290.  | 13.9 | 3,677     |
| 64 | Primary health care utilization by immigrants as compared to the native population: a multilevel analysis of a large clinical database in Catalonia. European Journal of General Practice, 2012, 18, 100-106.   | 0.9  | 8         |
| 65 | A 14-Item Mediterranean Diet Assessment Tool and Obesity Indexes among High-Risk Subjects: The PREDIMED Trial. PLoS ONE, 2012, 7, e43134.   | 1.1  | 704       |
| 66 | Validez del Sistema de Información para el Desarrollo de la Investigación en Atención Primaria (SIDIAP)<br>en el estudio de enfermedades vasculares: estudio EMMA. Revista Espanola De Cardiologia, 2012, 65,<br>29-37.   | 0.6  | 125       |
| 67 | Associations of the FTO rs9939609 and the MC4R rs17782313 polymorphisms with type 2 diabetes are modulated by diet, being higher when adherence to the Mediterranean diet pattern is low. Cardiovascular Diabetology, 2012, 11, 137.  | 2.7  | 129       |
| 68 | Waist-to-Height Ratio and Cardiovascular Risk Factors in Elderly Individuals at High Cardiovascular Risk. PLoS ONE, 2012, 7, e43275.  | 1.1  | 64        |
| 69 | Cohort Profile: Design and methods of the PREDIMED study. International Journal of Epidemiology, 2012, 41, 377-385.   | 0.9  | 477       |
| 70 | Trends in the Prevalence, Awareness, Treatment, and Control of Cardiovascular Risk Factors across Educational Level in the 1995–2005 Period. Annals of Epidemiology, 2011, 21, 555-563.   | 0.9  | 49        |
| 71 | Utility of a short quality of life questionnaire to predict cardiovascular events. International Journal of Cardiology, 2011, 151, 392-394.   | 0.8  | 8         |
| 72 | Effect of a traditional Mediterranean diet on apolipoproteins B, A-I, and their ratio: A randomized, controlled trial. Atherosclerosis, 2011, 218, 174-180.   | 0.4  | 71        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Adherence to the Mediterranean diet is associated with better mental and physical health. British Journal of Nutrition, 2009, 101, 1821-1827.                                | 1.2 | 131       |
| 74 | Efficacy of an intensive prevention program in coronary patients in primary care, a randomised clinical trial. International Journal of Cardiology, 2007, 118, 312-320.      | 0.8 | 29        |
| 75 | Analysis of inequalities in secondary prevention of coronary heart disease in a universal coverage health care system. European Journal of Public Health, 2006, 16, 361-367. | 0.1 | 24        |
| 76 | Association of time elapsed since the last coronary event with health services utilization. European Journal of Epidemiology, 2005, 20, 221-227.                             | 2.5 | 3         |