

Fei Gao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4352336/publications.pdf>

Version: 2024-02-01

41
papers

523
citations

687363

13
h-index

713466

21
g-index

43
all docs

43
docs citations

43
times ranked

638
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-Centre Retrospective Study Using Propensity Score Matching Comparing Left Versus Right Internal Jugular Vein Access for Transjugular Intrahepatic Portosystemic Shunt (TIPS) Creation. CardioVascular and Interventional Radiology, 2022, , 1.	2.0	4
2	DNA methyltransferase 3 beta regulates promoter methylation of microRNA-149 to augment esophageal squamous cell carcinoma development through the ring finger protein 2/Wnt/ β -catenin axis. Bioengineered, 2022, 13, 4010-4027.	3.2	8
3	CT-guided trans-sternal 125I seeds implantation for masses in the anterior or middle mediastinum. Journal of Contemporary Brachytherapy, 2022, 14, 35-42.	0.9	1
4	TIPS improves outcomes in patients with HCC and symptomatic portal hypertension: a multi-institution experience. Cancer Imaging, 2022, 22, 13.	2.8	5
5	TIPS plus sequential systemic therapy of advanced HCC patients with tumour thrombus-related symptomatic portal hypertension. European Radiology, 2022, 32, 6777-6787.	4.5	6
6	Effect of transjugular intrahepatic portosystemic shunt on transarterial chemoembolization for hepatocellular carcinoma: a systematic review and meta-analysis. , 2021, 27, 671-676.		3
7	Feasibility and clinical value of TIPS combined with subsequent antitumor treatment in HCC patients with refractory ascites. Translational Oncology, 2020, 13, 100864.	3.7	7
8	Clinical efficacy and prognostic factors of CT-guided 125I brachytherapy for the palliative treatment of retroperitoneal metastatic lymph nodes. Cancer Imaging, 2020, 20, 25.	2.8	6
9	A glycolysis-related gene pairs signature predicts prognosis in patients with hepatocellular carcinoma. PeerJ, 2020, 8, e9944.	2.0	17
10	Identification of the Prognostic Value and Clinical Significance of Interferon Regulatory Factors (IRFs) in Colon Adenocarcinoma. Medical Science Monitor, 2020, 26, e927073.	1.1	2
11	Identification of the Prognostic Value and Clinical Significance of Interferon Regulatory Factors (IRFs) in Colon Adenocarcinoma. Medical Science Monitor, 2020, 26, e927073.	1.1	3
12	Whole-course management of interventional treatment in liver cancer patients with portal hypertension. Journal of Interventional Medicine, 2019, 2, 52-54.	0.5	0
13	Safety and efficacy of 125I brachytherapy for bilateral lung recurrences from hepatocellular carcinoma after resection or ablation. Journal of Cancer Research and Clinical Oncology, 2019, 145, 1907-1916.	2.5	13
14	Safety and effect on ablation size of hydrochloric acid-perfused radiofrequency ablation in animal livers. International Journal of Hyperthermia, 2018, 34, 925-933.	2.5	4
15	Does the Site of the Primary Affect Outcomes When Ablating Colorectal Liver Metastases with Radiofrequency Ablation?. CardioVascular and Interventional Radiology, 2018, 41, 912-919.	2.0	18
16	Feasibility and clinical value of CT-guided 125I brachytherapy for metastatic soft tissue sarcoma after first-line chemotherapy failure. European Radiology, 2018, 28, 1194-1203.	4.5	28
17	^{125}I seed brachytherapy versus external beam radiation therapy for the palliation of painful bone metastases of lung cancer after one cycle of chemotherapy progression. OncoTargets and Therapy, 2018, Volume 11, 5183-5193.	2.0	14
18	Increasing radiofrequency ablation volumes with the use of internally cooled electrodes and injected hydrochloric acid in <i>ex vivo</i> bovine livers. International Journal of Hyperthermia, 2018, 35, 37-43.	2.5	7

#	ARTICLE	IF	CITATIONS
19	CT-guided 125I brachytherapy in the treatment of distant metastases in the oral cavity and maxillofacial region. <i>Translational Oncology</i> , 2017, 10, 90-98.	3.7	5
20	Hydrochloric acid-enhanced radiofrequency ablation for treating a large hepatocellular carcinoma with spontaneous rupture: a case report. <i>Chinese Journal of Cancer</i> , 2017, 36, 1.	4.9	35
21	The comparison of EGFR-TKI failure modes and subsequent management between exon 19 deletion and exon 21 L858R mutation in advanced non-small-cell lung cancer. <i>Journal of Cancer</i> , 2017, 8, 1865-1871.	2.5	8
22	CT-guided ¹²⁵ I brachytherapy for locally recurrent nasopharyngeal carcinoma. <i>Journal of Cancer</i> , 2017, 8, 2104-2113.	2.5	21
23	Ex Vivo Liver Experiment of Hydrochloric Acid-Infused and Saline-Infused Monopolar Radiofrequency Ablation: Better Outcomes in Temperature, Energy, and Coagulation. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 600-605.	2.0	8
24	Feasibility and Clinical Value of CT-guided ¹²⁵ I Brachytherapy for Bilateral Lung Recurrences from Colorectal Carcinoma. <i>Radiology</i> , 2016, 278, 897-905.	7.3	23
25	125I brachytherapy in the palliation of painful bone metastases from lung cancer after failure or rejection of conventional treatments. <i>Oncotarget</i> , 2016, 7, 18384-18393.	1.8	16
26	A preoperative mathematic model for computed tomographic guided microwave ablation treatment of hepatic dome tumors. <i>Oncotarget</i> , 2016, 7, 25949-25959.	1.8	3
27	Trans-bronchoscopy with implantation of 125I radioactive seeds in patients with pulmonary atelectasis induced by lung cancer. <i>Oncology Letters</i> , 2015, 10, 216-222.	1.8	15
28	Refractory Malignant Fibrous Histiocytoma. <i>Technology in Cancer Research and Treatment</i> , 2015, 14, 3-9.	1.9	0
29	Effectiveness and Safety of Splenic Micro-wave Ablation Combined with Hepatic Ar-terial Chemoembolization for Hepatocellular Carcinoma Associated with Hypersplenism: A Prospective Study in 5 Patients. <i>Open Journal of Radiology</i> , 2015, 05, 72-79.	0.2	0
30	Computed tomography and magnetic resonance imaging findings of inflammatory myofibroblastic tumors of the head and neck. <i>Acta Radiologica</i> , 2014, 55, 434-440.	1.1	13
31	Combination of radiofrequency ablation with transarterial chemoembolization for hepatocellular carcinoma: an up-to-date meta-analysis. <i>Tumor Biology</i> , 2014, 35, 7407-7413.	1.8	45
32	Osteopontin enhances the expression of HOTAIR in cancer cells via IRF1. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2014, 1839, 837-848.	1.9	43
33	CT-guided implantation of radioactive 125I seed in advanced non-small-cell lung cancer after failure of first-line chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 1383-1390.	2.5	40
34	Cell-Based Assay System to Estimate the Effect of 125I Seeds on Cancer Cells: Effect of Osteopontin. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2014, 9, 258-263.	1.6	10
35	Safety evaluation of a potential ablation agent-hydrochloric acid in the rabbits' model. <i>Annals of Palliative Medicine</i> , 2014, 3, 250-62.	1.2	2
36	The number of tumor-free axillary lymph nodes removed as a prognostic parameter for node-negative breast cancer. <i>Chinese Journal of Cancer</i> , 2014, 33, 569-73.	4.9	2

#	ARTICLE	IF	CITATIONS
37	CT-guided 125I brachytherapy for mediastinal metastatic lymph nodes recurrence from esophageal carcinoma: Effectiveness and safety in 16 patients. <i>European Journal of Radiology</i> , 2013, 82, e70-e75.	2.6	40
38	Refractory Nasopharyngeal Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 149, 417-423.	1.9	6
39	Radiofrequency Ablation of Retroperitoneal Metastatic Lymph Nodes from Hepatocellular Carcinoma. <i>Academic Radiology</i> , 2012, 19, 1035-1040.	2.5	19
40	Evaluation of transarterial chemoembolization combined with percutaneous ethanol ablation for large hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2011, 17, 3145-50.	3.3	6
41	Combined treatment of hepatocellular carcinoma with partial splenic embolization and transcatheter hepatic arterial chemoembolization. <i>World Journal of Gastroenterology</i> , 2007, 13, 6593.	3.3	14