

Reza Mohtashami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4352990/publications.pdf>

Version: 2024-02-01

11
papers

675
citations

933447

10
h-index

1281871

11
g-index

11
all docs

11
docs citations

11
times ranked

1082
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and Safety of Phytosomal Curcumin in Non-Alcoholic Fatty Liver Disease: A Randomized Controlled Trial. <i>Drug Research</i> , 2017, 67, 244-251.	1.7	217
2	Curcumin Lowers Serum Lipids and Uric Acid in Subjects With Nonalcoholic Fatty Liver Disease: A Randomized Controlled Trial. <i>Journal of Cardiovascular Pharmacology</i> , 2016, 68, 223-229.	1.9	206
3	Efficacy and safety of honey based formulation of Nigella sativa seed oil in functional dyspepsia: A double blind randomized controlled clinical trial. <i>Journal of Ethnopharmacology</i> , 2015, 175, 147-152.	4.1	52
4	Standardized Nigella sativa seed oil ameliorates hepatic steatosis, aminotransferase and lipid levels in non-alcoholic fatty liver disease: A randomized, double-blind and placebo-controlled clinical trial. <i>Journal of Ethnopharmacology</i> , 2019, 234, 106-111.	4.1	48
5	Efficacy of artichoke leaf extract in non-alcoholic fatty liver disease: A pilot double-blind randomized controlled trial. <i>Phytotherapy Research</i> , 2018, 32, 1382-1387.	5.8	43
6	Silymarin, Olibanum, and Nettle, A Mixed Herbal Formulation in the Treatment of Type II Diabetes: A Randomized, Double-Blind, Placebo-Controlled, Clinical Trial. <i>Journal of Evidence-Based Complementary & Alternative Medicine</i> , 2017, 22, 603-608.	1.5	39
7	Efficacy of phospholipidated curcumin in nonalcoholic fatty liver disease: a clinical study. <i>Journal of Asian Natural Products Research</i> , 2019, 21, 798-805.	1.4	21
8	Efficacy of Mentha pulegium extract in the treatment of functional dyspepsia: A randomized double-blind placebo-controlled clinical trial. <i>Journal of Ethnopharmacology</i> , 2017, 206, 267-273.	4.1	17
9	Elevated alanine aminotransferase activity is not associated with dyslipidemias, but related to insulin resistance and higher disease grades in non-diabetic non-alcoholic fatty liver disease. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2012, 2, 702-706.	1.2	13
10	Effect of a Combination of Omeprazole Plus Sustained Release Baclofen Versus Omeprazole Alone on Symptoms of Patients with Gastroesophageal Reflux Disease (GERD). <i>Iranian Journal of Pharmaceutical Research</i> , 2014, 13, 1221-6.	0.5	13
11	Effects of standardized hydro-alcoholic extract of leaf on hypertension and biochemical parameters in hypertensive hyperlipidemic type 2 diabetic patients: a randomized, double-blind and placebo-controlled clinical trial. <i>Avicenna Journal of Phytomedicine</i> , 2019, 9, 44-53.	0.2	6