
Staffan Roos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4353292/publications.pdf Version: 2024-02-01



STAFFAN ROOS

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Seabird foraging ranges as a preliminary tool for identifying candidate Marine Protected Areas. Biological Conservation, 2012, 156, 53-61. | 4.1 | 169 |
| 2 | Observed and predicted effects of climate change on species abundance in protected areas. Nature Climate Change, 2013, 3, 1055-1061. | 18.8 | 146 |
| 3 | A review of predation as a limiting factor for bird populations in mesopredatorâ€rich landscapes: a case study of the UK. Biological Reviews, 2018, 93, 1915-1937. | 10.4 | 98 |
| 4 | Functional response, seasonal decline and landscape differences in nest predation risk. Oecologia, 2002, 133, 608-615. | 2.0 | 84 |
| 5 | Nest predators affect spatial dynamics of breeding red-backed shrikes (Lanius collurio). Journal of Animal Ecology, 2004, 73, 117-127. | 2.8 | 70 |
| 6 | Environmental impacts of highâ€output driven shooting of Red Grouse <i>Lagopus lagopus scotica</i> . Ibis, 2016, 158, 446-452. | 1.9 | 31 |
| 7 | Sexâ€specific patterns of reproductive senescence in a longâ€lived reintroduced raptor. Journal of Animal Ecology, 2018, 87, 1587-1599. | 2.8 | 23 |
| 8 | Annual abundance of common Kestrels (Falco tinnunculus) is negatively associated with second generation anticoagulant rodenticides. Ecotoxicology, 2021, 30, 560-574. | 2.4 | 21 |
| 9 | Long-term trends in abundance and breeding success of red grouse and hen harriers in relation to changing management of a Scottish grouse moor. Wildlife Biology, 2017, 2017, . | 1.4 | 19 |
| 10 | Numerical and functional responses of Common Buzzards <i>Buteo buteo</i> to prey abundance on a Scottish grouse moor. Ibis, 2017, 159, 541-553. | 1.9 | 15 |
| 11 | Responses of breeding waders to restoration of grouse management on a moor in South-West Scotland. Journal of Ornithology, 2019, 160, 789-797. | 1.1 | 12 |
| 12 | Survival of chicks and adults explains variation in population growth in a recovering red grouse <i>Lagopus lagopus scotica</i> population. Wildlife Biology, 2018, 2018, 1-10. | 1.4 | 11 |
| 13 | Diversionary feeding and nestling diet of Hen Harriers <i>Circus cyaneus</i> . Bird Study, 2018, 65, 431-443. | 1.0 | 7 |
| 14 | Breeding success and productivity of urban and rural Eurasian sparrowhawks <i>Accipiter nisus</i> in Scotland. Ecoscience, 0, , 1-12. | 1.4 | 6 |
| 15 | Population responses of Red Grouse Lagopus lagopus scotica to expansion of heather Calluna vulgaris cover on a Scottish grouse moor. Avian Conservation and Ecology, 2018, 13, . | 0.8 | 5 |
| 16 | Fluctuations in field vole abundance indirectly influence red grouse productivity via a shared predator guild. Wildlife Biology, 2020, 2020, . | 1.4 | 4 |
| 17 | The Scottish Raptor Monitoring Scheme: recent developments in good practice monitoring. Bird Study, 2018, 65, S21-S34. | 1.0 | 3 |
| 18 | Food supplementation does not increase demographic rates in a passerine species of conservation concern. Nature Conservation, 0, 10, 25-43. | 0.0 | 3 |

STAFFAN ROOS

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Differential responses of heather and red grouse to long-term spatio-temporal variation in sheep grazing. Biodiversity and Conservation, 2020, 29, 2689-2710. | 2.6 | 2 |
| 20 | Long-term changes in the abundance and breeding success of raptors and ravens in periods of varying management of a Scottish grouse moor. Avian Conservation and Ecology, 2020, 15, . | 0.8 | 2 |
| 21 | Habitat associations of young Black Grouse <i>Tetrao tetrix</i> broods. Bird Study, 2016, 63, 203-213. | 1.0 | 0 |