

Ezequiel Mabraga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4354092/publications.pdf>

Version: 2024-02-01

35
papers

592
citations

623188

14
h-index

642321

23
g-index

36
all docs

36
docs citations

36
times ranked

590
citing authors

#	ARTICLE	IF	CITATIONS
1	DNA Barcoding Identifies Argentine Fishes from Marine and Brackish Waters. PLoS ONE, 2011, 6, e28655.	1.1	91
2	Reproductive biology of two sympatric skates in the south-west Atlantic: <i>Psammobatis rudis</i> and <i>Psammobatis normani</i> . Journal of Fish Biology, 2004, 65, 559-573.	0.7	51
3	Morphological and molecular evidence for a new species of longnose skate (Rajiformes: Rajidae): <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	0.2	36
4	Feeding ecology and abundance of two sympatric skates, the shortfin sand skate <i>Psammobatis normani</i> McEachran, and the smallthorn sand skate <i>P. rudis</i> GÄ¼nther (Chondrichthyes, Rajidae), in the southwest Atlantic. ICES Journal of Marine Science, 2007, 64, 1017-1027.	1.2	35
5	Chondrichthyan egg cases from the south-west Atlantic Ocean. Journal of Fish Biology, 2011, 79, 1261-1290.	0.7	30
6	Decline or stability of obligate freshwater elasmobranchs following high fishing pressure. Biological Conservation, 2017, 210, 293-298.	1.9	27
7	HÁ;bitos alimentarios de la raya de cola corta, <i>Bathyraja brachyurops</i> (Chondrichthyes, Rajidae), en el AtlÁ;ntico Sudoccidental. Scientia Marina, 2008, 72, 701-710.	0.3	25
8	Biodiversity and threats in non-protected areas: A multidisciplinary and multi-taxa approach focused on the Atlantic Forest. Heliyon, 2019, 5, e02292.	1.4	23
9	Feeding ecology of <i>Bathyraja macloviana</i> (Rajiformes, Arhynchobatidae): a polychaete-feeding skate from the South-west Atlantic. Scientia Marina, 2005, 69, 405-413.	0.3	20
10	Oceanâ€“estuarine connection for ichthyoplankton through the inlet channel of a temperate choked coastal lagoon (Argentina). Marine and Freshwater Research, 2014, 65, 1116.	0.7	19
11	Surfing among species, populations and morphotypes: Inferring boundaries between two species of new world silversides (Atherinopsidae). Comptes Rendus - Biologies, 2016, 339, 10-23.	0.1	19
12	A continental-wide molecular approach unraveling mtDNA diversity and geographic distribution of the Neotropical genus <i>Hoplias</i> . PLoS ONE, 2018, 13, e0202024.	1.1	19
13	<i>Bathyraja cousseauae</i> sp.n.: A New Softnose Skate from the Southwestern Atlantic (Rajiformes.) Tj ETQq1 1 0.784314 rgBT /Overlock	1.4	17
14	Almost a century of oblivion: Integrative taxonomy allows the resurrection of the longnose skate <i>Zearaja brevicaudata</i> (Marini, 1933) (Rajiformes; Rajidae). Comptes Rendus - Biologies, 2018, 341, 454-470.	0.1	17
15	Seasonal Reproductive Biology of the Bignose Fanskate <i>Sympterygia acuta</i> (Chondrichthyes, Rajidae). Estuaries and Coasts, 2015, 38, 1466-1476.	1.0	16
16	The Magellanic Province and its fish fauna (South America): Several provinces or one?. Journal of Biogeography, 2020, 47, 220-234.	1.4	16
17	From coexistence to competitive exclusion: can overfishing change the outcome of competition in skates (Chondrichthyes, Rajidae)?. Latin American Journal of Aquatic Research, 2012, 40, 102-112.	0.2	12
18	Exploring nursery sites for oviparous chondrichthyans in the Southwest Atlantic (36Â°Sâ€“41Â°S). Marine Biology Research, 2016, 12, 715-725.	0.3	12

#	ARTICLE	IF	CITATIONS
19	Using otolith morphometry for the identification of three sympatric and morphologically similar species of <i>Astyanax</i> from the Atlantic Rain Forest (Argentina). <i>Environmental Biology of Fishes</i> , 2018, 101, 1319-1328.	0.4	12
20	Basin-scale distribution and haplotype partitioning in different genetic lineages of the Neotropical migratory fish <i>Salminus brasiliensis</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 444-456.	0.9	10
21	Dental abnormalities of the southern thorny skate <i>Amblyraja doellojuradoi</i> (Chondrichthyes, Rajidae). <i>Revista De Biología Marina Y Oceanografía</i> , 2012, 47, 135-140.	0.1	9
22	Inferring boundaries among fish species of the new world silversides (Atherinopsidae; genus <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 7</i> <i>Odontesthes argentinensis</i> . <i>Genetica</i> , 2019, 147, 217-229.	0.5	9
23	Reproductive studies of <i>Anchoa marinii</i> Hildebrand, 1943 (Actinopterygii: Engraulidae) in the nearby-coastal area of Mar Chiquita coastal lagoon, Buenos Aires, Argentina. <i>Neotropical Ichthyology</i> , 2015, 13, 221-228.	0.5	8
24	Geographic distribution of the short-tailed river stingray (<i>Potamotrygon brachyura</i>): assessing habitat loss and fishing as threats to the world's largest obligate freshwater elasmobranch. <i>Marine and Freshwater Research</i> , 2016, 67, 1463.	0.7	8
25	Identification of fish stocks of river crocker (<i>Plagioscion ternetzi</i>) in Paraná and Paraguay rivers by using otolith morphometric analysis. <i>Latin American Journal of Aquatic Research</i> , 2017, 43, 718-725.	0.2	8
26	Multi-matrix approach reveals the distribution of pesticides in a multipurpose protected area from the Atlantic Rainforest: potential risk for aquatic biota and human health?. <i>Environmental Science and Pollution Research</i> , 2021, 28, 34386-34399.	2.7	6
27	Biodiversity of vertebrates in Argentina: patterns of richness, endemism and conservation status. <i>ZooKeys</i> , 2022, 1085, 101-127.	0.5	6
28	Reproductive biology and abundance of the freckled sand skate <i>Psammobatis lentiginosa</i> McEachran, 1983 in the southwest Atlantic. <i>Marine Biology Research</i> , 2012, 8, 292-299.	0.3	5
29	Short spatial and temporal scale patterns of fish assemblages in a subtropical rainforest mountain stream. <i>Studies on Neotropical Fauna and Environment</i> , 2013, 48, 199-209.	0.5	5
30	Molecular and taxonomic characterisation of introduced specimens of <i>Poecilia reticulata</i> in the lower Paraguay River basin (Cyprinodontiformes: Poeciliidae). <i>Neotropical Ichthyology</i> , 2017, 15, .	0.5	5
31	Egg cases of the graytail skate <i>Bathyraja griseocauda</i> and the cuphead skate <i>Bathyraja scaphiops</i> from the south-west Atlantic Ocean. <i>Journal of Fish Biology</i> , 2017, 91, 968-974.	0.7	4
32	Comparative embryonic development patterns in three deep-water skates from the southwest Atlantic. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2020, 161, 103301.	0.6	4
33	Second record of the blue runner <i>Caranx crysos</i> (Perciformes: Carangidae) in Argentine waters. <i>Marine Biodiversity Records</i> , 2011, 4, .	1.2	3
34	A record of the Porbeagle, <i>Lamna nasus</i> , in coastal waters of Buenos Aires (Argentina) confirmed by DNA barcoding. <i>DNA Barcodes</i> , 2015, 3, .	1.2	3
35	Morphological variation in a conservative structure: the scapulacoracoids in <i>Sympterygia acuta</i> Garman, 1837 and <i>Sympterygia bonapartii</i> Müller & Henle, 1841 (Chondrichthyes: Rajidae). <i>Zootaxa</i> , 2017, 4318, 157.	0.2	1