

# Paula M Canas

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4354882/paula-m-canas-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59  
papers

2,604  
citations

28  
h-index

50  
g-index

64  
ext. papers

3,174  
ext. citations

6.1  
avg, IF

4.68  
L-index

#	Paper	IF	Citations
59	Adenosine A receptors blockade attenuates dexamethasone-induced alterations in cultured astrocytes. <i>Purinergic Signalling</i> , <b>2022</b> , 18, 199-204	3.8	0
58	Convergence of adenosine and GABA signaling for synapse stabilization during development. <i>Science</i> , <b>2021</b> , 374, eabk2055	33.3	5
57	L-β-aminoadipate causes astrocyte pathology with negative impact on mouse hippocampal synaptic plasticity and memory. <i>FASEB Journal</i> , <b>2021</b> , 35, e21726	0.9	0
56	Deletion of CD73 increases exercise power in mice. <i>Purinergic Signalling</i> , <b>2021</b> , 17, 393-397	3.8	1
55	Adenosine A Receptors as Biomarkers of Brain Diseases. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 702581	5.1	2
54	Use of knockout mice to explore CNS effects of adenosine. <i>Biochemical Pharmacology</i> , <b>2021</b> , 187, 114367		3
53	Subsynaptic Membrane Fractionation. <i>Neuromethods</i> , <b>2021</b> , 31-38	0.4	
52	Association Between Adenosine A Receptors and Connexin 43 Regulates Hemichannels Activity and ATP Release in Astrocytes Exposed to Amyloid-β Peptides. <i>Molecular Neurobiology</i> , <b>2021</b> , 58, 6232-6248	6.2	3
51	Increased ATP release and CD73-mediated adenosine A receptor activation mediate convulsion-associated neuronal damage and hippocampal dysfunction. <i>Neurobiology of Disease</i> , <b>2021</b> , 157, 105441	7.5	1
50	Motor Deficits Coupled to Cerebellar and Striatal Alterations in Ube3a Mice Modelling Angelman Syndrome Are Attenuated by Adenosine A Receptor Blockade. <i>Molecular Neurobiology</i> , <b>2021</b> , 58, 2543-2557	6.2	4
49	Caffeine Consumption plus Physical Exercise Improves Behavioral Impairments and Stimulates Neuroplasticity in Spontaneously Hypertensive Rats (SHR): an Animal Model of Attention Deficit Hyperactivity Disorder. <i>Molecular Neurobiology</i> , <b>2020</b> , 57, 3902-3919	6.2	5
48	The interplay between redox signalling and proteostasis in neurodegeneration: In vivo effects of a mitochondria-targeted antioxidant in Huntington's disease mice. <i>Free Radical Biology and Medicine</i> , <b>2020</b> , 146, 372-382	7.8	26
47	Purinergic signaling orchestrating neuron-glia communication. <i>Pharmacological Research</i> , <b>2020</b> , 162, 105253	10.2	20
46	Adenosine A receptors format long-term depression and memory strategies in a mouse model of Angelman syndrome. <i>Neurobiology of Disease</i> , <b>2020</b> , 146, 105137	7.5	8
45	Neuronal adenosine A receptors signal ergogenic effects of caffeine. <i>Scientific Reports</i> , <b>2020</b> , 10, 13414	4.9	11
44	Age-related shift in LTD is dependent on neuronal adenosine A receptors interplay with mGluR5 and NMDA receptors. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 1876-1900	15.1	71
43	Microglia cytoarchitecture in the brain of adenosine A receptor knockout mice: Brain region and sex specificities. <i>European Journal of Neuroscience</i> , <b>2020</b> , 51, 1377-1387	3.5	10

42	Enhanced ATP release and CD73-mediated adenosine formation sustain adenosine A receptor over-activation in a rat model of Parkinson's disease. <i>British Journal of Pharmacology</i> , <b>2019</b> , 176, 3666-3680	8.6	23
41	Synaptic and memory dysfunction in a ß-amyloid model of early Alzheimer's disease depends on increased formation of ATP-derived extracellular adenosine. <i>Neurobiology of Disease</i> , <b>2019</b> , 132, 104570	7.5	37
40	Adenosine A and A receptors differently control synaptic plasticity in the mouse dorsal and ventral hippocampus. <i>Journal of Neurochemistry</i> , <b>2019</b> , 151, 227-237	6	9
39	Adenosine Receptors in Alzheimer's Disease <b>2018</b> , 259-280		3
38	Adenosine A Receptors Control Glutamatergic Synaptic Plasticity in Fast Spiking Interneurons of the Prefrontal Cortex. <i>Frontiers in Pharmacology</i> , <b>2018</b> , 9, 133	5.6	16
37	The exercise sex gap and the impact of the estrous cycle on exercise performance in mice. <i>Scientific Reports</i> , <b>2018</b> , 8, 10742	4.9	22
36	Neuronal Adenosine A2A Receptors Are Critical Mediators of Neurodegeneration Triggered by Convulsions. <i>ENeuro</i> , <b>2018</b> , 5,	3.9	43
35	Anandamide Effects in a Streptozotocin-Induced Alzheimer's Disease-Like Sporadic Dementia in Rats. <i>Frontiers in Neuroscience</i> , <b>2018</b> , 12, 653	5.1	17
34	Blockade of adenosine A receptors recovers early deficits of memory and plasticity in the triple transgenic mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , <b>2018</b> , 117, 72-81	7.5	38
33	Mitochondria in Excitatory and Inhibitory Synapses have Similar Susceptibility to Amyloid-β Peptides Modeling Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , <b>2017</b> , 60, 525-536	4.3	11
32	Caffeine Controls Glutamatergic Synaptic Transmission and Pyramidal Neuron Excitability in Human Neocortex. <i>Frontiers in Pharmacology</i> , <b>2017</b> , 8, 899	5.6	12
31	Brain Membrane Fractionation: An Ex Vivo Approach to Assess Subsynaptic Protein Localization. <i>Journal of Visualized Experiments</i> , <b>2017</b> ,	1.6	1
30	Age-Related Changes in the Synaptic Density of Amyloid-β Protein Precursor and Secretases in the Human Cerebral Cortex. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 52, 1209-14	4.3	6
29	Subsynaptic Membrane Fractionation. <i>Neuromethods</i> , <b>2016</b> , 31-37	0.4	3
28	Presymptomatic MPTP Mice Show Neurotrophic S100B/mRAGE Striatal Levels. <i>CNS Neuroscience and Therapeutics</i> , <b>2016</b> , 22, 396-403	6.8	6
27	Adenosine A2b receptors control A1 receptor-mediated inhibition of synaptic transmission in the mouse hippocampus. <i>European Journal of Neuroscience</i> , <b>2015</b> , 41, 878-88	3.5	34
26	The role of parkinson's disease-associated receptor GPR37 in the hippocampus: functional interplay with the adenosinergic system. <i>Journal of Neurochemistry</i> , <b>2015</b> , 134, 135-46	6	30
25	Hyperactivation of D1 and A2A receptors contributes to cognitive dysfunction in Huntington's disease. <i>Neurobiology of Disease</i> , <b>2015</b> , 74, 41-57	7.5	34

24	Caffeine acts through neuronal adenosine A2A receptors to prevent mood and memory dysfunction triggered by chronic stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 7833-8	11.5	181
23	Optogenetic activation of intracellular adenosine A2A receptor signaling in the hippocampus is sufficient to trigger CREB phosphorylation and impair memory. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 1339-49	15.1	71
22	Depression as a Glial-Based Synaptic Dysfunction. <i>Frontiers in Cellular Neuroscience</i> , <b>2015</b> , 9, 521	6.1	111
21	The P2X7 receptor antagonist Brilliant Blue G attenuates contralateral rotations in a rat model of Parkinsonism through a combined control of synaptotoxicity, neurotoxicity and gliosis. <i>Neuropharmacology</i> , <b>2014</b> , 81, 142-52	5.5	74
20	M16 D1R and A2AR Blockade Normalises PKA Activity and Improves Hippocampal-dependent Cognitive Dysfunction but not Motor Deficits in Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2014</b> , 85, A99-A100	5.5	1
19	Overexpression of Adenosine A2A Receptors in Rats: Effects on Depression, Locomotion, and Anxiety. <i>Frontiers in Psychiatry</i> , <b>2014</b> , 5, 67	5	55
18	Predominant loss of glutamatergic terminal markers in a $\beta$ -amyloid peptide model of Alzheimer's disease. <i>Neuropharmacology</i> , <b>2014</b> , 76 Pt A, 51-6	5.5	64
17	Adenosine A <sub>2A</sub> receptors in striatal glutamatergic terminals and GABAergic neurons oppositely modulate psychostimulant action and DARPP-32 phosphorylation. <i>PLoS ONE</i> , <b>2013</b> , 8, e80902	3.7	53
16	Blockade of adenosine A2A receptors prevents interleukin-1 $\beta$ -induced exacerbation of neuronal toxicity through a p38 mitogen-activated protein kinase pathway. <i>Journal of Neuroinflammation</i> , <b>2012</b> , 9, 204	10.1	44
15	Enhanced role of adenosine A(2A) receptors in the modulation of LTP in the rat hippocampus upon ageing. <i>European Journal of Neuroscience</i> , <b>2011</b> , 34, 12-21	3.5	113
14	Adenosine A2A receptors control neuroinflammation and consequent hippocampal neuronal dysfunction. <i>Journal of Neurochemistry</i> , <b>2011</b> , 117, 100-11	6	138
13	Key modulatory role of presynaptic adenosine A2A receptors in cortical neurotransmission to the striatal direct pathway. <i>Scientific World Journal, The</i> , <b>2009</b> , 9, 1321-44	2.2	76
12	GDNF control of the glutamatergic cortico-striatal pathway requires tonic activation of adenosine A receptors. <i>Journal of Neurochemistry</i> , <b>2009</b> , 108, 1208-19	6	28
11	Modification upon aging of the density of presynaptic modulation systems in the hippocampus. <i>Neurobiology of Aging</i> , <b>2009</b> , 30, 1877-84	5.6	97
10	Spermine improves recognition memory deficit in a rodent model of Huntington's disease. <i>Neurobiology of Learning and Memory</i> , <b>2009</b> , 92, 574-80	3.1	39
9	Adenosine A2A receptor blockade prevents synaptotoxicity and memory dysfunction caused by beta-amyloid peptides via p38 mitogen-activated protein kinase pathway. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 14741-51	6.6	251
8	Modification of adenosine modulation of acetylcholine release in the hippocampus of aged rats. <i>Neurobiology of Aging</i> , <b>2008</b> , 29, 1597-601	5.6	49
7	Adenosine A2A receptor blockade prevents memory dysfunction caused by beta-amyloid peptides but not by scopolamine or MK-801. <i>Experimental Neurology</i> , <b>2008</b> , 210, 776-81	5.7	77

6	A critical role of the adenosine A2A receptor in extrastriatal neurons in modulating psychomotor activity as revealed by opposite phenotypes of striatum and forebrain A2A receptor knock-outs. <i>Journal of Neuroscience</i> , <b>2008</b> , 28, 2970-5	6.6	128
5	Adenosine A2A receptor antagonists exert motor and neuroprotective effects by distinct cellular mechanisms. <i>Annals of Neurology</i> , <b>2008</b> , 63, 338-46	9.4	135
4	Blockade of adenosine A(2A) receptors prevents staurosporine-induced apoptosis of rat hippocampal neurons. <i>Neurobiology of Disease</i> , <b>2007</b> , 27, 182-9	7.5	43
3	Increased density and synapto-protective effect of adenosine A2A receptors upon sub-chronic restraint stress. <i>Neuroscience</i> , <b>2006</b> , 141, 1775-81	3.9	84
2	Different synaptic and subsynaptic localization of adenosine A2A receptors in the hippocampus and striatum of the rat. <i>Neuroscience</i> , <b>2005</b> , 132, 893-903	3.9	151
1	Neuronal adenosine A2A receptors signal ergogenic effects of caffeine		1