

Galit Geulayov

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4355766/galit-geulayov-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26
papers

609
citations

11
h-index

24
g-index

27
ext. papers

852
ext. citations

8.2
avg, IF

3.92
L-index

#	Paper	IF	Citations
26	Epidemiology and trends in non-fatal self-harm in three centres in England, 2000-2012: findings from the Multicentre Study of Self-harm in England. <i>BMJ Open</i> , 2016 , 6, e010538	3	120
25	Incidence of suicide, hospital-presenting non-fatal self-harm, and community-occurring non-fatal self-harm in adolescents in England (the iceberg model of self-harm): a retrospective study. <i>Lancet Psychiatry</i> , 2018 , 5, 167-174	23.3	107
24	General hospital costs in England of medical and psychiatric care for patients who self-harm: a retrospective analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 759-767	23.3	57
23	Suicide following presentation to hospital for non-fatal self-harm in the Multicentre Study of Self-harm: a long-term follow-up study. <i>Lancet Psychiatry</i> , 2019 , 6, 1021-1030	23.3	49
22	Rates of self-harm presenting to general hospitals: a comparison of data from the Multicentre Study of Self-Harm in England and Hospital Episode Statistics. <i>BMJ Open</i> , 2016 , 6, e009749	3	48
21	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry</i> , 2015 , 2, 809-16	23.3	39
20	Mortality in children and adolescents following presentation to hospital after non-fatal self-harm in the Multicentre Study of Self-harm: a prospective observational cohort study. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 111-120	14.5	31
19	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. <i>Journal of Affective Disorders</i> , 2016 , 191, 132-8	6.6	29
18	Self-harm during the early period of the COVID-19 pandemic in England: Comparative trend analysis of hospital presentations. <i>Journal of Affective Disorders</i> , 2021 , 282, 991-995	6.6	24
17	Symptoms of depression and anxiety and 11-year all-cause mortality in men and women undergoing coronary artery bypass graft (CABG) surgery. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 106-114	4.1	20
16	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <i>Journal of Psychopharmacology</i> , 2018 , 32, 654-662	4.6	15
15	Incidence and general hospital costs of self-harm across England: estimates based on the multicentre study of self-harm. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e108	5.1	10
14	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. <i>Journal of Affective Disorders</i> , 2019 , 246, 814-819	6.6	10
13	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. <i>BMC Psychiatry</i> , 2018 , 18, 399	4.2	10
12	Paracetamol self-poisoning: Epidemiological study of trends and patient characteristics from the multicentre study of self-harm in England. <i>Journal of Affective Disorders</i> , 2020 , 276, 699-706	6.6	9
11	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. <i>PLoS ONE</i> , 2018 , 13, e0204670	3.7	9
10	Self-harm in midlife: analysis using data from the Multicentre Study of Self-harm in England. <i>British Journal of Psychiatry</i> , 2019 , 1-8	5.4	8

9	Comparing short-term risk of repeat self-harm after psychosocial assessment of patients who self-harm by psychiatrists or psychiatric nurses in a general hospital: Cohort study. <i>Journal of Affective Disorders</i> , 2020 , 272, 158-165	6.6	7
8	Body mass index in midlife and risk of attempted suicide and suicide: prospective study of 1 million UK women. <i>Psychological Medicine</i> , 2019 , 49, 2279-2286	6.9	3
7	Study protocol: the OxWell school survey investigating social, emotional and behavioural factors associated with mental health and well-being. <i>BMJ Open</i> , 2021 , 11, e052717	3	2
6	Risk of suicide in patients who present to hospital after self-cutting according to site of injury: findings from the Multicentre Study of Self-harm in England. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	1
5	Self-harm in children and adolescents by ethnic group: an observational cohort study from the Multicentre Study of Self-Harm in England. <i>The Lancet Child and Adolescent Health</i> , 2021 , 5, 782-791	14.5	1
4	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: a model-based retrospective analysis.. <i>European Psychiatry</i> , 2022 , 1-32	6	0
3	Self-harm in children 12 years and younger: characteristics and outcomes based on the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	0
2	Self-harm in people experiencing homelessness: investigation of incidence, characteristics and outcomes using data from the Multicentre Study of Self-Harm in England.. <i>BJPsych Open</i> , 2022 , 8, e74	5	0
1	The early impact of the COVID-19 pandemic on patients with severe mental illness: An interrupted time series study in South-East England.. <i>European Psychiatry</i> , 2022 , 1-15	6	