

Prasenjit Manna

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4356069/prasenjit-manna-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

5,524
citations

48
h-index

71
g-index

116
ext. papers

6,438
ext. citations

5
avg, IF

6.23
L-index

#	Paper	IF	Citations
113	Current perspectives on the anti-inflammatory potential of fermented soy foods.. <i>Food Research International</i> , 2022 , 152, 110922	7	2
112	A review on phytochemical, pharmacological attributes and therapeutic uses of <i>Allium hookeri</i> . <i>Phytomedicine Plus</i> , 2022 , 2, 100262		1
111	Prophylactic role of <i>Premna herbacea</i> , a dietary leafy vegetable in managing hepatic steatosis via regulating AMPK/SREBP1/ACC/HMGCR signaling pathway. <i>Food Bioscience</i> , 2022 , 101720	4.9	0
110	A machine learning-based approach to determine infection status in recipients of BBV152 (Covaxin) whole-virion inactivated SARS-CoV-2 vaccine for serological surveys.. <i>Computers in Biology and Medicine</i> , 2022 , 146, 105419	7	2
109	Carnosic acid attenuates doxorubicin-induced cardiotoxicity by decreasing oxidative stress and its concomitant pathological consequences. <i>Food and Chemical Toxicology</i> , 2022 , 113205	4.7	1
108	Antidiabetic potential of soy protein/peptide: A therapeutic insight. <i>International Journal of Biological Macromolecules</i> , 2021 , 194, 276-288	7.9	5
107	Insights from a Pan India Sero-Epidemiological survey (Phenome-India Cohort) for SARS-CoV2. <i>ELife</i> , 2021 , 10,	8.9	12
106	Gamma-glutamyl carboxylated Gas6 facilitates the prophylactic effect of vitamin K in inhibiting hyperlipidemia-associated inflammatory pathophysiology via arresting MCP-1/ICAM-1 mediated monocyte-hepatocyte adhesion. <i>Journal of Nutritional Biochemistry</i> , 2021 , 93, 108635	6.3	1
105	Is diabetes mellitus a wrongdoer to COVID-19 severity?. <i>Diabetes Research and Clinical Practice</i> , 2021 , 178, 108936	7.4	3
104	Evaluation of therapeutic effect of <i>Premna herbacea</i> in diabetic rat and isoverbascoside against insulin resistance in L6 muscle cells through bioenergetics and stimulation of JNK and AKT/mTOR signaling cascade. <i>Phytomedicine</i> , 2021 , 93, 153761	6.5	0
103	Bristed acid functionalized carbon catalyst for synthesis of biologically active coumarin-substituted bis(indolyl)methanes. <i>FlatChem</i> , 2021 , 29, 100279	5.1	0
102	Beneficial effect of the methanolic leaf extract of <i>Allium hookeri</i> on stimulating glutathione biosynthesis and preventing impaired glucose metabolism in type 2 diabetes. <i>Archives of Biochemistry and Biophysics</i> , 2021 , 708, 108961	4.1	3
101	Chitosan: A promising therapeutic agent and effective drug delivery system in managing diabetes mellitus. <i>Carbohydrate Polymers</i> , 2020 , 247, 116594	10.3	24
100	Tumor targeted delivery of umbelliferone via a smart mesoporous silica nanoparticles controlled-release drug delivery system for increased anticancer efficiency. <i>Materials Science and Engineering C</i> , 2020 , 116, 111239	8.3	27
99	Gamma-glutamyl-carboxylated Gas6 mediates positive role of vitamin K on lowering hyperglycemia in type 2 diabetes. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1462, 104-117	6.5	5
98	L-Cysteine and Vitamin D Co-Supplementation Alleviates Markers of Musculoskeletal Disorders in Vitamin D-Deficient High-Fat Diet-Fed Mice. <i>Nutrients</i> , 2020 , 12,	6.7	7
97	Biocompatible bimetallic Au-Ni doped graphitic carbon nitride sheets: A novel peroxidase-mimicking artificial enzyme for rapid and highly sensitive colorimetric detection of glucose. <i>Sensors and Actuators B: Chemical</i> , 2019 , 285, 277-290	8.5	61

96	Beneficial role of insect-derived bioactive components against inflammation and its associated complications (colitis and arthritis) and cancer. <i>Chemico-Biological Interactions</i> , 2019 , 313, 108824	5	16
95	Gamma-glutamyl carboxylated Gas6 mediates the beneficial effect of vitamin K on lowering hyperlipidemia via regulating the AMPK/SREBP1/PPAR β signaling cascade of lipid metabolism. <i>Journal of Nutritional Biochemistry</i> , 2019 , 70, 174-184	6.3	13
94	Chlorin e6 decorated doxorubicin encapsulated chitosan nanoparticles for photo-controlled cancer drug delivery. <i>International Journal of Biological Macromolecules</i> , 2019 , 136, 951-961	7.9	17
93	Procyanidin A2, an anti-diabetic condensed tannin extracted from , reduces elevated G-6-Pase and mRNA levels in diabetic mice and increases glucose uptake in CC1 hepatocytes and C1C12 myoblast cells.. <i>RSC Advances</i> , 2019 , 9, 17211-17219	3.7	3
92	Environmental and toxicological assessment of nanodiamond-like materials derived from carbonaceous aerosols. <i>Science of the Total Environment</i> , 2019 , 679, 209-220	10.2	8
91	pH-responsive and targeted delivery of curcumin via phenylboronic acid-functionalized ZnO nanoparticles for breast cancer therapy. <i>Journal of Advanced Research</i> , 2019 , 18, 161-172	13	70
90	Synthesis and biomedical applications of nanoceria, a redox active nanoparticle. <i>Journal of Nanobiotechnology</i> , 2019 , 17, 84	9.4	96
89	Targeted delivery of quercetin via pH-responsive zinc oxide nanoparticles for breast cancer therapy. <i>Materials Science and Engineering C</i> , 2019 , 100, 129-140	8.3	73
88	Circulatory heavy metals (cadmium, lead, mercury, and chromium) inversely correlate with plasma GST activity and GSH level in COPD patients and impair NOX4/Nrf2/GCLC/GST signaling pathway in cultured monocytes. <i>Toxicology in Vitro</i> , 2019 , 54, 269-279	3.6	17
87	Implication of a novel vitamin K dependent protein, GRP/Ucma in the pathophysiological conditions associated with vascular and soft tissue calcification, osteoarthritis, inflammation, and carcinoma. <i>International Journal of Biological Macromolecules</i> , 2018 , 113, 309-316	7.9	5
86	Therapeutic potentials of Houttuynia cordata Thunb. against inflammation and oxidative stress: A review. <i>Journal of Ethnopharmacology</i> , 2018 , 220, 35-43	5	50
85	Vitamin K1 inversely correlates with glycemia and insulin resistance in patients with type 2 diabetes (T2D) and positively regulates SIRT1/AMPK pathway of glucose metabolism in liver of T2D mice and hepatocytes cultured in high glucose. <i>Journal of Nutritional Biochemistry</i> , 2018 , 52, 103-114	6.3	31
84	Molecular mechanism of diabetic neuropathy and its pharmacotherapeutic targets. <i>European Journal of Pharmacology</i> , 2018 , 833, 472-523	5.3	95
83	Prophylactic role of vitamin K supplementation on vascular inflammation in type 2 diabetes by regulating the NF- κ B/Nrf2 pathway via activating Gla proteins. <i>Food and Function</i> , 2018 , 9, 450-462	6.1	18
82	1,25(OH)-vitamin D upregulates glucose uptake mediated by SIRT1/IRS1/GLUT4 signaling cascade in C2C12 myotubes. <i>Molecular and Cellular Biochemistry</i> , 2018 , 444, 103-108	4.2	20
81	Anti-Proliferative Activities of Vasiconone on Lung Carcinoma Cells Mediated via Activation of Both Mitochondria-Dependent and Independent Pathways. <i>Biomolecules and Therapeutics</i> , 2018 , 26, 409-416	4.2	7
80	Daidzein, its effects on impaired glucose and lipid metabolism and vascular inflammation associated with type 2 diabetes. <i>BioFactors</i> , 2018 , 44, 407-417	6.1	48
79	Efflux pump inhibition by 11H-pyrido[2,1-b]quinazolin-11-one analogues in mycobacteria. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 4942-4951	3.4	12

78	Carnosic Acid, a Natural Diterpene, Attenuates Arsenic-Induced Hepatotoxicity via Reducing Oxidative Stress, MAPK Activation, and Apoptotic Cell Death Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 1421438	6.7	25
77	Hexane-Isopropanolic Extract of Tungrymbai, a North-East Indian fermented soybean food prevents hepatic steatosis via regulating AMPK-mediated SREBP/FAS/ACC/HMGCR and PPAR α /CPT1A/UCP2 pathways. <i>Scientific Reports</i> , 2018 , 8, 10021	4.9	16
76	Vitamin D supplementation inhibits oxidative stress and upregulate SIRT1/AMPK/GLUT4 cascade in high glucose-treated 3T3L1 adipocytes and in adipose tissue of high fat diet-fed diabetic mice. <i>Archives of Biochemistry and Biophysics</i> , 2017 , 615, 22-34	4.1	91
75	Implication of a novel Gla-containing protein, Gas6 in the pathogenesis of insulin resistance, impaired glucose homeostasis, and inflammation: A review. <i>Diabetes Research and Clinical Practice</i> , 2017 , 128, 74-82	7.4	10
74	Isolation, purification, and characterization of staphylocoagulase, a blood coagulating protein from <i>Staphylococcus</i> sp. MBBJP S43. <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 1312-1321	7.9	2
73	Edible leaf extract of <i>Ipomoea aquatica</i> Forssk. (Convolvulaceae) attenuates doxorubicin-induced liver injury via inhibiting oxidative impairment, MAPK activation and intrinsic pathway of apoptosis. <i>Food and Chemical Toxicology</i> , 2017 , 105, 322-336	4.7	24
72	Antioxidant and glucose metabolizing potential of edible insect, <i>Brachytrupes orientalis</i> via modulating Nrf2/AMPK/GLUT4 signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 95, 556-563	7.5	12
71	Taraxerol, a pentacyclic triterpenoid, from <i>Abroma augusta</i> leaf attenuates diabetic nephropathy in type 2 diabetic rats. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 94, 726-741	7.5	32
70	Mechanistic insight of diabetic nephropathy and its pharmacotherapeutic targets: An update. <i>European Journal of Pharmacology</i> , 2016 , 791, 8-24	5.3	153
69	Beneficial role of vitamin K supplementation on insulin sensitivity, glucose metabolism, and the reduced risk of type 2 diabetes: A review. <i>Nutrition</i> , 2016 , 32, 732-9	4.8	62
68	Antioxidant Potential of <i>Vespa affinis</i> L., a Traditional Edible Insect Species of North East India. <i>PLoS ONE</i> , 2016 , 11, e0156107	3.7	31
67	Cigarette smoke compounds induce cellular redox imbalance, activate NF- κ B, and increase TNF- α /CRP secretion: a possible pathway in the pathogenesis of COPD. <i>Toxicology Research</i> , 2016 , 5, 895-904	2.6	9
66	Phosphatidylinositol-3,4,5-triphosphate and cellular signaling: implications for obesity and diabetes. <i>Cellular Physiology and Biochemistry</i> , 2015 , 35, 1253-75	3.9	44
65	Obesity, Oxidative Stress, Adipose Tissue Dysfunction, and the Associated Health Risks: Causes and Therapeutic Strategies. <i>Metabolic Syndrome and Related Disorders</i> , 2015 , 13, 423-44	2.6	401
64	Vitamin D (VD) prevents oxidative stress via regulating NOX4/Nrf2/Trx signaling cascade and upregulates SIRT1-mediated AMPK/IRS1/GLUT4 pathway and glucose uptake in high glucose treated 3T3L1 adipocytes. <i>FASEB Journal</i> , 2015 , 29, 253.1	0.9	4
63	Decreased cystathionine- β -lyase (CSE) activity in livers of type 1 diabetic rats and peripheral blood mononuclear cells (PBMC) of type 1 diabetic patients. <i>Journal of Biological Chemistry</i> , 2014 , 289, 11767-11778	5.4	48
62	Effect of PIP3 on adhesion molecules and adhesion of THP-1 monocytes to HUVEC treated with high glucose. <i>Cellular Physiology and Biochemistry</i> , 2014 , 33, 1197-204	3.9	14
61	PIP3 but not PIP2 increases GLUT4 surface expression and glucose metabolism mediated by AKT/PKC β phosphorylation in 3T3L1 adipocytes. <i>Molecular and Cellular Biochemistry</i> , 2013 , 381, 291-9	4.2	18

60	In African American type 2 diabetic patients, is vitamin D deficiency associated with lower blood levels of hydrogen sulfide and cyclic adenosine monophosphate, and elevated oxidative stress?. <i>Antioxidants and Redox Signaling</i> , 2013 , 18, 1154-8	8.4	29
59	D-saccharic acid 1,4-lactone protects diabetic rat kidney by ameliorating hyperglycemia-mediated oxidative stress and renal inflammatory cytokines via NF- κ B and PKC signaling. <i>Toxicology and Applied Pharmacology</i> , 2013 , 267, 16-29	4.6	68
58	L-cysteine and hydrogen sulfide increase PIP3 and AMPK/PPAR α expression and decrease ROS and vascular inflammation markers in high glucose treated human U937 monocytes. <i>Journal of Cellular Biochemistry</i> , 2013 , 114, 2334-45	4.7	60
57	Role of sulfur containing amino acids as an adjuvant therapy in the prevention of diabetes and its associated complications. <i>Current Diabetes Reviews</i> , 2013 , 9, 237-48	2.7	23
56	Impaired redox signaling and mitochondrial uncoupling contributes vascular inflammation and cardiac dysfunction in type 1 diabetes: Protective role of arjunolic acid. <i>Biochimie</i> , 2012 , 94, 786-97	4.6	31
55	Contribution of nano-copper particles to in vivo liver dysfunction and cellular damage: role of I κ B/NF- κ B, MAPKs and mitochondrial signal. <i>Nanotoxicology</i> , 2012 , 6, 1-21	5.3	71
54	Traditional extract of Pithecellobium dulce fruits protects mice against CCl(4) induced renal oxidative impairments and necrotic cell death. <i>Pathophysiology</i> , 2012 , 19, 101-14	1.8	11
53	Arjunolic acid: beneficial role in type 1 diabetes and its associated organ pathophysiology. <i>Free Radical Research</i> , 2012 , 46, 815-30	4	23
52	Taurine protects rat testes against doxorubicin-induced oxidative stress as well as p53, Fas and caspase 12-mediated apoptosis. <i>Amino Acids</i> , 2012 , 42, 1839-55	3.5	103
51	Decreased hepatic phosphatidylinositol-3,4,5-triphosphate (PIP3) levels and impaired glucose homeostasis in type 1 and type 2 diabetic rats. <i>Cellular Physiology and Biochemistry</i> , 2012 , 30, 1363-70	3.9	19
50	Vitamin D up-regulates glucose transporter 4 (GLUT4) translocation and glucose utilization mediated by cystathionine- γ -lyase (CSE) activation and H ₂ S formation in 3T3L1 adipocytes. <i>Journal of Biological Chemistry</i> , 2012 , 287, 42324-32	5.4	101
49	D-saccharic acid-1,4-lactone ameliorates alloxan-induced diabetes mellitus and oxidative stress in rats through inhibiting pancreatic β cells from apoptosis via mitochondrial dependent pathway. <i>Toxicology and Applied Pharmacology</i> , 2011 , 257, 272-83	4.6	27
48	Nano-copper induces oxidative stress and apoptosis in kidney via both extrinsic and intrinsic pathways. <i>Toxicology</i> , 2011 , 290, 208-17	4.4	111
47	Taurine suppresses doxorubicin-triggered oxidative stress and cardiac apoptosis in rat via up-regulation of PI3-K/Akt and inhibition of p53, p38-JNK. <i>Biochemical Pharmacology</i> , 2011 , 81, 891-909 ⁶		151
46	The protective role of arjunolic acid against doxorubicin induced intracellular ROS dependent JNK-p38 and p53-mediated cardiac apoptosis. <i>Biomaterials</i> , 2011 , 32, 4857-66	15.6	118
45	Prophylactic role of D-Saccharic acid-1,4-lactone in tertiary butyl hydroperoxide induced cytotoxicity and cell death of murine hepatocytes via mitochondria-dependent pathways. <i>Journal of Biochemical and Molecular Toxicology</i> , 2011 , 25, 341-54	3.4	13
44	Structure, photophysics, electrochemistry, DFT calculation, and in-vitro antioxidant activity of coumarin Schiff base complexes of Group 6 metal carbonyls. <i>Journal of Inorganic Biochemistry</i> , 2011 , 105, 577-88	4.2	37
43	Hydrogen sulfide and L-cysteine increase phosphatidylinositol 3,4,5-trisphosphate (PIP3) and glucose utilization by inhibiting phosphatase and tensin homolog (PTEN) protein and activating phosphoinositide 3-kinase (PI3K)/serine/threonine protein kinase (AKT)/protein kinase C β (PKC β) in 3T3L1 adipocytes. <i>Journal of Biological Chemistry</i> , 2011 , 286, 39948-59	5.4	78

42	Protective role of a coumarin-derived schiff base scaffold against tertiary butyl hydroperoxide (TBHP)-induced oxidative impairment and cell death via MAPKs, NF- κ B and mitochondria-dependent pathways. <i>Free Radical Research</i> , 2011 , 45, 620-37	4	20
41	Phytomedicinal Role of Pithecellobium dulce against CCl ₄ -mediated Hepatic Oxidative Impairments and Necrotic Cell Death. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 832805	2.3	25
40	Protective role of taurine against arsenic-induced mitochondria-dependent hepatic apoptosis via the inhibition of PKC δ -JNK pathway. <i>PLoS ONE</i> , 2010 , 5, e12602	3.7	81
39	Acetaminophen induced acute liver failure via oxidative stress and JNK activation: protective role of taurine by the suppression of cytochrome P450 2E1. <i>Free Radical Research</i> , 2010 , 44, 340-55	4	112
38	Streptozotocin induced activation of oxidative stress responsive splenic cell signaling pathways: protective role of arjunolic acid. <i>Toxicology and Applied Pharmacology</i> , 2010 , 244, 114-29	4.6	55
37	Arjunolic acid, a triterpenoid saponin, prevents acetaminophen (APAP)-induced liver and hepatocyte injury via the inhibition of APAP bioactivation and JNK-mediated mitochondrial protection. <i>Free Radical Biology and Medicine</i> , 2010 , 48, 535-53	7.8	80
36	Contribution of type 1 diabetes to rat liver dysfunction and cellular damage via activation of NOS, PARP, I κ B α /NF- κ B, MAPKs, and mitochondria-dependent pathways: Prophylactic role of arjunolic acid. <i>Free Radical Biology and Medicine</i> , 2010 , 48, 1465-84	7.8	135
35	Hepatotoxicity of di-(2-ethylhexyl)phthalate is attributed to calcium aggravation, ROS-mediated mitochondrial depolarization, and ERK/NF- κ B pathway activation. <i>Free Radical Biology and Medicine</i> , 2010 , 49, 1779-91	7.8	71
34	Protective effect of the fruits of Terminalia arjuna against cadmium-induced oxidant stress and hepatic cell injury via MAPK activation and mitochondria dependent pathway. <i>Food Chemistry</i> , 2010 , 123, 1062-1075	8.5	39
33	Acetaminophen induced renal injury via oxidative stress and TNF- α production: therapeutic potential of arjunolic acid. <i>Toxicology</i> , 2010 , 268, 8-18	4.4	88
32	Taurine protects acetaminophen-induced oxidative damage in mice kidney through APAP urinary excretion and CYP2E1 inactivation. <i>Toxicology</i> , 2010 , 269, 24-34	4.4	94
31	Prophylactic role of taurine on arsenic mediated oxidative renal dysfunction via MAPKs/ NF- κ B and mitochondria dependent pathways. <i>Free Radical Research</i> , 2009 , 43, 995-1007	4	71
30	Arsenic-induced oxidative cerebral disorders: protection by taurine. <i>Drug and Chemical Toxicology</i> , 2009 , 32, 93-102	2.3	61
29	Taurine prevents arsenic-induced cardiac oxidative stress and apoptotic damage: role of NF- κ B, p38 and JNK MAPK pathway. <i>Toxicology and Applied Pharmacology</i> , 2009 , 240, 73-87	4.6	144
28	Prophylactic role of arjunolic acid in response to streptozotocin mediated diabetic renal injury: activation of polyol pathway and oxidative stress responsive signaling cascades. <i>Chemico-Biological Interactions</i> , 2009 , 181, 297-308	5	45
27	Taurine plays a beneficial role against cadmium-induced oxidative renal dysfunction. <i>Amino Acids</i> , 2009 , 36, 417-28	3.5	97
26	Induction of necrosis in cadmium-induced hepatic oxidative stress and its prevention by the prophylactic properties of taurine. <i>Journal of Trace Elements in Medicine and Biology</i> , 2009 , 23, 300-13	4.1	57
25	Protective role of arjunolic acid in response to streptozotocin-induced type-I diabetes via the mitochondrial dependent and independent pathways. <i>Toxicology</i> , 2009 , 257, 53-63	4.4	69

24	Taurine protects rat testes against NaAsO ₂ -induced oxidative stress and apoptosis via mitochondrial dependent and independent pathways. <i>Toxicology Letters</i> , 2009 , 187, 201-10	4.4	169
23	Clinical and immunobiochemical characterization of airborne <i>Delonix regia</i> (Gulmohar tree) pollen and cross-reactivity studies with <i>Peltophorum pterocarpum</i> pollen: 2 dominant avenue trees from eastern India. <i>Annals of Allergy, Asthma and Immunology</i> , 2009 , 103, 515-24	3.2	8
22	Amelioration of cadmium-induced cardiac impairment by taurine. <i>Chemico-Biological Interactions</i> , 2008 , 174, 88-97	5	50
21	Cadmium induced testicular pathophysiology: prophylactic role of taurine. <i>Reproductive Toxicology</i> , 2008 , 26, 282-91	3.4	51
20	Arjunolic acid attenuates arsenic-induced nephrotoxicity. <i>Pathophysiology</i> , 2008 , 15, 147-56	1.8	57
19	Taurine provides antioxidant defense against NaF-induced cytotoxicity in murine hepatocytes. <i>Pathophysiology</i> , 2008 , 15, 181-90	1.8	56
18	Cytoprotective effect of arjunolic acid in response to sodium fluoride mediated oxidative stress and cell death via necrotic pathway. <i>Toxicology in Vitro</i> , 2008 , 22, 1918-26	3.6	80
17	<i>Terminalia arjuna</i> protects mouse hearts against sodium fluoride-induced oxidative stress. <i>Journal of Medicinal Food</i> , 2008 , 11, 733-40	2.8	38
16	Protection of arsenic-induced testicular oxidative stress by arjunolic acid. <i>Redox Report</i> , 2008 , 13, 67-77	5.9	78
15	Arsenic-induced oxidative myocardial injury: protective role of arjunolic acid. <i>Archives of Toxicology</i> , 2008 , 82, 137-49	5.8	153
14	Cadmium-induced neurological disorders: prophylactic role of taurine. <i>Journal of Applied Toxicology</i> , 2008 , 28, 974-86	4.1	38
13	Protective effect of arjunolic acid against arsenic-induced oxidative stress in mouse brain. <i>Journal of Biochemical and Molecular Toxicology</i> , 2008 , 22, 15-26	3.4	65
12	Taurine protects the antioxidant defense system in the erythrocytes of cadmium treated mice. <i>BMB Reports</i> , 2008 , 41, 657-63	5.5	50
11	A 43kD protein from the herb, <i>Cajanus indicus</i> L., protects against fluoride induced oxidative stress in mice erythrocytes. <i>Pathophysiology</i> , 2007 , 14, 47-54	1.8	41
10	Phytomedicinal activity of <i>Terminalia arjuna</i> against carbon tetrachloride induced cardiac oxidative stress. <i>Pathophysiology</i> , 2007 , 14, 71-8	1.8	21
9	Galactosamine-induced hepatotoxic effect and hepatoprotective role of a protein isolated from the herb <i>Cajanus indicus</i> L in vivo. <i>Journal of Biochemical and Molecular Toxicology</i> , 2007 , 21, 13-23	3.4	16
8	Protection of arsenic-induced hepatic disorder by arjunolic acid. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2007 , 101, 333-8	3.1	55
7	Arjunolic acid, a triterpenoid saponin, ameliorates arsenic-induced cyto-toxicity in hepatocytes. <i>Chemico-Biological Interactions</i> , 2007 , 170, 187-200	5	55

6	Attenuation of cadmium chloride induced cytotoxicity in murine hepatocytes by a protein isolated from the leaves of the herb <i>Cajanus indicus</i> L. <i>Archives of Toxicology</i> , 2007 , 81, 397-406	5.8	23
5	Aqueous extract of the bark of <i>Terminalia arjuna</i> plays a protective role against sodium-fluoride-induced hepatic and renal oxidative stress. <i>Journal of Natural Medicines</i> , 2007 , 61, 251-260	3.3	50
4	Taurine, a conditionally essential amino acid, ameliorates arsenic-induced cytotoxicity in murine hepatocytes. <i>Toxicology in Vitro</i> , 2007 , 21, 1419-28	3.6	65
3	A 43 kD protein isolated from the herb <i>Cajanus indicus</i> L attenuates sodium fluoride-induced hepatic and renal disorders in vivo. <i>BMB Reports</i> , 2007 , 40, 382-95	5.5	19
2	Aqueous extract of <i>Terminalia arjuna</i> prevents carbon tetrachloride induced hepatic and renal disorders. <i>BMC Complementary and Alternative Medicine</i> , 2006 , 6, 33	4.7	118
1	Valorization and Physicochemical Characterization of Crude Plant Kernel Wax Obtained from <i>Endocoma macrocoma</i> (Miq.) W. J. de Wilde subsp. <i>prainii</i> (King) W. J. de Wilde. <i>Waste and Biomass Valorization</i> , 1	3.2	0