

Tony D James

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4356578/publications.pdf>

Version: 2024-02-01

415
papers

29,016
citations

5574

82
h-index

7518

151
g-index

468
all docs

468
docs citations

468
times ranked

18393
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluorescent chemosensors: the past, present and future. <i>Chemical Society Reviews</i> , 2017, 46, 7105-7123.	38.1	1,436
2	Excited-state intramolecular proton-transfer (ESIPT) based fluorescence sensors and imaging agents. <i>Chemical Society Reviews</i> , 2018, 47, 8842-8880.	38.1	993
3	Saccharide Sensing with Molecular Receptors Based on Boronic Acid. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 1910-1922.	4.4	853
4	Chiral discrimination of monosaccharides using a fluorescent molecular sensor. <i>Nature</i> , 1995, 374, 345-347.	27.8	609
5	Exploiting the Reversible Covalent Bonding of Boronic Acids: Recognition, Sensing, and Assembly. <i>Accounts of Chemical Research</i> , 2013, 46, 312-326.	15.6	559
6	Förster resonance energy transfer (FRET)-based small-molecule sensors and imaging agents. <i>Chemical Society Reviews</i> , 2020, 49, 5110-5139.	38.1	516
7	Selective sensing of saccharides using simple boronic acids and their aggregates. <i>Chemical Society Reviews</i> , 2013, 42, 8032.	38.1	507
8	In Vivo and In Situ Tracking Cancer Chemotherapy by Highly Photostable NIR Fluorescent Theranostic Prodrug. <i>Journal of the American Chemical Society</i> , 2014, 136, 3579-3588.	13.7	494
9	Molecular logic gates: the past, present and future. <i>Chemical Society Reviews</i> , 2018, 47, 2228-2248.	38.1	468
10	Boronic acid building blocks: tools for self assembly. <i>Chemical Communications</i> , 2011, 47, 1124-1150.	4.1	466
11	Novel Saccharide-Photoinduced Electron Transfer Sensors Based on the Interaction of Boronic Acid and Amine. <i>Journal of the American Chemical Society</i> , 1995, 117, 8982-8987.	13.7	462
12	Reaction-Based Fluorescent Probes for the Detection and Imaging of Reactive Oxygen, Nitrogen, and Sulfur Species. <i>Accounts of Chemical Research</i> , 2019, 52, 2582-2597.	15.6	442
13	Real-Time Tracking and In Vivo Visualization of Î²-Galactosidase Activity in Colorectal Tumor with a Ratiometric Near-Infrared Fluorescent Probe. <i>Journal of the American Chemical Society</i> , 2016, 138, 5334-5340.	13.7	432
14	Artificial Receptors as Chemosensors for Carbohydrates. <i>Topics in Current Chemistry</i> , 2002, , 159-200.	4.0	386
15	Boron based anion receptors as sensors. <i>Chemical Society Reviews</i> , 2010, 39, 3831.	38.1	361
16	Boronic acid building blocks: tools for sensing and separation. <i>Chemical Communications</i> , 2011, 47, 1106.	4.1	361
17	Far-Red and Near-IR Active Fluorescent Organic Nanoprobes with Enhanced Tumor Targeting Efficacy: Shape-Specific Effects. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7275-7280.	13.8	361
18	A Glucose-Selective Molecular Fluorescence Sensor. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 2207-2209.	4.4	342

#	ARTICLE	IF	CITATIONS
19	Glucose Sensing in Supramolecular Chemistry. <i>Chemical Reviews</i> , 2015, 115, 8001-8037.	47.7	324
20	Fluorescent small organic probes for biosensing. <i>Chemical Science</i> , 2021, 12, 3406-3426.	7.4	249
21	A highly selective red-emitting FRET fluorescent molecular probe derived from BODIPY for the detection of cysteine and homocysteine: an experimental and theoretical study. <i>Chemical Science</i> , 2012, 3, 1049-1061.	7.4	245
22	Small molecule based fluorescent chemosensors for imaging the microenvironment within specific cellular regions. <i>Chemical Society Reviews</i> , 2021, 50, 12098-12150.	38.1	236
23	Synthetic receptors. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 3155-3184.	1.3	232
24	Rational Design of d-PeT Phenylethynylated-Carbazole Monoboronic Acid Fluorescent Sensors for the Selective Detection of Γ^{\pm} -Hydroxyl Carboxylic Acids and Monosaccharides. <i>Journal of the American Chemical Society</i> , 2009, 131, 17452-17463.	13.7	230
25	Boronic Acids in Molecular Self-Assembly. <i>Chemistry - an Asian Journal</i> , 2008, 3, 1076-1091.	3.3	226
26	Selective fluorescence detection of fluoride using boronic acids. <i>Chemical Communications</i> , 1998, , 1365-1366.	4.1	215
27	Fluorescent saccharide receptors: a sweet solution to the design, assembly and evaluation of boronic acid derived PET sensors. <i>Chemical Communications</i> , 1996, , 281.	4.1	205
28	A water-soluble boronate-based fluorescent probe for the selective detection of peroxynitrite and imaging in living cells. <i>Chemical Science</i> , 2014, 5, 3368.	7.4	205
29	Chiral Binol-Bisboronic Acid as Fluorescence Sensor for Sugar Acids. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 3461-3464.	13.8	200
30	A near-infrared colorimetric fluorescent chemodosimeter for the detection of glutathione in living cells. <i>Chemical Communications</i> , 2014, 50, 1751.	4.1	198
31	Binary and ternary phenylboronic acid complexes with saccharides and Lewis bases. <i>Tetrahedron</i> , 2004, 60, 11175-11190.	1.9	197
32	Novel photoinduced electron-transfer sensor for saccharides based on the interaction of boronic acid and amine. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 477.	2.0	193
33	Two-photon small-molecule fluorescence-based agents for sensing, imaging, and therapy within biological systems. <i>Chemical Society Reviews</i> , 2021, 50, 702-734.	38.1	187
34	Glucose Sensing via Aggregation and the Use of "Knock-Out" Binding To Improve Selectivity. <i>Journal of the American Chemical Society</i> , 2013, 135, 1700-1703.	13.7	184
35	An Enantioselective Fluorescent Sensor for Sugar Acids. <i>Journal of the American Chemical Society</i> , 2004, 126, 16179-16186.	13.7	178
36	Small-molecule fluorescence-based probes for interrogating major organ diseases. <i>Chemical Society Reviews</i> , 2021, 50, 9391-9429.	38.1	176

#	ARTICLE	IF	CITATIONS
37	An ESIPT Probe for the Ratiometric Imaging of Peroxynitrite Facilitated by Binding to A β -Aggregates. <i>Journal of the American Chemical Society</i> , 2018, 140, 14267-14271.	13.7	155
38	Dual-locked spectroscopic probes for sensing and therapy. <i>Nature Reviews Chemistry</i> , 2021, 5, 406-421.	30.2	144
39	Molecular Design Strategy to Construct the Near-Infrared Fluorescent Probe for Selectively Sensing Human Cytochrome P450 2J2. <i>Journal of the American Chemical Society</i> , 2019, 141, 1126-1134.	13.7	141
40	Indicator displacement assays (IDAs): the past, present and future. <i>Chemical Society Reviews</i> , 2021, 50, 9-38.	38.1	139
41	The development of a novel AND logic based fluorescence probe for the detection of peroxynitrite and GSH. <i>Chemical Science</i> , 2018, 9, 3672-3676.	7.4	136
42	Saccharidnachweis mit Rezeptoren auf BoronsÄurebasis. <i>Angewandte Chemie</i> , 1996, 108, 2038-2050.	2.0	132
43	Hierarchical supramolecules and organization using boronic acid building blocks. <i>Chemical Communications</i> , 2015, 51, 2005-2020.	4.1	131
44	The mechanisms of boronate ester formation and fluorescent turn-on in ortho-aminomethylphenylboronic acids. <i>Nature Chemistry</i> , 2019, 11, 768-778.	13.6	131
45	Ratiometric Fluorescence Sensing of Fluoride Ions by an Asymmetric Bidentate Receptor Containing a Boronic Acid and Imidazolium Group. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 3058-3065.	2.4	130
46	Azulene-Derived Fluorescent Probe for Bioimaging: Detection of Reactive Oxygen and Nitrogen Species by Two-Photon Microscopy. <i>Journal of the American Chemical Society</i> , 2019, 141, 19389-19396.	13.7	125
47	Fluorescent probes for the imaging of lipid droplets in live cells. <i>Coordination Chemistry Reviews</i> , 2021, 427, 213577.	18.8	123
48	Biomimetic ion transport: a functional model of a unimolecular ion channel. <i>Journal of the American Chemical Society</i> , 1989, 111, 767-769.	13.7	121
49	Selective fluorogenic imaging of hepatocellular H ₂ S by a galactosyl azidonaphthalimide probe. <i>Chemical Communications</i> , 2015, 51, 3653-3655.	4.1	121
50	Multiplexed photoluminescent sensors: towards improved disease diagnostics. <i>Chemical Society Reviews</i> , 2017, 46, 6687-6696.	38.1	118
51	Photochromic Fluorescent Probe Strategy for the Super-resolution Imaging of Biologically Important Biomarkers. <i>Journal of the American Chemical Society</i> , 2020, 142, 18005-18013.	13.7	118
52	Boronic Acid-Based Carbohydrate Sensing. <i>Chemistry - an Asian Journal</i> , 2015, 10, 1836-1848.	3.3	115
53	Long-wavelength fluorescent boronate probes for the detection and intracellular imaging of peroxynitrite. <i>Chemical Communications</i> , 2017, 53, 12822-12825.	4.1	112
54	Activities and modes of action of artificial ion channel mimics. <i>Journal of the American Chemical Society</i> , 1993, 115, 12315-12321.	13.7	111

#	ARTICLE	IF	CITATIONS
55	Fluorescent probes for the detection of disease-associated biomarkers. <i>Science Bulletin</i> , 2022, 67, 853-878.	9.0	110
56	3,6-Disubstituted Carbazole-Based Bisboronic Acids with Unusual Fluorescence Transduction as Enantioselective Fluorescent Chemosensors for Tartaric Acid. <i>Journal of Organic Chemistry</i> , 2009, 74, 1333-1336.	3.2	108
57	Probing disease-related proteins with fluorogenic composite materials. <i>Chemical Society Reviews</i> , 2015, 44, 4239-4248.	38.1	108
58	Boronate based fluorescence (ESIPT) probe for peroxynitrite. <i>Chemical Communications</i> , 2016, 52, 12350-12352.	4.1	108
59	Saccharide-Selective Boronic Acid Based Photoinduced Electron Transfer (PET) Fluorescent Sensors. , 2007, , 107-152.		107
60	Fluorescent alizarinâ€“phenylboronic acid ensembles: design of self-organized molecular sensors for metal ions and anions. <i>Journal of Materials Chemistry</i> , 2005, 15, 2889.	6.7	105
61	Simple Protocol for NMR Analysis of the Enantiomeric Purity of Primary Amines. <i>Organic Letters</i> , 2006, 8, 609-612.	4.6	105
62	ESIPT-based fluorescence probe for the rapid detection of hypochlorite (HOCl/ClO ⁻). <i>Chemical Communications</i> , 2018, 54, 8522-8525.	4.1	101
63	Fluorescent probe for the imaging of superoxide and peroxynitrite during drug-induced liver injury. <i>Chemical Science</i> , 2021, 12, 3921-3928.	7.4	99
64	Boronic acids for sensing and other applications - a mini-review of papers published in 2013. <i>Chemistry Central Journal</i> , 2014, 8, 60.	2.6	96
65	Determination of Enantiomeric Excess in Amine Derivatives with Molecular Selfâ€“Assemblies. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7130-7133.	13.8	96
66	ESIPT-based ratiometric fluorescence probe for the intracellular imaging of peroxynitrite. <i>Chemical Communications</i> , 2018, 54, 9953-9956.	4.1	96
67	Evaluation of HOCl-generating anticancer agents by an ultrasensitive dual-mode fluorescent probe. <i>Chemical Science</i> , 2019, 10, 3715-3722.	7.4	96
68	Synthesis and structural characterisation of the first bis(bora)calixarene: a selective, bidentate, fluorescent fluoride sensor. <i>Chemical Communications</i> , 2004, , 1640-1641.	4.1	95
69	Ion Pair-Driven Heterodimeric Capsule Based on Boronate Esterification:â€“ Construction and the Dynamic Behavior. <i>Journal of the American Chemical Society</i> , 2007, 129, 15126-15127.	13.7	95
70	Boronic acids for fluorescence imaging of carbohydrates. <i>Chemical Communications</i> , 2016, 52, 3456-3469.	4.1	95
71	A Modular Fluorescence Intramolecular Energy Transfer Saccharide Sensor. <i>Organic Letters</i> , 2002, 4, 4249-4251.	4.6	94
72	â€“Click-fluorsâ€“ Modular Fluorescent Saccharide Sensors Based on a 1,2,3-Triazole Ring. <i>Journal of Organic Chemistry</i> , 2008, 73, 2871-2874.	3.2	92

#	ARTICLE	IF	CITATIONS
73	Modular fluorescence sensors for saccharides. <i>Chemical Communications</i> , 2001, , 1836-1837.	4.1	91
74	Simple protocols for NMR analysis of the enantiomeric purity of chiral diols. <i>Nature Protocols</i> , 2008, 3, 215-219.	12.0	90
75	Dual-Channel Fluorescent Probe for the Simultaneous Monitoring of Peroxynitrite and Adenosine-5â€²-triphosphate in Cellular Applications. <i>Journal of the American Chemical Society</i> , 2022, 144, 174-183.	13.7	89
76	A ditopic fluorescent sensor for potassium fluoride. <i>Chemical Communications</i> , 2005, , 945.	4.1	88
77	Electrochemical Method for the Determination of Enantiomeric Excess of Binol Using Redox-Active Boronic Acids as Chiral Sensors. <i>Journal of the American Chemical Society</i> , 2010, 132, 8903-8905.	13.7	88
78	Fluorescent internal charge transfer (ICT) saccharide sensor. <i>Tetrahedron Letters</i> , 2001, 42, 4553-4555.	1.4	87
79	Simple protocols for NMR analysis of the enantiomeric purity of chiral primary amines. <i>Nature Protocols</i> , 2008, 3, 210-214.	12.0	85
80	Reaction-based Indicator displacement Assay (RIA) for the selective colorimetric and fluorometric detection of peroxynitrite. <i>Chemical Science</i> , 2015, 6, 2963-2967.	7.4	84
81	Chiral Mono Boronic Acid As Fluorescent Enantioselective Sensor for Mono \pm -Hydroxyl Carboxylic Acids. <i>Journal of Organic Chemistry</i> , 2008, 73, 4684-4687.	3.2	83
82	Enzyme Mimics for Engineered Biomimetic Cascade Nanoreactors: Mechanism, Applications, and Prospects. <i>Advanced Functional Materials</i> , 2021, 31, 2106139.	14.9	82
83	Recognition of sugars and related compounds by â€œreading-outâ€ type interfaces. <i>Supramolecular Chemistry</i> , 1995, 6, 141-157.	1.2	81
84	A modular electrochemical sensor for saccharides. <i>Chemical Communications</i> , 2002, , 2368-2369.	4.1	81
85	Enantioselective Recognition of Mandelic Acid by a 3,6-Dithiophen-2-yl-9<i>H</i>-carbazole-Based Chiral Fluorescent Bisboronic Acid Sensor. <i>Journal of Organic Chemistry</i> , 2011, 76, 5685-5695.	3.2	81
86	Simple Protocol for NMR Analysis of the Enantiomeric Purity of Diols. <i>Organic Letters</i> , 2006, 8, 1971-1974.	4.6	80
87	Dye displacement assay for saccharide detection with boronate hydrogels. <i>Chemical Communications</i> , 2009, , 532-534.	4.1	80
88	A simple visual sensor with the potential for determining the concentration of fluoride in water at environmentally significant levels. <i>Chemical Communications</i> , 2013, 49, 478-480.	4.1	80
89	Detection of anions using a fluorescent alizarinâ€“phenylboronic acid ensemble. <i>Chemical Communications</i> , 2005, , 2846.	4.1	79
90	Electrochemical sensing using boronic acids. <i>Chemical Communications</i> , 2015, 51, 14562-14573.	4.1	79

#	ARTICLE	IF	CITATIONS
91	Allosteric Interaction of Metal Ions with Saccharides in a Crowned Diboronic Acid. <i>Journal of the American Chemical Society</i> , 1994, 116, 4567-4572.	13.7	78
92	Ditopic boronic acid and imine-based naphthalimide fluorescence sensor for copper(<i>ii</i>). <i>Chemical Communications</i> , 2014, 50, 11806-11809.	4.1	76
93	Synthesis and evaluation of D-glucosamine-selective fluorescent sensors. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 963-969.	1.3	75
94	An OFFâ€“ON fluorescent probe for Zn ²⁺ based on a GFP-inspired imidazolone derivative attached to a 1,10-phenanthroline moiety. <i>Chemical Communications</i> , 2011, 47, 4361.	4.1	75
95	Target Enzymeâ€“Activated Twoâ€“Photon Fluorescent Probes: A Case Study of CYP3A4 Using a Twoâ€“Dimensional Design Strategy. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 9959-9963.	13.8	74
96	Modular fluorescence sensors for saccharides. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002, , 803-808.	1.3	72
97	Ruthenium(II)â€“Polyimineâ€“Coumarin Lightâ€“Harvesting Molecular Arrays: Design Rationale and Application for Tripletâ€“Tripletâ€“Annihilationâ€“Based Upconversion. <i>Chemistry - A European Journal</i> , 2012, 18, 4953-4964.	3.3	72
98	Sensors, Imaging Agents, and Theranostics to Help Understand and Treat Reactive Oxygen Species Related Diseases. <i>Small Methods</i> , 2019, 3, 1900013.	8.6	72
99	Effect of the Electron Donor/Acceptor Orientation on the Fluorescence Transduction Efficiency of the d-PET Effect of Carbazole-Based Fluorescent Boronic Acid Sensors. <i>Journal of Organic Chemistry</i> , 2010, 75, 2578-2588.	3.2	71
100	Boronic Acid Based Modular Fluorescent Sensors for Glucose. <i>Journal of Fluorescence</i> , 2004, 14, 549-559.	2.5	70
101	A bis-boronic acid modified electrode for the sensitive and selective determination of glucose concentrations. <i>Analyst, The</i> , 2013, 138, 7146.	3.5	70
102	A d-glucose selective fluorescent assay. <i>Tetrahedron Letters</i> , 2002, 43, 303-305.	1.4	69
103	Hepatoma-selective imaging of heavy metal ions using a â€“clickedâ€“ galactosylrhodamine probe. <i>Chemical Communications</i> , 2014, 50, 11735-11737.	4.1	69
104	Long-wavelength TCF-based fluorescence probes for the detection and intracellular imaging of biological thiols. <i>Chemical Communications</i> , 2018, 54, 4786-4789.	4.1	68
105	A hemicyanine based ratiometric fluorescence probe for mapping lysosomal pH during heat stroke in living cells. <i>Chemical Communications</i> , 2018, 54, 5518-5521.	4.1	68
106	Selective d-glucosamine hydrochloride fluorescence signalling based on ammonium cation and diol recognition. <i>Chemical Communications</i> , 1997, , 1419-1420.	4.1	67
107	Endoplasmic Reticulum Targeting Ratiometric Fluorescent Probe for Carboxylesterase 2 Detection in Drug-Induced Acute Liver Injury. <i>Analytical Chemistry</i> , 2019, 91, 15840-15845.	6.5	66
108	Azuleneâ€“boronate esters: colorimetric indicators for fluoride in drinking water. <i>Chemical Communications</i> , 2017, 53, 12580-12583.	4.1	65

#	ARTICLE	IF	CITATIONS
109	Two-Dimensional Design Strategy to Construct Smart Fluorescent Probes for the Precise Tracking of Senescence. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 10756-10765.	13.8	65
110	ESIPT-based fluorescence probe for the rapid detection of peroxynitrite AND™ biological thiols. <i>Chemical Communications</i> , 2018, 54, 11336-11339.	4.1	64
111	Molecular Color Sensors for Monosaccharides. <i>Organic Letters</i> , 2002, 4, 477-479.	4.6	63
112	A pyridinium cation-π interaction sensor for the fluorescent detection of alkyl halides. <i>Chemical Communications</i> , 2011, 47, 253-255.	4.1	62
113	Fluorescent glycoprobes: a sweet addition for improved sensing. <i>Chemical Communications</i> , 2017, 53, 82-90.	4.1	62
114	Analysis of protein glycation using phenylboronate acrylamide gel electrophoresis. <i>Proteomics</i> , 2010, 10, 48-58.	2.2	61
115	The Development of Boronic Acids as Sensors and Separation Tools. <i>Chemical Record</i> , 2012, 12, 464-478.	5.8	61
116	A quick and selective rhodamine based smart probe for signal-on optical detection of Cu ²⁺ and Al ³⁺ in water, cell imaging, computational studies and solid state analysis. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 95-105.	7.8	61
117	Ratiometric two-photon fluorescent probe for <i>in situ</i> imaging of carboxylesterase (CE)-mediated mitochondrial acidification during medication. <i>Chemical Communications</i> , 2019, 55, 11358-11361.	4.1	61
118	Chiral Discrimination of Monosaccharides through Gel Formation. <i>Chemistry Letters</i> , 1994, 23, 273-276.	1.3	60
119	Assembly of N-hexadecyl-pyridinium-4-boronic acid hexafluorophosphate monolayer films with catechol sensing selectivity. <i>Journal of Materials Chemistry</i> , 2010, 20, 8305.	6.7	60
120	Arresting Loose Bolt Internal Conversion from ² B(OH) Groups is the Mechanism for Emission Turn-On in <i>ortho</i> -Aminomethylphenylboronic Acid-Based Saccharide Sensors. <i>Journal of the American Chemical Society</i> , 2018, 140, 2348-2354.	13.7	60
121	Simple Chiral Derivatization Protocols for ¹ H NMR and ¹⁹ F NMR Spectroscopic Analysis of the Enantiopurity of Chiral Diols. <i>Journal of Organic Chemistry</i> , 2009, 74, 427-430.	3.2	59
122	Glycosylation enhances the aqueous sensitivity and lowers the cytotoxicity of a naphthalimide zinc ion fluorescence probe. <i>Chemical Communications</i> , 2015, 51, 11852-11855.	4.1	59
123	A molecular colour sensor for monosaccharides. <i>Chemical Communications</i> , 2000, , 229-230.	4.1	58
124	Circular dichroism of multi-component assemblies for chiral amine recognition and rapid ee determination. <i>Chemical Science</i> , 2012, 3, 156-161.	7.4	58
125	A saccharide sponge™. Synthesis and properties of a dendritic boronic acid. <i>Chemical Communications</i> , 1996, , 705-706.	4.1	57
126	Pyrophosphate-induced reorganization of a reporter receptor assembly via boronate esterification; a new strategy for the turn-on fluorescent detection of multi-phosphates in aqueous solution. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 3621.	2.8	56

#	ARTICLE	IF	CITATIONS
127	Near-Infrared Colorimetric and Fluorescent Cu ²⁺ Sensors Based on Indoline-Benzothiadiazole Derivatives via Formation of Radical Cations. ACS Applied Materials & Interfaces, 2013, 5, 12215-12220.	8.0	56
128	Metal-based imaging agents: progress towards interrogating neurodegenerative disease. Chemical Society Reviews, 2020, 49, 2886-2915.	38.1	56
129	Novel fluorescence sensor for α -D-glucopyranosyl saccharides. Chemical Communications, 1997, , 71-72.	4.1	55
130	Carbohydrate sensing using a fluorescent molecular tweezer. Chemical Communications, 2009, , 6557.	4.1	55
131	Ubiquinone-quantum dot bioconjugates for in vitro and intracellular complex I sensing. Scientific Reports, 2013, 3, 1537.	3.3	55
132	Highly Efficient Photothermal Semiconductor Nanocomposites for Photothermal Imaging of Latent Fingerprints. Analytical Chemistry, 2015, 87, 11592-11598.	6.5	55
133	A redox-activated fluorescence switch based on a ferrocene-fluorophore-boronic ester conjugate. Chemical Communications, 2015, 51, 1293-1296.	4.1	55
134	A molecular recognition platform for the simultaneous sensing of diverse chemical weapons. Chemical Science, 2022, 13, 4523-4532.	7.4	55
135	Assembly of ion channel mimics from a modular construction set. Journal of Organic Chemistry, 1993, 58, 7456-7468.	3.2	54
136	A Computational Investigation of the Nitrogen-Boron Interaction in <i>N,N</i> -Dialkylaminomethyl)arylboronate Systems. Journal of Physical Chemistry A, 2010, 114, 12531-12539.	2.5	54
137	A Fluorescent Chemodosimeter for Live-Cell Monitoring of Aqueous Sulfides. Analytical Chemistry, 2016, 88, 1434-1439.	6.5	54
138	The B-N bond controls the balance between locally excited (LE) and twisted internal charge transfer (TICT) states observed for aniline based fluorescent saccharide sensors. Tetrahedron Letters, 2004, 45, 2859-2862.	1.4	53
139	Integrated and insulated boronate-based fluorescent probes for the detection of hydrogen peroxide. Chemical Communications, 2013, 49, 8311.	4.1	53
140	Direct sensing of fluoride in aqueous solutions using a boronic acid based sensor. Chemical Communications, 2014, 50, 13987-13989.	4.1	53
141	Fluorescence detection and removal of copper from water using a biobased and biodegradable 2D soft material. Chemical Communications, 2018, 54, 184-187.	4.1	53
142	Chiral Donor Photoinduced Electron Transfer (PET) Boronic Acid Chemosensors for the Selective Recognition of Tartaric Acids, Disaccharides, and Ginsenosides. Chemistry - A European Journal, 2011, 17, 7632-7644.	3.3	51
143	Glucose selective Surface Plasmon Resonance-based bis-boronic acid sensor. Analyst, The, 2013, 138, 7140.	3.5	51
144	Metal-organic frameworks (MOFs) as host materials for the enhanced delivery of biomacromolecular therapeutics. Chemical Communications, 2021, 57, 12098-12110.	4.1	51

#	ARTICLE	IF	CITATIONS
145	Bioconjugated Advanced Materials for Targeted Disease Theranostics. <i>Advanced Functional Materials</i> , 2020, 30, 1907906.	14.9	51
146	The Development of a Continuous Intravascular Glucose Monitoring Sensor. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 751-761.	2.2	50
147	Synthesis and evaluation of a boronate-tagged 1,8-naphthalimide probe for fluoride recognition. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 4143-4148.	2.8	50
148	Sensing and antibacterial activity of imidazolium-based conjugated polydiacetylenes. <i>Biosensors and Bioelectronics</i> , 2016, 77, 1016-1019.	10.1	50
149	Protein encapsulation: a new approach for improving the capability of small-molecule fluorogenic probes. <i>Chemical Science</i> , 2020, 11, 1107-1113.	7.4	49
150	Determination of the absolute configuration of monosaccharides by a colour change in a chiral cholesteric liquid crystal system. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 857.	2.0	48
151	Dynamic covalent self-assembled macrocycles prepared from 2-formyl-aryl-boronic acids and 1,2-amino alcohols. <i>New Journal of Chemistry</i> , 2009, 33, 181-185.	2.8	48
152	A Simple Protocol for NMR Analysis of the Enantiomeric Purity of Chiral Hydroxylamines. <i>Organic Letters</i> , 2013, 15, 860-863.	4.6	48
153	Ein glucosespezifischer molekularer Fluoreszenzsensor. <i>Angewandte Chemie</i> , 1994, 106, 2287-2289.	2.0	47
154	Cholesterol as a versatile platform for chiral recognition. <i>Tetrahedron</i> , 1995, 51, 555-566.	1.9	47
155	Chemoselective and enantioselective fluorescent recognition of sugar alcohols by a bisboronic acid receptor. <i>Journal of Materials Chemistry</i> , 2005, 15, 2896.	6.7	47
156	Selective Fluorescence Detection of Monosaccharides Using a Material Composite Formed between Graphene Oxide and Boronate-Based Receptors. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 10078-10082.	8.0	47
157	Photochromism and molecular logic gate operation of a water-compatible bis-glycosyl diarylethene. <i>Chemical Communications</i> , 2017, 53, 9494-9497.	4.1	47
158	AND-based fluorescence scaffold for the detection of ROS/RNS and a second analyte. <i>Chemical Communications</i> , 2018, 54, 8466-8469.	4.1	47
159	Reducing Valence States of Co Active Sites in a Single-Atom Nanozyme for Boosted Tumor Therapy. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	47
160	Carbohydrate Receptors. , 2005, , 45-109.		46
161	Boronic acid appended azo dyes colour sensors for saccharides Electronic supplementary information (ESI) available: absorption pH titrations and absorption saccharide titrations. See http://www.rsc.org/suppdata/p1/b1/b108896c/ . <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002, , 462-470.	1.3	45
162	Amine-triggered molecular capsules using dynamic boronate esterification. <i>Chemical Communications</i> , 2009, , 1682.	4.1	45

#	ARTICLE	IF	CITATIONS
163	Ultrasml Organic Nanoparticles with Aggregation-Induced Emission and Enhanced Quantum Yield for Fluorescence Cell Imaging. <i>Analytical Chemistry</i> , 2016, 88, 7853-7857.	6.5	45
164	Boronate affinity saccharide electrophoresis: A novel carbohydrate analysis tool. <i>Electrophoresis</i> , 2008, 29, 4185-4191.	2.4	44
165	Irregular aggregation-induced emission luminogens. <i>Coordination Chemistry Reviews</i> , 2020, 418, 213358.	18.8	44
166	Near-infrared fluorescent probe for hydrogen sulfide: high-fidelity ferroptosis evaluation <i>in vivo</i> during stroke. <i>Chemical Science</i> , 2022, 13, 2992-3001.	7.4	44
167	Sensor targets. <i>Chemical Society Reviews</i> , 2015, 44, 4176-4178.	38.1	43
168	Targeted multimodal theranostics via biorecognition controlled aggregation of metallic nanoparticle composites. <i>Chemical Science</i> , 2016, 7, 4004-4008.	7.4	43
169	Molecular design of sugar recognition systems by sugar-diboronic acid macro cyclization. <i>Pure and Applied Chemistry</i> , 1996, 68, 1207-1212.	1.9	42
170	Fluorescent Boron Bis(phenolate) with Association Response to Chloride and Dissociation Response to Fluoride. <i>Inorganic Chemistry</i> , 2008, 47, 6236-6244.	4.0	42
171	Enhanced fluorescence and chiral discrimination for tartaric acid in a dual fluorophore boronic acid receptor. <i>Chemical Communications</i> , 2005, , 1889.	4.1	41
172	Intramolecular cation-π interactions control the conformation of nonrestricted (phenylalkyl)pyridines. <i>Chemical Communications</i> , 2008, , 1082.	4.1	41
173	Diols and anions can control the formation of an exciplex between a pyridinium boronic acid with an aryl group connected via a propylene linker. <i>Chemical Communications</i> , 2010, 46, 8180.	4.1	41
174	Boronic acid based photoinduced electron transfer (PET) fluorescence sensors for saccharides. <i>New Journal of Chemistry</i> , 2010, 34, 2922.	2.8	41
175	Capturing intercellular sugar-mediated ligand-receptor recognitions via a simple yet highly biospecific interfacial system. <i>Scientific Reports</i> , 2013, 3, 2293.	3.3	41
176	Colorimetric and Plasmonic Detection of Lectins Using Core-Shell Gold Glyconanoparticles Prepared by Copper-Free Click Chemistry. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 1874-1878.	8.0	41
177	Engineering a ratiometric fluorescent sensor membrane containing carbon dots for efficient fluoride detection and removal. <i>Chemical Engineering Journal</i> , 2020, 399, 125741.	12.7	41
178	6,6-Bis-substituted BINOL boronic acids as enantioselective and chemoselective fluorescent chemosensors for d-sorbitol. <i>Tetrahedron</i> , 2008, 64, 1309-1315.	1.9	40
179	Induced Helical Chirality of Perylenebisimide Aggregates Allows for Enantiopurity Determination and Differentiation of \pm -Hydroxy Carboxylates by Using Circular Dichroism. <i>Chemistry - A European Journal</i> , 2014, 20, 11793-11799.	3.3	40
180	Tuning saccharide selectivity in modular fluorescent sensors. <i>Tetrahedron Letters</i> , 2003, 44, 4789-4792.	1.4	39

#	ARTICLE	IF	CITATIONS
181	Probing disaccharide selectivity with modular fluorescent sensors. <i>Tetrahedron Letters</i> , 2004, 45, 1539-1542.	1.4	39
182	Solid-State Structures and Solution Analyses of a Phenylpropylpyridine <i>N</i> -Oxide and an <i>N</i> -Methyl Phenylpropylpyridine. <i>Chemistry - an Asian Journal</i> , 2009, 4, 194-198.	3.3	39
183	Functionalized Carbon Nanoparticles, Blacks and Soots as Electron-Transfer Building Blocks and Conduits. <i>Chemistry - an Asian Journal</i> , 2014, 9, 1226-1241.	3.3	39
184	Imaging agents. <i>Chemical Society Reviews</i> , 2015, 44, 4484-4486.	38.1	39
185	A fluorescent ES IPT-based benzimidazole platform for the ratiometric two-photon imaging of ONOO ⁻ <i>in vitro</i> and <i>ex vivo</i> . <i>Chemical Science</i> , 2020, 11, 7329-7334.	7.4	39
186	Current strategies for the development of fluorescence-based molecular probes for visualizing the enzymes and proteins associated with Alzheimer's disease. <i>Coordination Chemistry Reviews</i> , 2021, 427, 213553.	18.8	39
187	Self-assembling fluorescent hydrogel for highly efficient water purification and photothermal conversion. <i>Chemical Engineering Journal</i> , 2022, 431, 134245.	12.7	39
188	Two Dimensional Photoinduced Electron Transfer (PET) Fluorescence Sensor for Saccharides. <i>Chemistry Letters</i> , 1995, 24, 503-504.	1.3	37
189	Boronic acid dendrimer receptor modified nanofibrillar cellulose membranes. <i>Journal of Materials Chemistry</i> , 2010, 20, 588-594.	6.7	37
190	Coenzyme Q Functionalized CdTe/ZnS Quantum Dots for Reactive Oxygen Species (ROS) Imaging. <i>Chemistry - A European Journal</i> , 2011, 17, 5262-5271.	3.3	37
191	Simultaneous determination of Hg(II) and Zn(II) using a GFP inspired chromophore. <i>Talanta</i> , 2012, 100, 401-404.	5.5	37
192	Dual-function cellulose composites for fluorescence detection and removal of fluoride. <i>Dyes and Pigments</i> , 2018, 149, 669-675.	3.7	37
193	Fluorescent probes for bioactive detection and imaging of phase II metabolic enzymes. <i>Coordination Chemistry Reviews</i> , 2019, 399, 213026.	18.8	37
194	Two-photon ES IPT-based fluorescent probe using 4-hydroxyisoindoline-1,3-dione for the detection of peroxynitrite. <i>Chemical Communications</i> , 2021, 57, 11084-11087.	4.1	37
195	Macrophage Migration Inhibitory Factor is subjected to glucose modification and oxidation in Alzheimer's Disease. <i>Scientific Reports</i> , 2017, 7, 42874.	3.3	36
196	Low-dimensional nanomaterials for antibacterial applications. <i>Journal of Materials Chemistry B</i> , 2021, 9, 3640-3661.	5.8	36
197	Fluorescence-Based Tool To Detect Endogenous Peroxynitrite in M1-Polarized Murine J774.2 Macrophages. <i>Analytical Chemistry</i> , 2018, 90, 10621-10627.	6.5	35
198	A diboronic acid α -glucose cleft and a biscrown ether α -metal sandwich are allosterically coupled. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1483-1485.	2.0	34

#	ARTICLE	IF	CITATIONS
199	Simple chiral derivatisation protocols for NMR analysis of the enantiopurity of 1,2-diphenylethane-1,2-diamine and N-Boc-cyclohexane-1,2-diamine. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 489-494.	1.8	34
200	Receptor-targeting fluorescence imaging and theranostics using a graphene oxide based supramolecular glycoconjugate. <i>Journal of Materials Chemistry B</i> , 2015, 3, 9182-9185.	5.8	33
201	A Molecular Splicing Strategy for Constructing a Near-Infrared Fluorescent Probe for UDP-Glucuronosyltransferase 1A1. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 24566-24572.	13.8	33
202	A general strategy for selective detection of hypochlorous acid based on triazolopyridine formation. <i>Chinese Chemical Letters</i> , 2020, 31, 2917-2920.	9.0	33
203	Selective Fluorescence Signalling of Saccharides in Their Furanose Form. <i>Chemistry Letters</i> , 1998, 27, 883-884.	1.3	32
204	A d -glucose selective fluorescent internal charge transfer (ICT) sensor. <i>Tetrahedron Letters</i> , 2002, 43, 911-913.	1.4	32
205	Synthesis of Amines with Pendant Boronic Esters by Borrowing Hydrogen Catalysis. <i>Organic Letters</i> , 2013, 15, 4850-4853.	4.6	32
206	Toward Fluorescence-Based High-Throughput Screening for Enantiomeric Excess in Amines and Amino Acid Derivatives. <i>Chemistry - A European Journal</i> , 2016, 22, 10074-10080.	3.3	32
207	Foldable glycoprobes capable of fluorogenic crosslinking of biomacromolecules. <i>Chemical Science</i> , 2016, 7, 6325-6329.	7.4	32
208	High-Throughput Assay for Enantiomeric Excess Determination in 1,2- and 1,3-Diols and Direct Asymmetric Reaction Screening. <i>Chemistry - A European Journal</i> , 2017, 23, 10222-10229.	3.3	32
209	A bodipy based hydroxylamine sensor. <i>Chemical Communications</i> , 2017, 53, 10441-10443.	4.1	32
210	Lysosomal tracking with a cationic naphthalimide using multiphoton fluorescence lifetime imaging microscopy. <i>Chemical Communications</i> , 2017, 53, 11161-11164.	4.1	32
211	Highly Selective Fluoride Ion Detection Based on a Fluorescent Alizarin- <i>o</i> -Aminomethylphenylboronic Acid Ensemble in Aqueous MeOH Solution. <i>Chemistry Letters</i> , 2006, 35, 996-997.	1.3	31
212	Fluorescence Sensing with Cellulose-Based Materials. <i>ChemistryOpen</i> , 2017, 6, 685-696.	1.9	31
213	NAG-targeting fluorescence based probe for precision diagnosis of kidney injury. <i>Chemical Communications</i> , 2019, 55, 1955-1958.	4.1	31
214	Analysis of extracellular vesicles as emerging theranostic nanoplatfoms. <i>Coordination Chemistry Reviews</i> , 2020, 424, 213506.	18.8	31
215	Organic/inorganic supramolecular nano-systems based on host/guest interactions. <i>Coordination Chemistry Reviews</i> , 2021, 428, 213609.	18.8	31
216	Structural and Thermodynamic Analysis of a Three-Component Assembly Forming <i>ortho</i> - <i>o</i> -Iminophenylboronate Esters. <i>Journal of Organic Chemistry</i> , 2016, 81, 8319-8330.	3.2	30

#	ARTICLE	IF	CITATIONS
217	Boronate-Based Fluorescence Probes for the Detection of Hydrogen Peroxide. <i>ChemistryOpen</i> , 2018, 7, 262-265.	1.9	30
218	Long Wavelength TCF-Based Fluorescent Probe for the Detection of Alkaline Phosphatase in Live Cells. <i>Frontiers in Chemistry</i> , 2019, 7, 255.	3.6	30
219	Asymmetric Strecker Synthesis of \pm -Arylglycines. <i>Journal of Organic Chemistry</i> , 2011, 76, 6038-6047.	3.2	29
220	Determination of Enantiomeric Excess in Amine Derivatives with Molecular Self-Assemblies. <i>Angewandte Chemie</i> , 2015, 127, 7236-7239.	2.0	29
221	Boronic Acid Mediated Coupling of Catechols and <i>N</i> -Hydroxylamines: A Bioorthogonal Reaction to Label Peptides. <i>Organic Letters</i> , 2017, 19, 3179-3182.	4.6	29
222	ESIPT-based fluorescence probe for the ratiometric detection of superoxide. <i>New Journal of Chemistry</i> , 2019, 43, 2875-2877.	2.8	29
223	A ratiometric fluorescent hydrogel of controlled thickness prepared continuously using microtomy for the detection and removal of Hg(II). <i>Chemical Engineering Journal</i> , 2021, 426, 131296.	12.7	29
224	Non-linear effects operate and dynamic ligand exchange occurs when chiral BINOL-boron Lewis acids are used for asymmetric catalysis. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1965-1968.	1.8	28
225	Boronic acid-facilitated \pm -hydroxy-carboxylate anion transfer at liquid/liquid electrode systems: the EC _{rev} mechanism. <i>Journal of Solid State Electrochemistry</i> , 2009, 13, 1475-1482.	2.5	28
226	A simple chiral derivatisation protocol for ¹ H NMR spectroscopic analysis of the enantiopurity of O-silyl-1,2-amino alcohols. <i>Tetrahedron Letters</i> , 2009, 50, 876-879.	1.4	28
227	Selective Saccharide Recognition Using Modular Diboronic Acid Fluorescent Sensors. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1223-1229.	2.4	28
228	A Water-Soluble Copper(II) Complex for the Selective Fluorescence Detection of Nitric Oxide/Nitroxyl and Imaging in Living Cells. <i>ChemPlusChem</i> , 2016, 81, 30-34.	2.8	28
229	A practical graphitic carbon nitride (g-C ₃ N ₄) based fluorescence sensor for the competitive detection of trithiocyanuric acid and mercury ions. <i>Dyes and Pigments</i> , 2019, 170, 107476.	3.7	28
230	A Colorimetric Chemosensor Based on a Nozoe Azulene That Detects Fluoride in Aqueous/Alcoholic Media. <i>Frontiers in Chemistry</i> , 2020, 8, 10.	3.6	28
231	Sustainable Afterglow Room-Temperature Phosphorescence Emission Materials Generated Using Natural Phenolics. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	28
232	Simultaneous tracking of autophagy and oxidative stress during stroke with an ICT-TBET integrated ratiometric two-photon platform. <i>Chemical Science</i> , 2022, 13, 5363-5373.	7.4	28
233	A surface plasmon enhanced fluorescence sensor platform. <i>New Journal of Chemistry</i> , 2009, 33, 1466.	2.8	27
234	A boronic acid-based fluorescent hydrogel for monosaccharide detection. <i>Frontiers of Chemical Science and Engineering</i> , 2020, 14, 112-116.	4.4	27

#	ARTICLE	IF	CITATIONS
235	Biomimetic ion transport: Synthesis and activity of an amphotericin mimic. <i>Tetrahedron Letters</i> , 1990, 31, 1233-1236.	1.4	26
236	Hierarchical carbon nanotube assemblies created by sugar-boric or boronic acid interactions. <i>Chemical Communications</i> , 2008, , 4478.	4.1	26
237	Diol Appended Quenchers for Fluorescein Boronic Acid. <i>Chemistry - an Asian Journal</i> , 2010, 5, 581-588.	3.3	26
238	Dipeptide hydrogel formation triggered by boronic acid-sugar recognition. <i>Soft Matter</i> , 2012, 8, 6788.	2.7	26
239	A simple and effective colorimetric technique for the detection of boronic acids and their derivatives. <i>Analytical Methods</i> , 2012, 4, 2215.	2.7	26
240	A fluorogenic 2D glycosheet for the simultaneous identification of human- and avian-receptor specificity in influenza viruses. <i>Materials Horizons</i> , 2017, 4, 431-436.	12.2	26
241	Pinkment: a synthetic platform for the development of fluorescent probes for diagnostic and theranostic applications. <i>Chemical Science</i> , 2020, 11, 8567-8571.	7.4	26
242	Imaging strategies using cyanine probes and materials for biomedical visualization of live animals. <i>Coordination Chemistry Reviews</i> , 2021, 447, 214134.	18.8	26
243	Polymerisation resistant synthesis of methacrylamido phenylboronic acids. <i>Polymer</i> , 2008, 49, 3362-3365.	3.8	25
244	3D cross-correlative matrix temperature detection and non-invasive thermal mapping based on a molecular probe. <i>Chemical Science</i> , 2014, 5, 4388-4393.	7.4	25
245	Reaction-based indicator displacement assay (RIA) for the colorimetric and fluorometric detection of hydrogen peroxide. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1058-1062.	4.5	25
246	Fluorescent probes for the detection and imaging of Cytochrome P450. <i>Coordination Chemistry Reviews</i> , 2021, 437, 213740.	18.8	25
247	A Molecular Colour Sensor for Fluoride. <i>Chemistry Letters</i> , 2001, 30, 406-407.	1.3	24
248	Hydrothermal Conversion of One-Photon-Fluorescent Poly(4-vinylpyridine) into Two-Photon-Fluorescent Carbon Nanodots. <i>Langmuir</i> , 2014, 30, 11746-11752.	3.5	24
249	Biodegradable macroporous scaffold with nano-crystal surface microstructure for highly effective osteogenesis and vascularization. <i>Journal of Materials Chemistry B</i> , 2018, 6, 1658-1667.	5.8	24
250	Proline-Based Boronic Acid Receptors for Chiral Recognition of Glucose. <i>Journal of Organic Chemistry</i> , 2018, 83, 15128-15135.	3.2	24
251	Preferential Colonization of Osteoblasts Over Co-cultured Bacteria on a Bifunctional Biomaterial Surface. <i>Frontiers in Microbiology</i> , 2018, 9, 2219.	3.5	24
252	Ratiometric fluorescent probe for sensing <i>Streptococcus mutans</i> glucosyltransferase, a key factor in the formation of dental caries. <i>Chemical Communications</i> , 2019, 55, 3548-3551.	4.1	24

#	ARTICLE	IF	CITATIONS
253	Stress response decay with aging visualized using a dual-channel logic-based fluorescent probe. <i>Chemical Science</i> , 2021, 12, 13483-13491.	7.4	24
254	Green Fluorescent Protein GFP-Chromophore-Based Probe for the Detection of Mitochondrial Viscosity in Living Cells. <i>ACS Applied Bio Materials</i> , 2021, 4, 2128-2134.	4.6	24
255	Design and Synthesis of Artificial Ion Channels. <i>Synlett</i> , 1993, 1993, 449-460.	1.8	23
256	Saccharide-accelerated hydrolysis of boronic acid imines. <i>New Journal of Chemistry</i> , 2002, 26, 1228-1237.	2.8	23
257	Reversible electrochemical modulation of fluorescence and selective sensing of ascorbic acid using a DCIP-CA-CdTe QD system. <i>Analyst</i> , 2012, 137, 1094.	3.5	23
258	Promoting magnesium sulfite oxidation <i>via</i> partly oxidized metal nanoparticles on graphitic carbon nitride (g-C ₃ N ₄) in the magnesia desulfurization process. <i>Journal of Materials Chemistry A</i> , 2018, 6, 11296-11305.	10.3	23
259	A fluorogenic probe for tracking GSH flux in developing neurons. <i>Chemical Communications</i> , 2020, 56, 515-518.	4.1	23
260	High-throughput assay for determining enantiomeric excess of chiral diols, amino alcohols, and amines and for direct asymmetric reaction screening. <i>Nature Protocols</i> , 2020, 15, 2203-2229.	12.0	23
261	Efficient Anion Binding to Cerium(IV) Bis(porphyrinate) Double Decker Utilizing Positive Homotropic Allostereism. <i>Chemistry Letters</i> , 2001, 30, 520-521.	1.3	22
262	Carbon Nanoparticle Surface Electrochemistry: High-Density Covalent Immobilisation and Pore-Reactivity of 9,10-Anthraquinone. <i>Electroanalysis</i> , 2011, 23, 1320-1324.	2.9	22
263	Behavior of Supramolecular Assemblies of Radiometal-Filled and Fluorescent Carbon Nanocapsules <i>In Vitro</i> and <i>In Vivo</i> . <i>CheM</i> , 2017, 3, 437-460.	11.7	22
264	Protein Encapsulation: A Nanocarrier Approach to the Fluorescence Imaging of an Enzyme-Based Biomarker. <i>Frontiers in Chemistry</i> , 2020, 8, 389.	3.6	22
265	Supramolecular fluorogenic peptide sensor array based on graphene oxide for the differential sensing of ebola virus. <i>Chemical Communications</i> , 2020, 56, 5735-5738.	4.1	22
266	“Click-fluors” triazole-linked saccharide sensors. <i>Organic Chemistry Frontiers</i> , 2016, 3, 918-928.	4.5	21
267	Targeted fluorescence imaging enhanced by 2D materials: a comparison between 2D MoS ₂ and graphene oxide. <i>Chemical Communications</i> , 2016, 52, 9418-9421.	4.1	21
268	Supramolecular core-glycoshell polythiophene nanodots for targeted imaging and photodynamic therapy. <i>Chemical Communications</i> , 2017, 53, 9793-9796.	4.1	21
269	A simple, azulene-based colorimetric probe for the detection of nitrite in water. <i>Frontiers of Chemical Science and Engineering</i> , 2020, 14, 90-96.	4.4	21
270	A glycoconjugate-based gold nanoparticle approach for the targeted treatment of <i>Pseudomonas aeruginosa</i> biofilms. <i>Nanoscale</i> , 2020, 12, 23234-23240.	5.6	21

#	ARTICLE	IF	CITATIONS
271	Colorimetric detection of Hg ²⁺ with an azulene-containing chemodosimeter <i>via</i> dithioacetal hydrolysis. <i>Analyst</i> , 2020, 145, 6262-6269.	3.5	21
272	Sustainable afterglow materials from lignin inspired by wood phosphorescence. <i>Cell Reports Physical Science</i> , 2021, 2, 100542.	5.6	21
273	Chiral discrimination of monosaccharides by monolayers of a steroidal boronic acid. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994, , 697.	0.9	20
274	Molecular Fluorescence Sensor for Saccharides Based on Amino Coumarin. <i>Chemistry Letters</i> , 1995, 24, 139-140.	1.3	20
275	A sweet toothed saccharide (PET) sensor. <i>Tetrahedron Letters</i> , 1995, 36, 8833-8834.	1.4	20
276	The synthesis and properties of a calixarene-based "sugar bowl"™. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1997-1998.	2.0	20
277	Saccharide accelerated hydrolysis of boronic acid imines. <i>Tetrahedron Letters</i> , 1999, 40, 2597-2600.	1.4	20
278	Substituent and Solvent Effects on the Reactions of Organoboronic Acids with Fluoride. <i>Bulletin of the Chemical Society of Japan</i> , 2001, 74, 509-510.	3.2	20
279	A practical synthesis of enantiopure (S)-4-(4-hydroxybenzyl)-oxazolidin-2-one. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 2619-2623.	1.8	20
280	Biotinylated boronic acid fluorophore conjugates: Quencher elimination strategy for imaging and saccharide detection. <i>RSC Advances</i> , 2012, 2, 3274.	3.6	20
281	Selective electrochemiluminescent sensing of saccharides using boronic acid-modified coreactant. <i>Chemical Communications</i> , 2016, 52, 12845-12848.	4.1	20
282	Rapid Determination of Enantiomeric Excess via NMR Spectroscopy: A Research-Informed Experiment. <i>Journal of Chemical Education</i> , 2017, 94, 79-84.	2.3	20
283	Exploitation of a novel "off"™ photoinduced electron-transfer (PET) sensor against conventional "off"™ PET sensors. <i>Chemical Communications</i> , 1999, , 2011-2012.	4.1	19
284	Boronate ester cross-linked PVA hydrogels for the capture and H ₂ O ₂ -mediated release of active fluorophores. <i>Chemical Communications</i> , 2020, 56, 5516-5519.	4.1	19
285	The Bull-James assembly: Efficient iminoboronate complex formation for chiral derivatization and supramolecular assembly. <i>Coordination Chemistry Reviews</i> , 2021, 428, 213599.	18.8	19
286	Highly sensitive and selective water-soluble fluorescent probe for the detection of formaldehyde in leather products. <i>Dyes and Pigments</i> , 2021, 188, 109175.	3.7	19
287	Rational Design of a Two-Photon Fluorescent Probe for Human Cytochrome P450 3A and the Visualization of Mechanism-Based Inactivation. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	19
288	A Computational Characterization of Boron-Oxygen Multiple Bonding in HN=CH=CH=NH=BO. <i>Journal of Physical Chemistry A</i> , 2008, 112, 8446-8454.	2.5	18

#	ARTICLE	IF	CITATIONS
289	A Ditopic Fluorescence Sensor for Saccharides and Mercury Based on a Boronic Acid Receptor and Desulfurisation Reaction. <i>Chemistry - an Asian Journal</i> , 2011, 6, 3054-3058.	3.3	18
290	Pyrene-anchored boronic acid receptors on carbon nanoparticle supports: fluxionality and pore effects. <i>New Journal of Chemistry</i> , 2013, 37, 1883.	2.8	18
291	Analysis of protein glycation using fluorescent phenylboronate gel electrophoresis. <i>Scientific Reports</i> , 2013, 3, 1437.	3.3	18
292	A novel colorimetric assay for $\hat{\pm}$ -methylacyl-CoA racemase 1A (AMACR; P504S) utilizing the elimination of 2,4-dinitrophenolate. <i>Chemical Communications</i> , 2017, 53, 5087-5090.	4.1	18
293	A molecular-logic gate for COX-2 and NAT based on conformational and structural changes: visualizing the progression of liver disease. <i>Chemical Science</i> , 2020, 11, 6209-6216.	7.4	18
294	Enhanced Colorimetric Differentiation between <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> Using a Shape-Encoded Sensor Hydrogel. <i>ACS Applied Bio Materials</i> , 2020, 3, 4398-4407.	4.6	17
295	The first fluorescent sensor for boronic and boric acids with sensitivity at sub-micromolar concentrations—a cautionary tale. <i>Chemical Communications</i> , 2001, , 2018-2019.	4.1	16
296	A competition assay for diols using 9-(N,N-diethanolaminomethyl)anthracene and phenylboronic acid. <i>Tetrahedron Letters</i> , 2002, 43, 507-509.	1.4	16
297	Well-controlled synthesis of boronic-acid functionalised poly(lactide)s: a versatile platform for biocompatible polymer conjugates and sensors. <i>RSC Advances</i> , 2012, 2, 5954.	3.6	16
298	A glutamic acid-modified cellulose fibrous composite used for the adsorption of heavy metal ions from single and binary solutions. <i>Materials Chemistry Frontiers</i> , 2017, 1, 2317-2323.	5.9	16
299	Graphene nanoribbon-based supramolecular ensembles with dual-receptor targeting function for targeted photothermal tumor therapy. <i>Chemical Science</i> , 2021, 12, 11089-11097.	7.4	16
300	Recent progresses and remaining challenges for the detection of Zika virus. <i>Medicinal Research Reviews</i> , 2021, 41, 2039-2108.	10.5	16
301	Benzothiazolium Derivative-Capped Silica Nanocomposites for $\hat{\tau}$ ² -Amyloid Imaging <i>In Vivo</i> . <i>Analytical Chemistry</i> , 2021, 93, 12617-12627.	6.5	16
302	“Tailored” polymers for supported syntheses using boronic acids. <i>Tetrahedron Letters</i> , 2000, 41, 10291-10294.	1.4	15
303	Colorimetric enantioselective recognition of chiral secondary alcohols via hydrogen bonding to a chiral metallocene containing chemosensor. <i>Chemical Communications</i> , 2013, 49, 8314.	4.1	15
304	A Leucine Aminopeptidase-Activated Theranostic Prodrug for Cancer Diagnosis and Chemotherapy. <i>ACS Applied Bio Materials</i> , 2019, 2, 4904-4910.	4.6	15
305	Azulenenes with aryl substituents bearing pentafluorosulfanyl groups: synthesis, spectroscopic and halochromic properties. <i>New Journal of Chemistry</i> , 2019, 43, 992-1000.	2.8	15
306	Dual enzyme activated fluorescein based fluorescent probe. <i>Frontiers of Chemical Science and Engineering</i> , 2020, 14, 117-121.	4.4	15

#	ARTICLE	IF	CITATIONS
307	Sensing Peroxynitrite in Different Organelles of Murine RAW264.7 Macrophages With Coumarin-Based Fluorescent Probes. <i>Frontiers in Chemistry</i> , 2020, 8, 39.	3.6	15
308	Long-Wavelength AIE-Based Fluorescent Probes for Mitochondria-Targeted Imaging and Photodynamic Therapy of Hepatoma Cells. <i>ACS Applied Bio Materials</i> , 2021, 4, 7016-7024.	4.6	15
309	Fluorescent Chemosensors for Ion and Molecule Recognition: The Next Chapter. <i>Frontiers in Sensors</i> , 2021, 2, .	3.3	15
310	Boronic Acid-Based Receptors and Sensors for Saccharides. , 2006, , 441-479.		14
311	A Protocol for NMR Analysis of the Enantiomeric Excess of Chiral Diols Using an Achiral Diboronic Acid Template. <i>Journal of Organic Chemistry</i> , 2016, 81, 6795-6799.	3.2	14
312	Specialty Grand Challenges in Supramolecular Chemistry. <i>Frontiers in Chemistry</i> , 2017, 5, 83.	3.6	14
313	Osteogenesis, vascularization and osseointegration of a bioactive multiphase macroporous scaffold in the treatment of large bone defects. <i>Journal of Materials Chemistry B</i> , 2018, 6, 4197-4204.	5.8	14
314	A Simple Near-Infrared Fluorescent Probe for the Detection of Peroxynitrite. <i>ChemistryOpen</i> , 2019, 8, 1407-1409.	1.9	14
315	Coumarin-based fluorescent probe for the rapid detection of peroxynitrite AND™ biological thiols. <i>RSC Advances</i> , 2020, 10, 13496-13499.	3.6	14
316	Visualization of penicillin G acylase in bacteria and high-throughput screening of natural inhibitors using a ratiometric fluorescent probe. <i>Chemical Communications</i> , 2020, 56, 4640-4643.	4.1	14
317	TCF-ALP: a fluorescent probe for the selective detection of Staphylococcus bacteria and application in smart-wound dressings. <i>Biomaterials Science</i> , 2021, 9, 4433-4439.	5.4	14
318	A supramolecular pyrenyl glycoside-coated 2D MoS ₂ composite electrode for selective cell capture. <i>Chemical Communications</i> , 2016, 52, 11689-11692.	4.1	13
319	Targeted tumor detection: guidelines for developing biotinylated diagnostics. <i>Chemical Communications</i> , 2017, 53, 2154-2157.	4.1	13
320	A 1-hydroxy-2,3,1-benzodiazaborine-containing Ir-conjugated system: Synthesis, optical properties and solvent-dependent response toward anions. <i>Tetrahedron</i> , 2017, 73, 2053-2061.	1.9	13
321	A simple umbelliferone based fluorescent probe for the detection of nitroreductase. <i>Frontiers of Chemical Science and Engineering</i> , 2018, 12, 311-314.	4.4	13
322	A far-red fluorescent probe for sensing laccase in fungi and its application in developing an effective biocatalyst for the biosynthesis of antituberculous dicoumarin. <i>Chemical Communications</i> , 2019, 55, 3951-3954.	4.1	13
323	The Evaluation of Ester Functionalised TCF-Based Fluorescent Probes for the Detection of Bacterial Species. <i>Israel Journal of Chemistry</i> , 2021, 61, 234-238.	2.3	13
324	Alkylation of tricarbonyliron complexes by trimethylsilyl cyanide: synthetic and kinetic studies. <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 2013.	1.1	12

#	ARTICLE	IF	CITATIONS
325	Self and directed assembly: people and molecules. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 391-405.	2.2	12
326	Solar-driven broad spectrum fungicides based on monodispersed Cu ₇ S ₄ nanorods with strong near-infrared photothermal efficiency. <i>RSC Advances</i> , 2016, 6, 103930-103937.	3.6	12
327	Supramolecular Polymer Dot Ensemble for Ratiometric Detection of Lectins and Targeted Delivery of Imaging Agents. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 3272-3276.	8.0	12
328	A naphthoimidazolium-cholesterol derivative as a ratiometric fluorescence based chemosensor for the chiral recognition of carboxylates. <i>Chemical Communications</i> , 2018, 54, 13264-13267.	4.1	12
329	Reaction-based indicator displacement assay (RIA) for the development of a triggered release system capable of biofilm inhibition. <i>Chemical Communications</i> , 2019, 55, 15129-15132.	4.1	12
330	Visual High-Throughput Screening for Developing a Fatty Acid Amide Hydrolase Natural Inhibitor Based on an Enzyme-Activated Fluorescent Probe. <i>Analytical Chemistry</i> , 2020, 92, 9493-9500.	6.5	12
331	Fluorescent probes and functional materials for biomedical applications. <i>Frontiers of Chemical Science and Engineering</i> , 2022, 16, 1425-1437.	4.4	12
332	Diethylamine- ϵ -Sulfonamide-Modified Carbon Nanoparticles as High Surface Area Substrates for Coenzyme Q10. <i>Lipid Electrochemistry. Electroanalysis</i> , 2012, 24, 1003-1010.	2.9	11
333	Oil Water Interfacial Phosphate Transfer Facilitated by Boronic Acid: Observation of Unusually Fast Oil Water Lateral Charge Transport. <i>ChemElectroChem</i> , 2014, 1, 1640-1646.	3.4	11
334	Supramolecular glyco-poly-cyclodextrin functionalized thin-layer manganese dioxide for targeted stimulus-responsive bioimaging. <i>Chemical Communications</i> , 2018, 54, 4037-4040.	4.1	11
335	Identification of novel small-molecule inhibitors of β -methylacyl-CoA racemase (AMACR; P504S) and structure-activity relationships. <i>Bioorganic Chemistry</i> , 2019, 92, 103264.	4.1	11
336	Peroxynitrite Activated Drug Conjugate Systems Based on a Coumarin Scaffold Toward the Application of Theranostics. <i>Frontiers in Chemistry</i> , 2019, 7, 775.	3.6	11
337	Mechanistic insights into the novel glucose-sensitive behavior of P(NIPAM-co-2-AAPBA). <i>Science China Chemistry</i> , 2020, 63, 377-385.	8.2	11
338	Activity-Based Sensing: Achieving Chemical Selectivity through Chemical Reactivity. <i>Accounts of Chemical Research</i> , 2020, 53, 1-1.	15.6	11
339	A practical strategy to develop isoform-selective near-infrared fluorescent probes for human cytochrome P450 enzymes. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 1976-1986.	12.0	11
340	Microwave-electrochemical formation of colloidal zinc oxide at fluorine doped tin oxide electrodes. <i>Electrochimica Acta</i> , 2010, 55, 7909-7915.	5.2	10
341	Synthesis of a Highly Hydrophobic Cationic Lipid and Structural and Thermodynamic Studies for Interaction with DNA. <i>Bulletin of the Chemical Society of Japan</i> , 2010, 83, 1010-1018.	3.2	10
342	N,N-Butyl-decamethylferrocenyl-amine reactivity at liquid liquid interfaces: electrochemically driven anion transfer vs. pH driven proton transfer. <i>New Journal of Chemistry</i> , 2010, 34, 1261.	2.8	10

#	ARTICLE	IF	CITATIONS
343	Liquid liquid electrochemical bicarbonate and carbonate capture facilitated by boronic acids. <i>Chemical Communications</i> , 2011, 47, 12002.	4.1	10
344	A study on the AMACR catalysed elimination reaction and its application to inhibitor testing. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 612-622.	2.8	10
345	Electroanalysis in 2D-TiO ₂ Nanosheet Hosts: Electrolyte and Selectivity Effects in Ferroceneboronic Acid " Saccharide Binding. <i>Electroanalysis</i> , 2018, 30, 1303-1310.	2.9	10
346	Azulene-based fluorescent chemosensor for adenosine diphosphate. <i>Chemical Communications</i> , 2021, 57, 10608-10611.	4.1	10
347	Versatile Ratiometric Fluorescent Probe Based on the Two-Isophorone Fluorophore for Sensing Nitrotyl. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 15913-15920.	3.7	10
348	mtDNA-Specific Ultrasensitive Near-Infrared Fluorescent Probe Enables the Differentiation of Healthy and Apoptotic Cells. <i>Analytical Chemistry</i> , 2022, 94, 7510-7519.	6.5	10
349	Electrocatalytic Determination of Sulfite at Immobilized Microdroplet Liquid Liquid Interfaces: The EIC ² Mechanism. <i>Electroanalysis</i> , 2008, 20, 469-475.	2.9	9
350	Screening of arylboronic acids to search for a strong inhibitor for β -glutamyl transpeptidase (β -GTP). <i>Recueil Des Travaux Chimiques Des Pays-Bas</i> , 1996, 115, 44-48.	0.0	9
351	Surface-dopylated carbon nanoparticles sense gas-induced pH changes. <i>Sensors and Actuators B: Chemical</i> , 2012, 161, 184-190.	7.8	9
352	Suzuki homo-coupling reaction based fluorescent sensors for monosaccharides. <i>RSC Advances</i> , 2014, 4, 35238.	3.6	9
353	Dye Displacement Assay for Saccharides using Benzoxaborole Hydrogels. <i>ChemistryOpen</i> , 2018, 7, 266-268.	1.9	9
354	Coumarin-based fluorescent "AND" logic gate probes for the detection of homocysteine and a chosen biological analyte. <i>RSC Advances</i> , 2019, 9, 26425-26428.	3.6	9
355	Novel 2-arylthiopropionyl-CoA inhibitors of β -methylacyl-CoA racemase 1A (AMACR; P504S) as potential anti-prostate cancer agents. <i>Bioorganic Chemistry</i> , 2019, 92, 103263.	4.1	9
356	Racemases and epimerases operating through a 1,1-proton transfer mechanism: reactivity, mechanism and inhibition. <i>Chemical Society Reviews</i> , 2021, 50, 5952-5984.	38.1	9
357	Nanococktail Based on Supramolecular Glyco-Assembly for Eradicating Tumors <i>In Vivo</i> . <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 20749-20761.	8.0	9
358	Field-effect saccharide sensing using AlGaIn/GaN heterostructures and boronic acid based chemical receptors. <i>Sensors and Actuators B: Chemical</i> , 2011, 160, 1078-1081.	7.8	8
359	Coil-by-coil assembly of poly[acrylamide-co-3-(methacryl-amido)-phenylboronic acid] with polydiallyldimethyl-ammonium to give alizarin red S responsive films. <i>Journal of Materials Chemistry</i> , 2012, 22, 18999.	6.7	8
360	Structure-activity relationships of rationally designed AMACR 1A inhibitors. <i>Bioorganic Chemistry</i> , 2018, 79, 145-154.	4.1	8

#	ARTICLE	IF	CITATIONS
361	Target Enzyme-Activated Two-Photon Fluorescent Probes: A Case Study of CYP3A4 Using a Two-Dimensional Design Strategy. <i>Angewandte Chemie</i> , 2019, 131, 10064-10068.	2.0	8
362	Multiphoton fluorescence lifetime imaging microscopy (FLIM) and super-resolution fluorescence imaging with a supramolecular biopolymer for the controlled tagging of polysaccharides. <i>Nanoscale</i> , 2019, 11, 9498-9507.	5.6	8
363	A Three-Component Derivatization Protocol for Determining the Enantiopurity of Sulfinamides by ¹ H and ¹⁹ F NMR Spectroscopy. <i>Journal of Organic Chemistry</i> , 2020, 85, 1208-1215.	3.2	8
364	Activation and Monitoring of mtDNA Damage in Cancer Cells via the Proton-Triggered Decomposition of an Ultrathin Nanosheet. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 3669-3678.	8.0	8
365	Graphene oxide-enhanced cytoskeleton imaging and mitosis tracking. <i>Chemical Communications</i> , 2017, 53, 3373-3376.	4.1	7
366	Fluorescence imaging of a potential diagnostic biomarker for breast cancer cells using a peptide-functionalized fluorogenic 2D material. <i>Chemical Communications</i> , 2019, 55, 13235-13238.	4.1	7
367	2D Strategy for the Construction of an Enzyme-Activated NIR Fluorophore Suitable for the Visual Sensing and Profiling of Homologous Nitroreductases from Various Bacterial Species. <i>ACS Sensors</i> , 2021, 6, 3348-3356.	7.8	7
368	Amphiphilic engineering of reduced graphene oxides using a carbon nitride coating for superior removal of organic pollutants from wastewater. <i>Carbon</i> , 2021, 184, 479-491.	10.3	7
369	Sustainable Afterglow Room-Temperature Phosphorescence Emission Materials Generated Using Natural Phenolics. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	7
370	A spiropyran with low pKa for tracking DNA G-quadruplexes and revealing the dissipation of β -m with senescence using an in-situ switching strategy. <i>Sensors and Actuators B: Chemical</i> , 2022, 359, 131618.	7.8	7
371	Analysis of Protein Glycation Using Phenylboronate Acrylamide Gel Electrophoresis. <i>Methods in Molecular Biology</i> , 2012, 869, 93-109.	0.9	6
372	Hydrothermal wrapping with poly(4-vinylpyridine) introduces functionality: pH-sensitive core-shell carbon nanomaterials. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4559.	10.3	6
373	Ferrocene-Boronic Acid-Fructose Binding Based on Dual-Plate Generator-Collector Voltammetry and Square-Wave Voltammetry. <i>ChemElectroChem</i> , 2015, 2, 867-871.	3.4	6
374	Low-dimensional materials facilitate the conjugation between fluorogenic boronic acids and saccharides. <i>Materials Chemistry Frontiers</i> , 2017, 1, 61-64.	5.9	6
375	C4-aldehyde of guaiazulene: synthesis and derivatisation. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 2502-2511.	2.8	6
376	Two-Dimensional Design Strategy to Construct Smart Fluorescent Probes for the Precise Tracking of Senescence. <i>Angewandte Chemie</i> , 2021, 133, 10851-10860.	2.0	6
377	Dual-factor Synergistically Activated ESIPT-based Probe: Differential Fluorescence Signals to Simultaneously Detect β -Naphthyl Acetate and Acid β -Naphthyl Acetate Esterase. <i>Analytical Chemistry</i> , 2021, 93, 14471-14480.	6.5	6
378	Visual identification of gut bacteria and determination of natural inhibitors using a fluorescent probe selective for PGP-1. <i>Analytica Chimica Acta</i> , 2022, 1191, 339280.	5.4	6

#	ARTICLE	IF	CITATIONS
379	Targeted delivery of maytansine to liver cancer cells <i>via</i> galactose-modified supramolecular two-dimensional glycomaterial. <i>Chemical Communications</i> , 2022, 58, 5029-5032.	4.1	6
380	A fluorescent peptidyl substrate for visualizing peptidyl-prolyl cis/trans isomerase activity in live cells. <i>Chemical Communications</i> , 2018, 54, 1857-1860.	4.1	5
381	Mechanistic insights into the origin of substituent-directed product E selectivity for gold-catalyzed [4+1]-annulations of 1,4-diyne-3-ols with isoxazoles: A DFT study. <i>Molecular Catalysis</i> , 2020, 480, 110647.	2.0	5
382	Colorimetric assay for the rapid determination of free-base nicotine in e-liquid. <i>Analytical Methods</i> , 2020, 12, 193-199.	2.7	5
383	Azulenesulfonium and azulenebis(sulfonium) salts: Formation by interrupted Pummerer reaction and subsequent derivatisation by nucleophiles. <i>Tetrahedron</i> , 2020, 76, 131700.	1.9	5
384	Theoretical evaluation of the carbene-based site-selectivity in gold(<i>iii</i>)-catalyzed annulations of alkynes with anthranils. <i>Chemical Communications</i> , 2021, 57, 1494-1497.	4.1	5
385	Coumarin-based fluorescent probe for the detection of glutathione and nitroreductase. <i>Tetrahedron</i> , 2021, 82, 131890.	1.9	5
386	Boronic Acid Based Modular Fluorescent Saccharide Sensors. <i>Reviews in Fluorescence</i> , 2009, , 103-118.	0.5	5
387	An upcycled wood sponge adsorbent for drinking water purification by solar steam generation. <i>Environmental Science: Nano</i> , 2022, 9, 2559-2571.	4.3	5
388	Near-Infrared Light-Triggered Bacterial Eradication Using a Nanowire Nanocomposite of Graphene Nanoribbons and Chitosan-Coated Silver Nanoparticles. <i>Frontiers in Chemistry</i> , 2021, 9, 767847.	3.6	4
389	Catalyst: Academia and Industry, Continually Blurring Research Roles. <i>CheM</i> , 2016, 1, 173-176.	11.7	3
390	Hierarchically porous zirconium dioxide dual-templated by acacia mangium tannin extract and an amphiphilic triblock copolymer. <i>Materials Chemistry and Physics</i> , 2020, 253, 123335.	4.0	3
391	Molecular splicing strategy to construct a near-infrared fluorescent probe for UDP-glucuronosyltransferase1A1. <i>Angewandte Chemie</i> , 0, , .	2.0	3
392	Polymer indicator displacement assay: electrochemical glucose monitoring based on boronic acid receptors and graphene foam competitively binding with poly-nordihydroguaiaretic acid. <i>Analyst</i> , The, 2022, 147, 661-670.	3.5	3
393	Special issue on "Molecular sensors and molecular logic gates". <i>Frontiers of Chemical Science and Engineering</i> , 2022, 16, 1-3.	4.4	3
394	Repurposing lignin to generate functional afterglow paper. <i>Cell Reports Physical Science</i> , 2022, 3, 100867.	5.6	3
395	Simple Protocol for NMR Analysis of the Enantiomeric Purity of Primary Amines. <i>Organic Letters</i> , 2006, 8, 2203-2203.	4.6	2
396	Virtual Issue: Chemosensors. <i>ChemistryOpen</i> , 2018, 7, 215-216.	1.9	2

#	ARTICLE	IF	CITATIONS
397	Selective Cu ²⁺ Ion Sensing by Nanoaggregates of Pyridyl-2,6-bis(3-allylsalicylaldehyde)hydrazone. <i>ChemistrySelect</i> , 2018, 3, 5395-5400.	1.5	2
398	Voltammetric characterisation of diferrocenylboronic acid in organic solution and in aqueous media when immobilised into a titanate nanosheet film. <i>Dalton Transactions</i> , 2019, 48, 11200-11207.	3.3	2
399	Analysis of Protein Glycation Using Phenylboronate Acrylamide Gel Electrophoresis. <i>Methods in Molecular Biology</i> , 2019, 1855, 161-175.	0.9	2
400	The mechanics of supramolecular chemistry. <i>Chemical Communications</i> , 2020, 56, 6467-6468.	4.1	2
401	Special issue on "Fluorescent probes". <i>Frontiers of Chemical Science and Engineering</i> , 2020, 14, 1-3.	4.4	2
402	Ferrocene-Labelled Electroactive Aptamer-Based Sensors (Aptasensors) for Glycated Haemoglobin. <i>Molecules</i> , 2021, 26, 7077.	3.8	2
403	Visual Sensing of β -Glucosidase From Intestinal Fungus in the Generation of Cytotoxic Icarisid II. <i>Frontiers in Chemistry</i> , 2022, 10, .	3.6	2
404	Special issue dedicated to the Third International Conference on Molecular Sensors and Molecular Logic Gates (MSMLG). <i>Supramolecular Chemistry</i> , 2013, 25, 1-1.	1.2	1
405	Fluorescent Saccharide Sensors. , 2005, , 41-67.		1
406	Fluorescent Tict Sensors for Saccharides. , 2006, , 333-350.		1
407	Rational Design of a Two-Photon Fluorescent Probe for Human Cytochrome P450 3A and the Visualization of Mechanism-Based Inactivation. <i>Angewandte Chemie</i> , 2022, 134, e202113191.	2.0	1
408	<title>Fluorescent sensors based on boronic acids</title>. , 1999, , .		0
409	A Modular Electrochemical Sensor for Saccharides.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
410	A Practical Synthesis of Enantiopure (S)-4-(4-Hydroxybenzyl)-oxazolidin-2-one.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
411	Synthesis and Structural Characterization of the First Bis(bora)calixarene: A Selective, Bidentate, Fluorescent Fluoride Sensor.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
412	Oil Water Interfacial Phosphate Transfer Facilitated by Boronic Acid: Observation of Unusually Fast Oil Water Lateral Charge Transport. <i>ChemElectroChem</i> , 2014, 1, 1587-1587.	3.4	0
413	Light controlled imaging probes for intracellular target recognition: photochromism as a tool to enhance sensing precision. <i>Science China Chemistry</i> , 2017, 60, 1563-1564.	8.2	0
414	Forum on Biospecies Sensors. <i>ACS Applied Bio Materials</i> , 2021, 4, 2231-2232.	4.6	0

#	ARTICLE	IF	CITATIONS
415	Biomimetic Ion Transport: Pores and Channels in Vesicle Membranes. , 1990, , 145-150.		0