

Shih-Yi Sheu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4357551/publications.pdf>

Version: 2024-02-01

146
papers

2,751
citations

257450

24
h-index

302126

39
g-index

150
all docs

150
docs citations

150
times ranked

1845
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Hymenobacter piscis</i> sp. nov., isolated from a fish pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	6
2	<i>Flavobacterium undicola</i> sp. nov., isolated from a freshwater lake. <i>Archives of Microbiology</i> , 2021, 203, 989-1000.	2.2	1
3	<i>Flavobacterium difficile</i> sp. nov., isolated from a freshwater waterfall. <i>Archives of Microbiology</i> , 2021, 203, 4449-4459.	2.2	1
4	<i>Zophobihabitans entericus</i> gen. nov., sp. nov., a new member of the family Orbaceae isolated from the gut of a superworm <i>Zophobas morio</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	8
5	<i>Rhodobacter amnigenus</i> sp. nov. and <i>Rhodobacter ruber</i> sp. nov., isolated from freshwater habitats. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	8
6	<i>Sphingobium algorithmicola</i> sp. nov., isolated from a cold spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 309-316.	1.7	8
7	<i>Rubrivivax albus</i> sp. nov., isolated from a freshwater pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 805-813.	1.7	8
8	<i>Sphingobium fluviale</i> sp. nov., isolated from a river. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 827-834.	1.7	9
9	<i>Novosphingobium umbonatum</i> sp. nov., isolated from a freshwater mesocosm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1122-1132.	1.7	10
10	<i>Aquabacterium lacunae</i> sp. nov., isolated from a freshwater pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2888-2895.	1.7	8
11	<i>Flavobacterium ichthyis</i> sp. nov., isolated from a fish pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5075-5086.	1.7	8
12	<i>Tabrizicola oligotrophica</i> sp. nov. and <i>Rhodobacter tardus</i> sp. nov., two new species of bacteria belonging to the family Rhodobacteraceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6266-6283.	1.7	17
13	<i>Oleiharenicola lentus</i> sp. nov., isolated from irrigation water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3440-3448.	1.7	8
14	<i>Aquirufa rosea</i> sp. nov., isolated from a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3145-3153.	1.7	8
15	<i>Orrella amnicola</i> sp. nov., isolated from a freshwater river, reclassification of <i>Algicoccus marinus</i> as <i>Orrella marina</i> comb. nov., and emended description of the genus <i>Orrella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6381-6389.	1.7	13
16	<i>Lacibacter luteus</i> sp. nov., isolated from a freshwater river. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1404-1411.	1.7	5
17	<i>Filimonas effusa</i> sp. nov., isolated from a freshwater river. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1508-1515.	1.7	6
18	<i>Sandaracinomonas limnophila</i> gen. nov., sp. nov., a new member of the family Cytophagaceae isolated from a freshwater mesocosm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2178-2185.	1.7	11

#	ARTICLE	IF	CITATIONS
19	<i>Ideonella livida</i> sp. nov., isolated from a freshwater lake. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4942-4950.	1.7	8
20	<i>Novosphingobium ovatum</i> sp. nov., isolated from a freshwater mesocosm. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5243-5254.	1.7	9
21	<i>Sphingomonas lacunae</i> sp. nov., isolated from a freshwater pond. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5899-5910.	1.7	7
22	<i>Mucilaginibacter limnophilus</i> sp. nov., isolated from a lake. Journal of Microbiology, 2019, 57, 967-975.	2.8	7
23	<i>Amniculibacterium aquaticum</i> gen. nov., sp. nov., a new member of the family Flavobacteriaceae isolated from a stream. Archives of Microbiology, 2019, 201, 1119-1127.	2.2	8
24	<i>Neptunomonas marina</i> sp. nov., isolated from seawater. Archives of Microbiology, 2019, 201, 1053-1060.	2.2	8
25	<i>Rheinheimeria riviphila</i> sp. nov., isolated from a freshwater stream. Archives of Microbiology, 2019, 201, 919-926.	2.2	12
26	<i>Endozoicomonas coralli</i> sp. nov., isolated from the coral <i>Acropora</i> sp.. Archives of Microbiology, 2019, 201, 531-538.	2.2	12
27	<i>Flavobacterium sufflavum</i> sp. nov., isolated from a freshwater lake. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1705-1713.	1.7	9
28	<i>Flavobacterium piscinae</i> sp. nov., isolated from a fish pond. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1775-1782.	1.7	8
29	<i>Aquincola rivuli</i> sp. nov., isolated from a freshwater stream. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2226-2232.	1.7	9
30	<i>Sphingomonas crocodyli</i> sp. nov., isolated from a crocodile pond. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2153-2160.	1.7	8
31	<i>Flavobacterium stagni</i> sp. nov., isolated from a freshwater reservoir. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2372-2379.	1.7	7
32	<i>Inhella crocodyli</i> sp. nov., isolated from a crocodile pond. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2424-2430.	1.7	6
33	<i>Pseudomethylobacillus aquaticus</i> gen. nov., sp. nov., a new member of the family Methylophilaceae isolated from an artificial reservoir. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3551-3559.	1.7	11
34	<i>Methylobacterium oryzihabitans</i> sp. nov., isolated from water sampled from a rice paddy field. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3843-3850.	1.7	14
35	<i>Flavobacterium niveum</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 271-277.	1.7	9
36	<i>Stagnimonas aquatica</i> gen. nov., sp. nov., a new member of the family Nevskiaceae isolated from a freshwater mesocosm. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1606-1612.	1.7	10

#	ARTICLE	IF	CITATIONS
37	<i>Flavobacterium amnicola</i> sp. nov., isolated from a sub-tropical stream. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2283-2291.	1.7	5
38	<i>Coralloluteibacterium stylophorae</i> gen. nov., sp. nov., a new member of the family Lysobacteraceae isolated from the reef-building coral <i>Stylophora</i> sp.. Archives of Microbiology, 2018, 200, 473-481.	2.2	17
39	<i>Aquincola amnicola</i> sp. nov., isolated from a freshwater river. Archives of Microbiology, 2018, 200, 811-817.	2.2	9
40	<i>Thalassotalea coralli</i> sp. nov., isolated from the torch coral <i>Euphyllia glabrescens</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 185-191.	1.7	10
41	<i>Mucilaginibacter amnicola</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 394-401.	1.7	12
42	<i>Hymenobacter rivuli</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1220-1226.	1.7	12
43	<i>Parvibium lacunae</i> gen. nov., sp. nov., a new member of the family Alcaligenaceae isolated from a freshwater pond. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1291-1299.	1.7	11
44	<i>Novosphingobium arvoryzae</i> sp. nov., isolated from a flooded rice field. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2151-2157.	1.7	18
45	<i>Paracoccus fontiphilus</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2054-2060.	1.7	21
46	<i>Rheinheimeria coerulea</i> sp. nov., isolated from a freshwater creek, and emended description of genus <i>Rheinheimeria</i> Brettar et al. 2002. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2340-2347.	1.7	12
47	<i>Flavobacterium effusum</i> sp. nov., isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3111-3117.	1.7	8
48	<i>Litoribrevibacter euphylliae</i> sp. nov., isolated from the torch coral <i>Euphyllia glabrescens</i> . International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 432-437.	1.7	5
49	<i>Flavobacterium fluviatile</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 1244-1250.	1.7	9
50	<i>Flavobacterium riviphilum</i> sp. nov., isolated from a freshwater creek. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3844-3850.	1.7	7
51	<i>Formosimonas limnophila</i> gen. nov., sp. nov., a new member of the family Burkholderiaceae isolated from a freshwater lake. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 17-24.	1.7	15
52	<i>Flavobacterium lacunae</i> sp. nov., isolated from a freshwater pond. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 875-882.	1.7	9
53	<i>Paenibacillus lacus</i> sp. nov., isolated from a water reservoir. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1582-1588.	1.7	10
54	<i>Flectobacillus pallidus</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1126-1132.	1.7	12

#	ARTICLE	IF	CITATIONS
55	<i>Cellvibrio fontiphilus</i> sp. nov., isolated from a spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2532-2537.	1.7	5
56	<i>Puzihella rosea</i> gen. nov., sp. nov., a novel member of the family Microbacteriaceae isolated from freshwater. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2383-2389.	1.7	8
57	<i>Novosphingobium fontis</i> sp. nov., isolated from a spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2423-2429.	1.7	16
58	<i>Paracoccus mangrovi</i> sp. nov., isolated from a mangrove. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2689-2695.	1.7	18
59	<i>Hymenobacter pallidus</i> sp. nov., isolated from a freshwater fish culture pond. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2915-2921.	1.7	14
60	<i>Novosphingobium ipomoeae</i> sp. nov., isolated from a water convolvulus field. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3590-3596.	1.7	13
61	<i>Cellvibrio zantedeschiae</i> sp. nov., isolated from the roots of <i>Zantedeschia aethiopica</i> . International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3615-3621.	1.7	7
62	<i>Endozoicomonas acroporae</i> sp. nov., isolated from <i>Acropora</i> coral. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3791-3797.	1.7	34
63	<i>Flavobacterium dispersum</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4416-4423.	1.7	11
64	<i>Salsuginimonas clara</i> gen. nov., sp. nov., a member of the family Pseudoalteromonadaceae isolated from a brackish river. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4747-4753.	1.7	7
65	<i>Hymenobacter gummosus</i> sp. nov., isolated from a spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4728-4735.	1.7	14
66	<i>Undibacterium amnicola</i> sp. nov., isolated from a freshwater stream. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5094-5101.	1.7	16
67	<i>Flavobacterium amniphilum</i> sp. nov., isolated from a stream. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 5179-5186.	1.7	15
68	<i>Flectobacillus fontis</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 336-342.	1.7	11
69	<i>Novosphingobium colocasiae</i> sp. nov., isolated from a taro field. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 673-679.	1.7	10
70	<i>Vogesella facilis</i> sp. nov., isolated from a freshwater river, and emended description of the genus <i>Vogesella</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 817-823.	1.7	10
71	<i>Mucilagibacter roseus</i> sp. nov., isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1112-1118.	1.7	16
72	<i>Rhizobium ipomoeae</i> sp. nov., isolated from a water convolvulus field. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1633-1640.	1.7	20

#	ARTICLE	IF	CITATIONS
73	<i>Novosphingobium piscinae</i> sp. nov., isolated from a fish culture pond. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1539-1545.	1.7	17
74	<i>Hymenobacter paludis</i> sp. nov., isolated from a marsh. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1546-1553.	1.7	12
75	<i>Flavobacterium verecundum</i> sp. nov., isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3337-3344.	1.7	18
76	<i>Chitinibacter fontanus</i> sp. nov., isolated from a spring. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4262-4268.	1.7	6
77	<i>Mucilaginibacter fluminis</i> sp. nov., isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4567-4574.	1.7	9
78	<i>Thalassotalea euphylliae</i> sp. nov., isolated from the torch coral <i>Euphyllia glabrescens</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5039-5045.	1.7	19
79	<i>Novosphingobium bradum</i> sp. nov., isolated from a spring. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5083-5090.	1.7	16
80	<i>Uliginosibacterium paludis</i> sp. nov., isolated from a marsh. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5118-5123.	1.7	10
81	<i>Sphingomonas piscinae</i> sp. nov., isolated from a fish pond. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5301-5308.	1.7	14
82	<i>Ideonella paludis</i> sp. nov., isolated from a marsh. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1052-1057.	1.7	8
83	<i>Flavobacterium brevivitae</i> sp. nov., isolated from river water. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1705-1712.	1.7	15
84	<i>Thalassotalea montiporae</i> sp. nov., isolated from the encrusting pore coral <i>Montipora aequituberculata</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4077-4084.	1.7	14
85	<i>Piscinibacterium candidicorallinum</i> gen. nov., sp. nov., a member of the order Burkholderiales isolated from a fish pond. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5260-5267.	1.7	11
86	<i>Rhizobium alvei</i> sp. nov., isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 472-478.	1.7	23
87	<i>Vogesella amnigena</i> sp. nov., isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3634-3640.	1.7	11
88	<i>Sphingomonas fonticola</i> sp. nov., isolated from a spring water. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4495-4502.	1.7	17
89	<i>Burkholderia dipogonis</i> sp. nov., isolated from root nodules of <i>Dipogon lignosus</i> in New Zealand and Western Australia. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4716-4723.	1.7	48
90	<i>Paludibacterium paludis</i> sp. nov., isolated from a marsh. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2497-2502.	1.7	11

#	ARTICLE	IF	CITATIONS
91	<i>Undibacterium macrobrachii</i> sp. nov., isolated from a freshwater shrimp culture pond. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1036-1042.	1.7	17
92	<i>Flavobacterium oryzae</i> sp. nov., isolated from a flooded rice field, and emended descriptions of <i>Flavobacterium flevense</i> , <i>Flavobacterium yonginense</i> and <i>Flavobacterium myungsuense</i> . International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3701-3708.	1.7	11
93	<i>Undibacterium squillarum</i> sp. nov., isolated from a freshwater shrimp culture pond. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3459-3466.	1.7	13
94	<i>Rivicola pingtungensis</i> gen. nov., sp. nov., a new member of the family Neisseriaceae isolated from a freshwater river. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2009-2016.	1.7	15
95	Description of <i>Gemmobacter fontiphilus</i> sp. nov., isolated from a freshwater spring, reclassification of <i>Catellibacterium nectariphilum</i> as <i>Gemmobacter nectariphilus</i> comb. nov., <i>Catellibacterium changlense</i> as <i>Gemmobacter changlensis</i> comb. nov., <i>Catellibacterium aquatile</i> as <i>Gemmobacter aquaticus</i> nom. nov., International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1730-1739.	1.7	65
96	<i>Flavobacterium squillarum</i> sp. nov., isolated from a freshwater shrimp culture pond, and emended descriptions of <i>Flavobacterium haoranii</i> , <i>Flavobacterium cauense</i> , <i>Flavobacterium terrae</i> and <i>Flavobacterium aquatile</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2239-2247.	1.7	45
97	<i>Gemmobacter tilapiae</i> sp. nov., a poly- $\hat{2}$ -hydroxybutyrate-accumulating bacterium isolated from a freshwater pond. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1550-1556.	1.7	26
98	<i>Azoarcus olearius</i> sp. nov., a nitrogen-fixing bacterium isolated from oil-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3755-3761.	1.7	38
99	<i>Gemmobacter lanyuensis</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 4039-4045.	1.7	27
100	<i>Tepidimonas fonticaldi</i> sp. nov., a slightly thermophilic betaproteobacterium isolated from a hot spring. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1810-1816.	1.7	26
101	<i>Burkholderia diazotrophica</i> sp. nov., isolated from root nodules of <i>Mimosa</i> spp.. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 435-441.	1.7	94
102	<i>Jeongeupia chitinilytica</i> sp. nov., a chitinolytic bacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 934-938.	1.7	10
103	<i>Corallomonas stylophorae</i> gen. nov., sp. nov., a halophilic bacterium isolated from the reef-building coral <i>Stylophora pistillata</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 982-988.	1.7	12
104	<i>Derxia lacustris</i> sp. nov., a nitrogen-fixing bacterium isolated from a freshwater lake. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 965-970.	1.7	13
105	<i>Rheinheimeria tilapiae</i> sp. nov., isolated from a freshwater culture pond. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1457-1463.	1.7	28
106	<i>Sphingobium fontiphilum</i> sp. nov., isolated from a freshwater spring. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 1906-1911.	1.7	12
107	<i>Pseudorhodoferax aquiterrae</i> sp. nov., isolated from groundwater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 169-174.	1.7	14
108	<i>Arcicella rigui</i> sp. nov., isolated from water of a wetland, and emended descriptions of the genus <i>Arcicella</i> , <i>Arcicella aquatica</i> , <i>Arcicella rosea</i> and <i>Arcicella aurantiaca</i> . International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 134-140.	1.7	20

#	ARTICLE	IF	CITATIONS
109	<i>Spingobium sufflavum</i> sp. nov., isolated from a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3444-3450.	1.7	14
110	<i>Vogesella fluminis</i> sp. nov., isolated from a freshwater river, and emended description of the genus <i>Vogesella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3043-3049.	1.7	18
111	<i>Chitinivorax tropicus</i> gen. nov., sp. nov., a chitinolytic bacterium isolated from a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1086-1091.	1.7	13
112	Effect of phosphoglycerate mutase and fructose 1,6-bisphosphatase deficiency on symbiotic <i>Burkholderia phymatum</i> . <i>Microbiology (United Kingdom)</i> , 2012, 158, 1127-1136.	1.8	6
113	<i>Aquabacterium limnoticum</i> sp. nov., isolated from a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 698-704.	1.7	29
114	<i>Oceanicaulis stylophorae</i> sp. nov., isolated from the reef-building coral <i>Stylophora pistillata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2241-2246.	1.7	20
115	<i>Neptuniibacter halophilus</i> sp. nov., isolated from a salt pan, and emended description of the genus <i>Neptuniibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1104-1109.	1.7	15
116	Biosynthesis of branched-chain amino acids is essential for effective symbioses between betarhizobia and <i>Mimosa pudica</i> . <i>Microbiology (United Kingdom)</i> , 2012, 158, 1758-1766.	1.8	10
117	<i>Idiomarina aquimaris</i> sp. nov., isolated from the reef-building coral <i>Isopora palifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1536-1542.	1.7	31
118	<i>Delftia litopenaei</i> sp. nov., a poly- β -hydroxybutyrate-accumulating bacterium isolated from a freshwater shrimp culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2315-2321.	1.7	45
119	<i>Burkholderia symbiotica</i> sp. nov., isolated from root nodules of <i>Mimosa</i> spp. native to north-east Brazil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2272-2278.	1.7	76
120	<i>Roseivivax isoporae</i> sp. nov., isolated from a reef-building coral, and emended description of the genus <i>Roseivivax</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1259-1264.	1.7	24
121	<i>Inhella fonticola</i> sp. nov., isolated from spring water, and emended description of the genus <i>Inhella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1048-1055.	1.7	7
122	<i>Allobacillus halotolerans</i> gen. nov., sp. nov. isolated from shrimp paste. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1023-1027.	1.7	26
123	<i>Shimia isoporae</i> sp. nov., isolated from the reef-building coral <i>Isopora palifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 823-827.	1.7	35
124	<i>Paracoccus isoporae</i> sp. nov., isolated from the reef-building coral <i>Isopora palifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1138-1143.	1.7	25
125	<i>Vibrio stylophorae</i> sp. nov., isolated from the reef-building coral <i>Stylophora pistillata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2180-2185.	1.7	29
126	Proposal of <i>Solimonas aquatica</i> sp. nov., reclassification of <i>Sinobacter flavus</i> Zhou et al. 2008 as <i>Solimonas flava</i> comb. nov. and <i>Singularimonas variicoloris</i> Friedrich and Lipski 2008 as <i>Solimonas variicoloris</i> comb. nov. and emended descriptions of the genus <i>Solimonas</i> and its type species <i>Solimonas soli</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2284-2291.	1.7	33

#	ARTICLE	IF	CITATIONS
127	<i>Pseudoteredinibacter isopora</i> gen. nov., sp. nov., a marine bacterium isolated from the reef-building coral <i>Isopora palifera</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1887-1893.	1.7	24
128	<i>Flavobacterium macrobrachii</i> sp. nov., isolated from a freshwater shrimp culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1402-1407.	1.7	28
129	<i>Paracoccus stylophorae</i> sp. nov., isolated from the reef-building coral <i>Stylophora pistillata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2221-2226.	1.7	27
130	<i>Chitinibacter alvei</i> sp. nov., isolated from stream water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1760-1764.	1.7	9
131	<i>Terrimonas aquatica</i> sp. nov., isolated from a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2705-2709.	1.7	18
132	<i>Deefgea chitinilytica</i> sp. nov., isolated from a wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1450-1453.	1.7	16
133	<i>Arcicella aurantiaca</i> sp. nov., isolated from stream water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2979-2983.	1.7	10
134	<i>Rheinheimera aquatica</i> sp. nov., Antimicrobial Activity-Producing Bacterium Isolated from Freshwater Culture Pond. <i>Journal of Microbiology and Biotechnology</i> , 2010, 20, 1386-1392.	2.1	54
135	<i>Flectobacillus roseus</i> sp. nov., isolated from freshwater in Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2546-2551.	1.7	19
136	<i>Andreprevotia lacus</i> sp. nov., isolated from a fish-culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2482-2485.	1.7	7
137	<i>Tenacibaculum litopenaei</i> sp. nov., isolated from a shrimp mariculture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1148-1153.	1.7	35
138	<i>Comamonas odontotermitis</i> sp. nov., isolated from the gut of the termite <i>Odontotermes formosanus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 887-891.	1.7	43
139	<i>Burkholderia nodosa</i> sp. nov., isolated from root nodules of the woody Brazilian legumes <i>Mimosa bimucronata</i> and <i>Mimosa scabrella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1055-1059.	1.7	152
140	<i>Oceanicola marinus</i> sp. nov., a marine alphaproteobacterium isolated from seawater collected off Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1625-1629.	1.7	31
141	Characterization and application of a rolling-circle-type plasmid from <i>Cupriavidus taiwanensis</i> . <i>Plasmid</i> , 2007, 57, 275-285.	1.4	5
142	<i>Brachybacterium phenoliresistens</i> sp. nov., isolated from oil-contaminated coastal sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2674-2679.	1.7	38
143	<i>Labrys neptuniae</i> sp. nov., isolated from root nodules of the aquatic legume <i>Neptunia oleracea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 577-581.	1.7	30
144	<i>Paenibacillus fonticola</i> sp. nov., isolated from a warm spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1346-1350.	1.7	40

#	ARTICLE	IF	CITATIONS
145	<i>Burkholderia mimosarum</i> sp. nov., isolated from root nodules of <i>Mimosa</i> spp. from Taiwan and South America. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1847-1851.	1.7	169
146	<i>Schlegelella aquatica</i> sp. nov., a novel thermophilic bacterium isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2793-2797.	1.7	20