Domenico Genovesi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4358439/publications.pdf

Version: 2024-02-01

75 papers

1,785 citations

³⁶¹⁴¹³
20
h-index

289244 40 g-index

76 all docs

76 docs citations

76 times ranked 3092 citing authors

| # | Article | IF | CITATIONS |
|----|---|---------------------|----------------|
| 1 | BRIDGE â^1 TRIAL: BReak Interval Delayed surgery for Gastrointestinal Extraperitoneal rectal cancer, a multicentric phase III randomized trial. Clinical and Translational Radiation Oncology, 2022, 34, 30-36. | 1.7 | 2 |
| 2 | Lower Bladder Toxicity of Salvage <i>Versus </i> Adjuvant Modern Radiotherapy for Prostate Cancer Patients. In Vivo, 2022, 36, 1375-1382. | 1.3 | 0 |
| 3 | Whole breast radiotherapy in cNO early breast cancer patients with pathological sentinel lymph nodes (pN1mic, pN1a) without axillary dissection: preliminary results of the observational LISEN trial. Strahlentherapie Und Onkologie, 2022, 198, 612-621. | 2.0 | 4 |
| 4 | Cone-beam computed tomography for organ motion evaluation in locally advanced rectal cancer patients. Radiologia Medica, 2021, 126, 147-154. | 7.7 | 13 |
| 5 | Clinical outcomes in elderly rectal cancer patients treated with neoadjuvant chemoradiotherapy: impact of tumor regression grade. Journal of Cancer Research and Clinical Oncology, 2021, 147, 1179-1188. | 2.5 | 7 |
| 6 | Neoadjuvant chemoradiotherapy in older rectal patients with cancer: Tolerability and sphincter functionality. Journal of Geriatric Oncology, 2021, 12, 335-336. | 1.0 | 0 |
| 7 | Quality of Life in Early Breast Cancer Patients: A Prospective Observational Study Using the FACT-B Questionnaire. In Vivo, 2021, 35, 1821-1828. | 1.3 | 5 |
| 8 | Recommendation for the contouring of limbic system in patients receiving radiation treatment: A pictorial review for the everyday practice and education. Critical Reviews in Oncology/Hematology, 2021, 159, 103229. | 4.4 | 4 |
| 9 | MRI-based clinical-radiomics model predicts tumor response before treatment in locally advanced rectal cancer. Scientific Reports, 2021, 11, 5379. | 3.3 | 53 |
| 10 | Radiotherapy with Intensity-Modulated (IMRT) Techniques in the Treatment of Anal Carcinoma (RAINSTORM): A Multicenter Study on Behalf of AIRO (Italian Association of Radiotherapy and Clinical) Tj ETQq(|) 0 0.1 7gBT | /Oværlock 10 T |
| 11 | Definition of Local Recurrence Site in Resected Pancreatic Adenocarcinoma: A Multicenter Study (DOLORES-1). Cancers, 2021, 13, 3051. | 3.7 | 0 |
| 12 | Multimodal Evaluation of Voice Outcome in Early Glottic Cancers Treated With Definitive Radiotherapy. Cancer Diagnosis & Prognosis, 2021, 1, 143-149. | 0.7 | 1 |
| 13 | A Pattern of Care Report on the Management of Patients with Squamous Cell Carcinoma of the Anusâ€"A Study by the Italian Association of Radiotherapy and Clinical Oncology (AIRO) Gastrointestinal Tumors Study Group. Medicina (Lithuania), 2021, 57, 1342. | 2.0 | O |
| 14 | Role of upper abdominal reirradiation for gastrointestinal malignancies: aÂsystematic review of cumulative dose, toxicity, and outcomes on behalf of the Re-Irradiation Working Group of the Italian Association of Radiotherapy and Clinical Oncology (AIRO). Strahlentherapie Und Onkologie, 2020, 196, 1-14. | 2.0 | 6 |
| 15 | Is multidisciplinary management possible in the treatment of lung cancer? A report from three Italian meetings. Radiologia Medica, 2020, 125, 214-219. | 7.7 | 10 |
| 16 | Using the Bolus in Post-mastectomy Radiation Therapy (PMRT): A National Survey on Behalf of the Italian Association of Radiotherapy and Clinical Oncology (AIRO) Breast Cancer Group. Anticancer Research, 2020, 40, 6505-6511. | 1.1 | 6 |
| 17 | INTERACTS (INTErventional Radiotherapy ACtive Teaching School) consensus conference on sarcoma interventional radiotherapy (brachytherapy) endorsed by AIRO (Italian Association of Radiotherapy) Tj ETQq1 1 | 0.7849314 | rg⊞ /Overloc |
| 18 | COVID-19 and radiation oncology: the experience of a two-phase plan within a single institution in central Italy. Radiation Oncology, 2020, 15, 226. | 2.7 | 11 |

| # | Article | IF | Citations |
|----|---|-------------------|-------------------|
| 19 | Treatment Intensification for Locally Advanced Rectal Cancer: Impact on Pathological Complete Response and Outcomes. In Vivo, 2020, 34, 1223-1233. | 1.3 | 4 |
| 20 | Volume Delineation in Cervical Cancer With T2 and Diffusion-weighted MRI: Agreement on Volumes Between Observers. In Vivo, 2020, 34, 1981-1986. | 1.3 | 5 |
| 21 | Basics and Frontiers on Pancreatic Cancer for Radiation Oncology: Target Delineation, SBRT, SIB Technique, MRgRT, Particle Therapy, Immunotherapy and Clinical Guidelines. Cancers, 2020, 12, 1729. | 3.7 | 26 |
| 22 | Palliative radiotherapy in advanced cancer patients treated with immuneâ€checkpoint inhibitors: The PRACTICE study. Biomedical Reports, 2020, 12, 59-67. | 2.0 | 9 |
| 23 | Palliative Short-course Radiotherapy in Advanced Pelvic Cancer: A Phase II Study (SHARON Project). Anticancer Research, 2019, 39, 4237-4242. | 1.1 | 13 |
| 24 | Tumor detectability and conspicuity comparison of standard b1000 and ultrahigh b2000 diffusion-weighted imaging in rectal cancer. Abdominal Radiology, 2019, 44, 3595-3605. | 2.1 | 24 |
| 25 | Inter-observer variability of clinical target volume delineation in definitive radiotherapy of neck lymph node metastases from unknown primary. A cooperative study of the Italian Association of Radiotherapy and Clinical Oncology (AIRO) Head and Neck Group. Radiologia Medica, 2019, 124, 682-692. | 7.7 | 7 |
| 26 | The INTERACT Trial: Long-term results of a randomised trial on preoperative capecitabine-based radiochemotherapy intensified by concomitant boost or oxaliplatin, for cT2 (distal)–cT3 rectal cancer. Radiotherapy and Oncology, 2019, 134, 110-118. | 0.6 | 48 |
| 27 | Combination of novel systemic agents and radiotherapy for solid tumors – Part II: An AIRO (Italian) Tj ETQq1 Reviews in Oncology/Hematology, 2019, 134, 104-119. | 1 0.784314 4.4 | rgBT /Overlo |
| 28 | Magnetic resonance imaging (MRI) compared with computed tomography (CT) for interobserver agreement of gross tumor volume delineation in pancreatic cancer: a multi-institutional contouring study on behalf of the AIRO group for gastrointestinal cancers. Acta Oncológica, 2019, 58, 439-447. | 1.8 | 13 |
| 29 | Combination of novel systemic agents and radiotherapy for solid tumors – part I: An AIRO (Italian) Tj ETQq1 I Reviews in Oncology/Hematology, 2019, 134, 87-103. | . 0.784314 4.4 | rgBT /Overlo 7 |
| 30 | Short course accelerated radiation therapy (SHARON) in palliative treatment of advanced solid cancer in older patients: A pooled analysis. Journal of Geriatric Oncology, 2018, 9, 359-361. | 1.0 | 9 |
| 31 | Performance of diffusion-weighted magnetic resonance imaging at 3.0T for early assessment of tumor response in locally advanced rectal cancer treated with preoperative chemoradiation therapy. Abdominal Radiology, 2018, 43, 2221-2230. | 2.1 | 28 |
| 32 | Hippocampal sparing approach in fractionated stereotactic brain VMAT radio therapy: A retrospective feasibility analysis. Journal of Applied Clinical Medical Physics, 2018, 19, 86-93. | 1.9 | 4 |
| 33 | Policies for reirradiation of recurrent high-grade gliomas: a survey among Italian radiation oncologists. Tumori, 2018, 104, 466-470. | 1.1 | 0 |
| 34 | Assessment of bowel and anal sphincter function after neoadjuvant chemoradiotherapy in locally advanced rectal cancer. Tumori, 2018, 104, 121-127. | 1.1 | 4 |
| 35 | Short-course regimen of palliative radiotherapy in complicated bone metastases: a phase i–ii study (SHARON Project). Clinical and Experimental Metastasis, 2018, 35, 605-611. | 3.3 | 15 |
| 36 | A Feasibility Study for in vivo Dosimetry Procedure in Routine Clinical Practice. Technology in Cancer Research and Treatment, 2018, 17, 153303381877920. | 1.9 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Phase I-II Study of Short-course Accelerated Radiotherapy (SHARON) for Palliation in Head and Neck Cancer. Anticancer Research, 2018, 38, 2409-2414. | 1.1 | 9 |
| 38 | Serum lipidomic study reveals potential early biomarkers for predicting response to chemoradiation therapy in advanced rectal cancer: A pilot study. Advances in Radiation Oncology, 2017, 2, 118-124. | 1.2 | 30 |
| 39 | Time to surgery and pathologic complete response after neoadjuvant chemoradiation in rectal cancer: A population study on 2094 patients. Clinical and Translational Radiation Oncology, 2017, 4, 8-14. | 1.7 | 47 |
| 40 | Development of a contouring guide in three different head set-ups for hippocampal sparing radiotherapy: a practical approach. Radiologia Medica, 2017, 122, 683-689. | 7.7 | 3 |
| 41 | Clinical Target Volume Definition in Preoperative Radiotherapy of Rectal Carcinoma: a Systematic Review. Current Colorectal Cancer Reports, 2017, 13, 265-275. | 0.5 | 0 |
| 42 | A multidisciplinary group for prostate cancer management: A single institution experience. Oncology Letters, 2017, 15, 1823-1828. | 1.8 | 4 |
| 43 | Outcomes in Patients with pT1-T2, pN0-N1 Breast Cancer After Conservative Surgery and Whole-breast Radiotherapy. In Vivo, 2017, 31, 151-158. | 1.3 | 1 |
| 44 | Involvement of cyclic-nucleotide response element-binding family members in the radiation response of Ramos B lymphoma cells. International Journal of Oncology, 2016, 48, 28-36. | 3.3 | 6 |
| 45 | Advances in Lipidomics for Cancer Biomarkers Discovery. International Journal of Molecular Sciences, 2016, 17, 1992. | 4.1 | 143 |
| 46 | Adjuvant Chemoradiotherapy in Gastric Cancer: A Pooled Analysis of the AIRO Gastrointestinal Group Experience. Tumori, 2015, 101, 91-97. | 1.1 | 2 |
| 47 | Patterns of radiotherapy practice for pancreatic cancer: Results of the Gastrointestinal Radiation Oncology Study Group multi-institutional survey. Oncology Reports, 2015, 34, 382-390. | 2.6 | 1 |
| 48 | Radiochemotherapy in Anal Cancer: cCR, clinical outcomes and quality of life using two different treatment schedules. Reports of Practical Oncology and Radiotherapy, 2015, 20, 128-134. | 0.6 | 3 |
| 49 | Parotid glands in whole-brain radiotherapy: 2D versus 3D technique for no sparing or sparing. Radiologia Medica, 2015, 120, 324-328. | 7.7 | 10 |
| 50 | Early percutaneous endoscopic gastrostomy and nutritional supplementation for patients with head and neck cancer: an Italian survey of head and neck radiation oncologists. Supportive Care in Cancer, 2015, 23, 3539-3543. | 2.2 | 3 |
| 51 | Interobserver variability in clinical target volume delineation for primary mediastinal B-cell lymphoma. Practical Radiation Oncology, 2015, 5, 383-389. | 2.1 | 13 |
| 52 | Delineating brachial plexus, cochlea, pharyngeal constrictor muscles and optic chiasm in head and neck radiotherapy: a CT-based model atlas. Radiologia Medica, 2015, 120, 352-360. | 7.7 | 10 |
| 53 | Inter-observer variability of clinical target volume delineation in radiotherapy treatment of pancreatic cancer: a multi-institutional contouring experience. Radiation Oncology, 2014, 9, 198. | 2.7 | 48 |
| 54 | A Controlled Study of a Lecithinized Delivery System of Curcumin (Meriva \hat{A}°) to Alleviate the Adverse Effects of Cancer Treatment. Phytotherapy Research, 2014, 28, 444-450. | 5.8 | 107 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 55 | Role of MicroRNA in Response to Ionizing Radiations: Evidences and Potential Impact on Clinical Practice for Radiotherapy. Molecules, 2014, 19, 5379-5401. | 3.8 | 63 |
| 56 | Developing a decision-making model based on an interdisciplinary oncological care group for the management of colorectal cancer. Anticancer Research, 2014, 34, 2525-31. | 1.1 | 4 |
| 57 | Delineating Organs at Risk in Radiation Therapy. , 2013, , . | | 8 |
| 58 | Postoperative 5-FU based radiochemotherapy in rectal cancer: retrospective long term results and prognostic factors of a pooled analysis on 1,338 patients. Anticancer Research, 2013, 33, 4557-66. | 1.1 | 6 |
| 59 | Patients younger than 40years old and older than 70years old affected by $ER(\hat{a}^{*})/PR(\hat{a}^{*})/HER2(\hat{a}^{*})$ breast cancer have low survival rates: Results of a mono-institutional retrospective analysis. Journal of Geriatric Oncology, 2012, 3, 312-319. | 1.0 | 0 |
| 60 | Biologically effective dose and breast cancer conservative treatment: is duration of radiation therapy really important?. Breast Cancer Research and Treatment, 2012, 134, 81-87. | 2.5 | 4 |
| 61 | Effects of preoperative radiochemotherapy with capecitabine for resectable locally advanced rectal cancer in elderly patients. Tumori, 2012, 98, 622-9. | 1.1 | 13 |
| 62 | Prognostic Impact of Triple Negative Phenotype in Conservatively Treated Breast Cancer. Breast Journal, 2011, 17, 377-382. | 1.0 | 7 |
| 63 | Interval Between Breast-Conserving Surgery and Start of Radiation Therapy in Early-Stage Breast Cancer is Not Predictive of Local Recurrence: A Single-Institution Experience. Clinical Breast Cancer, 2011, 11, 114-120. | 2.4 | 14 |
| 64 | Prognostic impact of hemoglobin level and other factors in patients with high-grade gliomas treated with postoperative radiochemotherapy and sequential chemotherapy based on temozolomide. Strahlentherapie Und Onkologie, 2011, 187, 778-783. | 2.0 | 12 |
| 65 | Interobserver variability of clinical target volume delineation in supra-diaphragmatic Hodgkin's disease. Strahlentherapie Und Onkologie, 2011, 187, 357-366. | 2.0 | 28 |
| 66 | Aβ1–42 stimulated T cells express P-PKC-δand P-PKC-ζ in Alzheimer disease. Neurobiology of Aging, 2009, 30, 394-406. | 3.1 | 35 |
| 67 | Randomized, Multicenter, Phase IIB Study of Preoperative Chemoradiotherapy in T3 Mid-Distal Rectal Cancer: Raltitrexed + Oxaliplatin + Radiotherapy Versus Cisplatin + 5-Fluorouracil + Radiotherapy. International Journal of Radiation Oncology Biology Physics, 2008, 70, 403-412. | 0.8 | 37 |
| 68 | Prognostic Value of Pathologic Complete Response After Neoadjuvant Therapy in Locally Advanced Rectal Cancer: Long-Term Analysis of 566 ypCR Patients. International Journal of Radiation Oncology Biology Physics, 2008, 72, 99-107. | 0.8 | 396 |
| 69 | The Effect of Delaying Adjuvant Radiation Treatment after Conservative Surgery for Early Breast Cancer. Breast Journal, 2007, 13, 575-580. | 1.0 | 27 |
| 70 | Cyclic Nucleotide Response Element Binding Protein (CREB) Activation Promotes Survival Signal in Human K562 Erythroleukemia Cells Exposed to Ionising Radiation/Etoposide Combined Treatment. Journal of Radiation Research, 2006, 47, 113-120. | 1.6 | 17 |
| 71 | Predictors of local recurrence after conservative surgery and whole-breast irradiation. Breast Cancer Research and Treatment, 2006, 98, 329-335. | 2.5 | 31 |
| 72 | Preoperative T and N Staging of Colorectal Cancer: Accuracy of Contrast-enhanced Multi–Detector Row CT Colonography—Initial Experience. Radiology, 2004, 231, 83-90. | 7. 3 | 186 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A phase I/II trial of three-dimensionally planned concurrent boost radiotherapy and protracted venous infusion of 5-FU chemotherapy for locally advanced rectal carcinoma. International Journal of Radiation Oncology Biology Physics, 2001, 50, 1299-1308. | 0.8 | 53 |
| 74 | Gemcitabine Is Ineffective in Recurrent, Preirradiated Cervical Cancer. Gynecologic Oncology, 2000, 78, 76-77. | 1.4 | 7 |
| 75 | Five fractions of preoperative radiotherapy for selected cases of rectal carcinoma: long-term tumor control and tolerance to treatment. International Journal of Radiation Oncology Biology Physics, 1999, 43, 537-543. | 0.8 | 31 |