
## Chunjiang Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4359130/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The role of biodiversity in mitigating the effects of nutrient limitation and short-term rotations in plantations of subtropical China. Journal of Environmental Management, 2022, 303, 114140.	7.8	5
2	Sources and sinks evaluation of PAHs in leaves of Cinnamomum camphora in megacity: From the perspective of land-use types. Journal of Cleaner Production, 2021, 279, 123444.	9.3	14
3	Plantations modified leaf elemental stoichiometry compared to the native shrub community in karst areas, Southwest of China. Trees - Structure and Function, 2021, 35, 987-999.	1.9	5
4	Individual effects of trichomes and leaf morphology on PM2.5 dry deposition velocity: A variable-control approach using species from the same family or genus. Environmental Pollution, 2021, 272, 116385.	7.5	32
5	On Landscape Patterns in Typical Mountainous Counties Middle Reaches of the Yangtze River in China. International Journal of Environmental Research and Public Health, 2021, 18, 4000.	2.6	3
6	Genetic variation and differentiation of Quercus variabilis populations at phosphate and non-phosphate rock sites in southwestern China. Plant Systematics and Evolution, 2021, 307, 1.	0.9	1
7	Spatial variations in stomatal traits and their coordination with leaf traits in Quercus variabilis across Eastern Asia. Science of the Total Environment, 2021, 789, 147757.	8.0	7
8	Indirect method for determining the dry deposition velocity of submicron particulate matter on leaves. Atmospheric Environment, 2021, 264, 118692.	4.1	12
9	Phosphorus elevation erodes ectomycorrhizal community diversity and induces divergence of saprophytic community composition between vegetation types. Science of the Total Environment, 2021, 793, 148502.	8.0	11
10	Photosynthesis and Related Physiological Parameters Differences Affected the Isoprene Emission Rate among 10 Typical Tree Species in Subtropical Metropolises. International Journal of Environmental Research and Public Health, 2021, 18, 954.	2.6	9
11	Body Size Plasticity of Weevil Larvae (Curculio davidi) (Coleoptera: Curculionidae) and Its Stoichiometric Relationship With Different Hosts. Journal of Insect Science, 2021, 21, .	1.5	1
12	Differential stoichiometric responses of shrubs and grasses to increased precipitation in a degraded karst ecosystem in Southwestern China. Science of the Total Environment, 2020, 700, 134421.	8.0	12
13	TRY plant trait database – enhanced coverage and open access. Global Change Biology, 2020, 26, 119-188.	9.5	1,038
14	Coagulation effect of aero submicron particles on plant leaves: Measuring methods and potential mechanisms. Environmental Pollution, 2020, 257, 113611.	7.5	21
15	Roles of metabolic regulation in developing Quercus variabilis acorns at contrasting geologically-derived phosphorus sites in subtropical China. BMC Plant Biology, 2020, 20, 389.	3.6	7
16	Bacterial Communities Are More Sensitive to Water Addition Than Fungal Communities Due to Higher Soil K and Na in a Degraded Karst Ecosystem of Southwestern China. Frontiers in Microbiology, 2020, 11, 562546.	3.5	4
17	Effects of the leaf functional traits of coniferous and broadleaved trees in subtropical monsoon regions on PM2.5 dry deposition velocities. Environmental Pollution, 2020, 265, 114845.	7.5	44
18	Importance Evaluation Based on Random Forest Algorithms: Insights into the Relationship between Negative Air Ions Variability and Environmental Factors in Urban Green Spaces. Atmosphere, 2020, 11, 706	2.3	17

CHUNJIANG LIU

#	Article	IF	CITATIONS
19	Polycyclic aromatic hydrocarbons in leaves of Cinnamomum camphora along the urban–rural gradient of a megacity: Distribution varies in concentration and potential toxicity. Science of the Total Environment, 2020, 732, 139328.	8.0	11
20	Correlated metabolic and elemental variations between the leaves and seeds of oak trees at contrasting geologically derived phosphorus sites. Science of the Total Environment, 2019, 691, 178-186.	8.0	9
21	Differential metabolic responses of shrubs and grasses to water additions in arid karst region, southwestern China. Scientific Reports, 2019, 9, 9613.	3.3	11
22	Determining PM2.5 dry deposition velocity on plant leaves: An indirect experimental method. Urban Forestry and Urban Greening, 2019, 46, 126467.	5.3	19
23	Karst rocky desertification does not erode ectomycorrhizal fungal species richness but alters microbial community structure. Plant and Soil, 2019, 445, 383-396.	3.7	16
24	Metabolome and ionome analyses reveal the stoichiometric effects of contrasting geological phosphorus soils on seed-parasitic insects in subtropical oak forests. Chemoecology, 2019, 29, 199-210.	1.1	1
25	The value of manure - Manure as co-product in life cycle assessment. Journal of Environmental Management, 2019, 241, 293-304.	7.8	33
26	Differences in the relationship between metabolomic and ionomic traits of Quercus variabilis growing at contrasting geologic-phosphorus sites in subtropics. Plant and Soil, 2019, 439, 339-355.	3.7	8
27	Spatial patterns and estimates of global forest litterfall. Ecosphere, 2019, 10, e02587.	2.2	37
28	Drivers of tree carbon storage in subtropical forests. Science of the Total Environment, 2019, 654, 684-693.	8.0	65
29	Impact factor assessment of the uptake and accumulation of polycyclic aromatic hydrocarbons by plant leaves: Morphological characteristics have the greatest impact. Science of the Total Environment, 2019, 652, 1149-1155.	8.0	40
30	Comment on "Impacts of species richness on productivity in a large-scale subtropical forest experiment― Science, 2019, 363, .	12.6	9
31	Changes of Ecosystem Services and Landscape Patterns in Mountainous Areas: A Case Study in the Mentougou District in Beijing. Sustainability, 2018, 10, 3689.	3.2	7
32	Random Forest Algorithm for the Relationship between Negative Air Ions and Environmental Factors in an Urban Park. Atmosphere, 2018, 9, 463.	2.3	27
33	Comparison of the nutrient resorption stoichiometry of Quercus variabilis Blume growing in two sites contrasting in soil phosphorus content. Annals of Forest Science, 2018, 75, 1.	2.0	11
34	Imbalanced plant stoichiometry at contrasting geologic-derived phosphorus sites in subtropics: the role of microelements and plant functional group. Plant and Soil, 2018, 430, 113-125.	3.7	21
35	Sustainable Management of Metasequoia glyptostroboides Plantation Forests in Shanghai. Forests, 2018, 9, 64.	2.1	8
36	Modeling height-diameter relationship for artificial monoculture Metasequoia glyptostroboides in sub-tropic coastal megacity Shanghai, China. Urban Forestry and Urban Greening, 2018, 34, 226-232.	5.3	15

CHUNJIANG LIU

#	Article	IF	CITATIONS
37	Calcium in decomposing foliar litter – A synthesis for boreal and temperate coniferous forests. Forest Ecology and Management, 2017, 403, 137-144.	3.2	18
38	Elemental stoichiometry and compositions of weevil larvae and two acorn hosts under natural phosphorus variation. Scientific Reports, 2017, 7, 45810.	3.3	12
39	Altitudinal patterns of leaf stoichiometry and nutrient resorption in Quercus variabilis in the Baotianman Mountains, China. Plant and Soil, 2017, 413, 193-202.	3.7	67
40	Inhibitory Effects of 3,4-Dimethylpyrazole Phosphate on CH4 and N2O Emissions in Paddy Fields of Subtropical China. International Journal of Environmental Research and Public Health, 2017, 14, 1177.	2.6	10
41	Research and Development of a DNDC Online Model for Farmland Carbon Sequestration and GHG Emissions Mitigation in China. International Journal of Environmental Research and Public Health, 2017, 14, 1493.	2.6	13
42	Seasonal Variation in Soil Greenhouse Gas Emissions at Three Age-Stages of Dawn Redwood (Metasequoia glyptostroboides) Stands in an Alluvial Island, Eastern China. Forests, 2016, 7, 256.	2.1	7
43	Phenotypic plasticity controls regional-scale variation in Quercus variabilis leaf δ13C. Trees - Structure and Function, 2016, 30, 1445-1453.	1.9	4
44	Spatiotemporal dynamics of urban forest biomass in Shanghai, China. , 2015, , .		2
45	Variation of Oriental Oak (Quercus variabilis) Leaf δ13C across Temperate and Subtropical China: Spatial Patterns and Sensitivity to Precipitation. Forests, 2015, 6, 2296-2306.	2.1	12
46	Multielement stoichiometry in Quercus variabilis under natural phosphorus variation in subtropical China. Scientific Reports, 2015, 5, 7839.	3.3	16
47	Variation in C:N:S Stoichiometry and Nutrient Storage Related to Body Size in a Holometabolous Insect (Curculio davidi) (Coleoptera: Curculionidae) Larva. Journal of Insect Science, 2015, 15, 25-25.	1.5	6
48	Biogeographic patterns of multi-element stoichiometry of <i>Quercus variabilis</i> leaves across China. Canadian Journal of Forest Research, 2015, 45, 1827-1834.	1.7	24
49	Climatic Control on Plant and Soil δ13C along an Altitudinal Transect of Lushan Mountain in Subtropical China: Characteristics and Interpretation of Soil Carbon Dynamics. PLoS ONE, 2014, 9, e86440.	2.5	15
50	Soil organic carbon stock and chemical composition along an altitude gradient in the Lushan Mountain, subtropical China. Ecological Research, 2014, 29, 433-439.	1.5	50
51	Comparison of greenhouse gas emissions from rice paddy fields under different nitrogen fertilization loads in Chongming Island, Eastern China. Science of the Total Environment, 2014, 472, 381-388.	8.0	71
52	Characteristics of carbon storage in Shanghai's urban forest. Science Bulletin, 2013, 58, 1130-1138.	1.7	27
53	Biomass carbon pools ofCunninghamia lanceolata(Lamb.) Hook. forests in subtropical China: Characteristics and potential. Scandinavian Journal of Forest Research, 2012, 27, 545-560.	1.4	11
54	Economical assessment of forest ecosystem services in China: Characteristics and implications. Ecological Complexity, 2012, 11, 1-11.	2.9	55

CHUNJIANG LIU

#	Article	IF	CITATIONS
55	Stoichiometric traits of oriental oak ( <i>Quercus variabilis</i> ) acorns and their variations in relation to environmental variables across temperate to subtropical China. Ecological Research, 2012, 27, 765-773.	1.5	23
56	Pattern of leaf vein density and climate relationship of Quercus variabilis populations remains unchanged with environmental changes. Trees - Structure and Function, 2012, 26, 597-607.	1.9	27
57	Global pattern of leaf litter nitrogen and phosphorus in woody plants. Annals of Forest Science, 2010, 67, 811-811.	2.0	54
58	Applications of Regression Kriging and GIS in Detecting the Variation in Leaf Nitrogen and Phosphorus of Spruce in Europe. , 2009, , .		1
59	Leaf litter nitrogen concentration as related to climatic factors in Eurasian forests. Global Ecology and Biogeography, 2006, 15, 438-444.	5.8	40
60	Leaf litter nitrogen concentration as related to climatic factors in Eurasian forests. Global Ecology and Biogeography, 2006, 15, 438-444.	5.8	1
61	Spatial heterogeneity of ecosystem carbon fluxes in a broadleaved forest in Northern Germany. Global Change Biology, 2005, 11, 70-88.	9.5	30
62	Variation in litterfall-climate relationships between coniferous and broadleaf forests in Eurasia. Global Ecology and Biogeography, 2004, 13, 105-114.	5.8	129
63	Biomass of Arboreal Lichens and its Vertical Distribution in a Boreal Coniferous Forest in Central Finland. Lichenologist, 2000, 32, 495-504.	0.8	26