Zhixian Mo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4359231/publications.pdf Version: 2024-02-01



ΖΗΙΧΙΛΝ ΜΟ

#	Article	IF	CITATIONS
1	Ginsenoside Rg1 mitigates morphine dependence via regulation of gut microbiota, tryptophan metabolism, and serotonergic system function. Biomedicine and Pharmacotherapy, 2022, 150, 112935.	2.5	10
2	Extracellular Vesicle-Encapsulated miR-183-5p from Rhynchophylline-Treated H9c2 Cells Protect against Methamphetamine-Induced Dependence in Mouse Brain by Targeting NRG1. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-12.	0.5	7
3	Decrease of morphine-CPP by sinomenine via mediation of tyrosine hydroxylase, NMDA receptor subunit 2B and opioid receptor in the zebrafish brain. Pakistan Journal of Pharmaceutical Sciences, 2021, 34, 1659-1665.	0.2	0
4	Expression of miR-133a-5p and ROCK2 in Heart in Methamphetamine-Induced Rats and Intervention of Rhynchophylline. Pharmacology, 2020, 105, 300-310.	0.9	7
5	Curcumin Enhances Radiosensitization of Nasopharyngeal Carcinoma via Mediating Regulation of Tumor Stem-like Cells by a CircRNA Network. Journal of Cancer, 2020, 11, 2360-2370.	1.2	31
6	Effects of rhynchophylline on the hippocampal miRNA expression profile in ketamine-addicted rats. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 86, 379-389.	2.5	20
7	Expression of microRNAs in the serum exosomes of methamphetamine-dependent rats vs. ketamine-dependent rats. Experimental and Therapeutic Medicine, 2018, 15, 3369-3375.	0.8	16
8	In vitro and in vivo anti-malignant melanoma activity of Alocasia cucullata via modulation of the phosphatase and tensin homolog/phosphoinositide 3-kinase/AKT pathway. Journal of Ethnopharmacology, 2018, 213, 359-365.	2.0	11
9	Sinomenine Protects Against Morphine Dependence through the NMDAR1/CAMKII/CREB Pathway: A Possible Role of Astrocyte-Derived Exosomes. Molecules, 2018, 23, 2370.	1.7	21
10	Expression of miRNAs in Serum Exosomes versus Hippocampus in Methamphetamine-Induced Rats and Intervention of Rhynchophylline. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-11.	0.5	12
11	Rhynchophylline downregulates phosphorylated camp response element binding protein, nuclear receptor-related-1, and brain-derived neurotrophic factor expression in the hippocampus of ketamine-induced conditioned place preference rats. Pharmacognosy Magazine, 2018, 14, 81.	0.3	10
12	Inhibiting effects of rhynchophylline on methamphetamine-dependent zebrafish are related with the expression of tyrosine hydroxylase (TH). Fìtoterapìâ, 2017, 117, 47-51.	1.1	12
13	Simultaneous determination of wogonin, oroxylin a, schisandrin, paeoniflorin and emodin in rat serum by HPLC–MS/MS and application to pharmacokinetic studies. Biomedical Chromatography, 2017, 31, e3966.	0.8	11
14	Effect of Sinomenine on the Morphine-Dependence and Related Neural Mechanisms in Mice. Neurochemical Research, 2017, 42, 3587-3596.	1.6	14
15	Developing an Absorption–Based Quality Control Method for Hu–Gan–Kang–Yuan Capsules by UFLC–QTOF–MS/MS Screening and HPLC–DAD Quantitative Determination. Molecules, 2016, 21, 592.	1.7	12
16	Inhibiting effects of rhynchophylline on zebrafish methamphetamine dependence are associated with amelioration of neurotransmitters content and down-regulation of TH and NR2B expression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 68, 31-43.	2.5	22
17	Structural characterization, α-glucosidase inhibitory and DPPH scavenging activities of polysaccharides from guava. Carbohydrate Polymers, 2016, 144, 106-114.	5.1	127
18	Effect of rhynchophylline on conditioned place preference on expression of NR2B in methamphetamine-dependent mice. Biochemical and Biophysical Research Communications, 2014, 452, 695-700.	1.0	20

#	Article	IF	CITATIONS
19	Protective effects of Sapindus mukorossi Gaertn against fatty liver disease induced by high fat diet in rats. Biochemical and Biophysical Research Communications, 2014, 450, 685-691.	1.0	15