

Eduardo H Garin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4359331/publications.pdf>

Version: 2024-02-01

46
papers

2,303
citations

304743

22
h-index

233421

45
g-index

56
all docs

56
docs citations

56
times ranked

1439
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Benefit of B7-1 staining and abatacept for treatment-resistant post-transplant focal segmental glomerulosclerosis in a predominantly pediatric cohort: time for a reappraisal. <i>Pediatric Nephrology</i> , 2023, 38, 145-159. | 1.7 | 12 |
| 2 | Primary vesicoureteral reflux; what have we learnt from the recently published randomized, controlled trials?. <i>Pediatric Nephrology</i> , 2019, 34, 1513-1519. | 1.7 | 22 |
| 3 | Renal tubular markers as screening tools for severe vesicoureteral reflux. <i>European Journal of Pediatrics</i> , 2019, 178, 525-531. | 2.7 | 15 |
| 4 | Urinary CD80: a biomarker for a favorable response to corticosteroids in minimal change disease. <i>Pediatric Nephrology</i> , 2018, 33, 1101-1103. | 1.7 | 6 |
| 5 | BK viruria and viremia in children with systemic lupus erythematosus. <i>Pediatric Rheumatology</i> , 2017, 15, 21. | 2.1 | 9 |
| 6 | Use of C4d as a diagnostic tool to classify membranoproliferative glomerulonephritis. <i>Nefrologia</i> , 2017, 37, 78-86. | 0.4 | 11 |
| 7 | Angiotensin-like-4 and minimal change disease. <i>PLoS ONE</i> , 2017, 12, e0176198. | 2.5 | 18 |
| 8 | Pathogenesis of proteinuria in idiopathic minimal change disease: molecular mechanisms. <i>Pediatric Nephrology</i> , 2016, 31, 2179-2189. | 1.7 | 35 |
| 9 | Cytokines as Active Factors in Minimal Change Nephrotic Syndrome. , 2016, , 105-140. | | 0 |
| 10 | Minimal Change Disease. , 2016, , 85-116. | | 0 |
| 11 | Case series: CTLA4-IgG1 therapy in minimal change disease and focal segmental glomerulosclerosis. <i>Pediatric Nephrology</i> , 2015, 30, 469-477. | 1.7 | 79 |
| 12 | The RIVUR study: a review of its findings. <i>Pediatric Nephrology</i> , 2015, 30, 703-706. | 1.7 | 14 |
| 13 | Rituximab in idiopathic nephrotic syndrome: does it make sense?. <i>Pediatric Nephrology</i> , 2014, 29, 1313-1319. | 1.7 | 9 |
| 14 | CD80 and suPAR in patients with minimal change disease and focal segmental glomerulosclerosis: diagnostic and pathogenic significance. <i>Pediatric Nephrology</i> , 2014, 29, 1363-1371. | 1.7 | 56 |
| 15 | Minimal change disease: a dysregulation of the podocyte CD80-CTLA-4 axis?. <i>Pediatric Nephrology</i> , 2014, 29, 2333-2340. | 1.7 | 36 |
| 16 | CD80 and suPAR in patients with minimal change disease and focal segmental glomerulosclerosis: diagnostic and pathogenic significance: Response. <i>Pediatric Nephrology</i> , 2014, 29, 1467-1468. | 1.7 | 6 |
| 17 | Serum from minimal change patients in relapse increases CD80 expression in cultured podocytes. <i>Pediatric Nephrology</i> , 2013, 28, 1803-1812. | 1.7 | 41 |
| 18 | Toll-like receptor 3 ligand, polyIC, induces proteinuria and glomerular CD80, and increases urinary CD80 in mice. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1439-1446. | 0.7 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | CD80, suPAR and nephrotic syndrome in a case of NPHS2 mutation. <i>Nefrologia</i> , 2013, 33, 727-31. | 0.4 | 9 |
| 20 | Minimal change disease in graft versus host disease: a podocyte response to the graft?. <i>Clinical Nephrology</i> , 2013, 80, 469-473. | 0.7 | 10 |
| 21 | Does hydronephrosis predict the presence of severe vesicoureteral reflux?. <i>European Journal of Pediatrics</i> , 2012, 171, 1605-1610. | 2.7 | 7 |
| 22 | Toll-like receptor 3 ligands induce CD80 expression in human podocytes via an NF- κ B-dependent pathway. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 81-89. | 0.7 | 99 |
| 23 | What is the purpose of launching the <i>World Journal of Clinical Pediatrics</i> ? <i>World Journal of Clinical Pediatrics</i> , 2012, 1, 1. | 2.1 | 0 |
| 24 | Minimal Change Disease: A CD80 podocytopathy?. <i>Seminars in Nephrology</i> , 2011, 31, 320-325. | 1.6 | 44 |
| 25 | Minimal change disease: a "two-hit" podocyte immune disorder?. <i>Pediatric Nephrology</i> , 2011, 26, 645-649. | 1.7 | 90 |
| 26 | Urinary CD80 is elevated in minimal change disease but not in focal segmental glomerulosclerosis. <i>Kidney International</i> , 2010, 78, 296-302. | 5.2 | 160 |
| 27 | Urinary CD80 Excretion Increases in Idiopathic Minimal-Change Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 260-266. | 6.1 | 165 |
| 28 | Idiopathic Nephrotic Syndrome and Atopy: Is There a Common Link?. <i>American Journal of Kidney Diseases</i> , 2009, 54, 945-953. | 1.9 | 107 |
| 29 | T regulatory cell function in idiopathic minimal lesion nephrotic syndrome. <i>Pediatric Nephrology</i> , 2009, 24, 1691-1698. | 1.7 | 121 |
| 30 | Treatment of systemic hypertension in children and adolescents. <i>Current Opinion in Pediatrics</i> , 2009, 21, 600-604. | 2.0 | 24 |
| 31 | Comparison of ambulatory blood pressure and Task Force criteria to identify pediatric hypertension. <i>Pediatric Nephrology</i> , 2007, 22, 554-558. | 1.7 | 20 |
| 32 | Diagnostic significance of clinical and laboratory findings to localize site of urinary infection. <i>Pediatric Nephrology</i> , 2007, 22, 1002-1006. | 1.7 | 59 |
| 33 | Proteinuria and Fusion of Podocyte Foot Processes in Rats after Infusion of Cytokine from Patients with Idiopathic Minimal Lesion Nephrotic Syndrome. <i>Nephron Experimental Nephrology</i> , 2006, 102, e105-e112. | 2.2 | 13 |
| 34 | Clinical Significance of Primary Vesicoureteral Reflux and Urinary Antibiotic Prophylaxis After Acute Pyelonephritis: A Multicenter, Randomized, Controlled Study. <i>Pediatrics</i> , 2006, 117, 626-632. | 2.1 | 522 |
| 35 | Effect of tumor necrosis factor α and vascular permeability growth factor on albuminuria in rats. <i>Pediatric Nephrology</i> , 2006, 21, 177-181. | 1.7 | 15 |
| 36 | A case of unfulfilled expectations. Cytokines in idiopathic minimal lesion nephrotic syndrome. <i>Pediatric Nephrology</i> , 2006, 21, 603-610. | 1.7 | 85 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Cytokine mRNA Profile in Lipoid Nephrosis: Evidence for Increased IL-8 mRNA Stability. <i>Nephron</i> , 2002, 91, 620-626. | 1.8 | 13 |
| 38 | Circulating mediators of proteinuria in idiopathic minimal lesion nephrotic syndrome. <i>Pediatric Nephrology</i> , 2000, 14, 872-878. | 1.7 | 40 |
| 39 | Primary vesicoureteral reflux: review of current concepts. <i>Pediatric Nephrology</i> , 1998, 12, 249-256. | 1.7 | 100 |
| 40 | Anti-interleukin 8 antibody abolishes effects of lipoid nephrosis cytokine. <i>Pediatric Nephrology</i> , 1998, 12, 381-385. | 1.7 | 26 |
| 41 | Effect of interleukin-8 on glomerular sulfated compounds and albuminuria. <i>Pediatric Nephrology</i> , 1997, 11, 274-279. | 1.7 | 34 |
| 42 | Effect of lipoid nephrosis cytokine on glomerular sulfated compounds and albuminuria. <i>Pediatric Nephrology</i> , 1995, 9, 587-593. | 1.7 | 15 |
| 43 | IL-8 production by peripheral blood mononuclear cells in nephrotic patients. <i>Kidney International</i> , 1994, 45, 1311-1317. | 5.2 | 71 |
| 44 | Effect of Supernatants from Nephrotic Peripheral Blood Mononuclear Cells on ³⁵ Sulfate Incorporation in Rat Glomerular Basement Membrane. <i>Pediatric Research</i> , 1985, 19, 836-840. | 2.3 | 11 |
| 45 | Renal Growth and Scarring in Kidneys with Reflux and a Concentrating Defect. <i>Journal of Urology</i> , 1983, 129, 784-786. | 0.4 | 13 |
| 46 | Glomerular and Tubular Function in Children with Ileal Conduit Urinary Diversion. <i>Journal of Urology</i> , 1977, 117, 505-507. | 0.4 | 4 |