

# Matsatoshi Kudo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4360034/publications.pdf>

Version: 2024-02-01

1,160  
papers

76,494  
citations

902

116  
h-index

981

237  
g-index

1182  
all docs

1182  
docs citations

1182  
times ranked

33991  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Atezolizumab plus Bevacizumab in Unresectable Hepatocellular Carcinoma. <i>New England Journal of Medicine</i> , 2020, 382, 1894-1905.   | 13.9 | 3,828     |
| 2  | Lenvatinib versus sorafenib in first-line treatment of patients with unresectable hepatocellular carcinoma: a randomised phase 3 non-inferiority trial. <i>Lancet, The</i> , 2018, 391, 1163-1173.   | 6.3  | 3,542     |
| 3  | Nivolumab in patients with advanced hepatocellular carcinoma (CheckMate 040): an open-label, non-comparative, phase 1/2 dose escalation and expansion trial. <i>Lancet, The</i> , 2017, 389, 2492-2502.  | 6.3  | 3,224     |
| 4  | Regorafenib for patients with hepatocellular carcinoma who progressed on sorafenib treatment (RESORCE): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , 2017, 389, 56-66.  | 6.3  | 2,771     |
| 5  | Pembrolizumab in patients with advanced hepatocellular carcinoma previously treated with sorafenib (KEYNOTE-224): a non-randomised, open-label phase 2 trial. <i>Lancet Oncology, The</i> , 2018, 19, 940-952.   | 5.1  | 1,816     |
| 6  | Asia-Pacific clinical practice guidelines on the management of hepatocellular carcinoma: a 2017 update. <i>Hepatology International</i> , 2017, 11, 317-370.   | 1.9  | 1,537     |
| 7  | Pembrolizumab As Second-Line Therapy in Patients With Advanced Hepatocellular Carcinoma in KEYNOTE-240: A Randomized, Double-Blind, Phase III Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 193-202.  | 0.8  | 1,255     |
| 8  | Ramucirumab after sorafenib in patients with advanced hepatocellular carcinoma and increased Î±-fetoprotein concentrations (REACH-2): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2019, 20, 282-296.                | 5.1  | 1,202     |
| 9  | Asian Pacific Association for the Study of the Liver consensus recommendations on hepatocellular carcinoma. <i>Hepatology International</i> , 2010, 4, 439-474.  | 1.9  | 944       |
| 10 | Global patterns of hepatocellular carcinoma management from diagnosis to death: the BRIDGE Study. <i>Liver International</i> , 2015, 35, 2155-2166.  | 1.9  | 813       |
| 11 | Adjuvant sorafenib for hepatocellular carcinoma after resection or ablation (STORM): a phase 3, randomised, double-blind, placebo-controlled trial. <i>Lancet Oncology, The</i> , 2015, 16, 1344-1354.   | 5.1  | 809       |
| 12 | Efficacy and Safety of Nivolumab Plus Ipilimumab in Patients With Advanced Hepatocellular Carcinoma Previously Treated With Sorafenib. <i>JAMA Oncology</i> , 2020, 6, e204564.  | 3.4  | 746       |
| 13 | Management of Hepatocellular Carcinoma in Japan: Consensus-Based Clinical Practice Guidelines Proposed by the Japan Society of Hepatology (JSH) 2010 Updated Version. <i>Digestive Diseases</i> , 2011, 29, 339-364.   | 0.8  | 726       |
| 14 | Phase Ib Study of Lenvatinib Plus Pembrolizumab in Patients With Unresectable Hepatocellular Carcinoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 2960-2970.   | 0.8  | 723       |
| 15 | WFUMB Guidelines and Recommendations for Clinical Use of Ultrasound Elastography: Part 1: Basic Principles and Terminology. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1126-1147.   | 0.7  | 718       |
| 16 | Ramucirumab versus placebo as second-line treatment in patients with advanced hepatocellular carcinoma following first-line therapy with sorafenib (REACH): a randomised, double-blind, multicentre, phase 3 trial. <i>Lancet Oncology, The</i> , 2015, 16, 859-870. | 5.1  | 699       |
| 17 | Sunitinib Versus Sorafenib in Advanced Hepatocellular Cancer: Results of a Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 4067-4075.  | 0.8  | 678       |
| 18 | Brivanib Versus Sorafenib As First-Line Therapy in Patients With Unresectable, Advanced Hepatocellular Carcinoma: Results From the Randomized Phase III BRISK-FL Study. <i>Journal of Clinical Oncology</i> , 2013, 31, 3517-3524.                                   | 0.8  | 675       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Guidelines and Good Clinical Practice Recommendations for Contrast Enhanced Ultrasound (CEUS) in the Liver – Update 2012. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 187-210.   | 0.7  | 652       |
| 20 | NASH limits anti-tumour surveillance in immunotherapy-treated HCC. <i>Nature</i> , 2021, 592, 450-456.   | 13.7 | 649       |
| 21 | Prognostic staging system for hepatocellular carcinoma (CLIP score): its value and limitations, and a proposal for a new staging system, the Japan Integrated Staging Score (JIS score). <i>Journal of Gastroenterology</i> , 2003, 38, 207-215. | 2.3  | 644       |
| 22 | WFUMB Guidelines and Recommendations for Clinical Use of Ultrasound Elastography: Part 3: Liver. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1161-1179.  | 0.7  | 620       |
| 23 | Updated efficacy and safety data from IMbrave150: Atezolizumab plus bevacizumab vs. sorafenib for unresectable hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2022, 76, 862-873.   | 1.8  | 568       |
| 24 | Brivanib in Patients With Advanced Hepatocellular Carcinoma Who Were Intolerant to Sorafenib or for Whom Sorafenib Failed: Results From the Randomized Phase III BRISK-PS Study. <i>Journal of Clinical Oncology</i> , 2013, 31, 3509-3516.      | 0.8  | 544       |
| 25 | Nivolumab versus sorafenib in advanced hepatocellular carcinoma (CheckMate 459): a randomised, multicentre, open-label, phase 3 trial. <i>Lancet Oncology</i> , 2022, 23, 77-90.   | 5.1  | 526       |
| 26 | Linifanib Versus Sorafenib in Patients With Advanced Hepatocellular Carcinoma: Results of a Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 172-179.   | 0.8  | 517       |
| 27 | Effect of Everolimus on Survival in Advanced Hepatocellular Carcinoma After Failure of Sorafenib. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 57.   | 3.8  | 515       |
| 28 | JSH Consensus-Based Clinical Practice Guidelines for the Management of Hepatocellular Carcinoma: 2014 Update by the Liver Cancer Study Group of Japan. <i>Liver Cancer</i> , 2014, 3, 458-468.   | 4.2  | 512       |
| 29 | Phase III study of sorafenib after transarterial chemoembolisation in Japanese and Korean patients with unresectable hepatocellular carcinoma. <i>European Journal of Cancer</i> , 2011, 47, 2117-2127.  | 1.3  | 496       |
| 30 | Guidelines and Good Clinical Practice Recommendations for Contrast Enhanced Ultrasound (CEUS) in the Liver – Update 2012. <i>Ultraschall in Der Medizin</i> , 2013, 34, 11-29.   | 0.8  | 470       |
| 31 | Randomised, multicentre prospective trial of transarterial chemoembolisation (TACE) plus sorafenib as compared with TACE alone in patients with hepatocellular carcinoma: TACTICS trial. <i>Gut</i> , 2020, 69, 1492-1501.                       | 6.1  | 411       |
| 32 | Clinical practice guidelines for hepatocellular carcinoma: The Japan Society of Hepatology 2017 (4th) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>   | 1.8  | 399       |
| 33 | Report of the 17th Nationwide Follow-up Survey of Primary Liver Cancer in Japan. <i>Hepatology Research</i> , 2007, 37, 676-691.   | 1.8  | 376       |
| 34 | WFUMB Guidelines and Recommendations for Clinical Use of Ultrasound Elastography: Part 2: Breast. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1148-1160.   | 0.7  | 368       |
| 35 | Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection. <i>Journal of Hepatology</i> , 2018, 69, 1284-1293.   | 1.8  | 360       |
| 36 | Liver Ultrasound Elastography: An Update to the World Federation for Ultrasound in Medicine and Biology Guidelines and Recommendations. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2419-2440.   | 0.7  | 357       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Survival benefit of liver resection for hepatocellular carcinoma associated with portal vein invasion. <i>Journal of Hepatology</i> , 2016, 65, 938-943.  | 1.8 | 354       |
| 38 | Validation of a new prognostic staging system for hepatocellular carcinoma: The JIS score compared with the CLIP score. <i>Hepatology</i> , 2004, 40, 1396-1405.  | 3.6 | 342       |
| 39 | Comparison of the outcomes between an anatomical subsegmentectomy and a non-anatomical minor hepatectomy for single hepatocellular carcinomas based on a Japanese nationwide survey. <i>Surgery</i> , 2008, 143, 469-475.                               | 1.0 | 341       |
| 40 | Evidence-based clinical practice guidelines for hepatocellular carcinoma: The Japanese Society of Hepatology 2013 update (3rd JSH-HCC Guidelines). <i>Hepatology Research</i> , 2015, 45,   | 1.8 | 339       |
| 41 | Biology and significance of alpha-fetoprotein in hepatocellular carcinoma. <i>Liver International</i> , 2019, 39, 2214-2229.  | 1.9 | 327       |
| 42 | Comparison of resection and ablation for hepatocellular carcinoma: A cohort study based on a Japanese nationwide survey. <i>Journal of Hepatology</i> , 2013, 58, 724-729.  | 1.8 | 322       |
| 43 | The role of hepatic resection in the treatment of hepatocellular cancer. <i>Hepatology</i> , 2015, 62, 440-451.   | 3.6 | 310       |
| 44 | Challenges of combination therapy with immune checkpoint inhibitors for hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2020, 72, 307-319.   | 1.8 | 310       |
| 45 | Management of Hepatocellular Carcinoma in Japan: JSH Consensus Statements and Recommendations 2021 Update. <i>Liver Cancer</i> , 2021, 10, 181-223.   | 4.2 | 307       |
| 46 | The ALBI grade provides objective hepatic reserve estimation across each BCLC stage of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017, 66, 338-346.  | 1.8 | 299       |
| 47 | Tremelimumab plus Durvalumab in Unresectable Hepatocellular Carcinoma. , 2022, 1, .   |     | 298       |
| 48 | Observational registry of sorafenib use in clinical practice across Child-Pugh subgroups: The GIDEON study. <i>Journal of Hepatology</i> , 2016, 65, 1140-1147.   | 1.8 | 296       |
| 49 | Characterization of Small Solid Tumors in the Pancreas: The Value of Contrast-Enhanced Harmonic Endoscopic Ultrasonography. <i>American Journal of Gastroenterology</i> , 2012, 107, 303-310.   | 0.2 | 282       |
| 50 | Brivanib as adjuvant therapy to transarterial chemoembolization in patients with hepatocellular carcinoma: A randomized phase III trial. <i>Hepatology</i> , 2014, 60, 1697-1707.   | 3.6 | 279       |
| 51 | Phase 2 study of lenvatinib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2017, 52, 512-519.   | 2.3 | 275       |
| 52 | Safety, Efficacy, and Pharmacodynamics of Tremelimumab Plus Durvalumab for Patients With Unresectable Hepatocellular Carcinoma: Randomized Expansion of a Phase I/II Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 2991-3001.                  | 0.8 | 257       |
| 53 | Trial Design and Endpoints in Hepatocellular Carcinoma: AASLD Consensus Conference. <i>Hepatology</i> , 2021, 73, 158-191.  | 3.6 | 235       |
| 54 | Phase 3 randomized, open-label, multicenter study of tremelimumab (T) and durvalumab (D) as first-line therapy in patients (pts) with unresectable hepatocellular carcinoma (uHCC): HIMALAYA.. <i>Journal of Clinical Oncology</i> , 2022, 40, 379-379. | 0.8 | 235       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | General Rules for the Clinical and Pathological Study of Primary Liver Cancer, Nationwide Follow-Up Survey and Clinical Practice Guidelines: The Outstanding Achievements of the Liver Cancer Study Group of Japan. <i>Digestive Diseases</i> , 2015, 33, 765-770.                                    | 0.8 | 229       |
| 56 | IMbrave150: Updated overall survival (OS) data from a global, randomized, open-label phase III study of atezolizumab (atezo) + bevacizumab (bev) versus sorafenib (sor) in patients (pts) with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 267-267. | 0.8 | 226       |
| 57 | Consensus on extra-hepatic portal vein obstruction. <i>Liver International</i> , 2006, 26, 512-519.   | 1.9 | 224       |
| 58 | How to perform Contrast-Enhanced Ultrasound (CEUS). <i>Ultrasound International Open</i> , 2018, 04, E2-E15.  | 0.3 | 222       |
| 59 | Dynamic imaging of pancreatic diseases by contrast enhanced coded phase inversion harmonic ultrasonography. <i>Gut</i> , 2004, 53, 854-859.   | 6.1 | 219       |
| 60 | Transarterial Chemoembolization Failure/Refractoriness: JSH-LCSGJ Criteria 2014 Update. <i>Oncology</i> , 2014, 87, 22-31.  | 0.9 | 216       |
| 61 | Sorafenib plus low-dose cisplatin and fluorouracil hepatic arterial infusion chemotherapy versus sorafenib alone in patients with advanced hepatocellular carcinoma (SILIUS): a randomised, open label, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 424-432.          | 3.7 | 216       |
| 62 | <sc>GIDEON</sc> (Global Investigation of therapeutic <sc>DE</sc> cisions in hepatocellular) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Clinical Practice, 2014, 68, 609-617.  | 0.8 | 215       |
| 63 | Prospective comparative study of the EUS guided 25â€gauge FNA needle with the 19â€gauge Trucut needle and 22â€gauge FNA needle in patients with solid pancreatic masses. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009, 24, 384-390.   | 1.4 | 213       |
| 64 | Guidelines and Good Clinical Practice Recommendations for Contrast-Enhanced Ultrasound (CEUS) in the Liverâ€Update 2020 WFUMB in Cooperation with EFSUMB, AFSUMB, AIUM, and FLAUS. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 2579-2604.   | 0.7 | 210       |
| 65 | Validation and Potential of Albumin-Bilirubin Grade and Prognostication in a Nationwide Survey of 46,681 Hepatocellular Carcinoma Patients in Japan: The Need for a More Detailed Evaluation of Hepatic Function. <i>Liver Cancer</i> , 2017, 6, 325-336.   | 4.2 | 202       |
| 66 | Lenvatinib as an Initial Treatment in Patients with Intermediate-Stage Hepatocellular Carcinoma Beyond Up-To-Seven Criteria and Childâ€Pugh A Liver Function: A Proof-Of-Concept Study. <i>Cancers</i> , 2019, 11, 1084.  | 1.7 | 200       |
| 67 | A novel perfusion imaging technique of the pancreas: contrast-enhanced harmonic EUS (with video). <i>Gastrointestinal Endoscopy</i> , 2008, 67, 141-150.  | 0.5 | 198       |
| 68 | Multistep human hepatocarcinogenesis: correlation of imaging with pathology. <i>Journal of Gastroenterology</i> , 2009, 44, 112-118.  | 2.3 | 197       |
| 69 | Superselective transarterial chemoembolization for hepatocellular carcinoma. Validation of treatment algorithm proposed by Japanese guidelines. <i>Journal of Hepatology</i> , 2012, 56, 886-892.   | 1.8 | 191       |
| 70 | Efficacy of lamivudine for preventing hepatocellular carcinoma in chronic hepatitis B: A multicenter retrospective study of 2795 patients. <i>Hepatology Research</i> , 2005, 32, 173-184.  | 1.8 | 180       |
| 71 | Immune Checkpoint Inhibition in Hepatocellular Carcinoma: Basics and Ongoing Clinical Trials. <i>Oncology</i> , 2017, 92, 50-62.  | 0.9 | 180       |
| 72 | Nivolumab in advanced hepatocellular carcinoma: Sorafenib-experienced Asian cohort analysis. <i>Journal of Hepatology</i> , 2019, 71, 543-552.  | 1.8 | 180       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Patient-reported outcomes with atezolizumab plus bevacizumab versus sorafenib in patients with unresectable hepatocellular carcinoma (IMbrave150): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , 2021, 22, 991-1001.       | 5.1 | 179       |
| 74 | Estimation of Liver Function Using T1 Mapping on Gd-EOB-DTPA-Enhanced Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2011, 46, 277-283.   | 3.5 | 178       |
| 75 | Objective response by mRECIST as a predictor and potential surrogate end-point of overall survival in advanced HCC. <i>Journal of Hepatology</i> , 2017, 66, 1166-1172.   | 1.8 | 178       |
| 76 | Nivolumab (NIVO) + ipilimumab (IPI) combination therapy in patients (pts) with advanced hepatocellular carcinoma (aHCC): Results from CheckMate 040.. <i>Journal of Clinical Oncology</i> , 2019, 37, 4012-4012.                                | 0.8 | 178       |
| 77 | Surveillance, Diagnosis, Treatment, and Outcome of Liver Cancer in Japan. <i>Liver Cancer</i> , 2015, 4, 39-50.   | 4.2 | 175       |
| 78 | Management of Hepatocellular Carcinoma in Japan: Consensus-Based Clinical Practice Manual Proposed by the Japan Society of Hepatology. <i>Oncology</i> , 2007, 72, 2-15.  | 0.9 | 172       |
| 79 | Effectiveness of Sorafenib in Patients with Transcatheter Arterial Chemoembolization (TACE) Refractory and Intermediate-Stage Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2015, 4, 253-262.   | 4.2 | 172       |
| 80 | A Changing Paradigm for the Treatment of Intermediate-Stage Hepatocellular Carcinoma: Asia-Pacific Primary Liver Cancer Expert Consensus Statements. <i>Liver Cancer</i> , 2020, 9, 245-260.  | 4.2 | 172       |
| 81 | Subclassification of BCLC B Stage Hepatocellular Carcinoma and Treatment Strategies: Proposal of Modified Bolondi's Subclassification (Kinki Criteria). <i>Digestive Diseases</i> , 2015, 33, 751-758.  | 0.8 | 167       |
| 82 | Computer-Aided Diagnosis Based on Convolutional Neural Network System for Colorectal Polyp Classification: Preliminary Experience. <i>Oncology</i> , 2017, 93, 30-34.   | 0.9 | 167       |
| 83 | Utility of Contrast-Enhanced Endoscopic Ultrasonography for Diagnosis of Small Pancreatic Carcinomas. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 525-532.  | 0.7 | 162       |
| 84 | Surgical resection vs. percutaneous ablation for hepatocellular carcinoma: A preliminary report of the Japanese nationwide survey. <i>Journal of Hepatology</i> , 2008, 49, 589-594.  | 1.8 | 160       |
| 85 | Signaling Pathways Governing Tumor Angiogenesis. <i>Oncology</i> , 2011, 81, 24-29.   | 0.9 | 159       |
| 86 | Albumin-Bilirubin (ALBI) Grade as Part of the Evidence-Based Clinical Practice Guideline for HCC of the Japan Society of Hepatology: A Comparison with the Liver Damage and Child-Pugh Classifications. <i>Liver Cancer</i> , 2017, 6, 204-215. | 4.2 | 159       |
| 87 | Validation of Modified ALBI Grade for More Detailed Assessment of Hepatic Function in Hepatocellular Carcinoma Patients: A Multicenter Analysis. <i>Liver Cancer</i> , 2019, 8, 121-129.  | 4.2 | 159       |
| 88 | Management of hepatocellular carcinoma: Report of Consensus Meeting in the 45th Annual Meeting of the Japan Society of Hepatology (2009). <i>Hepatology Research</i> , 2010, 40, 667-685.   | 1.8 | 154       |
| 89 | Results of KEYNOTE-240: phase 3 study of pembrolizumab (Pembro) vs best supportive care (BSC) for second line therapy in advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2019, 37, 4004-4004.                   | 0.8 | 149       |
| 90 | Changing Trends in Hepatitis C Infection over the Past 50 Years in Japan. <i>Intervirology</i> , 2010, 53, 39-43.   | 1.2 | 147       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Prognostic Impact of Spontaneous Tumor Rupture in Patients With Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2014, 259, 532-542.   | 2.1 | 145       |
| 92  | Differential Diagnosis of Hepatic Tumors: Value of Contrast-Enhanced Harmonic Sonography Using the Newly Developed Contrast Agent, Sonazoid. <i>Intervirolgy</i> , 2008, 51, 61-69.  | 1.2 | 139       |
| 93  | Systemic Therapy for Hepatocellular Carcinoma: Latest Advances. <i>Cancers</i> , 2018, 10, 412.  | 1.7 | 138       |
| 94  | IMbrave 050: a Phase III trial of atezolizumab plus bevacizumab in high-risk hepatocellular carcinoma after curative resection or ablation. <i>Future Oncology</i> , 2020, 16, 975-989.  | 1.1 | 136       |
| 95  | Liver resection for hepatocellular carcinoma associated with hepatic vein invasion: A Japanese nationwide survey. <i>Hepatology</i> , 2017, 66, 510-517.   | 3.6 | 135       |
| 96  | Targeted and immune therapies for hepatocellular carcinoma: Predictions for 2019 and beyond. <i>World Journal of Gastroenterology</i> , 2019, 25, 789-807.   | 1.4 | 135       |
| 97  | Radiofrequency Ablation for Hepatocellular Carcinoma: Updated Review in 2010. <i>Oncology</i> , 2010, 78, 113-124.   | 0.9 | 134       |
| 98  | FGF3/FGF4 amplification and multiple lung metastases in responders to sorafenib in hepatocellular carcinoma. <i>Hepatology</i> , 2013, 57, 1407-1415.  | 3.6 | 133       |
| 99  | Effect of hepatic arterial infusion chemotherapy of 5-fluorouracil and cisplatin for advanced hepatocellular carcinoma in the Nationwide Survey of Primary Liver Cancer in Japan. <i>British Journal of Cancer</i> , 2013, 109, 1904-1907.   | 2.9 | 132       |
| 100 | Proposal of a new staging system for intrahepatic cholangiocarcinoma: Analysis of surgical patients from a nationwide survey of the Liver Cancer Study Group of Japan. <i>Cancer</i> , 2016, 122, 61-70.                                     | 2.0 | 132       |
| 101 | Prognostic factor of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions—Multicenter analysis. <i>Cancer Medicine</i> , 2019, 8, 3719-3728.  | 1.3 | 131       |
| 102 | Evaluation of Posttreatment Response of Hepatocellular Carcinoma with Contrast-enhanced Coded Phase-Inversion Harmonic US: Comparison with Dynamic CT. <i>Radiology</i> , 2001, 221, 721-730.  | 3.6 | 130       |
| 103 | Antibody to Hepatitis B Core Antigen and Risk for Hepatitis C-Related Hepatocellular Carcinoma. <i>Annals of Internal Medicine</i> , 2007, 146, 649.   | 2.0 | 130       |
| 104 | Response Evaluation Criteria in Cancer of the Liver (RECICL) proposed by the Liver Cancer Study Group of Japan (2009 Revised Version). <i>Hepatology Research</i> , 2010, 40, 686-692.   | 1.8 | 130       |
| 105 | A Comparison of the Surgical Outcomes Among Patients With HBV-positive, HCV-positive, and Non-B Non-C Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2015, 261, 513-520.   | 2.1 | 130       |
| 106 | Guidelines and Good Clinical Practice Recommendations for Contrast Enhanced Ultrasound (CEUS) in the Liver – Update 2020 – WFUMB in Cooperation with EFSUMB, AFSUMB, AIUM, and FLAUS. <i>Ultraschall in Der Medizin</i> , 2020, 41, 562-585. | 0.8 | 130       |
| 107 | Characteristic patterns of altered DNA methylation predict emergence of human hepatocellular carcinoma. <i>Hepatology</i> , 2012, 56, 994-1003.  | 3.6 | 129       |
| 108 | Diagnostic Accuracy of Imaging for Liver Cirrhosis Compared to Histologically Proven Liver Cirrhosis. <i>Intervirolgy</i> , 2008, 51, 17-26.   | 1.2 | 128       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Tolvaptan for improvement of hepatic edema: A phase 3, multicenter, randomized, double-blind, placebo-controlled trial. <i>Hepatology Research</i> , 2014, 44, 73-82.  | 1.8 | 128       |
| 110 | Imaging and clinicopathological features of nivolumab-related cholangitis in patients with non-small cell lung cancer. <i>Investigational New Drugs</i> , 2017, 35, 529-536.   | 1.2 | 128       |
| 111 | Multicenter prospective analysis of newly diagnosed hepatocellular carcinoma with respect to the percentage of Lens culinaris agglutinin-reactive alpha-fetoprotein1. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 1378-1383.   | 1.4 | 127       |
| 112 | Orantinib versus placebo combined with transcatheter arterial chemoembolisation in patients with unresectable hepatocellular carcinoma (ORIENTAL): a randomised, double-blind, placebo-controlled, multicentre, phase 3 study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 37-46. | 3.7 | 127       |
| 113 | CheckMate 040 cohort 5: A phase I/II study of nivolumab in patients with advanced hepatocellular carcinoma and Child-Pugh B cirrhosis. <i>Journal of Hepatology</i> , 2021, 75, 600-609.   | 1.8 | 127       |
| 114 | Involvement of activation of Toll-like receptors and nucleotide-binding oligomerization domain-like receptors in enhanced IgG4 responses in autoimmune pancreatitis. <i>Arthritis and Rheumatism</i> , 2012, 64, 914-924.  | 6.7 | 126       |
| 115 | Hypovascular Nodules in Patients with Chronic Liver Disease: Risk Factors for Development of Hypervascular Hepatocellular Carcinoma. <i>Radiology</i> , 2013, 266, 480-490.  | 3.6 | 126       |
| 116 | Consensus report of the 2nd International Forum for Liver MRI. <i>European Radiology</i> , 2009, 19, 975-989.  | 2.3 | 125       |
| 117 | Report of the 19th follow-up survey of primary liver cancer in Japan. <i>Hepatology Research</i> , 2016, 46, 372-390.  | 1.8 | 125       |
| 118 | Systemic therapy for intermediate and advanced hepatocellular carcinoma: Sorafenib and beyond. <i>Cancer Treatment Reviews</i> , 2018, 68, 16-24.  | 3.4 | 124       |
| 119 | REFLECT—a phase 3 trial comparing efficacy and safety of lenvatinib to sorafenib for the treatment of unresectable hepatocellular carcinoma: an analysis of Japanese subset. <i>Journal of Gastroenterology</i> , 2020, 55, 113-122.   | 2.3 | 123       |
| 120 | Survival Analysis over 28 Years of 173,378 Patients with Hepatocellular Carcinoma in Japan. <i>Liver Cancer</i> , 2016, 5, 190-197.  | 4.2 | 122       |
| 121 | The Challenge of Prognosis and Staging for Hepatocellular Carcinoma. <i>Oncologist</i> , 2010, 15, 23-33.  | 1.9 | 121       |
| 122 | Report of the 18th follow-up survey of primary liver cancer in Japan. <i>Hepatology Research</i> , 2010, 40, 1043-1059.  | 1.8 | 120       |
| 123 | Scientific Rationale for Combined Immunotherapy with PD-1/PD-L1 Antibodies and VEGF Inhibitors in Advanced Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 1089.  | 1.7 | 119       |
| 124 | Sonazoid-Enhanced Ultrasonography for Diagnosis of Hepatic Malignancies: Comparison with Contrast-Enhanced CT. <i>Oncology</i> , 2008, 75, 42-47.  | 0.9 | 115       |
| 125 | Impact of Baseline ALBI Grade on the Outcomes of Hepatocellular Carcinoma Patients Treated with Lenvatinib: A Multicenter Study. <i>Cancers</i> , 2019, 11, 952.   | 1.7 | 114       |
| 126 | Preliminary evidence of safety and tolerability of atezolizumab plus bevacizumab in patients with hepatocellular carcinoma and Child-Pugh A and B cirrhosis: A real-world study. <i>Hepatology</i> , 2022, 76, 1000-1012.  | 3.6 | 114       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Hepatic Function during Repeated TACE Procedures and Prognosis after Introducing Sorafenib in Patients with Unresectable Hepatocellular Carcinoma: Multicenter Analysis. <i>Digestive Diseases</i> , 2017, 35, 602-610.               | 0.8 | 113       |
| 128 | Report of the 20th Nationwide follow-up survey of primary liver cancer in Japan. <i>Hepatology Research</i> , 2020, 50, 15-46.  | 1.8 | 111       |
| 129 | Imaging Diagnosis of Hepatocellular Carcinoma and Premalignant/Borderline Lesions. <i>Seminars in Liver Disease</i> , 1999, 19, 297-309.  | 1.8 | 110       |
| 130 | Sorafenib Inhibits the Hepatocyte Growth Factor-Mediated Epithelial Mesenchymal Transition in Hepatocellular Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 169-177.   | 1.9 | 109       |
| 131 | TACE Treatment in Patients with Sorafenib-treated Unresectable Hepatocellular Carcinoma in Clinical Practice: Final Analysis of GIDEON. <i>Radiology</i> , 2016, 279, 630-640.  | 3.6 | 109       |
| 132 | Hepatocellular Carcinoma 2009 and Beyond: from the Surveillance to Molecular Targeted Therapy. <i>Oncology</i> , 2008, 75, 1-12.  | 0.9 | 108       |
| 133 | Imaging findings of biliary hamartomas. <i>World Journal of Gastroenterology</i> , 2005, 11, 6354.  | 1.4 | 107       |
| 134 | A New Treatment Option for Intermediate-Stage Hepatocellular Carcinoma with High Tumor Burden: Initial Lenvatinib Therapy with Subsequent Selective TACE. <i>Liver Cancer</i> , 2019, 8, 299-311.                                     | 4.2 | 107       |
| 135 | Radiofrequency Ablation of Hepatocellular Carcinoma: Value of Virtual CT Sonography with Magnetic Navigation. <i>American Journal of Roentgenology</i> , 2008, 190, W335-W341.  | 1.0 | 106       |
| 136 | Value of EUS in early detection of pancreatic ductal adenocarcinomas in patients with intraductal papillary mucinous neoplasms. <i>Endoscopy</i> , 2013, 46, 22-29.   | 1.0 | 104       |
| 137 | Treatment of Advanced Hepatocellular Carcinoma with Emphasis on Hepatic Arterial Infusion Chemotherapy and Molecular Targeted Therapy. <i>Liver Cancer</i> , 2012, 1, 62-70.  | 4.2 | 103       |
| 138 | Overall Survival After Transarterial Lipiodol Infusion Chemotherapy With or Without Embolization for Unresectable Hepatocellular Carcinoma: Propensity Score Analysis. <i>American Journal of Roentgenology</i> , 2010, 194, 830-837. | 1.0 | 102       |
| 139 | First interim analysis of the GIDEON (Global Investigation of therapeutic DEcisions in hepatocellular) Tj ETQq1 1 0.784314 rgBT /Over Clinical Practice, 2012, 66, 675-683.   | 0.8 | 102       |
| 140 | Radiofrequency Ablation of Hepatocellular Carcinoma: Therapeutic Response Using Contrast-Enhanced Coded Phase-Inversion Harmonic Sonography. <i>American Journal of Roentgenology</i> , 2003, 181, 57-63.                             | 1.0 | 101       |
| 141 | A phase 1b trial of lenvatinib (LEN) plus pembrolizumab (PEM) in patients (pts) with unresectable hepatocellular carcinoma (uHCC).. <i>Journal of Clinical Oncology</i> , 2018, 36, 4076-4076.  | 0.8 | 101       |
| 142 | Severe Complications of Radiofrequency Ablation Therapy for Hepatocellular Carcinoma: An Analysis of 3,891 Ablations in 2,614 Patients. <i>Oncology</i> , 2007, 72, 72-75.  | 0.9 | 100       |
| 143 | Effect of vitamin K2 on the recurrence of hepatocellular carcinoma. <i>Hepatology</i> , 2011, 54, 532-540.  | 3.6 | 100       |
| 144 | Immunological Microenvironment of Hepatocellular Carcinoma and Its Clinical Implication. <i>Oncology</i> , 2017, 92, 40-49.   | 0.9 | 100       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | RATIONALE 301 study: tislelizumab versus sorafenib as first-line treatment for unresectable hepatocellular carcinoma. <i>Future Oncology</i> , 2019, 15, 1811-1822.   | 1.1 | 99        |
| 146 | The 2008 Okuda lecture: Management of hepatocellular carcinoma: From surveillance to molecular targeted therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 439-452.                                 | 1.4 | 98        |
| 147 | Estimation of malignant potential of GI stromal tumors by contrast-enhanced harmonic EUS (with) Tj ETQq1 1 0.784314 rgBT /Overlo<br>0.5   | 0.5 | 98        |
| 148 | EUS-guided gallbladder drainage for rescue treatment of malignant distal biliary obstruction after unsuccessful ERCP. <i>Gastrointestinal Endoscopy</i> , 2016, 84, 147-151.  | 0.5 | 98        |
| 149 | Staging Hepatocellular Carcinoma by a Novel Scoring System (BALAD Score) Based on Serum Markers. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 1528-1536.  | 2.4 | 97        |
| 150 | Toll-like receptor activation in basophils contributes to the development of IgG4-related disease. <i>Journal of Gastroenterology</i> , 2013, 48, 247-253.  | 2.3 | 97        |
| 151 | Hepatocellular Carcinoma: Therapeutic Guidelines and Medical Treatment. <i>Liver Cancer</i> , 2017, 6, 16-26.   | 4.2 | 97        |
| 152 | Activation of JNK and high expression level of CD133 predict a poor response to sorafenib in hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2012, 106, 1997-2003.   | 2.9 | 96        |
| 153 | Systemic Therapy for Hepatocellular Carcinoma: 2017 Update. <i>Oncology</i> , 2017, 93, 135-146.  | 0.9 | 96        |
| 154 | Noninvasive Evaluation of Hepatic Fibrosis Using Serum Fibrotic Markers, Transient Elastography (FibroScan) and Real-Time Tissue Elastography. <i>Intervirolgy</i> , 2008, 51, 27-33.   | 1.2 | 94        |
| 155 | Lenvatinib (len) plus pembrolizumab (pembro) for the first-line treatment of patients (pts) with advanced hepatocellular carcinoma (HCC): Phase 3 LEAP-002 study.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS4152-TPS4152. | 0.8 | 94        |
| 156 | Newly Developed Novel Ultrasound Technique, Defect Reperfusion Ultrasound Imaging, Using Sonazoid in the Management of Hepatocellular Carcinoma. <i>Oncology</i> , 2010, 78, 40-45.   | 0.9 | 93        |
| 157 | Local ablation therapy for hepatocellular carcinoma: current status and future perspectives. <i>Journal of Gastroenterology</i> , 2004, 39, 205-214.  | 2.3 | 92        |
| 158 | Lusutrombopag Reduces Need for Platelet Transfusion in Patients With Thrombocytopenia Undergoing Invasive Procedures. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1192-1200.  | 2.4 | 92        |
| 159 | Prediction of Survival Among Patients Receiving Transarterial Chemoembolization for Hepatocellular Carcinoma: A Response-Based Approach. <i>Hepatology</i> , 2020, 72, 198-212.   | 3.6 | 92        |
| 160 | Characterization of Hepatic Tumors:Value of Contrast-Enhanced Coded Phase-Inversion Harmonic Angio. <i>American Journal of Roentgenology</i> , 2004, 182, 1019-1026.  | 1.0 | 91        |
| 161 | Prognostic value of pretreatment levels of tumor markers for hepatocellular carcinoma on survival after curative treatment of patients with HCC. <i>Journal of Hepatology</i> , 2008, 49, 223-232.                                  | 1.8 | 90        |
| 162 | Transarterial chemotherapy alone versus transarterial chemoembolization for hepatocellular carcinoma: A randomized phase III trial. <i>Journal of Hepatology</i> , 2009, 51, 1030-1036.   | 1.8 | 90        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Identification and characterization of IgG4-associated autoimmune hepatitis. <i>Liver International</i> , 2010, 30, 222-231.  | 1.9 | 89        |
| 164 | Positioning of a Molecular-Targeted Agent, Sorafenib, in the Treatment Algorithm for Hepatocellular Carcinoma and Implication of Many Complete Remission Cases in Japan. <i>Oncology</i> , 2010, 78, 154-166.                     | 0.9 | 89        |
| 165 | JSUM ultrasound elastography practice guidelines: liver. <i>Journal of Medical Ultrasonics (2001)</i> , 2013, 40, 325-357.  | 0.6 | 89        |
| 166 | Randomized phase II placebo controlled study of codrituzumab in previously treated patients with advanced hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016, 65, 289-295.   | 1.8 | 89        |
| 167 | Lenvatinib May Drastically Change the Treatment Landscape of Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2018, 7, 1-19.   | 4.2 | 89        |
| 168 | Initial Treatment Response Is Essential to Improve Survival in Patients with Hepatocellular Carcinoma Who Underwent Curative Radiofrequency Ablation Therapy. <i>Oncology</i> , 2007, 72, 98-103.                                 | 0.9 | 88        |
| 169 | Newly Proposed ALBI Grade and ALBI-T Score as Tools for Assessment of Hepatic Function and Prognosis in Hepatocellular Carcinoma Patients. <i>Liver Cancer</i> , 2019, 8, 312-325.  | 4.2 | 88        |
| 170 | First Attempt of Boron Neutron Capture Therapy (BNCT) for Hepatocellular Carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2007, 37, 376-381.   | 0.6 | 87        |
| 171 | Hepatic Arterial Infusion Chemotherapy Using Low-Dose 5-Fluorouracil and Cisplatin for Advanced Hepatocellular Carcinoma. <i>Oncology</i> , 2010, 78, 148-153.  | 0.9 | 87        |
| 172 | Endoscopic band ligation for control of nonvariceal upper GI hemorrhage: Comparison with bipolar electrocoagulation. <i>Gastrointestinal Endoscopy</i> , 2002, 55, 214-218.   | 0.5 | 85        |
| 173 | Contrast Harmonic Sonography-Guided Radiofrequency Ablation Therapy Versus B-Mode Sonography in Hepatocellular Carcinoma: Prospective Randomized Controlled Trial. <i>American Journal of Roentgenology</i> , 2007, 188, 489-494. | 1.0 | 85        |
| 174 | Randomized phase II study of axitinib versus placebo plus best supportive care in second-line treatment of advanced hepatocellular carcinoma. <i>Annals of Oncology</i> , 2015, 26, 2457-2463.                                    | 0.6 | 85        |
| 175 | Radiofrequency ablation of hepatocellular carcinoma: Current status. <i>World Journal of Radiology</i> , 2010, 2, 417.  | 0.5 | 85        |
| 176 | Contrast-Enhanced Subtraction Harmonic Sonography for Evaluating Treatment Response in Patients with Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2001, 176, 661-666.                                     | 1.0 | 84        |
| 177 | Sensing of Commensal Organisms by the Intracellular Sensor NOD1 Mediates Experimental Pancreatitis. <i>Immunity</i> , 2012, 37, 326-338.  | 6.6 | 84        |
| 178 | Hepatocellular Carcinoma: Depiction of Tumor Parenchymal Flow with Intermittent Harmonic Power Doppler US during the Early Arterial Phase in Dual-Display Mode. <i>Radiology</i> , 2001, 220, 349-356.                            | 3.6 | 83        |
| 179 | EUS-Guided Broad Plexus Neurolysis Over the Superior Mesenteric Artery Using a 25-Gauge Needle. <i>American Journal of Gastroenterology</i> , 2010, 105, 2599-2606.   | 0.2 | 83        |
| 180 | Recurrence-free survival more than 10 years after liver resection for hepatocellular carcinoma. <i>British Journal of Surgery</i> , 2011, 98, 552-557.  | 0.1 | 83        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Immuno-Oncology in Hepatocellular Carcinoma: 2017 Update. <i>Oncology</i> , 2017, 93, 147-159.  | 0.9 | 83        |
| 182 | Reactive Oxygen Species Induce Epigenetic Instability through the Formation of 8-Hydroxydeoxyguanosine in Human Hepatocarcinogenesis. <i>Digestive Diseases</i> , 2013, 31, 459-466.  | 0.8 | 82        |
| 183 | <b>Treatment of Hepatocellular Carcinoma with Percutaneous Radiofrequency Ablation:</b> Usefulness of Contrast Harmonic Sonography for Lesions Poorly Defined with B-Mode Sonography. <i>American Journal of Roentgenology</i> , 2004, 183, 153-156.  | 1.0 | 81        |
| 184 | Needle Tract Seeding: An Overlooked Rare Complication of Endoscopic Ultrasound-Guided Fine-Needle Aspiration. <i>Oncology</i> , 2017, 93, 107-112.  | 0.9 | 80        |
| 185 | Multimaterial Decomposition Algorithm for the Quantification of Liver Fat Content by Using Fast-Kilovolt-Peak Switching Dual-Energy CT: Clinical Evaluation. <i>Radiology</i> , 2017, 283, 108-118.   | 3.6 | 78        |
| 186 | Recent Advances in Systemic Therapy for Hepatocellular Carcinoma in an Aging Society: 2020 Update. <i>Liver Cancer</i> , 2020, 9, 640-662.  | 4.2 | 78        |
| 187 | Assessment of Gd-EOB-DTPA-enhanced MRI for HCC and dysplastic nodules and comparison of detection sensitivity versus MDCT. <i>Journal of Gastroenterology</i> , 2012, 47, 1036-1047.  | 2.3 | 77        |
| 188 | Randomized, open-label phase 2 study comparing frontline dovitinib versus sorafenib in patients with advanced hepatocellular carcinoma. <i>Hepatology</i> , 2016, 64, 774-784.  | 3.6 | 77        |
| 189 | REACH-2: A randomized, double-blind, placebo-controlled phase 3 study of ramucirumab versus placebo as second-line treatment in patients with advanced hepatocellular carcinoma (HCC) and elevated baseline alpha-fetoprotein (AFP) following first-line sorafenib.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4003-4003. | 0.8 | 77        |
| 190 | Molecular Mechanism and Prediction of Sorafenib Chemoresistance in Human Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2015, 33, 771-779.   | 0.8 | 76        |
| 191 | Peretinoin after curative therapy of hepatitis C-related hepatocellular carcinoma: a randomized double-blind placebo-controlled study. <i>Journal of Gastroenterology</i> , 2015, 50, 191-202.  | 2.3 | 76        |
| 192 | Nivolumab (nivo) in sorafenib (sor)-naive and -experienced pts with advanced hepatocellular carcinoma (HCC): CheckMate 040 study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4013-4013.   | 0.8 | 76        |
| 193 | Activin signal promotes cancer progression and is involved in cachexia in a subset of pancreatic cancer. <i>Cancer Letters</i> , 2015, 356, 819-827.  | 3.2 | 75        |
| 194 | Ramucirumab as Second-Line Treatment in Patients With Advanced Hepatocellular Carcinoma. <i>JAMA Oncology</i> , 2017, 3, 235.   | 3.4 | 74        |
| 195 | Novel quantitative assessment system of liver steatosis using a newly developed attenuation measurement method. <i>Hepatology Research</i> , 2018, 48, 821-828.   | 1.8 | 74        |
| 196 | Value of contrast-enhanced harmonic endoscopic ultrasonography with enhancement pattern for diagnosis of pancreatic cancer: A meta-analysis. <i>Digestive Endoscopy</i> , 2019, 31, 125-133.  | 1.3 | 74        |
| 197 | Radiofrequency Ablation of Hepatocellular Carcinoma: A Literature Review. <i>International Journal of Hepatology</i> , 2011, 2011, 1-9.   | 0.4 | 73        |
| 198 | Surveillance and Diagnostic Algorithm for Hepatocellular Carcinoma Proposed by the Liver Cancer Study Group of Japan: 2014 Update. <i>Oncology</i> , 2014, 87, 7-21.  | 0.9 | 73        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Quantitative assessment of hepatocellular function throughin vivo radioreceptor imaging with technetium 99m galactosyl human serum albumin. <i>Hepatology</i> , 1993, 17, 814-819.   | 3.6 | 72        |
| 200 | Sorafenib: key lessons from over 10 years of experience. <i>Expert Review of Anticancer Therapy</i> , 2019, 19, 177-189.   | 1.1 | 72        |
| 201 | Non-Invasive Evaluation of Hepatic Fibrosis for Type C Chronic Hepatitis. <i>Intervirolgy</i> , 2010, 53, 76-81.   | 1.2 | 71        |
| 202 | Hepatic Arterial Infusion Chemotherapy versus Sorafenib in Patients with Advanced Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020, 9, 583-595.  | 4.2 | 71        |
| 203 | Will Gd-EOB-MRI Change the Diagnostic Algorithm in Hepatocellular Carcinoma?. <i>Oncology</i> , 2010, 78, 87-93.   | 0.9 | 70        |
| 204 | Consensus recommendations and review by an International Expert Panel on Interventions in Hepatocellular Carcinoma (<scp>EPOIHCC</scp>). <i>Liver International</i> , 2013, 33, 327-337.   | 1.9 | 70        |
| 205 | Transcatheter Arterial Chemoembolization of Hepatocellular Carcinoma:Usefulness of Coded Phase-Inversion Harmonic Sonography. <i>American Journal of Roentgenology</i> , 2003, 180, 703-708.   | 1.0 | 68        |
| 206 | Reâ€evaluating transarterial chemoembolization for the treatment of Hepatocellular Carcinoma: Consensus recommendations and review by an International Expert Panel. <i>Liver International</i> , 2014, 34, 174-183.                                   | 1.9 | 68        |
| 207 | Oxidative Stress and Epigenetic Instability in Human Hepatocarcinogenesis. <i>Digestive Diseases</i> , 2013, 31, 447-453.  | 0.8 | 67        |
| 208 | Plasmacytoid Dendritic Cell Activation and IFN-Î± Production Are Prominent Features of Murine Autoimmune Pancreatitis and Human IgG4-Related Autoimmune Pancreatitis. <i>Journal of Immunology</i> , 2015, 195, 3033-3044.                             | 0.4 | 67        |
| 209 | Molecular Targeted Agents for Hepatocellular Carcinoma: Current Status and Future Perspectives. <i>Liver Cancer</i> , 2017, 6, 101-112.  | 4.2 | 67        |
| 210 | Magnifying Narrow Band Imaging (NBI) for the Diagnosis of Localized Colorectal Lesions Using the Japan NBI Expert Team (JNET) Classification. <i>Oncology</i> , 2017, 93, 49-54.   | 0.9 | 67        |
| 211 | A randomized controlled trial of lusutrombopag in Japanese patients with chronic liver disease undergoing radiofrequency ablation. <i>Journal of Gastroenterology</i> , 2019, 54, 171-181.   | 2.3 | 67        |
| 212 | Design and rationale for the non-interventional Global Investigation of therapeutic DEcisions in hepatocellular carcinoma and Of its treatment with sorafeNib (GIDEON) study. <i>International Journal of Clinical Practice</i> , 2010, 64, 1034-1041. | 0.8 | 66        |
| 213 | Assessment of Liver Fibrosis with Real-Time Tissue Elastography in Chronic Viral Hepatitis. <i>Oncology</i> , 2013, 84, 13-20.   | 0.9 | 66        |
| 214 | Novel Image Analysis Method Using Ultrasound Elastography for Noninvasive Evaluation of Hepatic Fibrosis in Patients with Chronic Hepatitis C. <i>Oncology</i> , 2013, 84, 3-12.   | 0.9 | 66        |
| 215 | Radiofrequency Ablation of Liver Metastases from Colorectal Cancer: A Literature Review. <i>Gut and Liver</i> , 2013, 7, 1-6.  | 1.4 | 66        |
| 216 | Histologic diagnosis of pancreatic masses using 25-gauge endoscopic ultrasound needles with and without a core trap: a multicenter randomized trial. <i>Endoscopy</i> , 2016, 48, 632-638.   | 1.0 | 66        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Important Clinical Factors in Sequential Therapy Including Lenvatinib against Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2019, 97, 277-285.  | 0.9 | 66        |
| 218 | Percutaneous ultrasound-guided radiofrequency ablation with artificial pleural effusion for hepatocellular carcinoma in the hepatic dome. <i>Journal of Gastroenterology</i> , 2003, 38, 1066-1070.  | 2.3 | 65        |
| 219 | Liver Cancer Working Group Report. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, i19-i27.   | 0.6 | 65        |
| 220 | p38 $\beta$ Inhibits Liver Fibrogenesis and Consequent Hepatocarcinogenesis by Curtailing Accumulation of Reactive Oxygen Species. <i>Cancer Research</i> , 2013, 73, 215-224.   | 0.4 | 65        |
| 221 | Phase III trial of lenvatinib (LEN) vs sorafenib (SOR) in first-line treatment of patients (pts) with unresectable hepatocellular carcinoma (uHCC).. <i>Journal of Clinical Oncology</i> , 2017, 35, 4001-4001.  | 0.8 | 65        |
| 222 | Outcomes of patients (pts) with hepatocellular carcinoma (HCC) treated with transarterial chemoembolization (TACE): Global OPTIMIS final analysis.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4018-4018.   | 0.8 | 65        |
| 223 | Surgery versus Radiofrequency Ablation for Small Hepatocellular Carcinoma: A Randomized Controlled Trial (SURF Trial). <i>Liver Cancer</i> , 2022, 11, 209-218.  | 4.2 | 65        |
| 224 | Long-Term Interferon Maintenance Therapy Improves Survival in Patients with HCV-Related Hepatocellular Carcinoma after Curative Radiofrequency Ablation. <i>Oncology</i> , 2007, 72, 132-138.  | 0.9 | 64        |
| 225 | Validation of a New Prognostic Staging System for Hepatocellular Carcinoma: A Comparison of the Biomarker-Combined Japan Integrated Staging Score, the Conventional Japan Integrated Staging Score and the BALAD Score. <i>Oncology</i> , 2008, 75, 83-90.           | 0.9 | 64        |
| 226 | Stress Response Protein Cirp Links Inflammation and Tumorigenesis in Colitis-Associated Cancer. <i>Cancer Research</i> , 2014, 74, 6119-6128.  | 0.4 | 64        |
| 227 | Imaging Modalities for Assessment of Treatment Response to Nonsurgical Hepatocellular Carcinoma Therapy: Contrast-Enhanced US, CT, and MRI. <i>Liver Cancer</i> , 2015, 4, 106-114.  | 4.2 | 64        |
| 228 | Ramucirumab as second-line treatment in patients with advanced hepatocellular carcinoma following first-line therapy with sorafenib: Patient-focused outcome results from the randomised phase III REACH study. <i>European Journal of Cancer</i> , 2017, 81, 17-25. | 1.3 | 64        |
| 229 | Diagnostic sensitivity of imaging modalities for hepatocellular carcinoma smaller than 2 cm. <i>World Journal of Gastroenterology</i> , 2010, 16, 4187.  | 1.4 | 64        |
| 230 | Response Evaluation of Transcatheter Arterial Chemoembolization in Hepatocellular Carcinomas: The Usefulness of Sonazoid-Enhanced Harmonic Sonography. <i>Oncology</i> , 2008, 75, 99-105.   | 0.9 | 63        |
| 231 | Contrast-enhanced harmonic endoscopic ultrasonography for differential diagnosis of pancreatic cysts. <i>Endoscopy</i> , 2015, 48, 35-41.  | 1.0 | 63        |
| 232 | NOD2 downregulates colonic inflammation by IRF4-mediated inhibition of K63-linked polyubiquitination of RICK and TRAF6. <i>Mucosal Immunology</i> , 2014, 7, 1312-1325.  | 2.7 | 62        |
| 233 | Nationwide Study of 4741 Patients With Non-B Non-C Hepatocellular Carcinoma With Special Reference to the Therapeutic Impact. <i>Annals of Surgery</i> , 2014, 259, 336-345.   | 2.1 | 62        |
| 234 | Therapeutic response assessment of RFA for HCC: Contrast-enhanced US, CT and MRI. <i>World Journal of Gastroenterology</i> , 2014, 20, 4160.   | 1.4 | 62        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Percutaneous Radiofrequency Ablation Guided by Contrast-Enhanced Harmonic Sonography with Artificial Pleural Effusion for Hepatocellular Carcinoma in the Hepatic Dome. <i>American Journal of Roentgenology</i> , 2004, 182, 1224-1226.                      | 1.0 | 61        |
| 236 | Chronic Fibro-Inflammatory Responses in Autoimmune Pancreatitis Depend on IFN- $\gamma$ and IL-33 Produced by Plasmacytoid Dendritic Cells. <i>Journal of Immunology</i> , 2017, 198, 3886-3896.  | 0.4 | 61        |
| 237 | Liver Resection for Multiple Hepatocellular Carcinomas. <i>Annals of Surgery</i> , 2020, 272, 145-154.  | 2.1 | 61        |
| 238 | Immune Checkpoint Blockade in Hepatocellular Carcinoma: 2017 Update. <i>Liver Cancer</i> , 2017, 6, 1-12.   | 4.2 | 60        |
| 239 | Effects of Subsequent Systemic Anticancer Medication Following First-Line Lenvatinib: A Post Hoc Responder Analysis from the Phase 3 REFLECT Study in Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020, 9, 93-104.                           | 4.2 | 60        |
| 240 | Tracking Navigation Imaging of Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma Using Three-Dimensional Cone-Beam CT Angiography. <i>Liver Cancer</i> , 2014, 3, 53-61.  | 4.2 | 59        |
| 241 | Transarterial Chemoembolization in Combination with a Molecular Targeted Agent: Lessons Learned from Negative Trials (Post-TACE, BRISK-TA, SPACE, ORIENTAL, and TACE-2). <i>Oncology</i> , 2017, 93, 127-134.   | 0.9 | 59        |
| 242 | Cost-effectiveness analysis of lenvatinib treatment for patients with unresectable hepatocellular carcinoma (uHCC) compared with sorafenib in Japan. <i>Journal of Gastroenterology</i> , 2019, 54, 558-570.  | 2.3 | 59        |
| 243 | Diagnosis of Gallbladder Diseases by Contrast-Enhanced Phase-Inversion Harmonic Ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 353-361.   | 0.7 | 58        |
| 244 | Immune checkpoint blockade for the treatment of human hepatocellular carcinoma. <i>Hepatology Research</i> , 2018, 48, 622-634.   | 1.8 | 58        |
| 245 | Lenvatinib versus sorafenib for first-line treatment of unresectable hepatocellular carcinoma: patient-reported outcomes from a randomised, open-label, non-inferiority, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 649-658. | 3.7 | 58        |
| 246 | Clinical-Radiomic Analysis for Pretreatment Prediction of Objective Response to First Transarterial Chemoembolization in Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 38-51.   | 4.2 | 58        |
| 247 | The AFSUMB Consensus Statements and Recommendations for the Clinical Practice of Contrast-Enhanced Ultrasound using Sonazoid. <i>Ultrasonography</i> , 2020, 39, 191-220.   | 1.0 | 58        |
| 248 | Regulatory failure of serum prohepcidin levels in patients with hepatitis C. <i>Hepatology Research</i> , 2006, 36, 288-293.  | 1.8 | 57        |
| 249 | Epidemiology of Hepatocellular Carcinoma in Japan and Korea. <i>Oncology</i> , 2008, 75, 13-16.   | 0.9 | 57        |
| 250 | Diagnostic Imaging of Hepatocellular Carcinoma: Recent Progress. <i>Oncology</i> , 2011, 81, 73-85.   | 0.9 | 57        |
| 251 | Oral Branched-Chain Amino Acid Granules Reduce the Incidence of Hepatocellular Carcinoma and Improve Event-Free Survival in Patients with Liver Cirrhosis. <i>Digestive Diseases</i> , 2011, 29, 326-332.   | 0.8 | 57        |
| 252 | Comparison of the efficacy and safety of endoscopic ultrasound-guided choledochoduodenostomy and hepaticogastrostomy for malignant distal biliary obstruction: Multicenter, randomized, clinical trial. <i>Digestive Endoscopy</i> , 2019, 31, 575-582.       | 1.3 | 57        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Recent Advancements in Comprehensive Genetic Analyses for Human Hepatocellular Carcinoma. <i>Oncology</i> , 2013, 84, 93-97.  | 0.9 | 56        |
| 254 | Oncogenic Signal and Tumor Microenvironment in Hepatocellular Carcinoma. <i>Oncology</i> , 2017, 93, 160-164.   | 0.9 | 56        |
| 255 | Extremely High Objective Response Rate of Lenvatinib: Its Clinical Relevance and Changing the Treatment Paradigm in Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2018, 7, 215-224.   | 4.2 | 56        |
| 256 | Management of Hepatocellular Carcinoma in Japan as a World-Leading Model. <i>Liver Cancer</i> , 2018, 7, 134-147.   | 4.2 | 56        |
| 257 | Low-Dose, Long-Term, Intermittent Interferon-alpha-2b Therapy after Radical Treatment by Radiofrequency Ablation Delays Clinical Recurrence in Patients with Hepatitis C Virus-Related Hepatocellular Carcinoma. <i>Intervirolgy</i> , 2005, 48, 64-70. | 1.2 | 55        |
| 258 | Combination Cancer Immunotherapy in Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2018, 7, 20-27.   | 4.2 | 55        |
| 259 | Review of dynamic contrast-enhanced ultrasound guidance in ablation therapy for hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2011, 17, 4952.  | 1.4 | 55        |
| 260 | Mechanistic Insights into Autoimmune Pancreatitis and IgG4-Related Disease. <i>Trends in Immunology</i> , 2018, 39, 874-889.  | 2.9 | 54        |
| 261 | Report of the 21st Nationwide Follow-up Survey of Primary Liver Cancer in Japan (2010-2011). <i>Hepatology Research</i> , 2021, 51, 355-405.  | 1.8 | 54        |
| 262 | First-line avelumab + axitinib in patients with advanced hepatocellular carcinoma: Results from a phase 1b trial (VEGF Liver 100).. <i>Journal of Clinical Oncology</i> , 2019, 37, 4072-4072.  | 0.8 | 54        |
| 263 | Diagnosis of subepithelial tumors in the upper gastrointestinal tract by endoscopic ultrasonography. <i>World Journal of Radiology</i> , 2010, 2, 289.  | 0.5 | 54        |
| 264 | Prognostic factors for portal venous invasion in patients with hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2007, 41, 1214-1219.  | 2.3 | 53        |
| 265 | Validation of the Hepatoma Arterial Embolization Prognostic Score in European and Asian Populations and Proposed Modification. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1204-1208.e2.  | 2.4 | 53        |
| 266 | Impact of Advanced Age on Survival in Patients Undergoing Resection of Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2019, 269, 692-699.   | 2.1 | 53        |
| 267 | Endoscopic ultrasound-guided gallbladder drainage for acute cholecystitis: Long-term outcomes after removal of a self-expandable metal stent. <i>World Journal of Gastroenterology</i> , 2017, 23, 661.   | 1.4 | 53        |
| 268 | Clinical implication of hypovascular hepatocellular carcinoma studied in 4,474 patients with solitary tumour equal or less than 3Åcm. <i>Liver International</i> , 2013, 33, 762-770.   | 1.9 | 52        |
| 269 | Impact of Histologically Confirmed Lymph Node Metastases on Patient Survival After Surgical Resection for Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2014, 259, 166-170.  | 2.1 | 52        |
| 270 | Double-Contrast Ultrasound: A Novel Surveillance Tool for Hepatocellular Carcinoma. <i>American Journal of Gastroenterology</i> , 2011, 106, 368-370.   | 0.2 | 51        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Response Evaluation Criteria in Cancer of the Liver (RECICL) (2015 Revised version). <i>Hepatology Research</i> , 2016, 46, 3-9.   | 1.8 | 51        |
| 272 | S-1 versus placebo in patients with sorafenib-refractory advanced hepatocellular carcinoma (S-CUBE): a randomised, double-blind, multicentre, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 407-417. | 3.7 | 51        |
| 273 | Immuno-Oncology Therapy for Hepatocellular Carcinoma: Current Status and Ongoing Trials. <i>Liver Cancer</i> , 2019, 8, 221-238.   | 4.2 | 51        |
| 274 | Immunological Microenvironment Predicts the Survival of the Patients with Hepatocellular Carcinoma Treated with Anti-PD-1 Antibody. <i>Liver Cancer</i> , 2021, 10, 380-393.   | 4.2 | 51        |
| 275 | NEW TECHNIQUES AND FUTURE PERSPECTIVE OF EUS FOR THE DIFFERENTIAL DIAGNOSIS OF PANCREATIC MALIGNANCIES: CONTRAST HARMONIC IMAGING. <i>Digestive Endoscopy</i> , 2011, 23, 46-50.   | 1.3 | 50        |
| 276 | Molecular Link between Liver Fibrosis and Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2013, 2, 365-366.  | 4.2 | 50        |
| 277 | MicroRNAs for the Prediction of Early Response to Sorafenib Treatment in Human Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2017, 6, 113-125.   | 4.2 | 50        |
| 278 | RICK/RIP2 is a NOD2-independent nodal point of gut inflammation. <i>International Immunology</i> , 2019, 31, 669-683.  | 1.8 | 50        |
| 279 | Compartmental analysis of asialoglycoprotein receptor scintigraphy for quantitative measurement of liver function: A multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 130-137.     | 2.2 | 49        |
| 280 | Des-Î <sup>3</sup> -Carboxyprothrombin May Be a Promising Biomarker to Determine the Therapeutic Efficacy of Sorafenib for Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2011, 29, 321-325.                                | 0.8 | 49        |
| 281 | Cold-inducible RNA-binding protein promotes the development of liver cancer. <i>Cancer Science</i> , 2015, 106, 352-358.   | 1.7 | 49        |
| 282 | Unique features associated with hepatic oxidative DNA damage and DNA methylation in non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1646-1653.                        | 1.4 | 49        |
| 283 | Avelumab in Combination with Axitinib as First-Line Treatment in Patients with Advanced Hepatocellular Carcinoma: Results from the Phase 1b VEGF Liver 100 Trial. <i>Liver Cancer</i> , 2021, 10, 249-259.                         | 4.2 | 49        |
| 284 | Functional hepatic imaging with receptor-binding radiopharmaceutical: Clinical potential as a measure of functioning hepatocyte mass. <i>Gastroenterologia Japonica</i> , 1991, 26, 734-741.                                       | 0.4 | 48        |
| 285 | New sonographic techniques for the diagnosis and treatment of hepatocellular carcinoma. <i>Hepatology Research</i> , 2007, 37, S193-9.   | 1.8 | 48        |
| 286 | Radiofrequency ablation guided by contrast harmonic sonography using perfluorocarbon microbubbles (Sonazoid) for hepatic malignancies: an initial experience. <i>Liver International</i> , 2010, 30, 759-764.                      | 1.9 | 48        |
| 287 | Endoscopic Ultrasonography-Guided Biliary Drainage: Evaluation of a Choledochoduodenostomy Technique. <i>Pancreatology</i> , 2011, 11, 47-51.  | 0.5 | 48        |
| 288 | Quantitative Levels of Hepatitis B Virus DNA and Surface Antigen and the Risk of Hepatocellular Carcinoma in Patients with Hepatitis B Receiving Long-Term Nucleos(t)ide Analogue Therapy. <i>Liver Cancer</i> , 2014, 3, 41-52.   | 4.2 | 48        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | B-Mode Ultrasonography versus Contrast-Enhanced Ultrasonography for Surveillance of Hepatocellular Carcinoma: A Prospective Multicenter Randomized Controlled Trial. <i>Liver Cancer</i> , 2019, 8, 271-280.  | 4.2 | 48        |
| 290 | Combination Cancer Immunotherapy with Molecular Targeted Agents/Anti-CTLA-4 Antibody for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019, 8, 1-11.   | 4.2 | 48        |
| 291 | Treatment Optimization for Hepatocellular Carcinoma in Elderly Patients in a Japanese Nationwide Cohort. <i>Annals of Surgery</i> , 2019, 270, 121-130.   | 2.1 | 48        |
| 292 | A multicenter randomized controlled trial to evaluate the efficacy of surgery vs. radiofrequency ablation for small hepatocellular carcinoma (SURF trial).. <i>Journal of Clinical Oncology</i> , 2019, 37, 4002-4002.  | 0.8 | 48        |
| 293 | Clinical comparison of branched-chain amino acid (-Leucine, -Isoleucine, -Valine) granules and oral nutrition for hepatic insufficiency in patients with decompensated liver cirrhosis (LIVâ€EN study). <i>Hepatology Research</i> , 2005, 31, 232-240.                 | 1.8 | 47        |
| 294 | Comparison of three current staging systems for hepatocellular carcinoma: Japan integrated staging score, new Barcelona Clinic Liver Cancer staging classification, and Tokyo score. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 445-452. | 1.4 | 47        |
| 295 | Hepatitis C Virus Core Protein Induces Homotolerance and Crossâ€Tolerance to Tollâ€Like Receptor Ligands by Activation of Tollâ€Like Receptor 2. <i>Journal of Infectious Diseases</i> , 2010, 202, 853-861.  | 1.9 | 47        |
| 296 | Characterization of intra-abdominal lesions of undetermined origin by contrast-enhanced harmonic EUS (with videos). <i>Gastrointestinal Endoscopy</i> , 2010, 72, 637-642.  | 0.5 | 47        |
| 297 | Impacts of COVID-19 on Liver Cancers: During and after the Pandemic. <i>Liver Cancer</i> , 2020, 9, 491-502.  | 4.2 | 47        |
| 298 | Combination therapy for advanced hepatocellular carcinoma: do we see the light at the end of the tunnel?. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 180-192.   | 0.7 | 47        |
| 299 | Percutaneous Radiofrequency Ablation of Sonographically Unidentifiable Liver Tumors. <i>Oncology</i> , 2007, 72, 111-116.   | 0.9 | 46        |
| 300 | Usefulness of a New Immunoradiometric Assay of HCV Core Antigen to Predict Virological Response during PEG-IFN/RBV Combination Therapy for Chronic Hepatitis with High Viral Load of Serum HCV RNA Genotype 1b. <i>Intervirolgy</i> , 2008, 51, 70-75.                  | 1.2 | 46        |
| 301 | Real Practice of Hepatocellular Carcinoma in Japan: Conclusions of the Japan Society of Hepatology 2009 Kobe Congress. <i>Oncology</i> , 2010, 78, 180-188.   | 0.9 | 46        |
| 302 | Combination Guidance of Contrast-Enhanced US and Fusion Imaging in Radiofrequency Ablation for Hepatocellular Carcinoma with Poor Conspicuity on Contrast-Enhanced US/Fusion Imaging. <i>Oncology</i> , 2014, 87, 55-62.  | 0.9 | 46        |
| 303 | Report of the 22nd nationwide followâ€up Survey of Primary Liver Cancer in Japan (2012â€2013). <i>Hepatology Research</i> , 2022, 52, 5-66.   | 1.8 | 46        |
| 304 | A Novel Treatment Strategy for Patients with Intermediate-Stage HCC Who Are Not Suitable for TACE: Upfront Systemic Therapy Followed by Curative Conversion. <i>Liver Cancer</i> , 2021, 10, 539-544.   | 4.2 | 46        |
| 305 | Imaging Blood Flow Characteristics of Hepatocellular Carcinoma. <i>Oncology</i> , 2002, 62, 48-56.  | 0.9 | 45        |
| 306 | Validation of the Criteria of Transcatheter Arterial Chemoembolization Failure or Refractoriness in Patients with Advanced Hepatocellular Carcinoma Proposed by the LCSGJ. <i>Oncology</i> , 2014, 87, 32-36.   | 0.9 | 45        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Dual-energy computed tomography for non-invasive staging of liver fibrosis: Accuracy of iodine density measurements from contrast-enhanced data. <i>Hepatology Research</i> , 2018, 48, 1008-1019.   | 1.8 | 45        |
| 308 | A New Era in Systemic Therapy for Hepatocellular Carcinoma: Atezolizumab plus Bevacizumab Combination Therapy. <i>Liver Cancer</i> , 2020, 9, 119-137.   | 4.2 | 45        |
| 309 | Hepatocellular Carcinomas Infected with the Novel TT DNA Virus Lack Viral Integration. <i>Biochemical and Biophysical Research Communications</i> , 1998, 251, 339-343.  | 1.0 | 44        |
| 310 | Clinical Characteristics of Non-BNonC- HCC: Comparison with HBV and HCV Related HCC. <i>Intervirology</i> , 2007, 50, 24-31.   | 1.2 | 44        |
| 311 | Contrast-enhanced endoscopic ultrasound. <i>Digestive Endoscopy</i> , 2014, 26, 79-85.   | 1.3 | 44        |
| 312 | Contrast-enhanced harmonic endoscopic ultrasonography for pancreatobiliary diseases. <i>Digestive Endoscopy</i> , 2015, 27, 60-67.   | 1.3 | 44        |
| 313 | Safety and efficacy of tigatuzumab plus sorafenib as first-line therapy in subjects with advanced hepatocellular carcinoma: A phase 2 randomized study. <i>Journal of Hepatology</i> , 2015, 63, 896-904.  | 1.8 | 44        |
| 314 | Safety and efficacy of sorafenib in Japanese patients with hepatocellular carcinoma in clinical practice: a subgroup analysis of GIDEON. <i>Journal of Gastroenterology</i> , 2016, 51, 1150-1160.   | 2.3 | 44        |
| 315 | Regional differences in sorafenib-treated patients with hepatocellular carcinoma: GIDEON observational study. <i>Liver International</i> , 2016, 36, 1196-1205.  | 1.9 | 44        |
| 316 | Removal of diminutive colorectal polyps: A prospective randomized clinical trial between cold snare polypectomy and hot forceps biopsy. <i>World Journal of Gastroenterology</i> , 2017, 23, 328.  | 1.4 | 44        |
| 317 | Integration of the cancer-related inflammatory response as a stratifying biomarker of survival in hepatocellular carcinoma treated with sorafenib. <i>Oncotarget</i> , 2017, 8, 36161-36170.   | 0.8 | 44        |
| 318 | Final Results of TACTICS: A Randomized, Prospective Trial Comparing Transarterial Chemoembolization Plus Sorafenib to Transarterial Chemoembolization Alone in Patients with Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2022, 11, 354-367. | 4.2 | 44        |
| 319 | The Systemic Inflammatory Response Identifies Patients with Adverse Clinical Outcome from Immunotherapy in Hepatocellular Carcinoma. <i>Cancers</i> , 2022, 14, 186.   | 1.7 | 44        |
| 320 | Percutaneous Aspiration and Ethanolamine Oleate Sclerotherapy for Sustained Resolution of Symptomatic Polycystic Liver Disease: An Initial Experience. <i>American Journal of Roentgenology</i> , 2009, 193, 1540-1545.                                      | 1.0 | 43        |
| 321 | Adjuvant Therapy after Curative Treatment for Hepatocellular Carcinoma. <i>Oncology</i> , 2011, 81, 50-55.   | 0.9 | 43        |
| 322 | Contrast-enhanced harmonic endoscopic ultrasonography for differential diagnosis of submucosal tumors of the upper gastrointestinal tract. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1686-1692.                              | 1.4 | 43        |
| 323 | Lenvatinib in Advanced Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2017, 6, 253-263.   | 4.2 | 43        |
| 324 | Supplementation of pancreatic digestive enzymes alters the composition of intestinal microbiota in mice. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 273-279.  | 1.0 | 43        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma: Early clinical experience. <i>Cancer Reports</i> , 2022, 5, e1464.   | 0.6 | 43        |
| 326 | Phase III trial of linifanib versus sorafenib in patients with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2013, 31, 249-249.   | 0.8 | 43        |
| 327 | Updated efficacy and safety of KEYNOTE-224: a phase II study of pembrolizumab in patients with advanced hepatocellular carcinoma previously treated with sorafenib. <i>European Journal of Cancer</i> , 2022, 167, 1-12.            | 1.3 | 43        |
| 328 | Sonazoid-enhanced Ultrasound in the Diagnosis and Treatment of Hepatic Tumors. <i>Journal of Medical Ultrasound</i> , 2008, 16, 130-139.  | 0.2 | 42        |
| 329 | Transarterial chemoembolization with miriplatin vs. epirubicin for unresectable hepatocellular carcinoma: a phase III randomized trial. <i>Journal of Gastroenterology</i> , 2018, 53, 281-290.                                     | 2.3 | 42        |
| 330 | Ramucirumab in advanced hepatocellular carcinoma in REACH-2: the true value of $\alpha$ -fetoprotein. <i>Lancet Oncology</i> , The, 2019, 20, e191.   | 5.1 | 42        |
| 331 | Gd-EOB-DTPA-MRI Could Predict WNT/ $\beta$ -Catenin Mutation and Resistance to Immune Checkpoint Inhibitor Therapy in Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020, 9, 479-490.   | 4.2 | 42        |
| 332 | A New Prognostic Staging System for Hepatocellular Carcinoma: Value of the Biomarker Combined Japan Integrated Staging Score. <i>Intervirolgy</i> , 2008, 51, 86-94.  | 1.2 | 41        |
| 333 | Complete Response of Advanced Hepatocellular Carcinoma with Multiple Lung Metastases Treated with Sorafenib: A Case Report. <i>Oncology</i> , 2011, 81, 152-157.  | 0.9 | 41        |
| 334 | Guideline on the use of new anticancer drugs for the treatment of Hepatocellular Carcinoma 2010 update. <i>Hepatology Research</i> , 2012, 42, 523-542.   | 1.8 | 41        |
| 335 | Factors predicting through-the-scope gastroduodenal stenting outcomes in patients with gastric outlet obstruction: a large multicenter retrospective study in West Japan. <i>Gastrointestinal Endoscopy</i> , 2016, 84, 757-763.e6. | 0.5 | 41        |
| 336 | The chances of hepatic resection curing hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2020, 72, 711-717.   | 1.8 | 41        |
| 337 | Management of hepatitis C; Report of the Consensus Meeting at the 45th Annual Meeting of the Japan Society of Hepatology (2009). <i>Hepatology Research</i> , 2010, 40, 347-368.  | 1.8 | 40        |
| 338 | A New Era of Systemic Therapy for Hepatocellular Carcinoma with Regorafenib and Lenvatinib. <i>Liver Cancer</i> , 2017, 6, 177-184.   | 4.2 | 40        |
| 339 | Rescue EUS-guided intrahepatic biliary drainage for malignant hilar biliary stricture after failed transpapillary re-intervention. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 4764-4772.             | 1.3 | 40        |
| 340 | Time to Transcatheter Arterial Chemoembolization Refractoriness in Patients with Hepatocellular Carcinoma in Kinki Criteria Stages B1 and B2. <i>Digestive Diseases</i> , 2017, 35, 589-597.  | 0.8 | 40        |
| 341 | Gankyrin induces $\text{STAT}3$ activation in tumor microenvironment and sorafenib resistance in hepatocellular carcinoma. <i>Cancer Science</i> , 2017, 108, 1996-2003.  | 1.7 | 40        |
| 342 | Contrast-enhanced harmonic endoscopic ultrasonography for differential diagnosis of localized gallbladder lesions. <i>Digestive Endoscopy</i> , 2018, 30, 98-106.   | 1.3 | 40        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Scientific Rationale for Combination Immunotherapy of Hepatocellular Carcinoma with Anti-PD-1/PD-L1 and Anti-CTLA-4 Antibodies. <i>Liver Cancer</i> , 2019, 8, 413-426.  | 4.2 | 40        |
| 344 | Hand-foot skin reaction (HFSR) and overall survival (OS) in the phase 3 RESORCE trial of regorafenib for treatment of hepatocellular carcinoma (HCC) progressing on sorafenib.. <i>Journal of Clinical Oncology</i> , 2018, 36, 412-412.   | 0.8 | 40        |
| 345 | Imaging of Hepatocellular Carcinoma: Qualitative and Quantitative Analysis of Postvascular Phase Contrast-Enhanced Ultrasonography with Sonazoid. <i>Oncology</i> , 2008, 75, 48-54.   | 0.9 | 39        |
| 346 | Usefulness of Contrast-Enhanced Ultrasonography to Evaluate the Post-Treatment Responses of Radiofrequency Ablation for Hepatocellular Carcinoma: Comparison with Dynamic CT. <i>Oncology</i> , 2013, 84, 51-57.   | 0.9 | 39        |
| 347 | Feasibility of Extracted-Overlay Fusion Imaging for Intraoperative Treatment Evaluation of Radiofrequency Ablation for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2016, 5, 269-279.   | 4.2 | 39        |
| 348 | Ramucirumab as second-line treatment in patients with advanced hepatocellular carcinoma: Japanese subgroup analysis of the REACH trial. <i>Journal of Gastroenterology</i> , 2017, 52, 494-503.  | 2.3 | 39        |
| 349 | Serum alpha-fetoprotein and clinical outcomes in patients with advanced hepatocellular carcinoma treated with ramucirumab. <i>British Journal of Cancer</i> , 2021, 124, 1388-1397.  | 2.9 | 39        |
| 350 | Impact of antitumor activity on survival outcomes, and nonconventional benefit, with nivolumab (NIVO) in patients with advanced hepatocellular carcinoma (aHCC): Subanalyses of CheckMate-040.. <i>Journal of Clinical Oncology</i> , 2018, 36, 475-475.                                     | 0.8 | 39        |
| 351 | Signaling pathway/molecular targets and new targeted agents under development in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2012, 18, 6005.  | 1.4 | 39        |
| 352 | Early Detection and Curative Treatment of Early-Stage Hepatocellular Carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2005, 3, S144-S148.  | 2.4 | 38        |
| 353 | Hepatic malignancies: Correlation between sonographic findings and pathological features. <i>World Journal of Radiology</i> , 2010, 2, 249.  | 0.5 | 38        |
| 354 | Hypovascular Hepatic Nodules Showing Hypointense on the Hepatobiliary-Phase Image of Gd-EOB-DTPA-Enhanced MRI to Develop a Hypervascular Hepatocellular Carcinoma: A Nationwide Retrospective Study on Their Natural Course and Risk Factors. <i>Digestive Diseases</i> , 2013, 31, 472-479. | 0.8 | 38        |
| 355 | Alteration of Epigenetic Profile in Human Hepatocellular Carcinoma and Its Clinical Implications. <i>Liver Cancer</i> , 2014, 3, 417-427.  | 4.2 | 38        |
| 356 | Utility of Endoscopic Ultrasound-Guided Hepaticogastrostomy with Antegrade Stenting for Malignant Biliary Obstruction after Failed Endoscopic Retrograde Cholangiopancreatography. <i>Oncology</i> , 2017, 93, 69-75.  | 0.9 | 38        |
| 357 | Impact of resection and ablation for single hypovascular hepatocellular carcinoma analysed with propensity score weighting. <i>Liver International</i> , 2018, 38, 484-493.  | 1.9 | 38        |
| 358 | STORM: A phase III randomized, double-blind, placebo-controlled trial of adjuvant sorafenib after resection or ablation to prevent recurrence of hepatocellular carcinoma (HCC). <i>Journal of Clinical Oncology</i> , 2014, 32, 4006-4006.  | 0.8 | 38        |
| 359 | Comparison of systems for assessment of post-therapeutic response to sorafenib for hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2014, 49, 1578-1587.   | 2.3 | 37        |
| 360 | Assessment for retreatment (ART) score for repeated transarterial chemoembolization in patients with hepatocellular carcinoma. <i>Hepatology</i> , 2014, 59, 2424-2425.  | 3.6 | 37        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Outcomes of endoscopic biliary drainage in pancreatic cancer patients with an indwelling gastroduodenal stent: a multicenter cohort study in West Japan. <i>Gastrointestinal Endoscopy</i> , 2018, 88, 66-75.e2.   | 0.5 | 37        |
| 362 | Post-Progression Treatment Eligibility of Unresectable Hepatocellular Carcinoma Patients Treated with Lenvatinib. <i>Liver Cancer</i> , 2020, 9, 73-83.  | 4.2 | 37        |
| 363 | Exploratory Analysis of Lenvatinib Therapy in Patients with Unresectable Hepatocellular Carcinoma Who Have Failed Prior PD-1/PD-L1 Checkpoint Blockade. <i>Cancers</i> , 2020, 12, 3048.   | 1.7 | 37        |
| 364 | Nivolumab (NIVO) plus ipilimumab (IPI) combination therapy in patients (Pts) with advanced hepatocellular carcinoma (aHCC): Long-term results from CheckMate 040.. <i>Journal of Clinical Oncology</i> , 2021, 39, 269-269.  | 0.8 | 37        |
| 365 | Contrast-enhanced harmonic endoscopic ultrasonography for assessment of lymph node metastases in pancreaticobiliary carcinoma. <i>World Journal of Gastroenterology</i> , 2016, 22, 3381-3391.   | 1.4 | 37        |
| 366 | Preliminary study of contrast-enhanced harmonic endosonography with second-generation contrast agents. <i>Journal of Medical Ultrasonics (2001)</i> , 2008, 35, 11-18.   | 0.6 | 36        |
| 367 | Usefulness of Combination of Imaging Modalities in the Diagnosis of Hepatocellular Carcinoma Using Sonazoid®-Enhanced Ultrasound, Gadolinium Diethylene-Triamine-Pentaacetic Acid-Enhanced Magnetic Resonance Imaging, and Contrast-Enhanced Computed Tomography. <i>Oncology</i> , 2011, 81, 66-72. | 0.9 | 36        |
| 368 | Survey of survival among patients with hepatitis C virus-related hepatocellular carcinoma treated with peretinoin, an acyclic retinoid, after the completion of a randomized, placebo-controlled trial. <i>Journal of Gastroenterology</i> , 2015, 50, 667-674.                                      | 2.3 | 36        |
| 369 | Diagnosis of Fibrosis and Activity by a Combined Use of Strain and Shear Wave Imaging in Patients with Liver Disease. <i>Digestive Diseases</i> , 2017, 35, 515-520.   | 0.8 | 36        |
| 370 | Radiofrequency ablation of liver metastasis: potential impact on immune checkpoint inhibitor therapy. <i>European Radiology</i> , 2019, 29, 5045-5051.   | 2.3 | 36        |
| 371 | Liver damage related to immune checkpoint inhibitors. <i>Hepatology International</i> , 2019, 13, 248-252.   | 1.9 | 36        |
| 372 | Effect of surgical margin width after R0 resection for intrahepatic cholangiocarcinoma: A nationwide survey of the Liver Cancer Study Group of Japan. <i>Surgery</i> , 2020, 167, 793-802.   | 1.0 | 36        |
| 373 | Ultrasound-ultrasound image overlay fusion improves real-time control of radiofrequency ablation margin in the treatment of hepatocellular carcinoma. <i>European Radiology</i> , 2018, 28, 1986-1993.   | 2.3 | 36        |
| 374 | Proposal of Primary Endpoints for TACE Combination Trials with Systemic Therapy: Lessons Learned from 5 Negative Trials and the Positive TACTICS Trial. <i>Liver Cancer</i> , 2018, 7, 225-234.  | 4.2 | 35        |
| 375 | EZ-ALBI Score for Predicting Hepatocellular Carcinoma Prognosis. <i>Liver Cancer</i> , 2020, 9, 734-743.   | 4.2 | 35        |
| 376 | Analysis of survival and objective response (OR) in patients with hepatocellular carcinoma in a phase III study of lenvatinib (REFLECT).. <i>Journal of Clinical Oncology</i> , 2019, 37, 186-186.   | 0.8 | 35        |
| 377 | Randomized Phase 3 LEAP-012 Study: Transarterial Chemoembolization With or Without Lenvatinib Plus Pembrolizumab for Intermediate-Stage Hepatocellular Carcinoma Not Amenable to Curative Treatment. <i>CardioVascular and Interventional Radiology</i> , 2022, 45, 405-412.                         | 0.9 | 35        |
| 378 | Defect Reperfusion Imaging, a Newly Developed Novel Technology using Sonazoid in the Treatment of Hepatocellular Carcinoma. <i>Journal of Medical Ultrasound</i> , 2008, 16, 169-176.  | 0.2 | 34        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Endoscopic Ultrasonography and Contrast-Enhanced Endoscopic Ultrasonography. <i>Pancreatology</i> , 2011, 11, 28-33.   | 0.5 | 34        |
| 380 | Antitumor Activity of BIBF 1120, a Triple Angiokinase Inhibitor, and Use of VEGFR2+pTyr+ Peripheral Blood Leukocytes as a Pharmacodynamic Biomarker <i>In Vivo</i> . <i>Clinical Cancer Research</i> , 2011, 17, 1373-1381.                                    | 3.2 | 34        |
| 381 | Estimation of liver function using T2* mapping on gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid enhanced magnetic resonance imaging. <i>European Journal of Radiology</i> , 2012, 81, 1460-1464.   | 1.2 | 34        |
| 382 | Ultrasound Fusion Imaging of Hepatocellular Carcinoma: A Review of Current Evidence. <i>Digestive Diseases</i> , 2014, 32, 690-695.  | 0.8 | 34        |
| 383 | Survival Benefit of Locoregional Treatment for Hepatocellular Carcinoma with Advanced Liver Cirrhosis. <i>Liver Cancer</i> , 2016, 5, 175-189.   | 4.2 | 34        |
| 384 | Estimation of the malignant potential of gastrointestinal stromal tumors: the value of contrast-enhanced coded phase-inversion harmonics US. <i>Journal of Gastroenterology</i> , 2005, 40, 247-255.   | 2.3 | 33        |
| 385 | Endoscopic Ultrasound-Guided Neurolysis in Pancreatic Cancer. <i>Pancreatology</i> , 2011, 11, 52-58.  | 0.5 | 33        |
| 386 | Signaling Pathway and Molecular-Targeted Therapy for Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2011, 29, 289-302.  | 0.8 | 33        |
| 387 | Endoscopic Ultrasound: Contrast Enhancement. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2012, 22, 349-358.   | 0.6 | 33        |
| 388 | A randomised phase II study of TSU-68 in patients with hepatocellular carcinoma treated by transarterial chemoembolisation. <i>European Journal of Cancer</i> , 2013, 49, 2832-2840.   | 1.3 | 33        |
| 389 | Risk factors for local recurrence and appropriate surveillance interval after endoscopic resection. <i>World Journal of Gastroenterology</i> , 2019, 25, 1502-1512.  | 1.4 | 33        |
| 390 | Phase I Study of the Bifunctional Fusion Protein Bintrafusp Alfa in Asian Patients with Advanced Solid Tumors, Including a Hepatocellular Carcinoma Safety-Assessment Cohort. <i>Oncologist</i> , 2020, 25, e1292-e1302.                                       | 1.9 | 33        |
| 391 | Early Antibiotic Exposure Is Not Detrimental to Therapeutic Effect from Immunotherapy in Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 583-592.  | 4.2 | 33        |
| 392 | Differential diagnosis of nodular lesions in cirrhotic liver by post-vascular phase contrast-enhanced US with Levovist: comparison with superparamagnetic iron oxide magnetic resonance images. <i>Journal of Gastroenterology</i> , 2005, 40, 1139-1147.      | 2.3 | 32        |
| 393 | A novel biomarker TERTmRNA is applicable for early detection of hepatoma. <i>BMC Gastroenterology</i> , 2010, 10, 46.  | 0.8 | 32        |
| 394 | Risk Factors for Postoperative Bleeding in Endoscopic Submucosal Dissection of Colorectal Tumors. <i>Oncology</i> , 2017, 93, 35-42.   | 0.9 | 32        |
| 395 | Impact of avascular areas, as measured by contrast-enhanced harmonic EUS, on the accuracy of FNA for pancreatic adenocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 158-163.   | 0.5 | 32        |
| 396 | Phase I/II study of first-line combination therapy with sorafenib plus resminostat, an oral HDAC inhibitor, versus sorafenib monotherapy for advanced hepatocellular carcinoma in east Asian patients. <i>Investigational New Drugs</i> , 2018, 36, 1072-1084. | 1.2 | 32        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Identification of serum IFN- $\gamma$ and IL-33 as novel biomarkers for type 1 autoimmune pancreatitis and IgG4-related disease. <i>Scientific Reports</i> , 2020, 10, 14879.   | 1.6 | 32        |
| 398 | Combined sequential use of HAP and ART scores to predict survival outcome and treatment failure following chemoembolization in hepatocellular carcinoma: a multi-center comparative study. <i>Oncotarget</i> , 2016, 7, 44705-44718.          | 0.8 | 32        |
| 399 | Autoimmune hepatitis and IgG4-related disease. <i>World Journal of Gastroenterology</i> , 2019, 25, 2308-2314.  | 1.4 | 32        |
| 400 | Pembrolizumab Monotherapy for Previously Untreated Advanced Hepatocellular Carcinoma: Data from the Open-Label, Phase II KEYNOTE-224 Trial. <i>Clinical Cancer Research</i> , 2022, 28, 2547-2554.  | 3.2 | 32        |
| 401 | Cronkhite-Canada syndrome associated with triple gastric cancers: a case report. <i>Gastrointestinal Endoscopy</i> , 1999, 50, 688-691.   | 0.5 | 31        |
| 402 | Outcomes of Nontransplant Potentially Curative Therapy for Early-Stage Hepatocellular Carcinoma in Child-Pugh Stage A Cirrhosis Is Comparable with Liver Transplantation. <i>Digestive Diseases</i> , 2007, 25, 303-309.                      | 0.8 | 31        |
| 403 | A randomized phase II trial of intra-arterial chemotherapy using SM-11355 (Miriplatin) for hepatocellular carcinoma. <i>Investigational New Drugs</i> , 2012, 30, 2015-2025.  | 1.2 | 31        |
| 404 | Unique Association between Global DNA Hypomethylation and Chromosomal Alterations in Human Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2013, 8, e72312.   | 1.1 | 31        |
| 405 | Homozygous deletion of the activin A receptor, type IB gene is associated with an aggressive cancer phenotype in pancreatic cancer. <i>Molecular Cancer</i> , 2014, 13, 126.  | 7.9 | 31        |
| 406 | Validation of a Modified Substaging System (Kinki Criteria) for Patients with Intermediate-Stage Hepatocellular Carcinoma. <i>Oncology</i> , 2015, 89, 47-52.   | 0.9 | 31        |
| 407 | Stent migration into the abdominal cavity after EUS-guided hepaticogastrostomy. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 263-264.  | 0.5 | 31        |
| 408 | Clinical efficacy and safety of endoscopic ultrasound-guided gallbladder drainage replacement of percutaneous drainage: A multicenter retrospective study. <i>Digestive Endoscopy</i> , 2019, 31, 180-187.                                    | 1.3 | 31        |
| 409 | Stereotactic Body Radiation Therapy as an Alternative Treatment for Patients with Hepatocellular Carcinoma Compared to Sorafenib: A Propensity Score Analysis. <i>Liver Cancer</i> , 2019, 8, 281-294.  | 4.2 | 31        |
| 410 | Effect of ramucirumab on ALBI grade in patients with advanced HCC: Results from REACH and REACH-2. <i>JHEP Reports</i> , 2021, 3, 100215.   | 2.6 | 31        |
| 411 | Higher Enhancement Intrahepatic Nodules on the Hepatobiliary Phase of Gd-EOB-DTPA-Enhanced MRI as a Poor Responsive Marker of Anti-PD-1/PD-L1 Monotherapy for Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 615-628. | 4.2 | 31        |
| 412 | Sonographic diagnosis of pancreatic islet cell tumor: Value of intermittent harmonic imaging. <i>Journal of Clinical Ultrasound</i> , 2001, 29, 411-416.  | 0.4 | 30        |
| 413 | Risk of HCV transmission after needlestick injury, and the efficacy of short-duration interferon administration to prevent HCV transmission to medical personnel. <i>Journal of Gastroenterology</i> , 2003, 38, 877-879.                     | 2.3 | 30        |
| 414 | Current status of molecularly targeted therapy for hepatocellular carcinoma: clinical practice. <i>International Journal of Clinical Oncology</i> , 2010, 15, 242-255.  | 1.0 | 30        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | Diagnosis of pancreatic tumors by endoscopic ultrasonography. <i>World Journal of Radiology</i> , 2010, 2, 122.   | 0.5 | 30        |
| 416 | Usefulness of the Post-Vascular Phase of Contrast-Enhanced Ultrasonography with Sonazoid in the Evaluation of Gross Types of Hepatocellular Carcinoma. <i>Oncology</i> , 2010, 78, 53-59.   | 0.9 | 30        |
| 417 | Involvement of Angiotensin II and Reactive Oxygen Species in Pancreatic Fibrosis. <i>Pancreatology</i> , 2011, 11, 7-13.  | 0.5 | 30        |
| 418 | Role of Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced Magnetic Resonance Imaging in the Management of Hepatocellular Carcinoma: Consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan. <i>Oncology</i> , 2013, 84, 21-27. | 0.9 | 30        |
| 419 | Dynamic changes of the inflammation-based index predict mortality following chemoembolisation for hepatocellular carcinoma: a prospective study. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 1270-1281.   | 1.9 | 30        |
| 420 | Efficacy of lenvatinib for unresectable hepatocellular carcinoma based on background liver disease etiology: multi-center retrospective study. <i>Scientific Reports</i> , 2021, 11, 16663.   | 1.6 | 30        |
| 421 | Safety and antitumor activity of nivolumab (nivo) in patients (pts) with advanced hepatocellular carcinoma (HCC): Interim analysis of dose-expansion cohorts from the phase 1/2 CheckMate-040 study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 4078-4078.                          | 0.8 | 30        |
| 422 | KEYNOTE-224: Pembrolizumab in patients with advanced hepatocellular carcinoma previously treated with sorafenib.. <i>Journal of Clinical Oncology</i> , 2018, 36, 209-209.  | 0.8 | 30        |
| 423 | Liver Cancer Study Group of Japan Clinical Practice Guidelines for Intrahepatic Cholangiocarcinoma. <i>Liver Cancer</i> , 2022, 11, 290-314.  | 4.2 | 30        |
| 424 | Development of a Novel Assay to Quantify Serum Human Telomerase Reverse Transcriptase Messenger RNA and Its Significance as a Tumor Marker for Hepatocellular Carcinoma. <i>Oncology</i> , 2007, 72, 45-51.   | 0.9 | 29        |
| 425 | Radiofrequency Ablation for Hepatocellular Carcinoma: Assistant Techniques for Difficult Cases. <i>Oncology</i> , 2010, 78, 94-101.   | 0.9 | 29        |
| 426 | Autoimmune Hepatitis and Immunoglobulin G4-Associated Autoimmune Hepatitis. <i>Digestive Diseases</i> , 2013, 31, 415-420.  | 0.8 | 29        |
| 427 | Kupffer phase image of Sonazoid-enhanced US is useful in predicting a hypervascularization of non-hypervascular hypointense hepatic lesions detected on Gd-EOB-DTPA-enhanced MRI: a multicenter retrospective study. <i>Journal of Gastroenterology</i> , 2016, 51, 144-152.              | 2.3 | 29        |
| 428 | New diagnostic technique to evaluate hepatic steatosis using the attenuation coefficient on ultrasound B mode. <i>PLoS ONE</i> , 2019, 14, e0221548.  | 1.1 | 29        |
| 429 | Recent Updates on the Relationship between Cancer and Autoimmune Pancreatitis. <i>Internal Medicine</i> , 2019, 58, 1533-1539.  | 0.3 | 29        |
| 430 | A randomized, double-blind, placebo-controlled, phase 3 study of tivantinib in Japanese patients with MET-high hepatocellular carcinoma. <i>Cancer Science</i> , 2020, 111, 3759-3769.  | 1.7 | 29        |
| 431 | Pembrolizumab as Second-Line Therapy for Advanced Hepatocellular Carcinoma: A Subgroup Analysis of Asian Patients in the Phase 3 KEYNOTE-240 Trial. <i>Liver Cancer</i> , 2021, 10, 275-284.  | 4.2 | 29        |
| 432 | KEYNOTE-240: Randomized phase III study of pembrolizumab versus best supportive care for second-line advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS503-TPS503.   | 0.8 | 29        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 433 | Randomized, open label, multicenter, phase II trial comparing transarterial chemoembolization (TACE) plus sorafenib with TACE alone in patients with hepatocellular carcinoma (HCC): TACTICS trial.. Journal of Clinical Oncology, 2018, 36, 206-206.                                   | 0.8 | 29        |
| 434 | Endoscopic retrograde extraction of common bile duct stones with drip infusion of isosorbide dinitrate. Gastrointestinal Endoscopy, 1992, 38, 178-180.  | 0.5 | 28        |
| 435 | Role of tumor markers in assessment of tumor progression and prediction of outcomes in patients with hepatocellular carcinoma. Hepatology Research, 2007, 37, S166-71.  | 1.8 | 28        |
| 436 | Value of Liver Parenchymal Phase Contrast-Enhanced Sonography to Diagnose Premalignant and Borderline Lesions and Overt Hepatocellular Carcinoma. American Journal of Roentgenology, 2009, 192, 698-705.  | 1.0 | 28        |
| 437 | Phase I/II study of the pharmacokinetics, safety and efficacy of Sâ€ in patients with advanced hepatocellular carcinoma. Cancer Science, 2010, 101, 2606-2611.   | 1.7 | 28        |
| 438 | Depiction of Portal Supply in Early Hepatocellular Carcinoma and Dysplastic Nodule: Value of Pure Arterial Ultrasound Imaging in Hepatocellular Carcinoma. Oncology, 2010, 78, 60-67.   | 0.9 | 28        |
| 439 | Recent Progress in Radiofrequency Ablation Therapy for Hepatocellular Carcinoma. Oncology, 2014, 87, 73-77.   | 0.9 | 28        |
| 440 | US-US Fusion Imaging in Radiofrequency Ablation for Liver Metastases. Digestive Diseases, 2016, 34, 687-691.  | 0.8 | 28        |
| 441 | Needle-Tract Seeding on the Proximal Gastric Wall After EUS-Guided Fine-Needle Aspiration of a Pancreatic Mass. American Journal of Gastroenterology, 2016, 111, 1515.  | 0.2 | 28        |
| 442 | Alpha-fetoprotein kinetics in patients with hepatocellular carcinoma receiving ramucirumab or placebo: an analysis of the phase 3 REACH study. British Journal of Cancer, 2018, 119, 19-26.   | 2.9 | 28        |
| 443 | Switching from entecavir to tenofovir alafenamide versus maintaining entecavir for chronic hepatitis B. Journal of Medical Virology, 2019, 91, 1804-1810.   | 2.5 | 28        |
| 444 | Prediction of Prognosis of Intermediate-Stage HCC Patients: Validation of the Tumor Marker Score in a Nationwide Database in Japan. Liver Cancer, 2019, 8, 403-411.   | 4.2 | 28        |
| 445 | Clinical importance of muscle volume in lenvatinib treatment for hepatocellular carcinoma: Analysis adjusted with inverse probability weighting. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 1812-1819.   | 1.4 | 28        |
| 446 | Patient-reported outcomes (PROs) from the Phase III IMbrave150 trial of atezolizumab (atezo) + bevacizumab (bev) vs sorafenib (sor) as first-line treatment (tx) for patients (pts) with unresectable hepatocellular carcinoma (HCC).. Journal of Clinical Oncology, 2020, 38, 476-476. | 0.8 | 28        |
| 447 | Radiofrequency Ablation for Hepatocellular Carcinoma Measuring 2 cm or Smaller: Results and Risk Factors for Local Recurrence. Digestive Diseases, 2014, 32, 670-677.   | 0.8 | 27        |
| 448 | A Newly Developed Shear Wave Elastography Modality: With a Unique Reliability Index. Oncology, 2015, 89, 53-59.   | 0.9 | 27        |
| 449 | Validation of serological models for staging and prognostication of HCC in patients from a Japanese nationwide survey. Journal of Gastroenterology, 2017, 52, 1112-1121.  | 2.3 | 27        |
| 450 | Response Evaluation Criteria in Cancer of the Liver version 5 (RECICL 2019 revised version). Hepatology Research, 2019, 49, 981-989.  | 1.8 | 27        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 451 | Contrast Harmonic Imaging in the Diagnosis and Treatment of Hepatic Tumors. , 2003, , .  |     | 27        |
| 452 | Immune Phenotype and Immune Checkpoint Inhibitors for the Treatment of Human Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 1274.  | 1.7 | 27        |
| 453 | Long-term outcome of percutaneous ethanol injection therapy for minimum-sized hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2008, 14, 1997.   | 1.4 | 27        |
| 454 | Hepatic angiomyolipoma pre-operatively diagnosed by imaging. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1993, 8, 483-488.   | 1.4 | 26        |
| 455 | Comparison of standard-dose and low-dose gemcitabine regimens in pancreatic adenocarcinoma patients: a prospective randomized trial. <i>Journal of Gastroenterology</i> , 2006, 41, 70-76.                         | 2.3 | 26        |
| 456 | A proposal of novel treatment-assist technique for hepatocellular carcinoma in the Sonazoid-enhanced ultrasonography: value of defect re-perfusion imaging. <i>Acta Hepatologica Japonica</i> , 2007, 48, 299-301. | 0.0 | 26        |
| 457 | Validation of Three Staging Systems for Hepatocellular Carcinoma (IIS Score, Biomarker-Combined JIS) Tj ETQq1 1 0.784314 rgBT /Ov<br>717-724.  | 0.8 | 26        |
| 458 | Phase I/II Study of Sorafenib in Combination with Hepatic Arterial Infusion Chemotherapy Using Low-Dose Cisplatin and 5-Fluorouracil. <i>Liver Cancer</i> , 2015, 4, 263-273.                                      | 4.2 | 26        |
| 459 | Intestinal dysbiosis mediates experimental autoimmune pancreatitis via activation of plasmacytoid dendritic cells. <i>International Immunology</i> , 2019, 31, 795-809.  | 1.8 | 26        |
| 460 | Association between Genetic and Immunological Background of Hepatocellular Carcinoma and Expression of Programmed Cell Death-1. <i>Liver Cancer</i> , 2020, 9, 426-439.  | 4.2 | 26        |
| 461 | Ramucirumab in elderly patients with hepatocellular carcinoma and elevated alpha-fetoprotein after sorafenib in REACH and REACH-2. <i>Liver International</i> , 2020, 40, 2008-2020.                               | 1.9 | 26        |
| 462 | EVOLVE-1: Phase 3 study of everolimus for advanced HCC that progressed during or after sorafenib.. <i>Journal of Clinical Oncology</i> , 2014, 32, 172-172.  | 0.8 | 26        |
| 463 | Integrated use of PD-1 inhibition and transarterial chemoembolization for hepatocellular carcinoma: evaluation of safety and efficacy in a retrospective, propensity score-matched study. , 2022, 10, e004205.     |     | 26        |
| 464 | Riedel's Lobe of the Liver and Its Clinical Implication. <i>Internal Medicine</i> , 2000, 39, 87-88.   | 0.3 | 25        |
| 465 | Association of Gankyrin and Stemness Factor Expression in Human Colorectal Cancer. <i>Digestive Diseases and Sciences</i> , 2013, 58, 2337-2344.   | 1.1 | 25        |
| 466 | Hepatocellular Carcinoma in Child-Pugh C Cirrhosis: Prognostic Factors and Survival Benefit of Nontransplant Treatments. <i>Digestive Diseases</i> , 2013, 31, 490-498.  | 0.8 | 25        |
| 467 | Genome-Wide Profiling of DNA Methylation and Tumor Progression in Human Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2014, 32, 658-663.   | 0.8 | 25        |
| 468 | The gross classification of hepatocellular carcinoma: Usefulness of contrast-enhanced US. <i>Journal of Clinical Ultrasound</i> , 2014, 42, 1-8.   | 0.4 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 469 | Pembrolizumab for the Treatment of Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019, 8, 143-154.  | 4.2 | 25        |
| 470 | Long-term antitumor effect of lenvatinib on unresectable hepatocellular carcinoma with portal vein invasion. <i>Hepatology Research</i> , 2019, 49, 594-599.  | 1.8 | 25        |
| 471 | Early experience of atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma BCLC stage patients classified as beyond up to seven criteria – Multicenter analysis. <i>Hepatology Research</i> , 2022, 52, 308-316.                                     | 1.8 | 25        |
| 472 | Does first-line treatment have prognostic impact for unresectable HCC? Atezolizumab plus bevacizumab versus lenvatinib. <i>Cancer Medicine</i> , 2023, 12, 325-334.   | 1.3 | 25        |
| 473 | Management of hepatitis B: Consensus of the Japan Society of Hepatology 2009. <i>Hepatology Research</i> , 2011, 41, 1-21.  | 1.8 | 24        |
| 474 | Real-Life Clinical Practice with Sorafenib in Advanced Hepatocellular Carcinoma: A Single-Center Experience. <i>Digestive Diseases</i> , 2012, 30, 609-616.   | 0.8 | 24        |
| 475 | Therapeutic Response Assessment of Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma: Ultrasonography, CT and MR Imaging. <i>Oncology</i> , 2013, 84, 58-63.  | 0.9 | 24        |
| 476 | Hand-Foot Syndrome and Post-Progression Treatment Are the Good Predictors of Better Survival in Advanced Hepatocellular Carcinoma Treated with Sorafenib: A Multicenter Study. <i>Oncology</i> , 2017, 93, 113-119.   | 0.9 | 24        |
| 477 | Validation of Newly Proposed Time to Transarterial Chemoembolization Progression in Intermediate-Stage Hepatocellular Carcinoma Cases. <i>Oncology</i> , 2017, 93, 120-126.   | 0.9 | 24        |
| 478 | Molecular Scoring of Hepatocellular Carcinoma for Predicting Metastatic Recurrence and Requirements of Systemic Chemotherapy. <i>Cancers</i> , 2018, 10, 367.   | 1.7 | 24        |
| 479 | Current status and perspectives for computer-aided ultrasonic diagnosis of liver lesions using deep learning technology. <i>Hepatology International</i> , 2019, 13, 416-421.   | 1.9 | 24        |
| 480 | Partial Pancreatic Parenchymal Atrophy Is a New Specific Finding to Diagnose Small Pancreatic Cancer (<math>\leq 10\text{ mm}</math>) Including Carcinoma in Situ: Comparison with Localized Benign Main Pancreatic Duct Stenosis Patients. <i>Diagnostics</i> , 2020, 10, 445. | 1.3 | 24        |
| 481 | Nutritional Index as Prognostic Indicator in Patients Receiving Lenvatinib Treatment for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , 2020, 98, 295-302.  | 0.9 | 24        |
| 482 | Serum Levels of Î±-Fetoprotein Increased More Than 10 Years Before Detection of Hepatocellular Carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 162-170.e4.   | 2.4 | 24        |
| 483 | Hepatocellular carcinoma metastasizing to the skull base involving multiple cranial nerves. <i>World Journal of Gastroenterology</i> , 2006, 12, 6727.  | 1.4 | 24        |
| 484 | Evaluation of anti-migration properties of biliary covered self-expandable metal stents. <i>World Journal of Gastroenterology</i> , 2016, 22, 6917.   | 1.4 | 24        |
| 485 | Targeted therapy for liver cancer: updated review in 2012. <i>Current Cancer Drug Targets</i> , 2012, 12, 1062-72.  | 0.8 | 24        |
| 486 | Hepatocellular adenoma in type Ia glycogen storage disease. <i>Journal of Gastroenterology</i> , 2001, 36, 65-66.   | 2.3 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 487 | Atypical Large Well-Differentiated Hepatocellular Carcinoma with Benign Nature: A New Clinical Entity. <i>Intervirolgy</i> , 2004, 47, 227-237.   | 1.2 | 23        |
| 488 | Hepatic angiomyolipoma: identification of an efferent vessel to be hepatic vein by contrast-enhanced harmonic ultrasound. <i>British Journal of Radiology</i> , 2005, 78, 956-960.  | 1.0 | 23        |
| 489 | PIVKA-II Is the Best Prognostic Predictor in Patients with Hepatocellular Carcinoma after Radiofrequency Ablation Therapy. <i>Oncology</i> , 2008, 75, 91-98.   | 0.9 | 23        |
| 490 | Hepatocellular Carcinoma in 2011 and Beyond: From the Pathogenesis to Molecular Targeted Therapy. <i>Oncology</i> , 2011, 81, 1-10.   | 0.9 | 23        |
| 491 | Hypothermia Protects against Fulminant Hepatitis in Mice by Reducing Reactive Oxygen Species Production. <i>Digestive Diseases</i> , 2013, 31, 440-446.   | 0.8 | 23        |
| 492 | Percutaneous Radiofrequency Ablation for Intermediate-Stage Hepatocellular Carcinoma. <i>Oncology</i> , 2015, 89, 19-26.  | 0.9 | 23        |
| 493 | Acute spinal cord infarction after EUS-guided celiac plexus neurolysis. <i>Gastrointestinal Endoscopy</i> , 2016, 83, 1039-1040.  | 0.5 | 23        |
| 494 | Influence of Liver Inflammation on Liver Stiffness Measurement in Patients with Autoimmune Hepatitis Evaluation by Combinational Elastography. <i>Oncology</i> , 2017, 92, 10-15.   | 0.9 | 23        |
| 495 | Endoscopic ultrasound-guided choledochoduodenostomy using a thin stent delivery system in patients with unresectable malignant distal biliary obstruction: A prospective multicenter study. <i>Digestive Endoscopy</i> , 2019, 31, 291-298. | 1.3 | 23        |
| 496 | Efficacy and Safety of Chemotherapy Following Anti-PD-1 Antibody Therapy for Gastric Cancer: A Case of Sclerosing Cholangitis. <i>Internal Medicine</i> , 2019, 58, 1263-1266.  | 0.3 | 23        |
| 497 | Ramucirumab after prior sorafenib in patients with advanced hepatocellular carcinoma and elevated alpha-fetoprotein: Japanese subgroup analysis of the REACH-2 trial. <i>Journal of Gastroenterology</i> , 2020, 55, 627-639.               | 2.3 | 23        |
| 498 | Baseline Liver Function and Subsequent Outcomes in the Phase 3 REFLECT Study of Patients with Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 510-521.   | 4.2 | 23        |
| 499 | Inflammatory pseudotumor of the liver in a patient with chronic hepatitis C: Difficulty in differentiating it from hepatocellular carcinoma. <i>Pathology International</i> , 1999, 49, 726-730.  | 0.6 | 22        |
| 500 | Impact of Interferon Therapy after Curative Treatment of Hepatocellular Carcinoma. <i>Oncology</i> , 2008, 75, 30-41.   | 0.9 | 22        |
| 501 | Association of genetic polymorphisms with interferon-induced haematologic adverse effects in chronic hepatitis C patients. <i>Journal of Viral Hepatitis</i> , 2009, 16, 388-396.   | 1.0 | 22        |
| 502 | Clinical Characteristics of Non-B Non-C Hepatocellular Carcinoma: A Single-Center Retrospective Study. <i>Digestion</i> , 2011, 84, 43-49.  | 1.2 | 22        |
| 503 | Treatment response assessment of radiofrequency ablation for hepatocellular carcinoma: Usefulness of virtual CT sonography with magnetic navigation. <i>European Journal of Radiology</i> , 2012, 81, e277-e280.                            | 1.2 | 22        |
| 504 | Involvement of Heat Shock Protein A4/Apg-2 in Refractory Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2015, 21, 31-39.  | 0.9 | 22        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 505 | Percutaneous endoscopic gastrostomy with Funada-style gastropexy greatly reduces the risk of peristomal infection. <i>Gastroenterology Report</i> , 2015, 3, 69-74.  | 0.6 | 22        |
| 506 | Validation of Kinki Criteria, a Modified Substaging System, in Patients with Intermediate Stage Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2016, 34, 671-678.   | 0.8 | 22        |
| 507 | Predictors of pain response in patients undergoing endoscopic ultrasound-guided neurolysis for abdominal pain caused by pancreatic cancer. <i>Therapeutic Advances in Gastroenterology</i> , 2016, 9, 483-494.                             | 1.4 | 22        |
| 508 | The Overall Survival of Patients with Hepatocellular Carcinoma Correlates with the Newly Defined Time to Progression after Transarterial Chemoembolization. <i>Liver Cancer</i> , 2017, 6, 227-235.  | 4.2 | 22        |
| 509 | Characterization of Pancreatic Tumors with Quantitative Perfusion Analysis in Contrast-Enhanced Harmonic Endoscopic Ultrasonography. <i>Oncology</i> , 2017, 93, 55-60.  | 0.9 | 22        |
| 510 | Comparative Study of Clarithromycin- versus Metronidazole-Based Triple Therapy as First-Line Eradication for <i>Helicobacter pylori</i> . <i>Oncology</i> , 2017, 93, 15-19.   | 0.9 | 22        |
| 511 | Alleviating Pancreatic Cancer-Associated Pain Using Endoscopic Ultrasound-Guided Neurolysis. <i>Cancers</i> , 2018, 10, 50.  | 1.7 | 22        |
| 512 | Urine protein:creatinine ratio vs 24-hour urine protein for proteinuria management: analysis from the phase 3 REFLECT study of lenvatinib vs sorafenib in hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2019, 121, 218-221. | 2.9 | 22        |
| 513 | A Paradigm Change in the Treatment Strategy for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020, 9, 367-377.  | 4.2 | 22        |
| 514 | Improved detection of liver metastasis using Kupffer-phase imaging in contrast-enhanced harmonic EUS in patients with pancreatic cancer (with video). <i>Gastrointestinal Endoscopy</i> , 2021, 93, 433-441.                               | 0.5 | 22        |
| 515 | Sequential Therapy for Hepatocellular Carcinoma after Failure of Atezolizumab plus Bevacizumab Combination Therapy. <i>Liver Cancer</i> , 2021, 10, 85-93.   | 4.2 | 22        |
| 516 | Endoscopic Characteristics of Colorectal Serrated Lesions. <i>Hepato-Gastroenterology</i> , 2011, 58, 1189-1192.   | 0.5 | 22        |
| 517 | Newly Developed Modified ALBI Grade Shows Better Prognostic and Predictive Value for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2022, 11, 1-8.  | 4.2 | 22        |
| 518 | Hepatic peribiliary cysts: clinically harmless disease with potential risk due to gradual increase in size and number. <i>Journal of Gastroenterology</i> , 2001, 36, 286-288.   | 2.3 | 21        |
| 519 | Contrast harmonic ultrasound is a breakthrough technology in the diagnosis and treatment of hepatocellular carcinoma. <i>Journal of Medical Ultrasonics (2001)</i> , 2001, 28, 79-81.  | 0.6 | 21        |
| 520 | Detection of tumor parenchymal blood flow in hepatic tumors: value of second harmonic imaging with a galactose-based contrast agent. <i>Hepatology Research</i> , 2001, 21, 242-251.   | 1.8 | 21        |
| 521 | Ischemia of rat stomach mobilizes ECL cell histamine. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, G1084-G1090.   | 1.6 | 21        |
| 522 | Intranodular Blood Supply Correlates Well with Biological Malignancy Grade Determined by Tumor Growth Rate in Pathologically Proven Hepatocellular Carcinoma. <i>Oncology</i> , 2008, 75, 55-64.   | 0.9 | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 523 | Inhibition of hepatocellular carcinoma by PegIFN $\alpha$ -2a in patients with chronic hepatitis C: a nationwide multicenter cooperative study. <i>Journal of Gastroenterology</i> , 2013, 48, 382-390.                                       | 2.3 | 21        |
| 524 | Evaluation of ART Scores for Repeated Transarterial Chemoembolization in Japanese Patients with Hepatocellular Carcinoma. <i>Oncology</i> , 2015, 89, 4-10.   | 0.9 | 21        |
| 525 | Characteristics of Hypovascular versus Hypervascular Well-Differentiated Hepatocellular Carcinoma Smaller Than 2 cm - Focus on Tumor Size, Markers and Imaging Detectability. <i>Digestive Diseases</i> , 2015, 33, 721-727.                  | 0.8 | 21        |
| 526 | Treatment Stage Migration Maximizes Survival Outcomes in Patients with Hepatocellular Carcinoma Treated with Sorafenib: An Observational Study. <i>Liver Cancer</i> , 2017, 6, 313-324.   | 4.2 | 21        |
| 527 | Utility of contrast-enhanced harmonic endoscopic ultrasonography for predicting the prognosis of pancreatic neuroendocrine neoplasms. <i>Digestive Endoscopy</i> , 2021, 33, 829-839.   | 1.3 | 21        |
| 528 | Artificial Intelligence in Medical Imaging and Its Application in Sonography for the Management of Liver Tumor. <i>Frontiers in Oncology</i> , 2020, 10, 594580.  | 1.3 | 21        |
| 529 | Therapeutic efficacy of ramucirumab after lenvatinib for post-progression treatment of unresectable hepatocellular carcinoma. <i>Gastroenterology Report</i> , 2021, 9, 133-138.  | 0.6 | 21        |
| 530 | Impact of COVID-19 on Hepatocellular Carcinoma Management: A Multicountry and Region Study. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 1159-1167.   | 1.8 | 21        |
| 531 | Adjuvant Immunotherapy after Curative Treatment for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 399-403.  | 4.2 | 21        |
| 532 | A study of ramucirumab (LY3009806) versus placebo in patients with hepatocellular carcinoma and elevated baseline alpha-fetoprotein (REACH-2).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS538-TPS538.                                | 0.8 | 21        |
| 533 | Small invasive ductal carcinoma of the pancreas distinct from branch duct intraductal papillary mucinous neoplasm. <i>World Journal of Gastroenterology</i> , 2009, 15, 5489.   | 1.4 | 21        |
| 534 | Response Evaluation Criteria in Cancer of the Liver (RECICL). <i>Acta Hepatologica Japonica</i> , 2010, 51, 261-266.  | 0.0 | 20        |
| 535 | Non-invasive evaluation method of the liver fibrosis using Real-time Tissue Elastography $\frac{1}{4}$ Usefulness of judgment liver fibrosis stage by Liver Fibrosis Index (LF index). <i>Acta Hepatologica Japonica</i> , 2010, 51, 539-541. | 0.0 | 20        |
| 536 | mTOR Inhibitor for the Treatment of Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2011, 29, 310-315.  | 0.8 | 20        |
| 537 | Tissue biomarkers as predictors of outcome and selection of transplant candidates with hepatocellular carcinoma. <i>Liver Transplantation</i> , 2011, 17, S67-S71.  | 1.3 | 20        |
| 538 | The Prognostic Value of Vascular Endothelial Growth Factor in Hepatocellular Carcinoma for Predicting Metastasis after Curative Resection. <i>Oncology</i> , 2013, 84, 75-81.   | 0.9 | 20        |
| 539 | Balloon-Occluded Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma: A Single-Center Experience. <i>Oncology</i> , 2015, 89, 27-32.  | 0.9 | 20        |
| 540 | Cabozantinib as a Second-Line Agent in Advanced Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2018, 7, 123-133.   | 4.2 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 541 | Objective Response by mRECIST Is an Independent Prognostic Factor for Overall Survival in Hepatocellular Carcinoma Treated with Sorafenib in the SILIUS Trial. <i>Liver Cancer</i> , 2019, 8, 505-519.  | 4.2 | 20        |
| 542 | Limited Impact of Anti-PD-1/PD-L1 Monotherapy for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020, 9, 629-639.   | 4.2 | 20        |
| 543 | Treatment of hepatocellular carcinoma during the COVID-19 outbreak: The Working Group report of JAMTT-HCC. <i>Hepatology Research</i> , 2020, 50, 1004-1014.  | 1.8 | 20        |
| 544 | Health-related quality of life impact of pembrolizumab versus best supportive care in previously systemically treated patients with advanced hepatocellular carcinoma: KEYNOTE-240. <i>Cancer</i> , 2021, 127, 865-874.                         | 2.0 | 20        |
| 545 | Cabozantinib in Japanese patients with advanced hepatocellular carcinoma: a phase 2 multicenter study. <i>Journal of Gastroenterology</i> , 2021, 56, 181-190.  | 2.3 | 20        |
| 546 | Nucleotide-binding oligomerization domain 1 and <i>Helicobacter pylori</i> infection: A review. <i>World Journal of Gastroenterology</i> , 2018, 24, 1725-1733.   | 1.4 | 20        |
| 547 | Clinical Significance of the Duality of Wnt/ $\beta$ -Catenin Signaling in Human Hepatocellular Carcinoma. <i>Cancers</i> , 2022, 14, 444.  | 1.7 | 20        |
| 548 | Durvalumab Plus Tremelimumab: A Novel Combination Immunotherapy for Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2022, 11, 87-93.   | 4.2 | 20        |
| 549 | In Vivo Functional Imaging Using Receptor-Binding Radiopharmaceuticals. <i>Investigative Radiology</i> , 1993, 28, 64-70.   | 3.5 | 19        |
| 550 | What Is the Best Time to Evaluate Treatment Response after Radiofrequency Ablation of Hepatocellular Carcinoma Using Contrast-Enhanced Sonography?. <i>Oncology</i> , 2007, 72, 92-97.  | 0.9 | 19        |
| 551 | Optimal scanning protocol of arterial dominant phase for hypervascular hepatocellular carcinoma with gadolinium-ethoxybenzyl-diethylenetriamine pentaacetic acid-enhanced MR. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 864-872. | 1.9 | 19        |
| 552 | Molecular Targeted Therapy for Hepatocellular Carcinoma: Bench to Bedside. <i>Digestive Diseases</i> , 2011, 29, 273-277.   | 0.8 | 19        |
| 553 | Plasma Concentrations of Angiogenesis-related Molecules in Patients with Pancreatic Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 105-112.   | 0.6 | 19        |
| 554 | Impact of peginterferon alpha-2b and entecavir hydrate combination therapy on persistent viral suppression in patients with chronic hepatitis B. <i>Journal of Medical Virology</i> , 2013, 85, 987-995.  | 2.5 | 19        |
| 555 | Current treatment status of polycystic liver disease in Japan. <i>Hepatology Research</i> , 2014, 44, 1110-1118.  | 1.8 | 19        |
| 556 | New endoscopic ultrasonography techniques for pancreaticobiliary diseases. <i>Ultrasonography</i> , 2016, 35, 169-179.  | 1.0 | 19        |
| 557 | Comparison of Two-Dimensional Shear Wave Elastography and Real-Time Tissue Elastography for Assessing Liver Fibrosis in Chronic Hepatitis B. <i>Digestive Diseases</i> , 2016, 34, 640-649.   | 0.8 | 19        |
| 558 | Sustained Antiviral Effects and Clearance of Hepatitis Surface Antigen after Combination Therapy with Entecavir and Pegylated Interferon in Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2018, 23, 513-521.                                  | 0.6 | 19        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 559 | Nivolumab dose escalation and expansion in patients with advanced hepatocellular carcinoma (HCC): The CheckMate 040 study.. Journal of Clinical Oncology, 2017, 35, 226-226.  | 0.8 | 19        |
| 560 | Artificial intelligence (AI) models for the ultrasonographic diagnosis of liver tumors and comparison of diagnostic accuracies between AI and human experts. Journal of Gastroenterology, 2022, 57, 309-321.                      | 2.3 | 19        |
| 561 | Objective Response Predicts Survival in Advanced Hepatocellular Carcinoma Treated with Systemic Therapies. Clinical Cancer Research, 2022, 28, 3443-3451.   | 3.2 | 19        |
| 562 | New treatment paradigm with systemic therapy in intermediate-stage hepatocellular carcinoma. International Journal of Clinical Oncology, 2022, 27, 1110-1119.   | 1.0 | 19        |
| 563 | Transient portal vein thrombosis caused by radiofrequency ablation for hepatocellular carcinoma. Journal of Gastroenterology, 2003, 38, 101-103.  | 2.3 | 18        |
| 564 | Combination Therapy with S-1 and Pegylated Interferon Alpha for Advanced Hepatocellular Carcinoma. Oncology, 2008, 75, 106-113.   | 0.9 | 18        |
| 565 | Correlation between hyporesponsiveness to Toll-like receptor ligands and liver dysfunction in patients with chronic hepatitis C virus infection. Journal of Viral Hepatitis, 2011, 18, e561-e567.                                 | 1.0 | 18        |
| 566 | Mechanical Model Analysis for Quantitative Evaluation of Liver Fibrosis Based on Ultrasound Tissue Elasticity Imaging. Japanese Journal of Applied Physics, 2012, 51, 07GF11.   | 0.8 | 18        |
| 567 | Pathological Diagnosis of Benign Hepatocellular Nodular Lesions Based on the New World Health Organization Classification. Oncology, 2014, 87, 37-49.   | 0.9 | 18        |
| 568 | Heat Shock Protein A4 Controls Cell Migration and Gastric Ulcer Healing. Digestive Diseases and Sciences, 2015, 60, 850-857.  | 1.1 | 18        |
| 569 | Comparison of Contrast-Enhanced Ultrasound and Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced MRI for the Diagnosis of Macroscopic Type of Hepatocellular Carcinoma. Digestive Diseases, 2016, 34, 679-686. | 0.8 | 18        |
| 570 | Cost-effectiveness of EOB-MRI for Hepatocellular Carcinoma in Japan. Clinical Therapeutics, 2017, 39, 738-750.e4.   | 1.1 | 18        |
| 571 | Efficacy of a modified double-guidewire technique using an uneven double lumen cannula (uneven) Tj ETQq1 1 0.784314 rgBT /Overl... Endoscopy and Other Interventional Techniques, 2020, 34, 1432-1441.                            | 1.3 | 18        |
| 572 | Management of Hepatocellular Carcinoma in Japan: Current Trends. Liver Cancer, 2020, 9, 1-5.  | 4.2 | 18        |
| 573 | Ramucirumab in the second-line for patients with hepatocellular carcinoma and elevated alpha-fetoprotein: patient-reported outcomes across two randomised clinical trials. ESMO Open, 2020, 5, e000797.                           | 2.0 | 18        |
| 574 | The Asian Federation of Societies for Ultrasound in Medicine and Biology (AFSUMB) Guidelines for Contrast-Enhanced Endoscopic Ultrasound. Ultrasound in Medicine and Biology, 2021, 47, 1433-1447.                                | 0.7 | 18        |
| 575 | Second-line ramucirumab therapy for advanced hepatocellular carcinoma (REACH): an East Asian and non-East Asian subgroup analysis. Oncotarget, 2016, 7, 75482-75491.  | 0.8 | 18        |
| 576 | The oncoprotein gankyrin promotes the development of colitis-associated cancer through activation of STAT3. Oncotarget, 2017, 8, 24762-24776.   | 0.8 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 577 | Efficacy of treatment with rebamipide for endoscopic submucosal dissection-induced ulcers. <i>World Journal of Gastroenterology</i> , 2013, 19, 5706.   | 1.4 | 18        |
| 578 | Urgent endoscopic ultrasound-guided choledochoduodenostomy for acute obstructive suppurative cholangitis-induced sepsis. <i>World Journal of Gastroenterology</i> , 2016, 22, 4264.                           | 1.4 | 18        |
| 579 | Superiority of CT Arteriportal Angiography to Contrast-Enhanced CT and MRI in the Diagnosis of Hepatocellular Carcinoma in Nodules Smaller than 2 cm. <i>Oncology</i> , 2007, 72, 58-66.                      | 0.9 | 17        |
| 580 | Management of Hepatocellular Carcinoma: From Prevention to Molecular Targeted Therapy. <i>Oncology</i> , 2010, 78, 1-6.   | 0.9 | 17        |
| 581 | Demonstration of quality of care measurement using the Japanese liver cancer registry. <i>Hepatology Research</i> , 2011, 41, 1208-1215.  | 1.8 | 17        |
| 582 | Identifying and prioritizing strategies for comprehensive liver cancer control in Asia. <i>BMC Health Services Research</i> , 2011, 11, 298.  | 0.9 | 17        |
| 583 | Characteristic Pattern of Reactivation of Hepatitis B Virus during Chemotherapy for Solid Cancers. <i>Digestive Diseases</i> , 2012, 30, 541-546.   | 0.8 | 17        |
| 584 | Ultrasound Elastography Correlates Treatment Response by Antiviral Therapy in Patients with Chronic Hepatitis C. <i>Oncology</i> , 2014, 87, 118-123.   | 0.9 | 17        |
| 585 | Duration of Stable Disease Is Associated with Overall Survival in Patients with Advanced Hepatocellular Carcinoma Treated with Sorafenib. <i>Digestive Diseases</i> , 2014, 32, 705-710.                      | 0.8 | 17        |
| 586 | Primary leiomyosarcoma of the colon. <i>Clinical Journal of Gastroenterology</i> , 2015, 8, 217-222.  | 0.4 | 17        |
| 587 | Clinical Significance of Epigenetic Alterations in Human Hepatocellular Carcinoma and Its Association with Genetic Mutations. <i>Digestive Diseases</i> , 2016, 34, 708-713.                                  | 0.8 | 17        |
| 588 | Magnetic resonance elastography in the assessment of hepatic fibrosis: a study comparing transient elastography and histological data in the same patients. <i>Abdominal Radiology</i> , 2017, 42, 1659-1666. | 1.0 | 17        |
| 589 | Stress Response Protein RBM3 Promotes the Development of Colitis-associated Cancer. <i>Inflammatory Bowel Diseases</i> , 2017, 23, 57-65.   | 0.9 | 17        |
| 590 | A Case of Pancreatic Carcinoma in situ Diagnosed by Repeated Pancreatic Juice Cytology. <i>Oncology</i> , 2017, 93, 98-101.   | 0.9 | 17        |
| 591 | Dysbiosis-Associated Polyposis of the Colon—Cap Polyposis. <i>Frontiers in Immunology</i> , 2018, 9, 918.   | 2.2 | 17        |
| 592 | Nivolumab-Induced Hemophilia A Presenting as Gastric Ulcer Bleeding in a Patient With NSCLC. <i>Journal of Thoracic Oncology</i> , 2018, 13, e239-e241.   | 0.5 | 17        |
| 593 | Surveillance, Diagnosis, and Treatment Outcomes of Hepatocellular Carcinoma in Japan: 2021 Update. <i>Liver Cancer</i> , 2021, 10, 167-180.   | 4.2 | 17        |
| 594 | Effect of Diameter and Number of Hepatocellular Carcinomas on Survival After Resection, Transarterial Chemoembolization, and Ablation. <i>American Journal of Gastroenterology</i> , 2021, 116, 1698-1708.    | 0.2 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 595 | Case Report: New-Onset Rheumatoid Arthritis Following COVID-19 Vaccination. <i>Frontiers in Immunology</i> , 2022, 13, .   | 2.2 | 17        |
| 596 | A first-in-human phase 1/2 study of FGF401 and combination of FGF401 with spartalizumab in patients with hepatocellular carcinoma or biomarker-selected solid tumors. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, .        | 3.5 | 17        |
| 597 | Afferent and Efferent Vessels of Premalignant and Overt Hepatocellular Carcinoma: Observation by Color Doppler Imaging. <i>Intervirolgy</i> , 2004, 47, 144-153.   | 1.2 | 16        |
| 598 | VALUE OF COMPUTED TOMOGRAPHY FOR EVALUATING THE INJECTION SITE IN ENDOSONOGRAPHY-GUIDED CELIAC PLEXUS NEUROLYSIS. <i>Digestive Endoscopy</i> , 2006, 18, 206-211.  | 1.3 | 16        |
| 599 | Small cell carcinoma of the pancreas: role of EUS-FNA and subsequent effective chemotherapy using carboplatin and etoposide. <i>Journal of Gastroenterology</i> , 2009, 44, 432-438.   | 2.3 | 16        |
| 600 | Hepatocellular Carcinoma with Obstructive Jaundice: Endoscopic and Percutaneous Biliary Drainage. <i>Digestive Diseases</i> , 2012, 30, 592-597.   | 0.8 | 16        |
| 601 | Ability of Cytokeratin-18 Fragments and FIB-4 Index to Diagnose Overall and Mild Fibrosis Nonalcoholic Steatohepatitis in Japanese Nonalcoholic Fatty Liver Disease Patients. <i>Digestive Diseases</i> , 2017, 35, 521-530.                           | 0.8 | 16        |
| 602 | Sorafenib-Regorafenib Sequential Therapy in Advanced Hepatocellular Carcinoma: A Single-Institute Experience. <i>Digestive Diseases</i> , 2017, 35, 611-617.   | 0.8 | 16        |
| 603 | A phase 1 study of oral ASP5878, a selective small-molecule inhibitor of fibroblast growth factor receptors 1&#x2014;4, as a single dose and multiple doses in patients with solid malignancies. <i>Investigational New Drugs</i> , 2020, 38, 445-456. | 1.2 | 16        |
| 604 | Ultrasound fusion imaging technologies for guidance in ablation therapy for liver cancer. <i>Journal of Medical Ultrasonics (2001)</i> , 2020, 47, 257-263.  | 0.6 | 16        |
| 605 | Dual-Energy Computed Tomography of the Liver: Uses in Clinical Practices and Applications. <i>Diagnostics</i> , 2021, 11, 161.   | 1.3 | 16        |
| 606 | Real Life Study of Lenvatinib Therapy for Hepatocellular Carcinoma: RELEVANT Study. <i>Liver Cancer</i> , 2022, 11, 527-539.   | 4.2 | 16        |
| 607 | Hepatocellular carcinoma associated with secondary haemochromatosis in non-cirrhotic liver: a case report. <i>Hepatology Research</i> , 2003, 26, 254-258.   | 1.8 | 15        |
| 608 | Effects of decorin on the expression of $\alpha$ -smooth muscle actin in a human myofibroblast cell line. <i>Molecular and Cellular Biochemistry</i> , 2008, 308, 201-207.   | 1.4 | 15        |
| 609 | Chronic Pancreatitis Finding by Endoscopic Ultrasonography in the Pancreatic Parenchyma of Intraductal Papillary Mucinous Neoplasms Is Associated with Invasive Intraductal Papillary Mucinous Carcinoma. <i>Oncology</i> , 2017, 93, 61-68.           | 0.9 | 15        |
| 610 | Clinical significance of Akt2 in advanced pancreatic cancer treated with erlotinib. <i>International Journal of Oncology</i> , 2017, 50, 2049-2058.  | 1.4 | 15        |
| 611 | Computer aided diagnosis system developed for ultrasound diagnosis of liver lesions using deep learning. , 2019, , .   |     | 15        |
| 612 | Activation of interferon regulatory factor 7 in plasmacytoid dendritic cells promotes experimental autoimmune pancreatitis. <i>Journal of Gastroenterology</i> , 2020, 55, 565-576.  | 2.3 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 613 | Antacid exposure and immunotherapy outcomes among patients with advanced hepatocellular carcinoma. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110109.   | 1.4 | 15        |
| 614 | Therapeutic efficacy of lenvatinib as third-line treatment after regorafenib for unresectable hepatocellular carcinoma progression. <i>Hepatology Research</i> , 2021, 51, 880-889.   | 1.8 | 15        |
| 615 | Randomized phase II trial of intravenous RO5137382/GC33 at 1600 mg every other week and placebo in previously treated patients with unresectable advanced hepatocellular carcinoma (HCC;). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 510 Tf 5</i>                                      | 0.9 | 14        |
| 616 | Regional differences in efficacy/safety/biomarkers in a randomised study of axitinib in 2nd line patients (pts) with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2016, 34, 329-329.   | 0.8 | 15        |
| 617 | Massive rectal bleeding due to ileal tuberculosis. <i>Journal of Gastroenterology</i> , 1999, 34, 525-529.  | 2.3 | 14        |
| 618 | CEA producing primary hepatic carcinoid. <i>Hepatology Research</i> , 2002, 22, 313-321.  | 1.8 | 14        |
| 619 | Early Detection and Characterization of Hepatocellular Carcinoma: Value of Imaging Multistep Human Hepatocarcinogenesis. <i>Intervirolgy</i> , 2006, 49, 64-69.   | 1.2 | 14        |
| 620 | Focal Nodular Hyperplasia-like Lesion with Venous Washout in Alcoholic Liver Cirrhosis. <i>Internal Medicine</i> , 2008, 47, 1899-1903.   | 0.3 | 14        |
| 621 | The cancer stem cell marker CD133 is a predictor of the effectiveness of S1+ pegylated interferon $\lambda$ -2b therapy against advanced hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2011, 46, 212-221.  | 2.3 | 14        |
| 622 | Accuracy of Real-Time Tissue Elastography for the Evaluation of Hepatic Fibrosis in Patients with Chronic Hepatitis B: A Prospective Multicenter Study. <i>Digestive Diseases</i> , 2014, 32, 791-799.  | 0.8 | 14        |
| 623 | Treatment Strategies of Intermediate-Stage Hepatocellular Carcinomas in Japan (Barcelona Clinic Liver) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 510 Tf 5</i>  | 0.9 | 14        |
| 624 | Phase II Study of Personalized Peptide Vaccination with Both a Hepatitis C Virus-Derived Peptide and Peptides from Tumor-Associated Antigens for the Treatment of HCV-Positive Advanced Hepatocellular Carcinoma Patients. <i>Journal of Immunology Research</i> , 2015, 2015, 1-8. | 0.9 | 14        |
| 625 | Multicenter cooperative case survey of hepatitis B virus reactivation by chemotherapeutic agents. <i>Hepatology Research</i> , 2015, 45, 1220-1227.   | 1.8 | 14        |
| 626 | Heterogeneity of Epigenetic and Epithelial Mesenchymal Transition Marks in Hepatocellular Carcinoma with Keratin 19 Proficiency. <i>Liver Cancer</i> , 2019, 8, 239-254.  | 4.2 | 14        |
| 627 | Objective Response by mRECIST Is an Independent Prognostic Factor of Overall Survival in Systemic Therapy for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019, 8, 73-77.   | 4.2 | 14        |
| 628 | Cytokines produced by innate immune cells in IgG4-related disease. <i>Modern Rheumatology</i> , 2019, 29, 219-225.  | 0.9 | 14        |
| 629 | Radiofrequency ablation for hepatocellular carcinoma: Clinical value of ultrasound-ultrasound overlay fusion for optimal ablation and local controllability. <i>Hepatology Research</i> , 2020, 50, 67-74.  | 1.8 | 14        |
| 630 | Utility of a 20G needle with a core trap in EUS-guided fine-needle biopsy for gastric submucosal tumors: A multicentric prospective trial. <i>Endoscopic Ultrasound</i> , 2021, 10, 134.  | 0.6 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 631 | Consensus report from the 9th International Forum for Liver Magnetic Resonance Imaging: applications of gadoteric acid-enhanced imaging. <i>European Radiology</i> , 2021, 31, 5615-5628.  | 2.3 | 14        |
| 632 | Image Guidance in Ablation for Hepatocellular Carcinoma: Contrast-Enhanced Ultrasound and Fusion Imaging. <i>Frontiers in Oncology</i> , 2021, 11, 593636.   | 1.3 | 14        |
| 633 | Cumulative radiation doses from recurrent PET-CT examinations. <i>British Journal of Radiology</i> , 2021, 94, 20210388.   | 1.0 | 14        |
| 634 | Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma (HCC): Analysis of patients with elevated $\alpha$ -fetoprotein (AFP) from the randomized phase III REACH study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 232-232.   | 0.8 | 14        |
| 635 | Antiviral therapy for chronic hepatitis B: Combination of nucleoside analogs and interferon. <i>World Journal of Hepatology</i> , 2015, 7, 2427.   | 0.8 | 14        |
| 636 | Comparison of an ecabet sodium and proton pump inhibitor (PPI) combination therapy with PPI alone in the treatment of endoscopic submucosal dissection (ESD)-induced ulcers in early gastric cancer: prospective randomized study. <i>Hepato-Gastroenterology</i> , 2009, 56, 1270-3.                                  | 0.5 | 14        |
| 637 | Somatic mutation and SNP in the promoter of dbpA and human hepatocarcinogenesis. <i>International Journal of Oncology</i> , 2002, 21, 847.   | 1.4 | 13        |
| 638 | Development of multicentric hepatocellular carcinoma after completion of interferon therapy. <i>Journal of Gastroenterology</i> , 2002, 37, 663-668.   | 2.3 | 13        |
| 639 | Differentiation of Hepatic Tumors by Color Doppler Imaging: Role of the Maximum Velocity and the Pulsatility Index of the Intratumoral Blood Flow Signal. <i>Intervirolgy</i> , 2004, 47, 154-161.   | 1.2 | 13        |
| 640 | Detection of Intratumoral Vascularity in Small Hepatocellular Carcinoma by Coded Phase Inversion Harmonics. <i>Intervirolgy</i> , 2004, 47, 169-178.   | 1.2 | 13        |
| 641 | Hepatocellular Carcinoma with Nodule-in-Nodule Appearance: Demonstration by Contrast-Enhanced Coded Phase Inversion Harmonic Imaging. <i>Intervirolgy</i> , 2004, 47, 184-190.   | 1.2 | 13        |
| 642 | Diagnostic value of endoscopic ultrasound-guided directional eFLOW in solid pancreatic lesions. <i>Journal of Medical Ultrasonics (2001)</i> , 2013, 40, 211-218.  | 0.6 | 13        |
| 643 | Through-the-mesh technique after endoscopic ultrasonography-guided hepaticogastrostomy: a novel re-intervention method. <i>Endoscopy</i> , 2016, 48, E369-E370.  | 1.0 | 13        |
| 644 | Non-Hypervascular Hypointense Hepatic Nodules during the Hepatobiliary Phase of Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced MRI as a Risk Factor of Intrahepatic Distant Recurrence after Radiofrequency Ablation of Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2017, 35, 574-582. | 0.8 | 13        |
| 645 | Hepatocellular Carcinoma after Achievement of Sustained Viral Response with Daclatasvir and Asunaprevir in Patients with Chronic Hepatitis C Virus Infection. <i>Digestive Diseases</i> , 2017, 35, 565-573.   | 0.8 | 13        |
| 646 | Clinical Analysis of Esophageal Stricture in Patients Treated with Intralesional Triamcinolone Injection after Endoscopic Submucosal Dissection for Superficial Esophageal Cancer. <i>Oncology</i> , 2017, 93, 9-14.   | 0.9 | 13        |
| 647 | Ramucirumab as Second-Line Systemic Therapy in Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2018, 7, 305-311.   | 4.2 | 13        |
| 648 | Hepatic portal venous gas associated with <i>Klebsiella oxytoca</i> infection in the absence of preceding antibiotic treatment. <i>Clinical Journal of Gastroenterology</i> , 2019, 12, 316-319.   | 0.4 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 649 | Pattern of progression in advanced hepatocellular carcinoma treated with ramucirumab. <i>Liver International</i> , 2021, 41, 598-607.  | 1.9 | 13        |
| 650 | Impact of Multi-Drug Sequential Therapy on Survival in Patients with Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 1-9.   | 4.2 | 13        |
| 651 | The AFSUMB consensus statements and recommendations for the clinical practice of contrast-enhanced ultrasound using sonazoid. <i>Journal of Medical Ultrasound</i> , 2021, 28, 59-82.  | 0.2 | 13        |
| 652 | Impact of Tight Junction Protein ZO-1 and TWIST Expression on Postoperative Survival of Patients with Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2016, 34, 702-707.   | 0.8 | 13        |
| 653 | A phase 3, randomized, open-label, multicenter study to compare the efficacy and safety of tislelizumab, an anti-PD-1 antibody, versus sorafenib as first-line treatment in patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS3110-TPS3110. | 0.8 | 13        |
| 654 | Effective use of the Japan Narrow Band Imaging Expert Team classification based on diagnostic performance and confidence level. <i>World Journal of Clinical Cases</i> , 2019, 7, 2658-2665.   | 0.3 | 13        |
| 655 | Characterization of focal hepatic lesions with contrast-enhanced C-cube gray scale ultrasonography. <i>World Journal of Gastroenterology</i> , 2003, 9, 1667.  | 1.4 | 13        |
| 656 | Contrast-enhanced harmonic ultrasound imaging in ablation therapy for primary hepatocellular carcinoma. <i>World Journal of Radiology</i> , 2009, 1, 86.   | 0.5 | 13        |
| 657 | TTV Positivity and Transfusion History in Non-B, Non-C Hepatocellular Carcinoma Compared with HBV- and HCV-Positive Cases. <i>Intervirolgy</i> , 2000, 43, 13-15.  | 1.2 | 12        |
| 658 | Letters to the Editor. <i>Journal of Hepatology</i> , 2000, 33, 857-858.   | 1.8 | 12        |
| 659 | Intrahepatic Spontaneous Retrograde Portal Flow in Patients with Cirrhosis of the Liver. <i>American Journal of Roentgenology</i> , 2001, 177, 1109-1112.  | 1.0 | 12        |
| 660 | Intrahepatic huge hematoma due to rupture of small hepatocellular adenoma: a case report. <i>Hepatology Research</i> , 2002, 23, 145-151.  | 1.8 | 12        |
| 661 | Adriamycin Enhances Proteasome-Mediated Generation of the Proapoptotic Processed Form of MAGE-A4 in Hepatoma Cells. <i>Oncology</i> , 2011, 81, 30-35.   | 0.9 | 12        |
| 662 | Histopathological Diagnosis of Early HCC through Biopsy: Efficacy of Victoria Blue and Cytokeratin 7 Staining. <i>Digestive Diseases</i> , 2012, 30, 574-579.  | 0.8 | 12        |
| 663 | Can the biliary enhancement of Gd-EOB-DTPA predict the degree of liver function?. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012, 11, 307-313.  | 0.6 | 12        |
| 664 | Heat Shock Protein 27 Expression is Inversely Correlated with Atrophic Gastritis and Intraepithelial Neoplasia. <i>Digestive Diseases and Sciences</i> , 2013, 58, 381-388.  | 1.1 | 12        |
| 665 | Quantification of Tumor DNA in Serum and Vascular Invasion of Human Hepatocellular Carcinoma. <i>Oncology</i> , 2013, 84, 82-87.   | 0.9 | 12        |
| 666 | Identification of Epigenetically Inactivated Genes in Human Hepatocellular Carcinoma by Integrative Analyses of Methylation Profiling and Pharmacological Unmasking. <i>Digestive Diseases</i> , 2014, 32, 740-746.  | 0.8 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 667 | Value of EUS in early detection of pancreatic ductal adenocarcinomas in patients with intraductal papillary mucinous neoplasms. <i>Endoscopy</i> , 2014, 46, 358-358.   | 1.0 | 12        |
| 668 | Noninvasive Diagnosis of Liver Fibrosis: Utility of Data Mining of Both Ultrasound Elastography and Serological Findings to Construct a Decision Tree. <i>Oncology</i> , 2014, 87, 63-72.   | 0.9 | 12        |
| 669 | Comparison between T1 relaxation time of Gd-EOB-DTPA-enhanced MRI and liver stiffness measurement of ultrasound elastography in the evaluation of cirrhotic liver. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 329-338.        | 1.9 | 12        |
| 670 | IgG4-Related Disease and Innate Immunity. <i>Current Topics in Microbiology and Immunology</i> , 2016, 401, 115-128.  | 0.7 | 12        |
| 671 | Malignant Transformation of Hepatocellular Adenoma. <i>Oncology</i> , 2017, 92, 16-28.  | 0.9 | 12        |
| 672 | Outcome of Combination Therapy with Sofosbuvir and Ledipasvir for Chronic Type C Liver Disease. <i>Oncology</i> , 2017, 92, 3-9.  | 0.9 | 12        |
| 673 | Regional Differences in Efficacy, Safety, and Biomarkers for Second-Line Axitinib in Patients with Advanced Hepatocellular Carcinoma: From a Randomized Phase II Study. <i>Liver Cancer</i> , 2018, 7, 148-164.                             | 4.2 | 12        |
| 674 | A novel biliary cannulation method for difficult cannulation cases using a unique, uneven, double-lumen cannula (Uneven method). <i>Endoscopy</i> , 2018, 50, E229-E230.  | 1.0 | 12        |
| 675 | Clinical Safety and Efficacy of Secondary Prophylactic Pegylated G-CSF in Advanced Pancreatic Cancer Patients Treated with mFOLFIRINOX: A Single-center Retrospective Study. <i>Internal Medicine</i> , 2019, 58, 1993-2002.                | 0.3 | 12        |
| 676 | Novel concept of bared type metallic stent for endoscopic bilateral stent-in-a-stent placement in patients with hilar malignant biliary obstruction (with video). <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 282-283. | 1.4 | 12        |
| 677 | What Can Be Done to Solve the Unmet Clinical Need of Hepatocellular Carcinoma Patients following Lenvatinib Failure?. <i>Liver Cancer</i> , 2021, 10, 115-125.  | 4.2 | 12        |
| 678 | Response Evaluation Criteria in Cancer of the liver version 6 (Response Evaluation Criteria in Cancer) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 5  | 1.8 | 12        |
| 679 | Eosinophilic pseudotumor of the liver due to <i>Ascaris suum</i> infection. <i>Hepatology Research</i> , 2002, 23, 306-314.   | 1.8 | 11        |
| 680 | Hepatocellular carcinoma and NASH. <i>Journal of Gastroenterology</i> , 2004, 39, 409-411.  | 2.3 | 11        |
| 681 | Mucin phenotypic expression and background mucosa of esophagogastric junctional adenocarcinoma. <i>Gastric Cancer</i> , 2004, 7, 97-103.  | 2.7 | 11        |
| 682 | Elevated Serum ALT Levels during Pegylated Interferon Monotherapy May Be Caused by Hepatic Iron Overload. <i>Intervirology</i> , 2008, 51, 76-85.   | 1.2 | 11        |
| 683 | <i>Campylobacter fetus</i> Meningitis in a Patient with Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 645-646.  | 0.9 | 11        |
| 684 | Well-differentiated hepatocellular carcinoma smaller than 15mm in diameter totally eradicated with percutaneous ethanol injection instead of radiofrequency ablation. <i>Hepatology International</i> , 2009, 3, 411-415.                   | 1.9 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 685 | PANCREATIC DUCTAL DRAINAGE BY ENDOSCOPIC ULTRASOUND-ASSISTED RENDEZVOUS TECHNIQUE FOR PAIN CAUSED BY DUCTAL STRICTURE WITH CHRONIC PANCREATITIS. <i>Digestive Endoscopy</i> , 2010, 22, 217-219.   | 1.3 | 11        |
| 686 | Contrast-Enhanced Ultrasound Techniques for Guiding and Assessing Response to Locoregional Treatments for Hepatocellular Carcinoma. <i>Oncology</i> , 2010, 78, 68-77.   | 0.9 | 11        |
| 687 | Usefulness of the Extracted-Overlay Function in CT/MR-Ultrasonography Fusion Imaging for Radiofrequency Ablation of Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2013, 31, 485-489.   | 0.8 | 11        |
| 688 | Hyperenhanced Rim Surrounding Liver Metastatic Tumors in the Postvascular Phase of Sonazoid-Enhanced Ultrasonography: A Histological Indication of the Presence of Kupffer Cells. <i>Oncology</i> , 2015, 89, 33-41.   | 0.9 | 11        |
| 689 | Response Evaluation Criteria in Cancer of the Liver (RECICL 2015 revised version). <i>Acta Hepatologica Japonica</i> , 2015, 56, 116-121.  | 0.0 | 11        |
| 690 | Clinicopathological Study of Autoimmune Hepatitis Cases That Were Difficult to Differentiate from Drug-Induced Liver Injury. <i>Digestive Diseases</i> , 2017, 35, 506-514.  | 0.8 | 11        |
| 691 | Albumin-Bilirubin Grade and Hepatocellular Carcinoma Treatment Algorithm. <i>Liver Cancer</i> , 2017, 6, 185-188.  | 4.2 | 11        |
| 692 | Clinical Significance of Bmi1 Expression in Inflammatory Bowel Disease. <i>Oncology</i> , 2017, 93, 20-26.   | 0.9 | 11        |
| 693 | Nucleotide-binding oligomerization domain 1 and gastrointestinal disorders. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2017, 93, 578-599.  | 1.6 | 11        |
| 694 | Novel method of biliary cannulation for patients with Roux-Y anastomosis using a unique, uneven, double-lumen cannula (Uneven method). <i>Digestive Endoscopy</i> , 2018, 30, 808-809.   | 1.3 | 11        |
| 695 | Combination immunotherapy with anti-VEGF/TKI for hepatocellular carcinoma: present and future perspective. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 241-245.   | 0.7 | 11        |
| 696 | Observations of hepatocellular carcinoma (HCC) management patterns from the global HCC bridge study: First characterization of the full study population.. <i>Journal of Clinical Oncology</i> , 2012, 30, 4033-4033.  | 0.8 | 11        |
| 697 | Deterioration of liver function after transarterial chemoembolization (TACE) in hepatocellular carcinoma (HCC): An exploratory analysis of OPTIMIS-An international observational study assessing the use of sorafenib after TACE.. <i>Journal of Clinical Oncology</i> , 2018, 36, 368-368. | 0.8 | 11        |
| 698 | Multistep hepatocarcinogenesis from a dysplastic nodule to well-differentiated hepatocellular carcinoma in a patient with alcohol-related liver cirrhosis. <i>World Journal of Gastroenterology</i> , 2007, 13, 1271.  | 1.4 | 11        |
| 699 | IL-33 as a Critical Cytokine for Inflammation and Fibrosis in Inflammatory Bowel Diseases and Pancreatitis. <i>Frontiers in Physiology</i> , 2021, 12, 781012.   | 1.3 | 11        |
| 700 | Endoscopic treatment of tracheoesophageal fistula using the over-the-scope-clip system. <i>Annals of Gastroenterology</i> , 2017, 30, 578.   | 0.4 | 11        |
| 701 | Hypervascular Liver Nodules in Heavy Drinkers of Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 174S-180S.   | 1.4 | 10        |
| 702 | Multiple hypervascular liver nodules in a heavy drinker of alcohol. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 795-799.   | 1.4 | 10        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 703 | Molecular mechanisms of portal vein tolerance. <i>Hepatology Research</i> , 2008, 38, 441-449.  | 1.8 | 10        |
| 704 | PRESENT STATUS AND FUTURE PERSPECTIVE OF EUS-GUIDED DRAINAGE. <i>Digestive Endoscopy</i> , 2009, 21, S66-70.  | 1.3 | 10        |
| 705 | Hepatectomy versus radiofrequency ablation for early hepatocellular carcinoma: Reply. <i>Journal of Hepatology</i> , 2009, 50, 1052-1053.   | 1.8 | 10        |
| 706 | CD34 Expression in Noncancerous Liver Tissue Predicts Multicentric Recurrence of Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2013, 31, 467-471.   | 0.8 | 10        |
| 707 | Clinical Features of Vascular Disorders Associated with Chronic Hepatitis Virus Infection. <i>Digestive Diseases</i> , 2014, 32, 786-790.   | 0.8 | 10        |
| 708 | Real-Life Clinical Practice with Sorafenib in Advanced Hepatocellular Carcinoma: A Single-Center Experience Second Analysis. <i>Digestive Diseases</i> , 2015, 33, 728-734.   | 0.8 | 10        |
| 709 | Role of Immune Checkpoint Blockade in the Treatment for Human Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2017, 35, 618-622.  | 0.8 | 10        |
| 710 | Stent migration during EUS-guided hepaticogastrostomy in a patient with massive ascites: Troubleshooting using additional EUS-guided antegrade stenting. <i>Arab Journal of Gastroenterology</i> , 2017, 18, 120-121.                           | 0.4 | 10        |
| 711 | The Feasibility of 18-mm-Diameter Colonic Stents for Obstructive Colorectal Cancers. <i>Oncology</i> , 2017, 93, 43-48.   | 0.9 | 10        |
| 712 | Association between the Risk Factors for Pancreatic Ductal Adenocarcinoma and Those for Malignant Intraductal Papillary Mucinous Neoplasm. <i>Oncology</i> , 2017, 93, 102-106.   | 0.9 | 10        |
| 713 | Value of additional endoscopic ultrasonography for surveillance after surgical removal of intraductal papillary mucinous neoplasms. <i>Digestive Endoscopy</i> , 2018, 30, 659-666.   | 1.3 | 10        |
| 714 | Novel metallic stent designed for endoscopic bilateral stent-in-stent placement in patients with hilar malignant biliary obstruction. <i>Endoscopy</i> , 2019, 51, E30-E31.   | 1.0 | 10        |
| 715 | Efficacy and Safety of Ramucirumab in Asian and Non-Asian Patients with Advanced Hepatocellular Carcinoma and Elevated Alpha-Fetoprotein: Pooled Individual Data Analysis of Two Randomized Studies. <i>Liver Cancer</i> , 2020, 9, 440-454.    | 4.2 | 10        |
| 716 | Histological diagnosis and grading of pancreatic neuroendocrine tumor by endoscopic ultrasound-guided fine needle biopsy using a 25-gauge needle with a core trap: A multicenter prospective trial. <i>Pancreatology</i> , 2020, 20, 1428-1433. | 0.5 | 10        |
| 717 | Mucosal microbiota and gene expression are associated with long-term remission after discontinuation of adalimumab in ulcerative colitis. <i>Scientific Reports</i> , 2020, 10, 19186.  | 1.6 | 10        |
| 718 | Intestinal Dysbiosis and Autoimmune Pancreatitis. <i>Frontiers in Immunology</i> , 2021, 12, 621532.  | 2.2 | 10        |
| 719 | Tissue harmonic versus contrast-enhanced harmonic endoscopic ultrasonography for the diagnosis of pancreatic tumors: Prospective multicenter study. <i>Digestive Endoscopy</i> , 2022, 34, 198-206.   | 1.3 | 10        |
| 720 | Subsequent anticancer medication following first-line lenvatinib: A posthoc responder analysis from the phase 3 REFLECT study in unresectable hepatocellular carcinoma. <i>Journal of Clinical Oncology</i> , 2019, 37, 371-371.                | 0.8 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 721 | Hemodynamic characteristics of early stage hepatocellular carcinoma: In vivo evaluation with vascular imagings.. Acta Hepatologica Japonica, 1992, 33, 283-291.  | 0.0 | 10        |
| 722 | JSH Consensus Kobe 2009; Diagnosis and Treatment of NASH. Acta Hepatologica Japonica, 2009, 50, 741-747.   | 0.0 | 10        |
| 723 | Response Evaluation Criteria in Cancer of the Liver (RECICL 2019 revised version). Acta Hepatologica Japonica, 2019, 60, 55-62.  | 0.0 | 10        |
| 724 | Hemodynamic and morphologic changes of peripheral hepatic vasculature in cirrhotic liver disease: A preliminary study using contrast-enhanced coded phase inversion harmonic ultrasonography. World Journal of Gastroenterology, 2005, 11, 6348.         | 1.4 | 10        |
| 725 | Intestinal Microbiota and Gene Expression Reveal Similarity and Dissimilarity Between Immune-Mediated Colitis and Ulcerative Colitis. Frontiers in Oncology, 2021, 11, 763468.   | 1.3 | 10        |
| 726 | Changing the Treatment Paradigm for Hepatocellular Carcinoma Using Atezolizumab plus Bevacizumab Combination Therapy. Cancers, 2021, 13, 5475.   | 1.7 | 10        |
| 727 | Value of artificial intelligence with novel tumor tracking technology in the diagnosis of gastric submucosal tumors by contrast-enhanced harmonic endoscopic ultrasonography. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 841-846. | 1.4 | 10        |
| 728 | Performance evaluation of the Elecsys $\alpha$ -fetoprotein (AFP) and Elecsys AFP assays for hepatocellular carcinoma diagnosis. JGH Open, 2022, 6, 292-300.   | 0.7 | 10        |
| 729 | Accumulation of Tc-99m Methylene Diphosphonate in Calcified Metastatic Lesions of the Liver from Colonic Carcinoma. Clinical Nuclear Medicine, 1985, 10, 9-12.   | 0.7 | 9         |
| 730 | [ $^{27}$ ] Synthesis and radiolabeling of galactosyl human serum albumin. Methods in Enzymology, 1994, 247, 383-394.  | 0.4 | 9         |
| 731 | Contrast advanced dynamic flow imaging and contrast pulse subtraction imaging: Preliminary results in hepatic tumors. Journal of Medical Ultrasonics (2001), 2002, 29, 195-204.  | 0.6 | 9         |
| 732 | Detection of tumor vascularity in hepatocellular carcinoma with contrast-enhanced Dynamic Flow imaging: Comparison with contrast-enhanced power Doppler imaging. Journal of Medical Ultrasonics (2001), 2003, 30, 141-151.                               | 0.6 | 9         |
| 733 | Clinical Significance of the Genotype and Core Promoter/Pre-Core Mutations in Hepatitis B Virus Carriers. Intervirology, 2006, 49, 200-206.  | 1.2 | 9         |
| 734 | Extramedullary plasmacytoma of the colon: a rare cause of gastrointestinal bleeding. Endoscopy, 2009, 41, E306-E307.   | 1.0 | 9         |
| 735 | Cecal Intussusception in an Adult with Cronkhite-Canada Syndrome Relieved by Colonoscopy. Internal Medicine, 2010, 49, 1123-1126.  | 0.3 | 9         |
| 736 | Endoscopic ultrasound (EUS)-guided transluminal endoscopic removal of gallstones. Endoscopy, 2010, 42, E331-E332.  | 1.0 | 9         |
| 737 | Phenotype-dependent production of des- $\gamma$ -carboxy prothrombin in hepatocellular carcinoma. Journal of Gastroenterology, 2011, 46, 1219-1229.  | 2.3 | 9         |
| 738 | Future Treatment Option for Hepatocellular Carcinoma: A Focus on Brivanib. Digestive Diseases, 2011, 29, 316-320.  | 0.8 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 739 | Gender Differences in the Livers of Patients with Hepatocellular Carcinoma and Chronic Hepatitis C Infection. <i>Digestive Diseases</i> , 2012, 30, 547-553.   | 0.8 | 9         |
| 740 | Radiofrequency Ablation for Hepatic Malignancies: Is Needle Tract Cauterization Necessary for Preventing Iatrogenic Bleeding?. <i>Digestive Diseases</i> , 2013, 31, 480-484.  | 0.8 | 9         |
| 741 | Serum amyloid A and C-reactive protein positive nodule in alcoholic liver cirrhosis, hard to make definite diagnosis. <i>Hepatology Research</i> , 2014, 44, 584-590.  | 1.8 | 9         |
| 742 | Hepatic DNA Methylation Is Affected by Hepatocellular Carcinoma Risk in Patients with and without Hepatitis Virus. <i>Digestive Diseases</i> , 2015, 33, 745-750.  | 0.8 | 9         |
| 743 | Impaired expression of ATP-binding cassette transporter G2 and liver damage in erythropoietic protoporphyria. <i>Hepatology</i> , 2015, 62, 1638-1639.   | 3.6 | 9         |
| 744 | Usefulness of Cytokeratin-18M65 in Diagnosing Non-Alcoholic Steatohepatitis in Japanese Population. <i>Digestive Diseases</i> , 2015, 33, 715-720.   | 0.8 | 9         |
| 745 | A Social Program for the Early Detection of Pancreatic Cancer: The Kishiwada Katsuragi Project. <i>Oncology</i> , 2017, 93, 89-97.   | 0.9 | 9         |
| 746 | Autoimmune Pancreatitis Mouse Model. <i>Current Protocols in Immunology</i> , 2018, 120, 15.31.1-15.31.8.  | 3.6 | 9         |
| 747 | Reintervention for stent occlusion after endoscopic ultrasound-guided hepaticogastrostomy with novel use of a precut needle-knife. <i>Endoscopy</i> , 2018, 50, E153-E154.   | 1.0 | 9         |
| 748 | Endoscopic ultrasound-guided biliary drainage using a newly designed metal stent with a thin delivery system: a preclinical study in phantom and porcine models. <i>Journal of Medical Ultrasonics (2001)</i> , 2018, 45, 391-397.                                   | 0.6 | 9         |
| 749 | Subgroup analysis of efficacy and safety of orantinib in combination with TACE in Japanese HCC patients in a randomized phase III trial (ORIENTAL). <i>Medical Oncology</i> , 2019, 36, 52.  | 1.2 | 9         |
| 750 | Contrast-enhanced harmonic endoscopic ultrasonography for evaluating the response to chemotherapy in pancreatic cancer. <i>Digestive and Liver Disease</i> , 2019, 51, 1130-1134.  | 0.4 | 9         |
| 751 | Endoscopic ultrasound-guided biliary drainage for malignant biliary obstruction with surgically altered anatomy: a multicenter prospective registration study. <i>Therapeutic Advances in Gastroenterology</i> , 2020, 13, 175628482093096.                          | 1.4 | 9         |
| 752 | Clinicopathological analysis of hepatic immune-related adverse events in comparison with autoimmune hepatitis and graft-versus host disease. <i>Scientific Reports</i> , 2021, 11, 9242.   | 1.6 | 9         |
| 753 | Biomarkers in autoimmune pancreatitis and immunoglobulin G4-related disease. <i>World Journal of Gastroenterology</i> , 2021, 27, 2257-2269.   | 1.4 | 9         |
| 754 | Lack of response to immunotherapy in non-alcoholic steatohepatitis related hepatocellular carcinoma. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 522-525.   | 0.7 | 9         |
| 755 | The radiation doses and radiation protection on the endoscopic retrograde cholangiopancreatography procedures. <i>British Journal of Radiology</i> , 2021, 94, 20210399.   | 1.0 | 9         |
| 756 | A multicenter, open-label, phase 3 trial to compare the efficacy and safety of lenvatinib (E7080) versus sorafenib in first-line treatment of subjects with unresectable hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, TPS4153-TPS4153. | 0.8 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 757 | Survival by pattern of tumor progression during prior sorafenib (SOR) treatment in patients with hepatocellular carcinoma (HCC) in the phase III RESORCE trial comparing second-line treatment with regorafenib (REG) or placebo. <i>Journal of Clinical Oncology</i> , 2017, 35, 229-229. | 0.8 | 9         |
| 758 | Scirrhus hepatocellular carcinoma displaying atypical findings on imaging studies. <i>World Journal of Gastroenterology</i> , 2009, 15, 2296.  | 1.4 | 9         |
| 759 | How should radiation exposure be handled in fluoroscopy-guided endoscopic procedures in the field of gastroenterology?. <i>Digestive Endoscopy</i> , 2022, 34, 890-900.  | 1.3 | 9         |
| 760 | The clinical characteristics, endoscopic treatment, and prognosis for patients presenting with duodenal varices. <i>Hepato-Gastroenterology</i> , 2008, 55, 959-62.  | 0.5 | 9         |
| 761 | Clinical Practice Guidelines for Hepatic Arterial Infusion Chemotherapy with a Port System Proposed by the Japanese Society of Interventional Radiology and Japanese Society of Implantable Port Assisted Treatment. <i>Liver Cancer</i> , 2022, 11, 407-425.                              | 4.2 | 9         |
| 762 | Contrast-enhanced agent detection imaging: Early experience in hepatocellular carcinoma. <i>Journal of Medical Ultrasonics</i> (2001), 2003, 30, 77-84.  | 0.6 | 8         |
| 763 | Hepatic nodular lesions caused by abnormal hepatic circulation: etiological and clinical aspects. <i>Journal of Gastroenterology</i> , 2003, 38, 308-310.  | 2.3 | 8         |
| 764 | Hepatocellular carcinoma mimicking cavernous hemangioma on angiography and contrast enhanced harmonic ultrasonography. A case report. <i>Hepatology Research</i> , 2003, 25, 202-212.  | 1.8 | 8         |
| 765 | Comparison of argon plasma coagulation and paravariceal injection sclerotherapy with 1% polidocanol in mucosa-fibrosing therapy for esophageal varices. <i>Journal of Gastroenterology</i> , 2004, 39, 397-399.  | 2.3 | 8         |
| 766 | Staging for hepatocellular carcinoma: Treatment strategy matters. <i>Hepatology</i> , 2005, 41, 678-678.   | 3.6 | 8         |
| 767 | Review of 4th Single Topic Conference on HCC. <i>Hepatology Research</i> , 2007, 37, S83-7.  | 1.8 | 8         |
| 768 | Outcome and Early Viral Dynamics with Viral Mutation in PEG-IFN/RBV Therapy for Chronic Hepatitis in Patients with High Viral Loads of Serum HCV RNA Genotype 1b. <i>Intervirolgy</i> , 2010, 53, 49-54.   | 1.2 | 8         |
| 769 | Recent Advances in the Management of Chronic Hepatitis B. <i>Hepatitis Monthly</i> , 2011, 11, 601-11.   | 0.1 | 8         |
| 770 | Activation of c-Jun N-terminal kinase in non-cancerous liver tissue predicts a high risk of recurrence after hepatic resection for hepatocellular carcinoma. <i>Hepatology Research</i> , 2012, 42, 394-400.   | 1.8 | 8         |
| 771 | Expression of E-Cadherin and Vascular Endothelial Growth Factor in Noncancerous Liver Is Associated with Recurrence of Hepatocellular Carcinoma after Curative Resection. <i>Oncology</i> , 2013, 84, 88-92.   | 0.9 | 8         |
| 772 | Evidence and Consensus on the Management of Hepatocellular Carcinoma: Update 2015. <i>Oncology</i> , 2015, 89, 1-3.  | 0.9 | 8         |
| 773 | Cone-Beam CT Angiography for Hepatocellular Carcinoma: Current Status. <i>Digestive Diseases</i> , 2015, 33, 759-764.  | 0.8 | 8         |
| 774 | Prediction of Embolization Area after Conventional Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma Using SYNAPSE VINCENT. <i>Digestive Diseases</i> , 2016, 34, 696-701.   | 0.8 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 775 | Safety, Tolerability, and Efficacy of Sofosbuvir Plus Ribavirin in Elderly Patients Infected with Hepatitis C Virus Genotype 2. <i>Digestive Diseases</i> , 2016, 34, 632-639.   | 0.8 | 8         |
| 776 | Endoscopic ultrasonographyâ€guided choledochoduodenostomy using a newly designed laserâ€cut metal stent: Feasibility study in a porcine model. <i>Digestive Endoscopy</i> , 2017, 29, 211-217.   | 1.3 | 8         |
| 777 | Artificial intelligence-based endoscopic diagnosis of colorectal polyps using residual networks. <i>PLoS ONE</i> , 2021, 16, e0253585.   | 1.1 | 8         |
| 778 | KEYNOTE-224: Phase II study of pembrolizumab in patients with previously treated advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS504-TPS504.  | 0.8 | 8         |
| 779 | Randomized, open label, multicenter, phase II trial of transcatheter arterial chemoembolization (TACE) therapy in combination with sorafenib as compared with TACE alone in patients with hepatocellular carcinoma: TACTICS trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4017-4017. | 0.8 | 8         |
| 780 | Prognostic and Predictive Factors in Patients with Advanced HCC and Elevated Alpha-Fetoprotein Treated with Ramucirumab in Two Randomized Phase III Trials. <i>Clinical Cancer Research</i> , 2022, 28, 2297-2305.   | 3.2 | 8         |
| 781 | Value of new contrast harmonic technique for detecting tumor vascularity in hepatocellular carcinoma: Preliminary results. <i>Journal of Medical Ultrasonics</i> (2001), 2003, 30, 85-92.  | 0.6 | 7         |
| 782 | Multiple tuberculous abscesses of the liver and the brain in a patient with acute leukemia. <i>Journal of Gastroenterology</i> , 2004, 39, 497-499.  | 2.3 | 7         |
| 783 | Primary Sclerosing Cholangitis and Hepatitis C Virus Infection. <i>Intervirolgy</i> , 2005, 48, 268-272.   | 1.2 | 7         |
| 784 | Natural Course of Small Nodular Lesions with Intranodular Preserved Portal Supply in Cirrhotic Liver. <i>Oncology</i> , 2007, 72, 24-29.   | 0.9 | 7         |
| 785 | Review of current staging systems for hepatocellular carcinoma. <i>Hepatology Research</i> , 2007, 37, S210-5.   | 1.8 | 7         |
| 786 | Long-Term Follow-Up of Atypical Progressive Focal Nodular Hyperplasia Increasing in Size and Number Implicates Its Pathogenesis. <i>American Journal of Gastroenterology</i> , 2008, 103, 2153-2155.   | 0.2 | 7         |
| 787 | FNA Guided By Contrast-Enhanced Harmonic EUS in Pancreatic Tumors. <i>Gastrointestinal Endoscopy</i> , 2009, 69, AB328-AB329.  | 0.5 | 7         |
| 788 | p38MAPK suppresses chronic pancreatitis by regulating HSP27 and BAD expression. <i>Free Radical Biology and Medicine</i> , 2012, 52, 2284-2291.  | 1.3 | 7         |
| 789 | Decreased Blood Flow after Sorafenib Administration Is an Imaging Biomarker to Predict Overall Survival in Patients with Advanced Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2014, 32, 733-739.   | 0.8 | 7         |
| 790 | Nationwide survey in <sc>apan regarding splenectomy/partial splenic embolization for interferon treatment targeting hepatitis <sc>C</sc> virusâ€related chronic liver disease in patients with low platelet count. <i>Hepatology Research</i> , 2014, 44, 829-836.                            | 1.8 | 7         |
| 791 | Virtual Sonography for Novice Sonographers: Usefulness of SYNAPSE VINCENTÂ® with Pre-Check Imaging of Tumor Location. <i>Oncology</i> , 2014, 87, 50-54.   | 0.9 | 7         |
| 792 | Comparison of Daclatasvir and Asunaprevir for Chronic HCV 1b Infection with Telaprevir and Simeprevir plus Peginterferon and Ribavirin, with a Focus on the Prevention of Occurrence and Recurrence of Hepatocellular Carcinoma. <i>Oncology</i> , 2015, 89, 42-46.                            | 0.9 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 793 | Recent Trends in the Management of Hepatocellular Carcinoma with Special Emphasis on Treatment with Regorafenib and Immune Checkpoint Inhibitors. <i>Digestive Diseases</i> , 2016, 34, 714-730.  | 0.8 | 7         |
| 794 | CD68-Positive Cells in Hepatic Angiomyolipoma. <i>Oncology</i> , 2017, 92, 35-39.   | 0.9 | 7         |
| 795 | Impact of Tumor Factors on Survival in Patients with Hepatocellular Carcinoma Classified Based on Kinki Criteria Stage B2. <i>Digestive Diseases</i> , 2017, 35, 583-588.   | 0.8 | 7         |
| 796 | Prophylactic Suturing Closure Is Recommended after Endoscopic Treatment of Colorectal Tumors in Patients with Antiplatelet/Anticoagulant Therapy. <i>Oncology</i> , 2017, 93, 27-29.  | 0.9 | 7         |
| 797 | Detection of High-Grade Pancreatic Intraepithelial Neoplasia without Morphological Changes of the Main Pancreatic Duct over a Long Period: Importance for Close Follow-Up for Confirmation. <i>Oncology</i> , 2017, 93, 81-86.                            | 0.9 | 7         |
| 798 | Ramucirumab Safety in East Asian Patients: A Meta-Analysis of Six Global, Randomized, Double-Blind, Placebo-Controlled, Phase III Clinical Trials. <i>Journal of Global Oncology</i> , 2018, 4, 1-12.   | 0.5 | 7         |
| 799 | Erythropoietic Protoporphyrin-related Hepatopathy Successfully Treated with Phlebotomy. <i>Internal Medicine</i> , 2018, 57, 2505-2509.   | 0.3 | 7         |
| 800 | Real-world virological efficacy and safety of daclatasvir/asunaprevir/beclabuvir in patients with chronic hepatitis C virus genotype 1 infection in Japan. <i>Journal of Gastroenterology</i> , 2019, 54, 742-751.  | 2.3 | 7         |
| 801 | The IFN- $\gamma$ -IL-33 Axis as Possible Biomarkers in IgG4-Related Disease. <i>American Journal of Gastroenterology</i> , 2019, 114, 1002-1003.   | 0.2 | 7         |
| 802 | Navigator-triggered and breath-hold 3D MRCP using compressed sensing: image quality and method selection factor assessment. <i>Abdominal Radiology</i> , 2020, 45, 3081-3091.   | 1.0 | 7         |
| 803 | ALBI score and outcomes in patients with hepatocellular carcinoma: <i>post hoc</i> analysis of the randomized controlled trial KEYNOTE-240. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110399.                                  | 1.4 | 7         |
| 804 | A case with hepatic immune-related adverse events caused by nivolumab exhibiting impaired accumulation of regulatory T cells. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1191-1196.  | 0.4 | 7         |
| 805 | Comparison of efficacy and safety of entecavir and switching from entecavir to tenofovir alafenamide fumarate in chronic hepatitis B: Long-term effects from a prospective study. <i>Hepatology Research</i> , 2021, 51, 767-774.                         | 1.8 | 7         |
| 806 | Diagnostic Value of EUS-Guided Fine-Needle Aspiration Biopsy for Gastric Linitis Plastica with Negative Endoscopic Biopsy. <i>Journal of Clinical Medicine</i> , 2021, 10, 3716.  | 1.0 | 7         |
| 807 | Ramucirumab (RAM) for sorafenib intolerant patients with hepatocellular carcinoma (HCC) and elevated baseline alpha fetoprotein (AFP): Outcomes from two randomized phase 3 studies (REACH, ) <i>Tj ETQq1 1 0.784314 rgBT /Over</i>                       | 0.8 | 7         |
| 808 | Growth speed of hepatocellular carcinoma. Relationship with arterial vascularity evaluated by US angiography.. <i>Acta Hepatologica Japonica</i> , 1992, 33, 758-765.   | 0.0 | 7         |
| 809 | Clinical utility of treatment method conversion during single-session endoscopic ultrasound-guided biliary drainage. <i>World Journal of Gastroenterology</i> , 2020, 26, 947-959.  | 1.4 | 7         |
| 810 | Efficacy of EUS-guided celiac plexus neurolysis in combination with EUS-guided celiac ganglia neurolysis for pancreatic cancer-associated pain: a multicenter prospective trial. <i>International Journal of Clinical Oncology</i> , 2022, 27, 1196-1201. | 1.0 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 811 | Patterns and outcomes of subsequent therapy after immune checkpoint inhibitor discontinuation in HCC. <i>Hepatology Communications</i> , 2022, 6, 1776-1785.   | 2.0 | 7         |
| 812 | Clinical implication of immune checkpoint inhibitor on the chronic hepatitis B virus infection. <i>Hepatology Research</i> , 2022, 52, 754-761.  | 1.8 | 7         |
| 813 | A proposal of the modified liver damage classification for hepatocellular carcinoma. <i>Hepatology Research</i> , 2006, 34, 124-129.   | 1.8 | 6         |
| 814 | Endoscopic ultrasound-guided pancreaticogastrostomy reconstruction. <i>Endoscopy</i> , 2007, 39, E70-E71.  | 1.0 | 6         |
| 815 | In situ carcinoma of pancreas diagnosed by EUS-FNA. <i>Endoscopy</i> , 2008, 40, E15-E16.  | 1.0 | 6         |
| 816 | Autoimmune Thrombocytopenic Purpura during Pegylated Interferon .ALPHA. Treatment for Chronic Hepatitis C. <i>Internal Medicine</i> , 2010, 49, 1119-1122.   | 0.3 | 6         |
| 817 | EUS-guided in vivo microdialysis of the pancreas: a novel technique with potential diagnostic and therapeutic application. <i>Gastrointestinal Endoscopy</i> , 2010, 71, 176-179.  | 0.5 | 6         |
| 818 | Clinical and Histological Features of Different Types of Budd-Chiari Syndrome: A Comparison of 4 Cases. <i>Digestive Diseases</i> , 2013, 31, 408-414.   | 0.8 | 6         |
| 819 | Outcome of Asunaprevir/Daclatasvir Combination Therapy for Chronic Liver Disease Type C. <i>Digestive Diseases</i> , 2016, 34, 620-626.  | 0.8 | 6         |
| 820 | Hepaticogastrostomy guided by real-time contrast-enhanced harmonic endoscopic ultrasonography: a novel technique. <i>Endoscopy</i> , 2016, 48, E228-E229.  | 1.0 | 6         |
| 821 | Gastric Perineurioma. <i>American Journal of Gastroenterology</i> , 2016, 111, 453.  | 0.2 | 6         |
| 822 | Primary Hepatic Adenosquamous Carcinoma Associated with Primary Sclerosing Cholangitis. <i>Oncology</i> , 2017, 93, 76-80.   | 0.9 | 6         |
| 823 | Gastric Inverted Hyperplastic Polyp Mimicking a Papilla. <i>American Journal of Gastroenterology</i> , 2018, 113, 462.   | 0.2 | 6         |
| 824 | Induction of Complete Remission by Azacitidine in a Patient with Myelodysplastic Syndrome-Associated Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 499-502.  | 0.6 | 6         |
| 825 | A case of successful transluminal drainage of walled-off necrosis under contrast-enhanced harmonic endoscopic ultrasonography guidance. <i>Journal of Medical Ultrasonics (2001)</i> , 2018, 45, 161-165.  | 0.6 | 6         |
| 826 | Adjuvant therapy after radical surgery for hepatocellular carcinoma: still an unmet need. <i>Hepatobiliary Surgery and Nutrition</i> , 2019, 8, 414-416.   | 0.7 | 6         |
| 827 | GS-09-Ramucirumab for patients with advanced hepatocellular carcinoma and elevated alpha-fetoprotein following sorafenib: Outcomes by liver disease aetiology from two randomised, placebo-controlled phase 3 studies (REACH-2 and REACH). <i>Journal of Hepatology</i> , 2019, 70, e46. | 1.8 | 6         |
| 828 | Utility of FIB4-T as a Prognostic Factor for Hepatocellular Carcinoma. <i>Cancers</i> , 2019, 11, 203.   | 1.7 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 829 | Dual-frequency MR elastography to differentiate between inflammation and fibrosis of the liver: Comparison with histopathology. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1053-1064.   | 1.9 | 6         |
| 830 | Better Efficacy of Ramucirumab in Japanese Patients than in the Global Population with Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020, 9, 232-244.   | 4.2 | 6         |
| 831 | The Efficacy of Sonazoid-enhanced Ultrasonography in Decision-making for Liver Abscess Treatment. <i>Internal Medicine</i> , 2020, 59, 471-477.   | 0.3 | 6         |
| 832 | Optimal cropping for input images used in a convolutional neural network for ultrasonic diagnosis of liver tumors. <i>Japanese Journal of Applied Physics</i> , 2020, 59, SKKE09.   | 0.8 | 6         |
| 833 | Impaired Response to Immunotherapy in Non-Alcoholic Steatohepatitis-Related Hepatocellular Carcinoma?. <i>Liver Cancer</i> , 2021, 10, 289-295.   | 4.2 | 6         |
| 834 | Current status of endoscopic re-intervention for hilar malignant biliary obstruction. <i>Digestive Endoscopy</i> , 2021, 33, 746-748.   | 1.3 | 6         |
| 835 | Safety and efficacy of lenvatinib by starting dose based on body weight in patients with unresectable hepatocellular carcinoma in REFLECT. <i>Journal of Gastroenterology</i> , 2021, 56, 570-580.  | 2.3 | 6         |
| 836 | Cost-Effectiveness of Lenvatinib in the Treatment of Patients With Unresectable Hepatocellular Carcinomas in Japan: An Analysis Using Data From Japanese Patients in the REFLECT Trial. <i>Value in Health Regional Issues</i> , 2021, 24, 82-89. | 0.5 | 6         |
| 837 | Efficacy of Over-The-Scope Clip Method as a Novel Hemostatic Therapy for Colonic Diverticular Bleeding. <i>Journal of Clinical Medicine</i> , 2021, 10, 2891.   | 1.0 | 6         |
| 838 | Plasmacytoid Dendritic Cells as a New Therapeutic Target for Autoimmune Pancreatitis and IgG4-Related Disease. <i>Frontiers in Immunology</i> , 2021, 12, 713779.   | 2.2 | 6         |
| 839 | Phase I/II study of E7080 (lenvatinib), a multitargeted tyrosine kinase inhibitor, in patients (pts) with advanced hepatocellular carcinoma (HCC): Initial assessment of response rate.. <i>Journal of Clinical Oncology</i> , 2012, 30, 320-320. | 0.8 | 6         |
| 840 | PIVKA-II is a predictive marker in the treatment response of sorafenib to hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , 2010, 51, 681-683.  | 0.0 | 6         |
| 841 | Well to moderately differentiated HCC manifesting hyperattenuation on both CT during arteriography and arterial portography. <i>World Journal of Gastroenterology</i> , 2007, 13, 5775.   | 1.4 | 6         |
| 842 | Current Perspectives on the Immunosuppressive Niche and Role of Fibrosis in Hepatocellular Carcinoma and the Development of Antitumor Immunity. <i>Journal of Histochemistry and Cytochemistry</i> , 2022, 70, 53-81.                             | 1.3 | 6         |
| 843 | Accumulation of Genetic and Epigenetic Alterations in the Background Liver and Emergence of Hepatocellular Carcinoma in Patients with Non-Alcoholic Fatty Liver Disease. <i>Cells</i> , 2021, 10, 3257.   | 1.8 | 6         |
| 844 | Treatment of large and/or multiple hepatic malignancies: open surgical approaches of radiofrequency ablation. <i>Hepato-Gastroenterology</i> , 2007, 54, 2358-60.   | 0.5 | 6         |
| 845 | Endoscopic Reintervention for Recurrence of Malignant Biliary Obstruction: Developing the Best Strategy. <i>Gut and Liver</i> , 2022, 16, 525-534.  | 1.4 | 6         |
| 846 | Combination Immunotherapy with Anti-PD-1/PD-L1 Antibody plus Anti-VEGF Antibody May Promote Cytotoxic T Lymphocyte Infiltration in Hepatocellular Carcinoma, Including in the Non-inflamed Subclass. <i>Liver Cancer</i> , 0, , .                 | 4.2 | 6         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 847 | Atezolizumab plus Bevacizumab versus Sorafenib for Unresectable Hepatocellular Carcinoma: Results from Older Adults Enrolled in the IMbrave150 Randomized Clinical Trial. <i>Liver Cancer</i> , 2022, 11, 558-571.   | 4.2 | 6         |
| 848 | A case of well-differentiated minute hepatocellular carcinoma with extrahepatic metastasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998, 13, 892-896.   | 1.4 | 5         |
| 849 | Vascularity of advanced gastric carcinoma: Evaluation by using power Doppler imaging. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 149-153.   | 1.4 | 5         |
| 850 | Cerebral vascular resistance in hepatic insufficiency. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 845-847.  | 1.4 | 5         |
| 851 | The efferent blood flow of early hepatocellular carcinoma and borderline lesions: Demonstration by color Doppler imaging. <i>Journal of Medical Ultrasonics (2001)</i> , 2002, 29, 205-209.  | 0.6 | 5         |
| 852 | Stage IV hepatocellular carcinoma with portal venous tumor thrombus: complete response after combined therapy of repeated arterial chemoembolization and radiofrequency ablation. <i>Journal of Gastroenterology</i> , 2003, 38, 406-409.  | 2.3 | 5         |
| 853 | Hepatocellular carcinoma that ruptured during radiofrequency ablation therapy. <i>Journal of Gastroenterology</i> , 2004, 39, 1015-1016.   | 2.3 | 5         |
| 854 | Imaging findings of biliary hamartomas (von Meyenburg complexes). <i>Journal of Medical Ultrasonics (2001)</i> , 2005, 32, 205-212.  | 0.6 | 5         |
| 855 | Cecal Necrosis Due to Ischemic Colitis Mimicking an Abscess on Sonography. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 393-396.   | 0.8 | 5         |
| 856 | Small hepatocellular carcinoma presenting with massive metastasis in the peritoneum, mimicking sarcomatous tumor. <i>Hepatology Research</i> , 2007, 37, 885-889.  | 1.8 | 5         |
| 857 | Case of rapidly progressed sarcomatoid hepatocellular carcinoma in a young female without risk factor. <i>Liver International</i> , 2007, 27, 1428-1430.   | 1.9 | 5         |
| 858 | Pegylated Interferon plus Ribavirin Combination Therapy for Chronic Hepatitis C with High Viral Load of Serum Hepatitis C Virus RNA, Genotype 1b, Discontinued on Attaining Sustained Virological Response at Week 16 after Onset of Acute Pancreatitis. <i>Digestion</i> , 2009, 79, 36-39. | 1.2 | 5         |
| 859 | PEG-IFN $\alpha$ 2a/RBV Combination Therapy for Chronic Hepatitis C Patients Increases Serum Ferritin Level while It Improves Sustained Viral Response Rate. <i>Intervirology</i> , 2010, 53, 60-65.   | 1.2 | 5         |
| 860 | Endoscopic findings of intestinal Behçet's disease complicated with toxic megacolon. <i>Endoscopy</i> , 2010, 42, E173-E174.   | 1.0 | 5         |
| 861 | Association of Interleukin-28B and Hepatitis C Genotype 1 with a High Viral Load and Response to Pegylated Interferon plus Ribavirin Therapy. <i>Digestion</i> , 2011, 84, 56-61.  | 1.2 | 5         |
| 862 | Outcome of Double-Filtration Plasmapheresis plus Interferon Treatment in Nonresponders to Pegylated Interferon plus Ribavirin Combination Therapy. <i>Digestive Diseases</i> , 2013, 31, 434-439.  | 0.8 | 5         |
| 863 | Relevance of the Core 70 and IL-28B polymorphism and response-guided therapy of peginterferon alfa-2a plus Ribavirin for chronic hepatitis C of Genotype 1b: a multicenter randomized trial, ReGIT-J study. <i>Journal of Gastroenterology</i> , 2014, 49, 492-501.                          | 2.3 | 5         |
| 864 | Synchronous pancreatic and gastric metastasis from an ovarian adenocarcinoma diagnosed by endoscopic ultrasound-guided fine-needle aspiration. <i>Endoscopy</i> , 2015, 47, E596-E597.   | 1.0 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 865 | Challenges of Clinical Research on Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2015, 33, 780-790.   | 0.8 | 5         |
| 866 | Recent Advances in the Management of Chronic Hepatitis B Including Suppression of Hepatocellular Carcinoma by Entecavir and Interferon. <i>Oncology</i> , 2015, 89, 60-69.  | 0.9 | 5         |
| 867 | Foreword to the WFUMB Guidelines and Recommendations on the Clinical Use of Ultrasound Elastography. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1125.  | 0.7 | 5         |
| 868 | Monoethanolamine Oleate Sclerotherapy for Polycystic Liver Disease. <i>Digestive Diseases</i> , 2016, 34, 654-658.  | 0.8 | 5         |
| 869 | Stress Response Protein RBM3 Promotes the Development of Colitis-associated Cancer. <i>Inflammatory Bowel Diseases</i> , 2017, 23, 66-74.   | 0.9 | 5         |
| 870 | Electronic hydraulic lithotripsy by antegrade digital cholangioscopy through endoscopic ultrasound-guided hepaticojejunostomy. <i>Endoscopy</i> , 2017, 49, E316-E318.  | 1.0 | 5         |
| 871 | EUS-Guided Pancreatic Duct Drainage for Repeat Pancreatitis in a Patient with Pancreatic Cancer. <i>Oncology</i> , 2017, 93, 87-88.   | 0.9 | 5         |
| 872 | Utility and Safety of a Novel Fully Covered Metal Stent in Unresectable Distal Malignant Biliary Obstruction. <i>Digestive Diseases and Sciences</i> , 2020, 65, 3702-3709.   | 1.1 | 5         |
| 873 | Analysis of Patient Outcome after Non-curative Resection for Hepatocellular Carcinoma Using Nationwide Survey Data in Japan. <i>World Journal of Surgery</i> , 2021, 45, 607-614.                                   | 0.8 | 5         |
| 874 | Three-Dimensional Radiological Assessment of Ablative Margins in Hepatocellular Carcinoma: Pilot Study of Overlay Fused CT/MRI Imaging with Automatic Registration. <i>Cancers</i> , 2021, 13, 1460.                | 1.7 | 5         |
| 875 | Ramucirumab in patients with advanced hepatocellular carcinoma and elevated $\alpha$ -fetoprotein: Outcomes by treatment-emergent ascites. <i>Hepatology Research</i> , 2021, 51, 715-721.                          | 1.8 | 5         |
| 876 | Ramucirumab in patients with previously treated advanced hepatocellular carcinoma: Impact of liver disease aetiology. <i>Liver International</i> , 2021, 41, 2759-2767.   | 1.9 | 5         |
| 877 | Impact of hepatitis C virus on survival in patients undergoing resection of intrahepatic cholangiocarcinoma: Report of a Japanese nationwide survey. <i>Hepatology Research</i> , 2021, 51, 890-901.                | 1.8 | 5         |
| 878 | Ramucirumab for Patients with Intermediate-Stage Hepatocellular Carcinoma and Elevated Alpha-Fetoprotein: Pooled Results from Two Phase 3 Studies (REACH and REACH-2). <i>Liver Cancer</i> , 2021, 10, 451-460.     | 4.2 | 5         |
| 879 | A randomized, double-blind, placebo-controlled phase III study of S-1 in patients with sorafenib-refractory advanced hepatocellular carcinoma (S-CUBE).. <i>Journal of Clinical Oncology</i> , 2015, 33, 4018-4018. | 0.8 | 5         |
| 880 | Phase II study of front-line dovitinib (TKI258) versus sorafenib in patients (Pts) with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2015, 33, 237-237.                          | 0.8 | 5         |
| 881 | Phase 1/2 study of durvalumab and tremelimumab as monotherapy and in combination in patients with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS3103-TPS3103.    | 0.8 | 5         |
| 882 | Promising anticancer therapy: combination of immune checkpoint inhibitors and molecular-targeted agents. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 777-779.   | 0.7 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 883 | Endoscopic findings can predict the efficacy of leukocytapheresis for steroid-naive patients with moderately active ulcerative colitis. <i>World Journal of Gastroenterology</i> , 2008, 14, 5316.   | 1.4 | 5         |
| 884 | Mechanical Model Analysis for Quantitative Evaluation of Liver Fibrosis Based on Ultrasound Tissue Elasticity Imaging. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 07GF11.  | 0.8 | 5         |
| 885 | Current Status of Hepatocellular Carcinoma Treatment in Japan. <i>Clinical Drug Investigation</i> , 2012, 32, 37-51.   | 1.1 | 5         |
| 886 | Utility of contrast-enhanced harmonic EUS for diagnosis of portal vein invasion by pancreatic cancer. <i>Endoscopic Ultrasound</i> , 2022, 11, 401.  | 0.6 | 5         |
| 887 | Current status of primary liver cancer and decompensated cirrhosis in Japan: launch of a nationwide registry for advanced liver diseases (REAL). <i>Journal of Gastroenterology</i> , 2022, 57, 587-597.   | 2.3 | 5         |
| 888 | Avid Accumulation of Ga-67 Citrate in Adenocarcinoma of Pancreas. <i>Clinical Nuclear Medicine</i> , 1989, 14, 843-845.  | 0.7 | 4         |
| 889 | Hepatic uptake of [99mTc]galactosyl-neoglycoalbumin is sensitive to receptor quantity. <i>International Journal of Radiation Applications and Instrumentation Part B, Nuclear Medicine and Biology</i> , 1991, 18, 663-666.                      | 0.3 | 4         |
| 890 | Measurement of functioning hepatocyte mass via [99mTc]galactosyl-neoglycoalbumin. <i>Digestive Diseases and Sciences</i> , 1993, 38, 2183-2188.  | 1.1 | 4         |
| 891 | Assessment of image quality of contrast-enhanced power doppler imaging in hepatocellular carcinoma with the personal ultrasound imager: Comparison with the conventional machine. <i>Journal of Medical Ultrasonics</i> (2001), 2003, 30, 31-38. | 0.6 | 4         |
| 892 | Scintigraphic study of regenerative nodules due to fulminant hepatic failure. <i>Journal of Gastroenterology</i> , 2003, 38, 695-699.  | 2.3 | 4         |
| 893 | Anisakis in a biopsy specimen from the edge of a gastric ulcer: report of a case. <i>Gastrointestinal Endoscopy</i> , 2004, 60, 854-856.   | 0.5 | 4         |
| 894 | Multiple metastases from a meningeal hemangiopericytoma associated with severe hypoglycemia. <i>Journal of Medical Ultrasonics</i> (2001), 2005, 32, 187-190.  | 0.6 | 4         |
| 895 | International comparison of treatment outcomes based on staging systems. <i>Hepatology Research</i> , 2007, 37, S216-S222.   | 1.8 | 4         |
| 896 | Intracystic Hemorrhage in a Patient of Polycystic Kidney with Renocolic Fistula Diagnosed by Contrast-Enhanced Ultrasonography. <i>Internal Medicine</i> , 2008, 47, 1977-1979.  | 0.3 | 4         |
| 897 | Dynamic Imaging By Contrast-Enhanced Harmonic EUS with Long-Lasting Contrast: Role in Diagnosis of Pancreatic Tumors. <i>Gastrointestinal Endoscopy</i> , 2009, 69, AB235-AB236.   | 0.5 | 4         |
| 898 | Double-Filtration Plasmapheresis plus IFN for HCV-1b Patients with Non-Sustained Virological Response to Previous Combination Therapy: Early Viral Dynamics. <i>Intervirology</i> , 2010, 53, 44-48.   | 1.2 | 4         |
| 899 | Double-Filtration Plasmapheresis plus Interferon- $\beta$ for HCV-1b Patients with Non-Sustained Virological Response to Previous Combination Therapy. <i>Digestion</i> , 2011, 84, 10-16.   | 1.2 | 4         |
| 900 | Hepatic Nodules Associated with an Inferior Mesentric Arteriovenous Malformation. <i>Internal Medicine</i> , 2012, 51, 2753-2755.  | 0.3 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 901 | Quantification of tumor vascularity with contrast-enhanced ultrasound for early response of transcatheter arterial chemoembolization for hepatocellular carcinoma: a report of three cases. <i>Journal of Medical Ultrasonics</i> (2001), 2012, 39, 15-19. | 0.6 | 4         |
| 902 | Advances in Liver Fibrosis Imaging and Hepatocellular Carcinoma: Update in 2013. <i>Oncology</i> , 2013, 84, 1-2.  | 0.9 | 4         |
| 903 | Initial Experience Performing Percutaneous Ultrasound Examination with Real-Time Virtual Sonography with Color Display. <i>Oncology</i> , 2015, 89, 11-18.   | 0.9 | 4         |
| 904 | Coffee Intake and Liver Enzyme Association in Korean Immigrants and Japanese: A Comprehensive Cross-Sectional Study. <i>Digestive Diseases</i> , 2016, 34, 665-670.  | 0.8 | 4         |
| 905 | Prognostic sub-classification of intermediate-stage hepatocellular carcinoma: a multicenter cohort study with propensity score analysis. <i>Medical Oncology</i> , 2016, 33, 114.  | 1.2 | 4         |
| 906 | Efficacy and Safety of Sofosbuvir Plus Ribavirin Treatment for Patients with Chronic Hepatitis C Genotype 2. <i>Digestive Diseases</i> , 2016, 34, 627-631.  | 0.8 | 4         |
| 907 | Contrast-Enhanced Tissue Harmonic Imaging versus Phase Inversion Harmonic Sonographic Imaging for the Delineation of Hepatocellular Carcinomas. <i>Oncology</i> , 2017, 92, 29-34.   | 0.9 | 4         |
| 908 | Comparison of Sofosbuvir Plus Ribavirin Treatment with Pegylated Interferon Plus Ribavirin Treatment for Chronic Hepatitis C Genotype 2. <i>Digestive Diseases</i> , 2017, 35, 541-547.  | 0.8 | 4         |
| 909 | Unique Characteristics Associated with Sustained Liver Damage in Chronic Hepatitis C Patients Treated with Direct Acting Antivirals. <i>Digestive Diseases</i> , 2017, 35, 556-564.  | 0.8 | 4         |
| 910 | Hemodynamic Changes on Cone-Beam Computed Tomography during Balloon-Occluded Transcatheter Arterial Chemoembolization Using Miriplatin for Hepatocellular Carcinoma: A Preliminary Study. <i>Digestive Diseases</i> , 2017, 35, 598-601.                   | 0.8 | 4         |
| 911 | Endoscopic ultrasound-guided choledochoduodenostomy with novel use of contrast-enhanced harmonic imaging. <i>Endoscopy</i> , 2017, 49, E281-E282.  | 1.0 | 4         |
| 912 | Abdominal Ultrasound Findings of Tumor-Forming Hepatic Malignant Lymphoma. <i>Digestive Diseases</i> , 2017, 35, 498-505.  | 0.8 | 4         |
| 913 | Gankyrin Contributes to Tumorigenesis and Chemoresistance in Sporadic Colorectal Cancer. <i>Digestion</i> , 2019, 100, 192-200.  | 1.2 | 4         |
| 914 | Cannulation method for intradiverticular papilla with long oral protrusion using biopsy forceps for axis alignment. <i>Digestive Endoscopy</i> , 2018, 30, 700-701.  | 1.3 | 4         |
| 915 | Novel concept using a plastic stent for endoscopic ultrasound-guided hepaticogastrostomy adjusting the length according to the patient's anatomy. <i>Endoscopy</i> , 2019, 51, E362-E363.  | 1.0 | 4         |
| 916 | Large balloon expansion method for re-intervention after endoscopic ultrasound-guided hepaticogastrostomy for stent obstruction. <i>Digestive Endoscopy</i> , 2019, 31, e99-e100.  | 1.3 | 4         |
| 917 | Intracystic papillary neoplasm preoperatively diagnosed by high-quality cytology derived from endoscopic nasogallbladder drainage. <i>Gastrointestinal Endoscopy</i> , 2019, 89, 1257-1259.  | 0.5 | 4         |
| 918 | FRI-499-Efficacy and hepatic safety of nivolumab treatment in patients with Child-Pugh B disease and advanced hepatocellular carcinoma in CheckMate 040. <i>Journal of Hepatology</i> , 2019, 70, e619.  | 1.8 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 919 | Novel sphincterotomy device that orientates blade along the axis of the bile duct in patients with Roux-en-Y anastomosis. <i>Endoscopy</i> , 2019, 51, E132-E134.  | 1.0 | 4         |
| 920 | Sorafenib treatment by Child-Pugh score in Latin American patients with hepatocellular carcinoma. <i>Future Oncology</i> , 2020, 16, 2511-2520.  | 1.1 | 4         |
| 921 | Across-the-papilla side-by-side placement of 6-mm fully covered metallic stents for malignant hilar biliary obstruction: a novel concept that may facilitate reintervention. <i>Endoscopy</i> , 2022, 54, E102-E105.                         | 1.0 | 4         |
| 922 | Utility of contrast-enhanced harmonic endoscopic ultrasonography for T-staging of patients with extrahepatic bile duct cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 3254-3260.                          | 1.3 | 4         |
| 923 | NOD2 deficiency protects mice from the development of adoptive transfer colitis through the induction of regulatory T cells expressing forkhead box P3. <i>Biochemical and Biophysical Research Communications</i> , 2021, 568, 55-61.       | 1.0 | 4         |
| 924 | A Case of Type II Enteropathy-Associated T-Cell Lymphoma in a Patient With Ulcerative Colitis. <i>American Journal of Gastroenterology</i> , 2017, 112, 833.   | 0.2 | 4         |
| 925 | Hypervascular liver nodules in heavy drinkers of alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 174S-180S.   | 1.4 | 4         |
| 926 | OPTIMIS: An international observational study to assess the use of sorafenib after transarterial chemoembolization (TACE) in patients with hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2014, 32, TPS4155-TPS4155. | 0.8 | 4         |
| 927 | Analysis of Progression Time in Pancreatic Cancer including Carcinoma In Situ Based on Magnetic Resonance Cholangiopancreatography Findings. <i>Diagnostics</i> , 2021, 11, 1858.  | 1.3 | 4         |
| 928 | Role of phlebotomy in the treatment of liver damage related to erythropoietic porphyria. <i>Scientific Reports</i> , 2022, 12, 6100.   | 1.6 | 4         |
| 929 | A Mouse Model of Acute and Chronic Pancreatitis. <i>Current Protocols</i> , 2022, 2, e422.   | 1.3 | 4         |
| 930 | C-reactive protein to albumin ratio predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib. <i>Scientific Reports</i> , 2022, 12, 8421.  | 1.6 | 4         |
| 931 | Selection of Systemic Treatment Regimen for Unresectable Hepatocellular Carcinoma: Does Etiology Matter?. <i>Liver Cancer</i> , 2022, 11, 283-289.   | 4.2 | 4         |
| 932 | [26] In Vivo quantification of asialoglycoprotein receptor. <i>Methods in Enzymology</i> , 1994, 247, 373-382.   | 0.4 | 3         |
| 933 | Repeated Hepatic Arterial Chemoembolization Therapy for Management of A Patient With Metastatic Carcinoid Tumors of The Liver. <i>American Journal of Gastroenterology</i> , 2000, 95, 1842-1843.  | 0.2 | 3         |
| 934 | A case of localized primary sclerosing cholangitis mimicking intrahepatic bile duct cancer. <i>Hepatology Research</i> , 2001, 20, 259-264.  | 1.8 | 3         |
| 935 | Hepatobiliary and pancreatic: Arterioportal fistula causing portal hypertension. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 873-873.  | 1.4 | 3         |
| 936 | Diagnosis of acute cholecystitis in patients with liver cirrhosis: waveform analysis of the cystic artery by color Doppler imaging. <i>Journal of Medical Ultrasonics (2001)</i> , 2004, 31, 21-28.  | 0.6 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 937 | Reply:. Hepatology, 2005, 41, 678-679.  | 3.6 | 3         |
| 938 | Hepatic angiomyolipoma: identification of an efferent vessel as a hepatic vein by contrast-enhanced harmonic sonography. Journal of Medical Ultrasonics (2001), 2005, 32, 191-196.                            | 0.6 | 3         |
| 939 | Foreign body granuloma mimicking disseminated tumour recurrence after radiofrequency ablation for hepatocellular carcinoma. Liver International, 2008, 28, 414-415.   | 1.9 | 3         |
| 940 | Single HCC between 2 and 5 cm: the grey zone. Journal of Hepato-Biliary-Pancreatic Sciences, 2010, 17, 434-437.   | 1.4 | 3         |
| 941 | Prolonged PEG-IFN and RBV Is Effective in Patients with HCV Genotype 1 and High Viral Load Who Achieved Virological Response Later than 24 Weeks. Intervirology, 2010, 53, 55-59.                             | 1.2 | 3         |
| 942 | Prevention of Delayed Bleeding After Endoscopic Submucosal Dissection (ESD) for Gastric Tumors. Gastroenterology, 2011, 140, S-235.   | 0.6 | 3         |
| 943 | Targeted Therapy for Liver Cancer: Updated Review in 2012. Current Cancer Drug Targets, 2012, 12, 1062-1072.  | 0.8 | 3         |
| 944 | Transcatheter endoscopy for pancreaticobiliary duct diseases (with videos). Gastrointestinal Endoscopy, 2012, 76, 892-899.  | 0.5 | 3         |
| 945 | Septicemia due to Vibrio cholerae serogroup non-O1/non-O139 strain in a cirrhotic patient. Clinical Journal of Gastroenterology, 2012, 5, 383-387.  | 0.4 | 3         |
| 946 | Prediction of Response to Pegylated Interferon/Ribavirin Combination Therapy for Chronic Hepatitis C Genotypes 2a and 2b and High Viral Load. Digestive Diseases, 2013, 31, 426-433.                          | 0.8 | 3         |
| 947 | Corrigendum to: "Comparison of resection and ablation for hepatocellular carcinoma: A cohort study based on a Japanese nationwide survey" [Hepatol 2013;58:724-729]. Journal of Hepatology, 2013, 59, 641.    | 1.8 | 3         |
| 948 | Novel Mouse Models of Hepatocarcinogenesis with Stepwise Accumulation of Genetic Alterations. Digestive Diseases, 2013, 31, 454-458.  | 0.8 | 3         |
| 949 | Senile systemic amyloidosis localized to the stomach. Digestive Endoscopy, 2013, 25, 468-469.   | 1.3 | 3         |
| 950 | Emerging Strategies for the Management of Hepatocellular Carcinoma. Digestive Diseases, 2014, 32, 655-657.  | 0.8 | 3         |
| 951 | Efficacy and Safety of Telaprevir-Based Antiviral Treatment for Elderly Patients with Hepatitis C Virus. Oncology, 2014, 87, 110-117.   | 0.9 | 3         |
| 952 | Radiofrequency Ablation Guided by Contrast-Enhanced Sonography versus B-Mode Sonography for Hepatocellular Carcinoma after Transcatheter Arterial Chemoembolization. Digestive Diseases, 2016, 34, 692-695.   | 0.8 | 3         |
| 953 | Contribution of C1485T mutation in the HBx gene to human and murine hepatocarcinogenesis. Scientific Reports, 2017, 7, 10440.   | 1.6 | 3         |
| 954 | 115 Improved Diagnosis of Liver Metastases Using Kupffer-Phase Image of Contrast-Enhanced Harmonic Endoscopic Ultrasonography in Patients With Pancreatic Cancer. Gastrointestinal Endoscopy, 2017, 85, AB53. | 0.5 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 955 | Utility of contrast-enhanced harmonic EUS for evaluating the effects of steroid therapy in a case of immunoglobulin G4-negative focal autoimmune pancreatitis. <i>Gastrointestinal Endoscopy</i> , 2017, 86, 1177-1179.   | 0.5 | 3         |
| 956 | New Paradigm in Gastrointestinal Cancer Treatment. <i>Oncology</i> , 2017, 93, 1-8.   | 0.9 | 3         |
| 957 | A case of small invasive gastric cancer arising from <i>Helicobacter pylori</i> -negative gastric mucosa: Fundic gland-type adenocarcinoma. <i>JGH Open</i> , 2017, 1, 74-75.   | 0.7 | 3         |
| 958 | Systemic Therapy for Hepatocellular Carcinoma: Recent Advances. <i>Acta Hepatologica Japonica</i> , 2018, 59, 587-603.  | 0.0 | 3         |
| 959 | Neurilemmoma Mimicking a Multilocular Cystic Lesion of the Liver. <i>Internal Medicine</i> , 2018, 57, 3377-3380.   | 0.3 | 3         |
| 960 | Acute Pancreatitis with Disturbed Consciousness Caused by Hyperparathyroidism. <i>Internal Medicine</i> , 2018, 57, 3075-3078.  | 0.3 | 3         |
| 961 | A novel technique for stent dysfunction after endoscopic ultrasound-guided hepaticogastrostomy with antegrade stenting. <i>Endoscopy</i> , 2019, 51, E255-E256.   | 1.0 | 3         |
| 962 | Comparison of the Diagnostic Performance of Newly Designed 21-Gauge and Standard 22-Gauge Aspiration Needles in Patients with Solid Pancreatic Masses. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2982-2991.  | 1.1 | 3         |
| 963 | Severe Immune-Related Hepatitis Treated With Plasma Exchange. <i>Journal of Thoracic Oncology</i> , 2020, 15, e39-e42.  | 0.5 | 3         |
| 964 | A new era of systemic therapy for intermediate and advanced stage hepatocellular carcinoma. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 530-533.  | 0.7 | 3         |
| 965 | Deficiency of Gankyrin in the small intestine is associated with augmented colitis accompanied by altered bacterial composition of intestinal microbiota. <i>BMC Gastroenterology</i> , 2020, 20, 12.   | 0.8 | 3         |
| 966 | Case Report: A Case of Intestinal Behçet's Disease Exhibiting Enhanced Expression of IL-6 and Forkhead Box P3 mRNA After Treatment With Infliximab. <i>Frontiers in Medicine</i> , 2021, 8, 679237.   | 1.2 | 3         |
| 967 | Value of Low-Mechanical-Index Contrast-Enhanced Transabdominal Ultrasound for Diagnosis of Pancreatic Cancer: A Meta-analysis. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 3315-3322.   | 0.7 | 3         |
| 968 | Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma following first-line therapy with sorafenib: Patient-focused outcome (PFO) results from the phase 3 REACH study. <i>Journal of Clinical Oncology</i> , 2015, 33, 4077-4077. | 0.8 | 3         |
| 969 | Phase 3, randomized study of pembrolizumab (pembro) vs best supportive care (BSC) for second-line advanced hepatocellular carcinoma (HCC): KEYNOTE-240. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS4143-TPS4143.  | 0.8 | 3         |
| 970 | Sorafenib versus hepatic arterial infusion chemotherapy in patients with advanced hepatocellular carcinoma: A Japanese multi-center large cohort study. <i>Journal of Clinical Oncology</i> , 2019, 37, 323-323.  | 0.8 | 3         |
| 971 | Evaluation of asialoglycoprotein receptor-binding, synthetic radiolabeled glycoprotein in estimating hepatic functional reserve. <i>Acta Hepatologica Japonica</i> , 1987, 28, 1277-1286.   | 0.0 | 3         |
| 972 | The Draining Vessel of Advanced Hepatocellular Carcinoma: Assessment of Color Doppler Findings in Comparison with Histopathological Findings. <i>Acta Hepatologica Japonica</i> , 1999, 40, 243-252.  | 0.0 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 973 | Natural history of untreated hepatocellular carcinoma: A retrospective multicenter study of 195 patients. <i>Acta Hepatologica Japonica</i> , 2003, 44, 546-551.   | 0.0 | 3         |
| 974 | Hepatic Receptor Imaging Using Radiolabeled Asialoglycoprotein Analogs. , 1994, , 373-402.   |     | 3         |
| 975 | Deep-learning framework based on a large ultrasound image database to realize computer-aided diagnosis for liver and breast tumors. , 2021, , .  |     | 3         |
| 976 | Well-differentiated HCC manifesting hyperattenuation on CT during arterial portography. <i>Hepato-Gastroenterology</i> , 2005, 52, 1559-62.  | 0.5 | 3         |
| 977 | How Compatible Are Immune Checkpoint Inhibitors and Thermal Ablation for Liver Metastases?. <i>Cancers</i> , 2022, 14, 2206.   | 1.7 | 3         |
| 978 | Glasgow prognostic score predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib: a multicenter analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2022, 34, 857-864. | 0.8 | 3         |
| 979 | Dynamic imaging of pancreatic tumors by contrast-enhanced harmonic EUS with long-lasting contrast. <i>Gastrointestinal Endoscopy</i> , 2009, 69, S228.   | 0.5 | 2         |
| 980 | Tailor-Made Therapy for Viral Hepatitis: Recent Advances. <i>Digestion</i> , 2011, 84, 1-4.  | 1.2 | 2         |
| 981 | Correlation between Insulin Resistance and Outcome of Pegylated Interferon and Ribavirin Therapy, Hepatic Steatosis, Hepatic Fibrosis in Chronic Hepatitis C-1b and High Viral Load. <i>Digestion</i> , 2011, 84, 5-9.             | 1.2 | 2         |
| 982 | Retreatment with Peginterferon a-2a + Ribavirin in Patients Who Failed Previous Peginterferon a-2b + Ribavirin Combination Therapy. <i>Digestive Diseases</i> , 2012, 30, 554-560.   | 0.8 | 2         |
| 983 | Novel Non-Trocar Technique for Laparoscopic Radiofrequency Ablation. <i>Digestive Diseases</i> , 2012, 30, 588-591.  | 0.8 | 2         |
| 984 | Risk of Hepatocellular Carcinoma Development in Cases of Hepatitis C Treated by Long-Term, Low-Dose PEG-IFN $\alpha$ -2a. <i>Digestive Diseases</i> , 2012, 30, 561-567.   | 0.8 | 2         |
| 985 | Well-differentiated Hepatocellular Carcinoma Detected as Hypovascularity by Only CT during Hepatic Arteriography. <i>Internal Medicine</i> , 2012, 51, 885-890.  | 0.3 | 2         |
| 986 | Factors of Response to Pegylated Interferon/Ribavirin Combination Therapy and Mechanism of Viral Clearance. <i>Digestive Diseases</i> , 2013, 31, 421-425.   | 0.8 | 2         |
| 987 | Early Viral Response Predicts the Efficacy of Antiviral Triple Therapy with Simeprevir, Peg-Interferon and Ribavirin in Patients Infected with Hepatitis C Virus Genotype 1. <i>Digestive Diseases</i> , 2015, 33, 708-714.        | 0.8 | 2         |
| 988 | Reply. <i>Hepatology</i> , 2016, 64, 306-306.  | 3.6 | 2         |
| 989 | Prospective Risk Analysis of Hepatocellular Carcinoma in Patients with Chronic Hepatitis C by Ultrasound Strain Elastography. <i>Digestive Diseases</i> , 2016, 34, 650-653.   | 0.8 | 2         |
| 990 | 371 The Oncoprotein Gankyrin Links Inflammation and Tumorigenesis in Inflammatory Bowel Disease. <i>Gastroenterology</i> , 2016, 150, S83.   | 0.6 | 2         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 991  | Reply. <i>Hepatology</i> , 2016, 63, 1744-1745.   | 3.6 | 2         |
| 992  | Semiquantitative prediction of early response of conventional transcatheter arterial chemoembolization for hepatocellular carcinoma using postprocedural plain cone-beam computed tomography. <i>Hepatology Research</i> , 2017, 47, E113-E119.   | 1.8 | 2         |
| 993  | Cabozantinib for advanced hepatocellular carcinoma. <i>Hepatobiliary Surgery and Nutrition</i> , 2019, 8, 153-156.  | 0.7 | 2         |
| 994  | Rendezvous within biloma technique combining percutaneous and endoscopic approaches: a novel biliary recanalization method. <i>Endoscopy</i> , 2019, 51, E42-E44.   | 1.0 | 2         |
| 995  | Hemorrhage from metastasis of a 5-mm renal cell carcinoma lesion to the gallbladder detected by contrast-enhanced endoscopic ultrasonography. <i>Digestive and Liver Disease</i> , 2019, 51, 743.   | 0.4 | 2         |
| 996  | Possible involvement of autophagy in esophageal ulcers in anorexia nervosa. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 473-476.  | 0.4 | 2         |
| 997  | A case with eosinophilic gastroenteritis exhibiting enhanced TNF- $\alpha$ and IL-6 responses. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 511-516.   | 0.4 | 2         |
| 998  | Endoscopic papillotomy and papilloplasty: Effects on sphincter of Oddi functionality and outcomes. <i>Digestive Endoscopy</i> , 2021, 33, 924-926.  | 1.3 | 2         |
| 999  | Successful use of two guidewires with different properties using a double-lumen catheter for postoperative biliary stricture. <i>Endoscopy</i> , 2021, , .  | 1.0 | 2         |
| 1000 | Usefulness of the Novel Snare-over-the-Guidewire Method for Transpapillary Plastic Stent Replacement (with Video). <i>Journal of Clinical Medicine</i> , 2021, 10, 2858.  | 1.0 | 2         |
| 1001 | Improved Tumor Response to Lenvatinib Re-Treatment after Failure of Immune Checkpoint Inhibitors in a Patient with Advanced Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021, 10, 535-538.  | 4.2 | 2         |
| 1002 | Can the Entire Ablative Hyperechoic Zone be Regarded as a Necrotic Lesion After Radiofrequency Ablation of the Liver?. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 2930-2935.   | 0.7 | 2         |
| 1003 | Safety and Efficacy of amplitude-modulated radiofrequency electromagnetic fields in advanced hepatocellular carcinoma. <i>Open</i> , 2021, 4, 3.  | 0.1 | 2         |
| 1004 | Prognostic and predictive role of circulating angiopoietin-2 in multiple solid tumors: An analysis of approximately 500 patients treated with lenvatinib across tumor types.. <i>Journal of Clinical Oncology</i> , 2014, 32, 11061-11061.  | 0.8 | 2         |
| 1005 | Sorafenib plus intra-arterial cisplatin versus sorafenib alone in patients with advanced hepatocellular carcinoma: A randomized phase II trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4076-4076.   | 0.8 | 2         |
| 1006 | Identification of a high-response patient population to S-1 via predictive enrichment strategy analysis of the S-CUBE phase III trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 229-229.  | 0.8 | 2         |
| 1007 | A randomized, double-blind, placebo-controlled phase III study of ramucirumab versus placebo as second-line treatment in patients with hepatocellular carcinoma and elevated baseline alpha-fetoprotein following first-line sorafenib (REACH-2).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS478-TPS478. | 0.8 | 2         |
| 1008 | Effect of pembrolizumab (pembro) on hepatitis B viral (HBV) load and aminotransferase (ALT) levels in patients (pts) with advanced hepatocellular carcinoma (aHCC) in KEYNOTE-224 and KEYNOTE-240.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4587-4587.  | 0.8 | 2         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1009 | The status of polycystic liver disease in Japan: a questionnaire survey of patients. <i>Acta Hepatologica Japonica</i> , 2011, 52, 709-715.   | 0.0 | 2         |
| 1010 | Modified single transluminal gateway transcystic multiple drainage technique for a huge infected walled-off pancreatic necrosis: A case report. <i>World Journal of Gastroenterology</i> , 2016, 22, 5132.  | 1.4 | 2         |
| 1011 | Achievement of long-term stent patency in endoscopic ultrasonography-guided right bile duct drainage after left hepatic lobectomy (with video). <i>Endoscopic Ultrasound</i> , 2017, 6, 412.  | 0.6 | 2         |
| 1012 | A randomized, double-blind, placebo-controlled phase III study of ramucirumab versus placebo as second-line treatment in patients with hepatocellular carcinoma and elevated baseline alpha-fetoprotein following first-line sorafenib (REACH-2).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS4145-TPS4145. | 0.8 | 2         |
| 1013 | Survival benefit of liver resection for hepatocellular carcinoma associated with portal vein invasion: A Japanese nationwide survey.. <i>Journal of Clinical Oncology</i> , 2016, 34, 4067-4067.  | 0.8 | 2         |
| 1014 | LEAP-012 trial in progress: Transarterial chemoembolization (TACE) with or without lenvatinib plus pembrolizumab for intermediate-stage hepatocellular carcinoma (HCC). <i>Journal of Clinical Oncology</i> , 2022, 40, TPS494-TPS494.  | 0.8 | 2         |
| 1015 | Multistep progression from a hypovascular nodule to a nodule-in-nodule type hepatocellular carcinoma in hepatitis C-related cirrhosis. <i>Indian Journal of Gastroenterology</i> , 2008, 27, 176.   | 0.7 | 2         |
| 1016 | Response Evaluation Criteria in Cancer of the Liver (RECICL 2021 revised version). <i>Acta Hepatologica Japonica</i> , 2021, 62, 823-829.   | 0.0 | 2         |
| 1017 | [29] Radiopharmaceutical preparation of technetium-99m-labeled galactosyl neoglycoalbumin. <i>Methods in Enzymology</i> , 1994, 247, 402-409.   | 0.4 | 1         |
| 1018 | Agenesis of the left lobe of the liver: Radiologic findings. <i>Journal of Medical Ultrasonics (2001)</i> , 2001, 28, 181-183.  | 0.6 | 1         |
| 1019 | Evaluation of image quality of personal ultrasound imager: Comparison with the conventional machine. <i>Journal of Medical Ultrasonics (2001)</i> , 2002, 29, 41-46.  | 0.6 | 1         |
| 1020 | Proximal bifurcation of hepatic artery: Novel findings on hepatic arteries demonstrated by ultrasound Doppler imaging, B-flow, and US angiography. <i>Journal of Medical Ultrasonics (2001)</i> , 2002, 29, 11-17.  | 0.6 | 1         |
| 1021 | Studies on the Variation in Clinical Laboratory Data and Safety Evaluation of Pharmaceuticals. <i>Yakugaku Zasshi</i> , 2005, 125, 997-1004.  | 0.0 | 1         |
| 1022 | Hemodynamic and morphologic changes of peripheral hepatic vasculature in chronic liver disease: a preliminary study by contrast-enhanced coded phase-inversion harmonic sonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2005, 32, 197-204.   | 0.6 | 1         |
| 1023 | Contrast-Enhanced Harmonic EUS: A Method to Visualize Microcirculation in Digestive Organs. <i>Gastrointestinal Endoscopy</i> , 2005, 61, AB288.  | 0.5 | 1         |
| 1024 | WEGENER'S GRANULOMATOSIS COMPLICATED WITH APHTHOID COLITIS. <i>Digestive Endoscopy</i> , 2006, 18, 221-224.   | 1.3 | 1         |
| 1025 | What is the best staging system for hepatocellular carcinoma?. <i>Journal of Gastroenterology</i> , 2006, 41, 290-291.  | 2.3 | 1         |
| 1026 | MIXED INTESTINAL- AND DIFFUSE-TYPE HISTOLOGY IS A RISK FACTOR FOR LYMPH NODE METASTASIS OF SUBMUCOSAL INVASIVE GASTRIC CANCER. <i>Digestive Endoscopy</i> , 2007, 20, 17-21.  | 1.3 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1027 | Erratum. <i>Hepatology Research</i> , 2008, 38, 638-638.  | 1.8 | 1         |
| 1028 | Utility of Gd-EOB-DTPA-Enhanced MRI in Diagnosing Small Hepatocellular Carcinoma. <i>Case Reports in Gastroenterology</i> , 2009, 3, 187-192.   | 0.3 | 1         |
| 1029 | T1436: EUS-Guided Gallbladder Drainage for Treatment of Acute Cholecystitis and Obstructive Jaundice. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB276-AB277.  | 0.5 | 1         |
| 1030 | The Usefulness of <i>Helicobacter pylori</i> Eradication Therapy for the Healing of Artificial Gastric Ulcer After Endoscopic Submucosal Dissection for Early Gastric Cancer. <i>Gastroenterology</i> , 2011, 140, S-312. | 0.6 | 1         |
| 1031 | Case of <sc>P</sc>utzâ€œ<sc>J</sc>eghers syndrome with depressedâ€œtype early duodenal carcinoma. <i>Digestive Endoscopy</i> , 2012, 24, 489-489.   | 1.3 | 1         |
| 1032 | Tu1664 Quantitative Perfusion Analysis With Contrast-Enhanced Harmonic EUS in Pancreatic Tumors. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB550.   | 0.5 | 1         |
| 1033 | A case of psoriasis vulgaris complicated with antimitochondrial M2 antibody-positive liver dysfunction after infliximab treatment. <i>Acta Hepatologica Japonica</i> , 2015, 56, 655-660.                                 | 0.0 | 1         |
| 1034 | Cases with Refractory Ascites and a Delayed Response to Tolvaptan. <i>Internal Medicine</i> , 2016, 55, 3273-3277.  | 0.3 | 1         |
| 1035 | Bile duct adenoma in patient with chronic hepatitis C: As a benign neoplasm by pathological and imaging studies. <i>Pathology International</i> , 2016, 66, 640-642.  | 0.6 | 1         |
| 1036 | Chronic Liver Diseases and Liver Cancer: State-of-the Art Progress in 2016. <i>Digestive Diseases</i> , 2016, 34, 617-619.  | 0.8 | 1         |
| 1037 | Serum IFN-Î»3 Levels Correlate with Serum Hepatitis C Virus RNA Levels in Symptomatic Patients with Acute Hepatitis C. <i>Digestive Diseases</i> , 2017, 35, 531-540.   | 0.8 | 1         |
| 1038 | Hepatocarcinogenesis Is Associated with Serum Albumin Levels after Sustained Virological Responses with Interferon-Based Therapy in Patients with Hepatitis C. <i>Digestive Diseases</i> , 2017, 35, 548-555.             | 0.8 | 1         |
| 1039 | New Era of the Management of Liver Diseases and Liver Cancer: State-of-the-Art Progress in 2017. <i>Digestive Diseases</i> , 2017, 35, 493-497.   | 0.8 | 1         |
| 1040 | A New Horizon in Liver Disease. <i>Oncology</i> , 2017, 92, 1-2.  | 0.9 | 1         |
| 1041 | Recent Advances of Systemic Therapy for Hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , 2018, 59, 517-544.  | 0.0 | 1         |
| 1042 | Tu1955 COMPUTER-AIDED DIAGNOSIS BASED ON CONVOLUTIONAL NEURAL NETWORK SYSTEM USING ARTIFICIAL INTELLIGENCE FOR COLORECTAL POLYP CLASSIFICATION. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB631.                      | 0.5 | 1         |
| 1043 | Conversion of percutaneous transhepatic gallbladder drainage to endoscopic ultrasoundâ€œguided hepaticogastrostomy by the intentional expansion method. <i>Digestive Endoscopy</i> , 2019, 31, 718-718.                   | 1.3 | 1         |
| 1044 | Mo1090 EXAMINATION OF ACTUAL RADIATION EXPOSURE DOSE OF THE PATIENTS WHO PERFORMED EUS-GUIDED DRAINAGE (EUS-BD/EUS-PD/EUS-CD). <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB444-AB445.                                 | 0.5 | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1045 | Endoscopic submucosal dissection of duodenal adenocarcinoma arising from Brunner's gland. <i>Annals of Gastroenterology</i> , 2019, 32, 316.   | 0.4 | 1         |
| 1046 | Tu1344 VALUE OF CONTRAST-ENHANCED HARMONIC EUS WITH ENHANCEMENT PATTERN FOR DIAGNOSIS OF PANCREATIC CANCER: A META-ANALYSIS. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB582.  | 0.5 | 1         |
| 1047 | FRI-494-Practice patterns and outcomes of transarterial chemoembolization in patients with hepatocellular carcinoma who were ineligible and eligible for transarterial chemoembolization at inclusion: Global OPTIMIS exploratory analysis. <i>Journal of Hepatology</i> , 2019, 70, e616. | 1.8 | 1         |
| 1048 | Rapid and extensive intrahepatic metastatic recurrence of hepatocellular carcinoma with very small portal vein tumor thrombus after surgery and sustained virological response of HCV with direct-acting antivirals. <i>Pathology International</i> , 2019, 69, 306-308.                   | 0.6 | 1         |
| 1049 | Usefulness of Ustekinumab for Treating a Case of Myelodysplastic Syndrome-associated Inflammatory Bowel Disease. <i>Internal Medicine</i> , 2019, 58, 2029-2033.   | 0.3 | 1         |
| 1050 | Su1172 CLINICAL UTILITY OF ENDOSCOPIC ULTRASOUND-GUIDED DRAINAGE USING CONTRAST-ENHANCED HARMONIC IMAGING IN CASES WITH DIFFICULTIES. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB299.   | 0.5 | 1         |
| 1051 | Su1168 LONG-TERM OUTCOMES OF EUS-GUIDED TRANSLUMINAL STENT DEPLOYMENT FOR BENIGN BILIARY DISEASE: MULTICENTER CLINICAL EXPERIENCE. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB297.  | 0.5 | 1         |
| 1052 | Endoscopic nasobiliary drainage tube-guided scope insertion technique for internal drainage in a case of difficult selective biliary duct guiding. <i>Digestive Endoscopy</i> , 2019, 31, e1-e2.   | 1.3 | 1         |
| 1053 | Endoscopic ultrasound-guided radiofrequency ablation of porcine liver. <i>Journal of Medical Ultrasonics</i> (2001), 2020, 47, 435-443.  | 0.6 | 1         |
| 1054 | A novel method of papilla fixation for difficult biliary cannulation without using a pancreatic duct guidewire: non-guidewire fixation method. <i>Endoscopy</i> , 2022, 54, 101-102.   | 1.0 | 1         |
| 1055 | Harmonic Power Doppler and Other New Techniques on ALOKA ProSound Series. , 2003, , 31-68.   |     | 1         |
| 1056 | Second interim analysis of the Global Investigation of Therapeutic Decisions in Unresectable HCC (uHCC) and of Its Treatment with Sorafenib (GIDEON): Differences in AE reporting across physician specialties.. <i>Journal of Clinical Oncology</i> , 2012, 30, 286-286.                  | 0.8 | 1         |
| 1057 | Worldwide trends in locoregional therapy for hepatocellular carcinoma (HCC): Second interim analysis of the Global Investigation of Therapeutic Decisions in HCC and of Its Treatment with Sorafenib (GIDEON) study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 317-317.             | 0.8 | 1         |
| 1058 | Independent imaging review (IIR) results in a phase 3 trial of lenvatinib (LEN) versus sorafenib (SOR) in first-line treatment of patients (pts) with unresectable hepatocellular carcinoma (uHCC).. <i>Journal of Clinical Oncology</i> , 2018, 36, 345-345.                              | 0.8 | 1         |
| 1059 | RECIST v1.1 and irRECIST outcomes in advanced HCC treated with pembrolizumab (pembro).. <i>Journal of Clinical Oncology</i> , 2020, 38, 528-528.   | 0.8 | 1         |
| 1060 | Staging system for hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , 2005, 46, 53-63.  | 0.0 | 1         |
| 1061 | Abstract 3406: Impact of TJP-1 and TWIST expression on post-operative prognosis in hepatocellular carcinoma. , 2012, , .   |     | 1         |
| 1062 | In Vivo Measurement of Hepatic Binding Protein Using Galactosyl-Neoglycoalbumin: Clinical Application as a New Liver Function Test.. <i>Trends in Glycoscience and Glycotechnology</i> , 1991, 3, 193-199.   | 0.0 | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1063 | A Case of Waldenstrom Macroglobulinemia with Temporary Appearance of 7S IgM Half Molecule. <i>Clinical Laboratory</i> , 2017, 63, 983-989.  | 0.2 | 1         |
| 1064 | Cystic duct antegrade stenting for cholangitis after the long-term deployment of lumen-apposing metal stents for calculous cholecystitis. <i>Endoscopic Ultrasound</i> , 2018, 7, 349.  | 0.6 | 1         |
| 1065 | Endoscopic Ultrasound Fine-Needle Biopsy May Contribute to the Diagnosis of Malignant Lymph Nodes. <i>Clinical Endoscopy</i> , 2020, 53, 508-509.   | 0.6 | 1         |
| 1066 | Spontaneous regurgitation of portal blood flow normalized by meal intake in a patient with alcoholic liver cirrhosis. <i>Hepatology Research</i> , 2003, 25, 143-148.   | 1.8 | 0         |
| 1067 | Hepatobiliary and pancreatic: Inflammatory pseudotumor of the liver. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 994-994.   | 1.4 | 0         |
| 1068 | Hepatobiliary and pancreatic: Fatty liver, spared areas and aberrant gastric venous drainage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1423-1423.  | 1.4 | 0         |
| 1069 | Radiofrequency ablation therapy under contrast-enhanced harmonic imaging guidance for recurrence after local ablation therapy for hepatocellular carcinoma: A randomized controlled study. <i>Gastroenterology</i> , 2003, 124, A773. | 0.6 | 0         |
| 1070 | Changes of lens culinaris agglutinin-reactive alpha-fetoprotein (AFP-L3 fraction) after complete radiofrequency ablation for hepatocellular carcinoma. <i>Gastroenterology</i> , 2003, 124, A699.                                     | 0.6 | 0         |
| 1071 | Validation and limitation of CLIP scoring system in 722 Japanese patients with hepatocellular carcinoma and a proposal of better prognostic staging system. Japan integrated staging score (JIS) Tj ETQq1 1 0.784314 rgB5/Overlo      | 1.4 | 0         |
| 1072 | Radiofrequency ablation therapy for hepatocellular carcinoma located at subphrenic region: Value of artificial pleural effusion combined with contrast-Harmonic imaging. <i>Gastroenterology</i> , 2003, 124, A773.                   | 0.6 | 0         |
| 1073 | Atypical focal spared area in fatty liver: evaluation by color Doppler ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2004, 31, 131-4.   | 0.6 | 0         |
| 1074 | Vascularity of gastric carcinoma: evaluation using color Doppler ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2005, 32, 23-28.   | 0.6 | 0         |
| 1075 | Case of adult genotype C HBV carrier after acute hepatitis B, losing HBsAg and acquiring HBsAb after IFN and lamivudine treatment. <i>Hepatology Research</i> , 2006, 36, 149-152.  | 1.8 | 0         |
| 1076 | Clinical Application of Contrast-Enhanced Harmonic Imaging to Endosonography. <i>Gastrointestinal Endoscopy</i> , 2007, 65, AB193.  | 0.5 | 0         |
| 1077 | JSH Consensus Kobe 2009: Diagnosis and Treatment of Hepatitis C. <i>Acta Hepatologica Japonica</i> , 2009, 50, 665-677.   | 0.0 | 0         |
| 1078 | Crohn's Disease with Gastroduodenal Mucosa Lesions that Are Similar to the Lesions Caused by Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 646-648.  | 0.9 | 0         |
| 1079 | EUS-Guided In Vivo Microdialysis of Pancreas: A Novel Technique of Potential Diagnostic and Therapeutic Application. <i>Gastrointestinal Endoscopy</i> , 2009, 69, AB138.   | 0.5 | 0         |
| 1080 | Contrast-Enhanced Harmonic EUS of Intra-Abdominal Lesions with Undetermined Origin: Initial Observation of Vascularity Depiction. <i>Gastrointestinal Endoscopy</i> , 2009, 69, AB327.  | 0.5 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1081 | JSH Consensus Kobe 2009: Diagnosis and Treatment of Hepatitis B. <i>Acta Hepatologica Japonica</i> , 2010, 51, 243-260.  | 0.0 | 0         |
| 1082 | Age and immunoglobulin G4-associated autoimmune hepatitis: author's response. <i>Liver International</i> , 2010, 30, 333-333.  | 1.9 | 0         |
| 1083 | Viral Hepatitis A to E: An Update in 2010. <i>Intervirolgy</i> , 2010, 53, 5-9.  | 1.2 | 0         |
| 1084 | T1437: EUS-Guided Choledochoduodenostomy Followed by Endoscopic Antegrade Biliary Stenting via the Fistula for Treatment of Obstructive Jaundice With Duodenal Stenosis. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB277.  | 0.5 | 0         |
| 1085 | Preface. <i>Pancreatology</i> , 2011, 11, 1-2.   | 0.5 | 0         |
| 1086 | P38alpha Inhibits Liver Fibrogenesis and Consequent Hepatocarcinogenesis by Curtailing Accumulation of Reactive Oxygen Species. <i>Gastroenterology</i> , 2011, 140, S-927.  | 0.6 | 0         |
| 1087 | Assessment of Hepatobiliary Phase Gd-EOB-DTPA-Enhanced MRI for HCC and Borderline Lesions and Comparison of Detection Ability Versus MDCT. <i>Gastroenterology</i> , 2011, 140, S-920.   | 0.6 | 0         |
| 1088 | Peginterferon ALPHA-2A (40KD) Plus Ribavirin for the Treatment of Patients With Chronic Hepatitis C (CHC) and Compensated Liver Cirrhosis in Japan. <i>Gastroenterology</i> , 2011, 140, S-950.  | 0.6 | 0         |
| 1089 | Viral Hepatitis and Hepatocellular Carcinoma: Update in 2012. <i>Digestive Diseases</i> , 2012, 30, 539-540.   | 0.8 | 0         |
| 1090 | Corrigendum to "Estimation of liver function using T2* mapping on gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid enhanced magnetic resonance imaging" [Eur. J. Radiol. 81 (7) (2012) 1460-1464]. <i>European Journal of Radiology</i> , 2013, 82, 1039. | 1.2 | 0         |
| 1091 | Reply to Kadayifci and Brugge. <i>Endoscopy</i> , 2014, 46, 358-358.   | 1.0 | 0         |
| 1092 | Endoscopic ultrasonography-guided gallbladder drainage procedures: the glass half full or half empty?. <i>Digestive Endoscopy</i> , 2014, 26, 636-637.   | 1.3 | 0         |
| 1093 | Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma (HCC): Japanese subgroup analysis of the phase III REACH trial. <i>Annals of Oncology</i> , 2015, 26, vii94.   | 0.6 | 0         |
| 1094 | Sa1444 Therapeutic Strategies for Four Subtypes of Laterally Spreading Tumors of the Colorectum. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB219.  | 0.5 | 0         |
| 1095 | Tu1668 Contrast-Enhanced Harmonic Endoscopic Ultrasonography for Diagnosing Cystic Tumors in the Pancreas. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB552.  | 0.5 | 0         |
| 1096 | Value of dynamic contrast enhanced MRI in predicting outcomes of HCC receiving radiotherapy. <i>Hepatology International</i> , 2015, 9, 155-156.   | 1.9 | 0         |
| 1097 | Mo2080 EUS-Guided Intrahepatic Biliary Drainage for Treatment of Obstructive Jaundice in Patients With Malignant Hilar Biliary Stricture After Ineffective or Unsuccessful Transpapillary Approach. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB521.             | 0.5 | 0         |
| 1098 | Su1681 Removal of Diminutive Colorectal Polyps: A Prospective Randomized Comparative Study between Cold Snare Polypectomy (CSP) and Hot Biopsy Forceps (HBF). <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB392.   | 0.5 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1099 | Response:. Gastrointestinal Endoscopy, 2016, 83, 1303.  | 0.5 | 0         |
| 1100 | Tu1351 Prospective Randomized Controlled Study of Helicobacter pylori Eradication in Japan. Gastroenterology, 2016, 150, S881.  | 0.6 | 0         |
| 1101 | Su1307 Outcomes of Biliary Drainage in Pancreatic Cancer Patients With an Indwelling Gastroduodenal Stent: A Multicenter Retrospective Study in West Japan. Gastrointestinal Endoscopy, 2017, 85, AB327-AB328.                                  | 0.5 | 0         |
| 1102 | Mo1291 Investigation on the Efficacy of Alteration of Treatment Methods for Difficult Cases in Eus-Bd. Gastrointestinal Endoscopy, 2017, 85, AB493.   | 0.5 | 0         |
| 1103 | Su1680 Follow-Up Examination of the Recurrence After Endoscopic Treatment of Colorectal Tumors. Gastrointestinal Endoscopy, 2017, 85, AB392.  | 0.5 | 0         |
| 1104 | Portal vein stenting for portal vein stenosis caused by bile duct cancer. Digestive and Liver Disease, 2017, 49, 1282.  | 0.4 | 0         |
| 1105 | Evaluation of shear wave dispersion caused by fibrous structure and tissue viscosity using hepatic fibrosis progression and histological models. , 2017, , .  |     | 0         |
| 1106 | Evaluation of shear wave dispersion caused by fibrous structure and tissue viscosity using hepatic fibrosis progression and histological models. , 2017, , .  |     | 0         |
| 1107 | Efficacy and Safety of Nivolumab in Asian Patients (Pts) With Advanced Hepatocellular Carcinoma (HCC): Subanalysis of the CheckMate 040 Study. Annals of Oncology, 2017, 28, ix87.  | 0.6 | 0         |
| 1108 | Treatment of advanced hepatocellular carcinoma: Future perspective. Annals of Oncology, 2017, 28, ix43.   | 0.6 | 0         |
| 1109 | Transrectal endoscopic ultrasound-guided paracentesis for diagnosis of malignant ascites in the pelvis. Digestive and Liver Disease, 2018, 50, 311.   | 0.4 | 0         |
| 1110 | Contrast-enhanced Harmonic EUS Imaging of Pancreatic Mucinous Cystadenocarcinoma. Internal Medicine, 2018, 57, 3051-3052.   | 0.3 | 0         |
| 1111 | Tu1363 HISTOLOGICAL DIAGNOSIS OF PANCREATIC NEUROENDOCRINE TUMOR USING 25G FNA NEEDLE WITH CORE TRAP: MULTICENTER PROSPECTIVE STUDY. Gastrointestinal Endoscopy, 2019, 89, AB590-AB591.   | 0.5 | 0         |
| 1112 | Tu1384 VALUE OF THE BISPECTRAL INDEX MONITOR DURING ENDOSCOPIC ULTRASONOGRAPHY UNDER SEDATION WITH PROPOFOL AND MIDAZOLAM. Gastrointestinal Endoscopy, 2019, 89, AB602-AB603.   | 0.5 | 0         |
| 1113 | Sa1422 THE USEFULNESS OF NOVEL CANNULATION METHOD USING A UNIQUE, DOUBLE LUMENS CATHETER (UNEVEN METHOD) FOR THE PATIENTS WITH SURGICALLY ALTERED GASTROINTESTINAL ANATOMY. Gastrointestinal Endoscopy, 2019, 89, AB223.                        | 0.5 | 0         |
| 1114 | PS-136-Can lenvatinib meet clinical needs of patients with unresectable hepatocellular carcinoma? Multicenter analysis. Journal of Hepatology, 2019, 70, e87-e88.   | 1.8 | 0         |
| 1115 | Tu1349 LINEAR EUS TRAINING BY USING SYSTEMATIC SCREENING PROTOCOL FOR THE PANCREATOBILIARY SYSTEM. Gastrointestinal Endoscopy, 2019, 89, AB584.   | 0.5 | 0         |
| 1116 | Su1204 ENDOSCOPIC ULTRASOUND-GUIDED CHOLEDOCHODUODENOSTOMY USING A THIN STENT DELIVERY SYSTEM IN PATIENTS WITH UNRESECTABLE MALIGNANT DISTAL BILIARY OBSTRUCTION: A PROSPECTIVE MYLTICENTER STUDY. Gastrointestinal Endoscopy, 2019, 89, AB315. | 0.5 | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1117 | Sa1437 A MULTICENTER SINGLE-ARM PROSPECTIVE STUDY TO ASSESS THE UTILITY AND SAFTY OF NOVEL FULLY COVERED METAL STENT FOR OBSTRUCTIVE JAUNDICE IN PATIENTS WITH UNRESECTABLE DISTAL MALIGNANT BILLIARY OBSTRUCTION. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB230.                       | 0.5 | 0         |
| 1118 | Case of endoscopic ultrasonographyâ€guided pancreatic duct rendezvous stenting in which initial contrast medium injection was useful for the second puncture. <i>Digestive Endoscopy</i> , 2019, 31, e20-e21.  | 1.3 | 0         |
| 1119 | Response to the Letter to the Editor 'Reply to "Clinical Safety and Efficacy of Secondary Prophylactic Pegylated G-CSF in Advanced Pancreatic Cancer Patients Treated with mFOLFIRINOX: A Single-center Retrospective Study" by Dr. Peng Chen'. <i>Internal Medicine</i> , 2020, 59, 879-879. | 0.3 | 0         |
| 1120 | Requirement of Additional Surgery after Non-Curative Endoscopic Submucosal Dissection for Early Colorectal Cancer. <i>Journal of Investigative Surgery</i> , 2020, 34, 1-2.   | 0.6 | 0         |
| 1121 | Ultrasound fusion imaging technologies for guidance in ablation therapy for liver cancer. <i>Choonpa Igaku</i> , 2021, 48, 359-365.   | 0.0 | 0         |
| 1122 | A case with Crohnâ€s disease-associated spondyloarthritis exhibiting enhanced pro-inflammatory cytokine responses to Toll-like receptor ligands. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2021, , .  | 0.2 | 0         |
| 1123 | Should Contrast-Enhanced Harmonic Endoscopic Ultrasound Be Incorporated into the International Consensus Guidelines to Determine the Appropriate Treatment of Intraductal Papillary Mucinous Neoplasm?. <i>Journal of Clinical Medicine</i> , 2021, 10, 1818.                                 | 1.0 | 0         |
| 1124 | Case Report: Regulatory T Cell-Independent Induction of Remission in a Patient With Collagenous Colitis. <i>Frontiers in Medicine</i> , 2021, 8, 678268.  | 1.2 | 0         |
| 1125 | Application of contrast-enhanced ultrasonography to the local treatment of hepatocellular carcinoma. <i>Journal of Microwave Surgery</i> , 2002, 20, 17-25.   | 0.3 | 0         |
| 1126 | Agent Detection Imaging (ADI) (Acuson Sequoia 512). , 2003, , 128-144.  |     | 0         |
| 1127 | Contrast Imaging (Toshiba PowerVision 8000 and Aplio). , 2003, , 69-120.  |     | 0         |
| 1128 | Intranodular Hemodynamic Transition Associated with Dedifferentiation of Hepatocellular Carcinoma. , 2003, , 12-13.   |     | 0         |
| 1129 | Application of Contrast-Enhanced Harmonic Imaging in Biliary and Pancreatic Tumors. , 2003, , 248-250.  |     | 0         |
| 1130 | Coded Harmonic Angio (GE LOGIQ 700 EXPERT Series). , 2003, , 145-179.   |     | 0         |
| 1131 | Vascularity and Hemodynamics of Liver Tumors as Seen with Intraarterial Contrast-Enhanced Ultrasonography. , 2003, , 4-11.  |     | 0         |
| 1132 | Update and Direction of Ultrasonic Contrast Agents. , 2003, , 251-253.  |     | 0         |
| 1133 | Forefront of radiofrequency ablation treatment of hepatic cancer. 1. Treatment indication (positioning of the treatment).. <i>Acta Hepatologica Japonica</i> , 2005, 46, 160-164.   | 0.0 | 0         |
| 1134 | Dissemination of clinical practice guidelines for hepatocellular carcinoma among Japanese hepatologists and liver surgeons. <i>Acta Hepatologica Japonica</i> , 2007, 48, 562-570.  | 0.0 | 0         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1135 | Pegylated interferon $\alpha$ -2b/ribavirin combination therapy for elderly patients with chronic hepatitis C with high viral load of HCV genotype 1b. <i>Acta Hepatologica Japonica</i> , 2008, 49, 145-152.  | 0.0 | 0         |
| 1136 | Panel discussion: Management of hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , 2009, 50, 407-426.   | 0.0 | 0         |
| 1137 | Elevated serum ALT levels following hyperferritinemia in CHC patients receiving pegylated interferon (PEG-IFN) therapy and availability of phlebotomy. <i>Acta Hepatologica Japonica</i> , 2010, 51, 371-378.  | 0.0 | 0         |
| 1138 | Proposed treatment guidance on new anticancer agents for the treatment of hepatocellular carcinoma, 2010 up date. <i>Acta Hepatologica Japonica</i> , 2011, 52, 532-551.   | 0.0 | 0         |
| 1139 | Abstract 3371: Expression levels of EMT-related genes in hepatocellular carcinoma. , 2011, , .   |     | 0         |
| 1140 | Abstract 4185: Serum concentrations of angiogenesis-related molecules in patients with pancreatic cancer. , 2011, , .  |     | 0         |
| 1141 | Phase Ib dose-escalation study of a phase II randomized trial to assess the safety and tolerability of tigatuzumab (CS-1008) in combination with sorafenib in patients (pts) with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2012, 30, e14617-e14617. | 0.8 | 0         |
| 1142 | Closing Remarks. <i>Clinical Drug Investigation</i> , 2012, 32, 52.  | 1.1 | 0         |
| 1143 | Multicenter observational study of reactivation of hepatitis B virus (HBV) caused by chemotherapy for solid tumors (ST).. <i>Journal of Clinical Oncology</i> , 2014, 32, 1590-1590.   | 0.8 | 0         |
| 1144 | Objective response by mRECIST to predict survival in hepatocellular carcinoma: A multivariate, time-dependent analysis from the phase III BRISK-PS study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4084-4084.  | 0.8 | 0         |
| 1145 | Prognostic subclassification of Intermediate Hepatocellular Carcinoma (I-HCC): a multicentre cohort study with propensity score analysis.. <i>Journal of Clinical Oncology</i> , 2015, 33, e15139-e15139.  | 0.8 | 0         |
| 1146 | Proposal of a new staging system for intrahepatic cholangiocarcinoma: Analysis of surgical patients from a nationwide survey of Liver Cancer Study Group of Japan.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4075-4075.   | 0.8 | 0         |
| 1147 | Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma (HCC): Analysis of REACH pts by Child-Pugh (CP) score.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4108-4108.   | 0.8 | 0         |
| 1148 | Abstract CT120: Axitinib safety and pharmacokinetics in Child-Pugh A and Child-Pugh B patients with advanced hepatocellular cancer. , 2015, , .  |     | 0         |
| 1149 | Endosonography, Contrast Agents, and Elastography. , 2016, , 187-208.  |     | 0         |
| 1150 | Impact of vitamin K dosing during sorafenib treatment for hepatocellular carcinoma: Effect on ischemic tumor cell damage caused by sorafenib.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15585-e15585.  | 0.8 | 0         |
| 1151 | Utility of endoscopic ultrasound in hemorrhage from recurrent duodenal varices. <i>Annals of Gastroenterology</i> , 2018, 31, 636.   | 0.4 | 0         |
| 1152 | 5i/4Žè†³ç,,¶ã...ç-«ã¿œãĈÈ†µè†“ã©æ...ĈæĈçç,Žç-†ã«æžœãŸã™ã½/2¹ã%². <i>Suizo</i> , 2018, 33, 737-742.   | 0.1 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1153 | Can Localized Stenosis of the Main Pancreatic Duct be a Predictive Factor for Early Detection of Pancreatic Cancer?. <i>Clinical Endoscopy</i> , 2019, 52, 523-524.  | 0.6 | 0         |
| 1154 | Quantitative Evaluation of Fatty Metamorphosis and Fibrosis of Liver Based on Models of Ultrasound and Light Propagation and Its Application to Hepatic Disease Diagnosis. , 2022, , 215-223.  |     | 0         |
| 1155 | Comparison of Radiation Exposure between Endoscopic Ultrasound-Guided Hepaticogastrostomy and Hepaticogastrostomy with Antegrade Stenting. <i>Journal of Clinical Medicine</i> , 2022, 11, 1705.   | 1.0 | 0         |
| 1156 | Reply to Response to "A Case of Ulcerative Colitis Relapse Characterized by Systemic Type I Interferon Responses After COVID-19 Vaccination" by Mungmunpantipantip and Wiwanitkiton. <i>Inflammatory Bowel Diseases</i> , 2022, , .                                      | 0.9 | 0         |
| 1157 | Comparison between gradient and spin-echo (GRASE) and compressed sensing sequences for single breath-hold three-dimensional magnetic resonance cholangiopancreatography in patients with T1 hyperintense bile. <i>European Journal of Radiology</i> , 2022, 150, 110279. | 1.2 | 0         |
| 1158 | Switching from entecavir to tenofovir disoproxil fumarate for HBeAg-positive chronic hepatitis B patients: a phase 4, prospective study. <i>BMC Gastroenterology</i> , 2021, 21, 489.  | 0.8 | 0         |
| 1159 | What is CEUS LI-RADS?. <i>Choonpa Igaku</i> , 2022, 49, .  | 0.0 | 0         |
| 1160 | Pancreatic neuroendocrine carcinoma with unique morphological features mimicking intraductal papillary mucinous carcinoma: A case report. <i>Frontiers in Medicine</i> , 0, 9, .   | 1.2 | 0         |