

# Matsatoshi Kudo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4360034/matsatoshi-kudo-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,019  
papers

49,499  
citations

97  
h-index

194  
g-index

1,180  
ext. papers

63,669  
ext. citations

4.7  
avg, IF

8.01  
L-index

#	Paper	IF	Citations
1019	Nivolumab versus sorafenib in advanced hepatocellular carcinoma (CheckMate 459): a randomised, multicentre, open-label, phase 3 trial.. <i>Lancet Oncology, The</i> , <b>2022</b> , 23, 77-90	21.7	58
1018	LEAP-012 trial in progress: Transarterial chemoembolization (TACE) with or without lenvatinib plus pembrolizumab for intermediate-stage hepatocellular carcinoma (HCC). <i>Journal of Clinical Oncology</i> , <b>2022</b> , 40, TPS494-TPS494	2.2	0
1017	Phase 3 randomized, open-label, multicenter study of tremelimumab (T) and durvalumab (D) as first-line therapy in patients (pts) with unresectable hepatocellular carcinoma (uHCC): HIMALAYA.. <i>Journal of Clinical Oncology</i> , <b>2022</b> , 40, 379-379	2.2	36
1016	Randomized Phase 3 LEAP-012 Study: Transarterial Chemoembolization With or Without Lenvatinib Plus Pembrolizumab for Intermediate-Stage Hepatocellular Carcinoma Not Amenable to Curative Treatment.. <i>CardioVascular and Interventional Radiology</i> , <b>2022</b> , 45, 405	2.7	1
1015	Quantitative Evaluation of Fatty Metamorphosis and Fibrosis of Liver Based on Models of Ultrasound and Light Propagation and Its Application to Hepatic Disease Diagnosis <b>2022</b> , 215-223		
1014	Artificial intelligence (AI) models for the ultrasonographic diagnosis of liver tumors and comparison of diagnostic accuracies between AI and human experts.. <i>Journal of Gastroenterology</i> , <b>2022</b> , 57, 309	6.9	1
1013	Preliminary evidence of safety and tolerability of atezolizumab plus bevacizumab in patients with hepatocellular carcinoma and Child-Pugh A and B cirrhosis: a real-world study.. <i>Hepatology</i> , <b>2022</b> ,	11.2	6
1012	Updated efficacy and safety of KEYNOTE-224: a phase II study of pembrolizumab in patients with advanced hepatocellular carcinoma previously treated with sorafenib.. <i>European Journal of Cancer</i> , <b>2022</b> , 167, 1-12	7.5	1
1011	Comparison between gradient and spin-echo (GRASE) and compressed sensing sequences for single breath-hold three-dimensional magnetic resonance cholangiopancreatography in patients with T hyperintense bile.. <i>European Journal of Radiology</i> , <b>2022</b> , 150, 110279	4.7	
1010	Role of phlebotomy in the treatment of liver damage related to erythropoietic porphyria.. <i>Scientific Reports</i> , <b>2022</b> , 12, 6100	4.9	0
1009	Prognostic and predictive factors in patients with advanced HCC and elevated alpha-fetoprotein treated with ramucirumab in two randomized Phase III trial.. <i>Clinical Cancer Research</i> , <b>2022</b> ,	12.9	2
1008	Efficacy of EUS-guided celiac plexus neurolysis in combination with EUS-guided celiac ganglia neurolysis for pancreatic cancer-associated pain: a multicenter prospective trial.. <i>International Journal of Clinical Oncology</i> , <b>2022</b> , 1	4.2	0
1007	A Mouse Model of Acute and Chronic Pancreatitis.. <i>Current Protocols</i> , <b>2022</b> , 2, e422		
1006	New treatment paradigm with systemic therapy in intermediate-stage hepatocellular carcinoma.. <i>International Journal of Clinical Oncology</i> , <b>2022</b> , 1	4.2	2
1005	C-reactive protein to albumin ratio predicts survival in patients with unresectable hepatocellular carcinoma treated with lenvatinib.. <i>Scientific Reports</i> , <b>2022</b> , 12, 8421	4.9	0
1004	Case Report: New-Onset Rheumatoid Arthritis Following COVID-19 Vaccination. <i>Frontiers in Immunology</i> , <b>2022</b> , 13,	8.4	3
1003	Requirement of Additional Surgery after Non-Curative Endoscopic Submucosal Dissection for Early Colorectal Cancer. <i>Journal of Investigative Surgery</i> , <b>2021</b> , 34, 895-896	1.2	

1002	Updated efficacy and safety data from IMbrave150: atezolizumab plus bevacizumab vs. sorafenib for unresectable hepatocellular carcinoma.. <i>Journal of Hepatology</i> , <b>2021</b> ,	13.4	39
1001	Current Perspectives on the Immunosuppressive Niche and Role of Fibrosis in Hepatocellular Carcinoma and the Development of Antitumor Immunity. <i>Journal of Histochemistry and Cytochemistry</i> , <b>2021</b> , 221554211056853	3.4	1
1000	Accumulation of Genetic and Epigenetic Alterations in the Background Liver and Emergence of Hepatocellular Carcinoma in Patients with Non-Alcoholic Fatty Liver Disease. <i>Cells</i> , <b>2021</b> , 10,	7.9	2
999	IL-33 as a Critical Cytokine for Inflammation and Fibrosis in Inflammatory Bowel Diseases and Pancreatitis. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 781012	4.6	1
998	Early Antibiotic Exposure Is Not Detrimental to Therapeutic Effect from Immunotherapy in Hepatocellular Carcinoma.. <i>Liver Cancer</i> , <b>2021</b> , 10, 583-592	9.1	0
997	Analysis of Progression Time in Pancreatic Cancer including Carcinoma In Situ Based on Magnetic Resonance Cholangiopancreatography Findings. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	1
996	Intestinal Microbiota and Gene Expression Reveal Similarity and Dissimilarity Between Immune-Mediated Colitis and Ulcerative Colitis. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 763468	5.3	4
995	Utility of contrast-enhanced harmonic endoscopic ultrasonography for predicting the prognosis of pancreatic neuroendocrine neoplasms. <i>Digestive Endoscopy</i> , <b>2021</b> , 33, 829-839	3.7	7
994	Clinical importance of muscle volume in lenvatinib treatment for hepatocellular carcinoma: Analysis adjusted with inverse probability weighting. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 1812-1819	4	10
993	Image Guidance in Ablation for Hepatocellular Carcinoma: Contrast-Enhanced Ultrasound and Fusion Imaging. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 593636	5.3	2
992	NASH limits anti-tumour surveillance in immunotherapy-treated HCC. <i>Nature</i> , <b>2021</b> , 592, 450-456	50.4	164
991	A case with hepatic immune-related adverse events caused by nivolumab exhibiting impaired accumulation of regulatory T cells. <i>Clinical Journal of Gastroenterology</i> , <b>2021</b> , 14, 1191-1196	1.1	3
990	Intestinal Dysbiosis and Autoimmune Pancreatitis. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 621532	8.4	2
989	Report of the 21st Nationwide Follow-up Survey of Primary Liver Cancer in Japan (2010-2011). <i>Hepatology Research</i> , <b>2021</b> , 51, 355-405	5.1	8
988	Effect of Diameter and Number of Hepatocellular Carcinomas on Survival After Resection, Transarterial Chemoembolization, and Ablation. <i>American Journal of Gastroenterology</i> , <b>2021</b> , 116, 1698-1708	0.7	2
987	Clinicopathological analysis of hepatic immune-related adverse events in comparison with autoimmune hepatitis and graft-versus host disease. <i>Scientific Reports</i> , <b>2021</b> , 11, 9242	4.9	2
986	Combination therapy for advanced hepatocellular carcinoma: do we see the light at the end of the tunnel?. <i>Hepatobiliary Surgery and Nutrition</i> , <b>2021</b> , 10, 180-192	2.1	11
985	Avelumab in Combination with Axitinib as First-Line Treatment in Patients with Advanced Hepatocellular Carcinoma: Results from the Phase 1b VEGF Liver 100 Trial. <i>Liver Cancer</i> , <b>2021</b> , 10, 249-259	9.1	13

984	Tissue harmonic versus contrast-enhanced harmonic endoscopic ultrasonography for the diagnosis of pancreatic tumors: Prospective multicenter study. <i>Digestive Endoscopy</i> , <b>2021</b> ,	3.7	5
983	Pembrolizumab as Second-Line Therapy for Advanced Hepatocellular Carcinoma: A Subgroup Analysis of Asian Patients in the Phase 3 KEYNOTE-240 Trial. <i>Liver Cancer</i> , <b>2021</b> , 10, 275-284	9.1	9
982	Case Report: A Case of Intestinal Behçet's Disease Exhibiting Enhanced Expression of IL-6 and Forkhead Box P3 mRNA After Treatment With Infliximab. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 679237	4.9	1
981	Safety and efficacy of lenvatinib by starting dose based on body weight in patients with unresectable hepatocellular carcinoma in REFLECT. <i>Journal of Gastroenterology</i> , <b>2021</b> , 56, 570-580	6.9	0
980	Report of the 22nd Nationwide Follow-Up Survey of Primary Liver Cancer in Japan (2012-2013). <i>Hepatology Research</i> , <b>2021</b> ,	5.1	9
979	Ramucirumab in patients with advanced hepatocellular carcinoma and elevated $\alpha$ -fetoprotein: Outcomes by treatment-emergent ascites. <i>Hepatology Research</i> , <b>2021</b> , 51, 715-721	5.1	2
978	Cost-Effectiveness of Lenvatinib in the Treatment of Patients With Unresectable Hepatocellular Carcinomas in Japan: An Analysis Using Data From Japanese Patients in the REFLECT Trial. <i>Value in Health Regional Issues</i> , <b>2021</b> , 24, 82-89	1.6	1
977	Comparison of efficacy and safety of entecavir and switching from entecavir to tenofovir alafenamide fumarate in chronic hepatitis B: Long-term effects from a prospective study. <i>Hepatology Research</i> , <b>2021</b> , 51, 767-774	5.1	2
976	Therapeutic efficacy of lenvatinib as third-line treatment after regorafenib for unresectable hepatocellular carcinoma progression. <i>Hepatology Research</i> , <b>2021</b> , 51, 880-889	5.1	4
975	Management of Hepatocellular Carcinoma in Japan: JSH Consensus Statements and Recommendations 2021 Update. <i>Liver Cancer</i> , <b>2021</b> , 10, 181-223	9.1	38
974	Artificial intelligence-based endoscopic diagnosis of colorectal polyps using residual networks. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253585	3.7	1
973	Ramucirumab in patients with previously treated advanced hepatocellular carcinoma: Impact of liver disease aetiology. <i>Liver International</i> , <b>2021</b> , 41, 2759-2767	7.9	3
972	Impact of hepatitis C virus on survival in patients undergoing resection of intrahepatic cholangiocarcinoma: Report of a Japanese nationwide survey. <i>Hepatology Research</i> , <b>2021</b> , 51, 890-901	5.1	0
971	The Asian Federation of Societies for Ultrasound in Medicine and Biology (AFSUMB) Guidelines for Contrast-Enhanced Endoscopic Ultrasound. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 1433-1447	3.5	5
970	Atezolizumab plus bevacizumab treatment for unresectable hepatocellular carcinoma: Early clinical experience. <i>Cancer Reports</i> , <b>2021</b> , e1464	1.5	7
969	Improved Tumor Response to Lenvatinib Re-Treatment after Failure of Immune Checkpoint Inhibitors in a Patient with Advanced Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2021</b> , 10, 535-538	9.1	0
968	Case Report: Regulatory T Cell-Independent Induction of Remission in a Patient With Collagenous Colitis. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 678268	4.9	
967	Trial Design and Endpoints in Hepatocellular Carcinoma: AASLD Consensus Conference. <i>Hepatology</i> , <b>2021</b> , 73 Suppl 1, 158-191	11.2	63

966	Serum Levels of $\alpha$ -Fetoprotein Increased More Than 10 Years Before Detection of Hepatocellular Carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 162-170.e4	6.9	10
965	Improved detection of liver metastasis using Kupffer-phase imaging in contrast-enhanced harmonic EUS in patients with pancreatic cancer (with video). <i>Gastrointestinal Endoscopy</i> , <b>2021</b> , 93, 433-441	5.2	10
964	Pattern of progression in advanced hepatocellular carcinoma treated with ramucirumab. <i>Liver International</i> , <b>2021</b> , 41, 598-607	7.9	4
963	Health-related quality-of-life impact of pembrolizumab versus best supportive care in previously systemically treated patients with advanced hepatocellular carcinoma: KEYNOTE-240. <i>Cancer</i> , <b>2021</b> , 127, 865-874	6.4	8
962	Effect of ramucirumab on ALBI grade in patients with advanced HCC: Results from REACH and REACH-2. <i>JHEP Reports</i> , <b>2021</b> , 3, 100215	10.3	10
961	Analysis of Patient Outcome after Non-curative Resection for Hepatocellular Carcinoma Using Nationwide Survey Data in Japan. <i>World Journal of Surgery</i> , <b>2021</b> , 45, 607-614	3.3	2
960	Therapeutic efficacy of ramucirumab after lenvatinib for post-progression treatment of unresectable hepatocellular carcinoma. <i>Gastroenterology Report</i> , <b>2021</b> , 9, 133-138	3.3	7
959	A case with eosinophilic gastroenteritis exhibiting enhanced TNF- $\alpha$ and IL-6 responses. <i>Clinical Journal of Gastroenterology</i> , <b>2021</b> , 14, 511-516	1.1	0
958	Utility of a 20G needle with a core trap in EUS-guided fine-needle biopsy for gastric submucosal tumors: A multicentric prospective trial. <i>Endoscopic Ultrasound</i> , <b>2021</b> , 10, 134-140	3.6	6
957	Cabozantinib in Japanese patients with advanced hepatocellular carcinoma: a phase 2 multicenter study. <i>Journal of Gastroenterology</i> , <b>2021</b> , 56, 181-190	6.9	7
956	Antacid exposure and immunotherapy outcomes among patients with advanced hepatocellular carcinoma. <i>Therapeutic Advances in Medical Oncology</i> , <b>2021</b> , 13, 17588359211010937	5.4	4
955	IMbrave150: Updated overall survival (OS) data from a global, randomized, open-label phase III study of atezolizumab (atezo) + bevacizumab (bev) versus sorafenib (sor) in patients (pts) with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 267-267	2.2	107
954	ALBI score and outcomes in patients with hepatocellular carcinoma: analysis of the randomized controlled trial KEYNOTE-240. <i>Therapeutic Advances in Medical Oncology</i> , <b>2021</b> , 13, 17588359211039928	5.4	2
953	Nivolumab (NIVO) plus ipilimumab (IPI) combination therapy in patients (Pts) with advanced hepatocellular carcinoma (aHCC): Long-term results from CheckMate 040.. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 269-269	2.2	17
952	What Can Be Done to Solve the Unmet Clinical Need of Hepatocellular Carcinoma Patients following Lenvatinib Failure?. <i>Liver Cancer</i> , <b>2021</b> , 10, 115-125	9.1	5
951	Consensus report from the 9 International Forum for Liver Magnetic Resonance Imaging: applications of gadoteric acid-enhanced imaging. <i>European Radiology</i> , <b>2021</b> , 31, 5615-5628	8	3
950	Serum alpha-fetoprotein and clinical outcomes in patients with advanced hepatocellular carcinoma treated with ramucirumab. <i>British Journal of Cancer</i> , <b>2021</b> , 124, 1388-1397	8.7	11
949	Plasmacytoid Dendritic Cells as a New Therapeutic Target for Autoimmune Pancreatitis and IgG4-Related Disease. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 713779	8.4	2

948	Patient-reported outcomes with atezolizumab plus bevacizumab versus sorafenib in patients with unresectable hepatocellular carcinoma (IMbrave150): an open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2021</b> , 22, 991-1001	21.7	37
947	Utility of contrast-enhanced harmonic endoscopic ultrasonography for T-staging of patients with extrahepatic bile duct cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2021</b> , 1	5.2	1
946	Lenvatinib versus sorafenib for first-line treatment of unresectable hepatocellular carcinoma: patient-reported outcomes from a randomised, open-label, non-inferiority, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2021</b> , 6, 649-658	18.8	9
945	Value of Low-Mechanical-Index Contrast-Enhanced Transabdominal Ultrasound for Diagnosis of Pancreatic Cancer: A Meta-analysis. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 3315-3322	3.5	1
944	Higher Enhancement Intrahepatic Nodules on the Hepatobiliary Phase of Gd-EOB-DTPA-Enhanced MRI as a Poor Responsive Marker of Anti-PD-1/PD-L1 Monotherapy for Unresectable Hepatocellular Carcinoma.. <i>Liver Cancer</i> , <b>2021</b> , 10, 615-628	9.1	4
943	Efficacy of lenvatinib for unresectable hepatocellular carcinoma based on background liver disease etiology: multi-center retrospective study. <i>Scientific Reports</i> , <b>2021</b> , 11, 16663	4.9	3
942	Impact of COVID-19 on Hepatocellular Carcinoma Management: A Multicountry and Region Study. <i>Journal of Hepatocellular Carcinoma</i> , <b>2021</b> , 8, 1159-1167	5.3	2
941	CheckMate 040 cohort 5: A phase I/II study of nivolumab in patients with advanced hepatocellular carcinoma and Child-Pugh B cirrhosis. <i>Journal of Hepatology</i> , <b>2021</b> , 75, 600-609	13.4	25
940	NOD2 deficiency protects mice from the development of adoptive transfer colitis through the induction of regulatory T cells expressing forkhead box P3. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 568, 55-61	3.4	0
939	Safety, Efficacy, and Pharmacodynamics of Tremelimumab Plus Durvalumab for Patients With Unresectable Hepatocellular Carcinoma: Randomized Expansion of a Phase I/II Study. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 2991-3001	2.2	51
938	Cumulative radiation doses from recurrent PET-CT examinations. <i>British Journal of Radiology</i> , <b>2021</b> , 94, 20210388	3.4	3
937	Can the Entire Ablative Hyperechoic Zone be Regarded as a Necrotic Lesion After Radiofrequency Ablation of the Liver?. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 2930-2935	3.5	1
936	The radiation doses and radiation protection on the endoscopic retrograde cholangiopancreatography procedures. <i>British Journal of Radiology</i> , <b>2021</b> , 94, 20210399	3.4	3
935	Safety and Efficacy of amplitude-modulated radiofrequency electromagnetic fields in advanced hepatocellular carcinoma. <i>4open</i> , <b>2021</b> , 4, 3	0.8	0
934	Dual-Energy Computed Tomography of the Liver: Uses in Clinical Practices and Applications. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	4
933	Immunological Microenvironment Predicts the Survival of the Patients with Hepatocellular Carcinoma Treated with Anti-PD-1 Antibody. <i>Liver Cancer</i> , <b>2021</b> , 10, 380-393	9.1	17
932	Clinical-Radiomic Analysis for Pretreatment Prediction of Objective Response to First Transarterial Chemoembolization in Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2021</b> , 10, 38-51	9.1	17
931	Baseline Liver Function and Subsequent Outcomes in the Phase 3 REFLECT Study of Patients with Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2021</b> , 10, 510-521	9.1	7

930	Ramucirumab for Patients with Intermediate-Stage Hepatocellular Carcinoma and Elevated Alpha-Fetoprotein: Pooled Results from Two Phase 3 Studies (REACH and REACH-2). <i>Liver Cancer</i> , <b>2021</b> , 10, 451-460	9.1	3
929	Switching from entecavir to tenofovir disoproxil fumarate for HBeAg-positive chronic hepatitis B patients: a phase 4, prospective study.. <i>BMC Gastroenterology</i> , <b>2021</b> , 21, 489	3	
928	Objective Response Predicts Survival in Advanced Hepatocellular Carcinoma treated with Systemic Therapies.. <i>Clinical Cancer Research</i> , <b>2021</b> ,	12.9	5
927	Response Evaluation Criteria in Cancer of the Liver (RECICL 2021 revised version). <i>Acta Hepatologica Japonica</i> , <b>2021</b> , 62, 823-829	0.3	
926	Mucosal microbiota and gene expression are associated with long-term remission after discontinuation of adalimumab in ulcerative colitis. <i>Scientific Reports</i> , <b>2020</b> , 10, 19186	4.9	3
925	A Changing Paradigm for the Treatment of Intermediate-Stage Hepatocellular Carcinoma: Asia-Pacific Primary Liver Cancer Expert Consensus Statements. <i>Liver Cancer</i> , <b>2020</b> , 9, 245-260	9.1	63
924	Atezolizumab plus Bevacizumab in Unresectable Hepatocellular Carcinoma. <i>New England Journal of Medicine</i> , <b>2020</b> , 382, 1894-1905	59.2	1496
923	Ultrasound fusion imaging technologies for guidance in ablation therapy for liver cancer. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2020</b> , 47, 257-263	1.4	3
922	Partial Pancreatic Parenchymal Atrophy Is a New Specific Finding to Diagnose Small Pancreatic Cancer (≤10 mm) Including Carcinoma in Situ: Comparison with Localized Benign Main Pancreatic Duct Stenosis Patients. <i>Diagnostics</i> , <b>2020</b> , 10,	3.8	9
921	Treatment of hepatocellular carcinoma during the COVID-19 outbreak: The Working Group report of JAMTT-HCC. <i>Hepatology Research</i> , <b>2020</b> , 50, 1004-1014	5.1	12
920	The Efficacy of Sonazoid-enhanced Ultrasonography in Decision-making for Liver Abscess Treatment. <i>Internal Medicine</i> , <b>2020</b> , 59, 471-477	1.1	2
919	Nutritional Index as Prognostic Indicator in Patients Receiving Lenvatinib Treatment for Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , <b>2020</b> , 98, 295-302	3.6	11
918	Ramucirumab after prior sorafenib in patients with advanced hepatocellular carcinoma and elevated alpha-fetoprotein: Japanese subgroup analysis of the REACH-2 trial. <i>Journal of Gastroenterology</i> , <b>2020</b> , 55, 627-639	6.9	14
917	Utility and Safety of a Novel Fully Covered Metal Stent in Unresectable Distal Malignant Biliary Obstruction. <i>Digestive Diseases and Sciences</i> , <b>2020</b> , 65, 3702-3709	4	0
916	Effect of surgical margin width after R0 resection for intrahepatic cholangiocarcinoma: A nationwide survey of the Liver Cancer Study Group of Japan. <i>Surgery</i> , <b>2020</b> , 167, 793-802	3.6	13
915	Challenges of combination therapy with immune checkpoint inhibitors for hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2020</b> , 72, 307-319	13.4	133
914	Deficiency of Gankyrin in the small intestine is associated with augmented colitis accompanied by altered bacterial composition of intestinal microbiota. <i>BMC Gastroenterology</i> , <b>2020</b> , 20, 12	3	3
913	Activation of interferon regulatory factor 7 in plasmacytoid dendritic cells promotes experimental autoimmune pancreatitis. <i>Journal of Gastroenterology</i> , <b>2020</b> , 55, 565-576	6.9	7

912	Association between Genetic and Immunological Background of Hepatocellular Carcinoma and Expression of Programmed Cell Death-1. <i>Liver Cancer</i> , <b>2020</b> , 9, 426-439	9.1	14
911	Optimal cropping for input images used in a convolutional neural network for ultrasonic diagnosis of liver tumors. <i>Japanese Journal of Applied Physics</i> , <b>2020</b> , 59, SKKE09	1.4	2
910	Scientific Rationale for Combined Immunotherapy with PD-1/PD-L1 Antibodies and VEGF Inhibitors in Advanced Hepatocellular Carcinoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	53
909	IMbrave 050: a Phase III trial of atezolizumab plus bevacizumab in high-risk hepatocellular carcinoma after curative resection or ablation. <i>Future Oncology</i> , <b>2020</b> , 16, 975-989	3.6	48
908	Endoscopic ultrasound-guided radiofrequency ablation of porcine liver. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2020</b> , 47, 435-443	1.4	1
907	Ramucirumab in elderly patients with hepatocellular carcinoma and elevated alpha-fetoprotein after sorafenib in REACH and REACH-2. <i>Liver International</i> , <b>2020</b> , 40, 2008-2020	7.9	16
906	EZ-ALBI Score for Predicting Hepatocellular Carcinoma Prognosis. <i>Liver Cancer</i> , <b>2020</b> , 9, 734-743	9.1	7
905	Recent Advances in Systemic Therapy for Hepatocellular Carcinoma in an Aging Society: 2020 Update. <i>Liver Cancer</i> , <b>2020</b> , 9, 640-662	9.1	36
904	Effect of pembrolizumab (pembro) on hepatitis B viral (HBV) load and aminotransferase (ALT) levels in patients (pts) with advanced hepatocellular carcinoma (aHCC) in KEYNOTE-224 and KEYNOTE-240.. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 4587-4587	2.2	1
903	Patient-reported outcomes (PROs) from the Phase III IMbrave150 trial of atezolizumab (atezo) + bevacizumab (bev) vs sorafenib (sor) as first-line treatment (tx) for patients (pts) with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 476-476	2.2	26
902	RECIST v1.1 and irRECIST outcomes in advanced HCC treated with pembrolizumab (pembro).. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 528-528	2.2	1
901	The AFSUMB Consensus Statements and Recommendations for the Clinical Practice of Contrast-Enhanced Ultrasound using Sonazoid. <i>Ultrasonography</i> , <b>2020</b> , 39, 191-220	4.3	15
900	Endoscopic Ultrasound Fine-Needle Biopsy May Contribute to the Diagnosis of Malignant Lymph Nodes. <i>Clinical Endoscopy</i> , <b>2020</b> , 53, 508-509	2.5	
899	Immune Phenotype and Immune Checkpoint Inhibitors for the Treatment of Human Hepatocellular Carcinoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	13
898	Clinical utility of treatment method conversion during single-session endoscopic ultrasound-guided biliary drainage. <i>World Journal of Gastroenterology</i> , <b>2020</b> , 26, 947-959	5.6	4
897	REFLECT-a phase 3 trial comparing efficacy and safety of lenvatinib to sorafenib for the treatment of unresectable hepatocellular carcinoma: an analysis of Japanese subset. <i>Journal of Gastroenterology</i> , <b>2020</b> , 55, 113-122	6.9	60
896	Prediction of Survival Among Patients Receiving Transarterial Chemoembolization for Hepatocellular Carcinoma: A Response-Based Approach. <i>Hepatology</i> , <b>2020</b> , 72, 198-212	11.2	47
895	Efficacy of a modified double-guidewire technique using an uneven double lumen cannula (uneven method) in patients with surgically altered gastrointestinal anatomy (with video). <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2020</b> , 34, 1432-1441	5.2	8

894	Novel concept of bared type metallic stent for endoscopic bilateral stent-in-stent placement in patients with hilar malignant biliary obstruction (with video). <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2020</b> , 27, 282-283	2.8	6
893	Post-Progression Treatment Eligibility of Unresectable Hepatocellular Carcinoma Patients Treated with Lenvatinib. <i>Liver Cancer</i> , <b>2020</b> , 9, 73-83	9.1	27
892	Report of the 20th Nationwide follow-up survey of primary liver cancer in Japan. <i>Hepatology Research</i> , <b>2020</b> , 50, 15-46	5.1	70
891	Navigator-triggered and breath-hold 3D MRCP using compressed sensing: image quality and method selection factor assessment. <i>Abdominal Radiology</i> , <b>2020</b> , 45, 3081-3091	3	6
890	Effects of Subsequent Systemic Anticancer Medication Following First-Line Lenvatinib: A Post Hoc Responder Analysis from the Phase 3 REFLECT Study in Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2020</b> , 9, 93-104	9.1	34
889	Response to the Letter to the Editor 'Reply to "Clinical Safety and Efficacy of Secondary Prophylactic Pegylated G-CSF in Advanced Pancreatic Cancer Patients Treated with mFOLFIRINOX: A Single-center Retrospective Study" by Dr. Peng Chen'. <i>Internal Medicine</i> , <b>2020</b> , 59, 879	1.1	
888	Possible involvement of autophagy in esophageal ulcers in anorexia nervosa. <i>Clinical Journal of Gastroenterology</i> , <b>2020</b> , 13, 473-476	1.1	2
887	Randomised, multicentre prospective trial of transarterial chemoembolisation (TACE) plus sorafenib as compared with TACE alone in patients with hepatocellular carcinoma: TACTICS trial. <i>Gut</i> , <b>2020</b> , 69, 1492-1501	19.2	164
886	Liver Resection for Multiple Hepatocellular Carcinomas: A Japanese Nationwide Survey. <i>Annals of Surgery</i> , <b>2020</b> , 272, 145-154	7.8	24
885	Pembrolizumab As Second-Line Therapy in Patients With Advanced Hepatocellular Carcinoma in KEYNOTE-240: A Randomized, Double-Blind, Phase III Trial. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 193-202 <sup>2</sup>	2.2	600
884	The chances of hepatic resection curing hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2020</b> , 72, 711-717 <sup>4</sup>	1.4	15
883	Hepatic Arterial Infusion Chemotherapy versus Sorafenib in Patients with Advanced Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2020</b> , 9, 583-595	9.1	26
882	Impacts of COVID-19 on Liver Cancers: During and after the Pandemic. <i>Liver Cancer</i> , <b>2020</b> , 9, 491-502	9.1	26
881	Severe Immune-Related Hepatitis Treated With Plasma Exchange. <i>Journal of Thoracic Oncology</i> , <b>2020</b> , 15, e39-e42	8.9	0
880	A randomized, double-blind, placebo-controlled, phase 3 study of tivantinib in Japanese patients with MET-high hepatocellular carcinoma. <i>Cancer Science</i> , <b>2020</b> , 111, 3759-3769	6.9	13
879	Endoscopic ultrasound-guided biliary drainage for malignant biliary obstruction with surgically altered anatomy: a multicenter prospective registration study. <i>Therapeutic Advances in Gastroenterology</i> , <b>2020</b> , 13, 1756284820930964	4.7	2
878	Efficacy and Safety of Nivolumab Plus Ipilimumab in Patients With Advanced Hepatocellular Carcinoma Previously Treated With Sorafenib: The CheckMate 040 Randomized Clinical Trial. <i>JAMA Oncology</i> , <b>2020</b> , 6, e204564	13.4	274
877	Efficacy and Safety of Ramucirumab in Asian and Non-Asian Patients with Advanced Hepatocellular Carcinoma and Elevated Alpha-Fetoprotein: Pooled Individual Data Analysis of Two Randomized Studies. <i>Liver Cancer</i> , <b>2020</b> , 9, 440-454	9.1	7

876	Guidelines and Good Clinical Practice Recommendations for Contrast Enhanced Ultrasound (CEUS) in the Liver - Update 2020 - WFUMB in Cooperation with EFSUMB, AFSUMB, AIUM, and FLAUS. <i>Ultraschall in Der Medizin</i> , <b>2020</b> , 41, 562-585	3.8	42
875	Guidelines and Good Clinical Practice Recommendations for Contrast-Enhanced Ultrasound (CEUS) in the Liver-Update 2020 WFUMB in Cooperation with EFSUMB, AFSUMB, AIUM, and FLAUS. <i>Ultrasound in Medicine and Biology</i> , <b>2020</b> , 46, 2579-2604	3.5	76
874	Phase Ib Study of Lenvatinib Plus Pembrolizumab in Patients With Unresectable Hepatocellular Carcinoma. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 2960-2970	2.2	265
873	Histological diagnosis and grading of pancreatic neuroendocrine tumor by endoscopic ultrasound-guided fine needle biopsy using a 25-gauge needle with a core trap: A multicenter prospective trial. <i>Pancreatology</i> , <b>2020</b> , 20, 1428-1433	3.8	5
872	Exploratory Analysis of Lenvatinib Therapy in Patients with Unresectable Hepatocellular Carcinoma Who Have Failed Prior PD-1/PD-L1 Checkpoint Blockade. <i>Cancers</i> , <b>2020</b> , 12,	6.6	12
871	Identification of serum IFN- $\gamma$ and IL-33 as novel biomarkers for type 1 autoimmune pancreatitis and IgG4-related disease. <i>Scientific Reports</i> , <b>2020</b> , 10, 14879	4.9	12
870	Ramucirumab in the second-line for patients with hepatocellular carcinoma and elevated alpha-fetoprotein: patient-reported outcomes across two randomised clinical trials. <i>ESMO Open</i> , <b>2020</b> , 5,	6	7
869	Sorafenib treatment by Child-Pugh score in Latin American patients with hepatocellular carcinoma. <i>Future Oncology</i> , <b>2020</b> , 16, 2511-2520	3.6	0
868	Artificial Intelligence in Medical Imaging and Its Application in Sonography for the Management of Liver Tumor. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 594580	5.3	5
867	A phase 1 study of oral ASP5878, a selective small-molecule inhibitor of fibroblast growth factor receptors 1-4, as a single dose and multiple doses in patients with solid malignancies. <i>Investigational New Drugs</i> , <b>2020</b> , 38, 445-456	4.3	9
866	Dual-frequency MR elastography to differentiate between inflammation and fibrosis of the liver: Comparison with histopathology. <i>Journal of Magnetic Resonance Imaging</i> , <b>2020</b> , 51, 1053-1064	5.6	1
865	Radiofrequency ablation for hepatocellular carcinoma: Clinical value of ultrasound-ultrasound overlay fusion for optimal ablation and local controllability. <i>Hepatology Research</i> , <b>2020</b> , 50, 67-74	5.1	6
864	Phase I Study of the Bifunctional Fusion Protein Bintrafusp Alfa in Asian Patients with Advanced Solid Tumors, Including a Hepatocellular Carcinoma Safety-Assessment Cohort. <i>Oncologist</i> , <b>2020</b> , 25, e1292-e1302	5.7	14
863	The AFSUMB Consensus Statements and Recommendations for the Clinical Practice of Contrast-Enhanced Ultrasound using Sonazoid. <i>Journal of Medical Ultrasound</i> , <b>2020</b> , 28, 59-82	0.8	5
862	Endoscopic submucosal dissection of duodenal adenocarcinoma arising from Brunner's gland. <i>Annals of Gastroenterology</i> , <b>2019</b> , 32, 316	2.2	1
861	New diagnostic technique to evaluate hepatic steatosis using the attenuation coefficient on ultrasound B mode. <i>PLoS ONE</i> , <b>2019</b> , 14, e0221548	3.7	14
860	GS-09-Ramucirumab for patients with advanced hepatocellular carcinoma and elevated alpha-fetoprotein following sorafenib: Outcomes by liver disease aetiology from two randomised, placebo-controlled phase 3 studies (REACH-2 and REACH). <i>Journal of Hepatology</i> , <b>2019</b> , 70, e46	13.4	6
859	Recent Updates on the Relationship between Cancer and Autoimmune Pancreatitis. <i>Internal Medicine</i> , <b>2019</b> , 58, 1533-1539	1.1	15

858	Ramucirumab after sorafenib in patients with advanced hepatocellular carcinoma and increased $\alpha$ -fetoprotein concentrations (REACH-2): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2019</b> , 20, 282-296	21.7	704
857	Intracystic papillary neoplasm preoperatively diagnosed by high-quality cytology derived from endoscopic nasogallbladder drainage. <i>Gastrointestinal Endoscopy</i> , <b>2019</b> , 89, 1257-1259	5.2	2
856	Response Evaluation Criteria in Cancer of the Liver version 5 (RECICL 2019 revised version). <i>Hepatology Research</i> , <b>2019</b> , 49, 981-989	5.1	13
855	Nivolumab in advanced hepatocellular carcinoma: Sorafenib-experienced Asian cohort analysis. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 543-552	13.4	106
854	RICK/RIP2 is a NOD2-independent nodal point of gut inflammation. <i>International Immunology</i> , <b>2019</b> , 31, 669-683	4.9	21
853	Rapid and extensive intrahepatic metastatic recurrence of hepatocellular carcinoma with very small portal vein tumor thrombus after surgery and sustained virological response of HCV with direct-acting antivirals. <i>Pathology International</i> , <b>2019</b> , 69, 306-308	1.8	0
852	Prognostic factor of lenvatinib for unresectable hepatocellular carcinoma in real-world conditions-Multicenter analysis. <i>Cancer Medicine</i> , <b>2019</b> , 8, 3719-3728	4.8	97
851	Switching from entecavir to tenofovir alafenamide versus maintaining entecavir for chronic hepatitis B. <i>Journal of Medical Virology</i> , <b>2019</b> , 91, 1804-1810	19.7	21
850	Subgroup analysis of efficacy and safety of orantinib in combination with TACE in Japanese HCC patients in a randomized phase III trial (ORIENTAL). <i>Medical Oncology</i> , <b>2019</b> , 36, 52	3.7	2
849	A novel technique for stent dysfunction after endoscopic ultrasound-guided hepaticogastrostomy with antegrade stenting. <i>Endoscopy</i> , <b>2019</b> , 51, E255-E256	3.4	0
848	Comparison of the Diagnostic Performance of Newly Designed 21-Gauge and Standard 22-Gauge Aspiration Needles in Patients with Solid Pancreatic Masses. <i>Digestive Diseases and Sciences</i> , <b>2019</b> , 64, 2982-2991	4	1
847	FRI-499-Efficacy and hepatic safety of nivolumab treatment in patients with Child-Pugh B disease and advanced hepatocellular carcinoma in CheckMate 040. <i>Journal of Hepatology</i> , <b>2019</b> , 70, e619	13.4	4
846	Contrast-enhanced harmonic endoscopic ultrasonography for evaluating the response to chemotherapy in pancreatic cancer. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 1130-1134	3.3	5
845	Usefulness of Ustekinumab for Treating a Case of Myelodysplastic Syndrome-associated Inflammatory Bowel Disease. <i>Internal Medicine</i> , <b>2019</b> , 58, 2029-2033	1.1	
844	Prediction of Prognosis of Intermediate-Stage HCC Patients: Validation of the Tumor Marker Score in a Nationwide Database in Japan. <i>Liver Cancer</i> , <b>2019</b> , 8, 403-411	9.1	17
843	Clinical Safety and Efficacy of Secondary Prophylactic Pegylated G-CSF in Advanced Pancreatic Cancer Patients Treated with mFOLFIRINOX: A Single-center Retrospective Study. <i>Internal Medicine</i> , <b>2019</b> , 58, 1993-2002	1.1	5
842	Real-world virological efficacy and safety of daclatasvir/asunaprevir/beclabuvir in patients with chronic hepatitis C virus genotype 1 infection in Japan. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 742-751	6.9	6
841	Novel sphincterotomy device that orientates blade along the axis of the bile duct in patients with Roux-en-Y anastomosis. <i>Endoscopy</i> , <b>2019</b> , 51, E132-E134	3.4	1

840	Comparison of the efficacy and safety of endoscopic ultrasound-guided choledochoduodenostomy and hepaticogastrostomy for malignant distal biliary obstruction: Multicenter, randomized, clinical trial. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, 575-582	3.7	23
839	Lusutrombopag Reduces Need for Platelet Transfusion in Patients With Thrombocytopenia Undergoing Invasive Procedures. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1192-1200	6.9	62
838	Targeted and immune therapies for hepatocellular carcinoma: Predictions for 2019 and beyond. <i>World Journal of Gastroenterology</i> , <b>2019</b> , 25, 789-807	5.6	91
837	Radiofrequency ablation of liver metastasis: potential impact on immune checkpoint inhibitor therapy. <i>European Radiology</i> , <b>2019</b> , 29, 5045-5051	8	19
836	RATIONALE 301 study: tislelizumab versus sorafenib as first-line treatment for unresectable hepatocellular carcinoma. <i>Future Oncology</i> , <b>2019</b> , 15, 1811-1822	3.6	48
835	Ramucirumab in advanced hepatocellular carcinoma in REACH-2: the true value of $\alpha$ -fetoprotein. <i>Lancet Oncology</i> , <b>2019</b> , 20, e191	21.7	27
834	Current status and perspectives for computer-aided ultrasonic diagnosis of liver lesions using deep learning technology. <i>Hepatology International</i> , <b>2019</b> , 13, 416-421	8.8	12
833	Cost-effectiveness analysis of lenvatinib treatment for patients with unresectable hepatocellular carcinoma (uHCC) compared with sorafenib in Japan. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 558-570	6.9	37
832	Hepatic portal venous gas associated with <i>Klebsiella oxytoca</i> infection in the absence of preceding antibiotic treatment. <i>Clinical Journal of Gastroenterology</i> , <b>2019</b> , 12, 316-319	1.1	6
831	Utility of FIB4-T as a Prognostic Factor for Hepatocellular Carcinoma. <i>Cancers</i> , <b>2019</b> , 11,	6.6	2
830	Validation of Modified ALBI Grade for More Detailed Assessment of Hepatic Function in Hepatocellular Carcinoma Patients: A Multicenter Analysis. <i>Liver Cancer</i> , <b>2019</b> , 8, 121-129	9.1	88
829	Clinical efficacy and safety of endoscopic ultrasound-guided gallbladder drainage replacement of percutaneous drainage: A multicenter retrospective study. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, 180-187	3.7	17
828	Heterogeneity of Epigenetic and Epithelial Mesenchymal Transition Marks in Hepatocellular Carcinoma with Keratin 19 Proficiency. <i>Liver Cancer</i> , <b>2019</b> , 8, 239-254	9.1	10
827	A randomized controlled trial of lusutrombopag in Japanese patients with chronic liver disease undergoing radiofrequency ablation. <i>Journal of Gastroenterology</i> , <b>2019</b> , 54, 171-181	6.9	50
826	Biology and significance of alpha-fetoprotein in hepatocellular carcinoma. <i>Liver International</i> , <b>2019</b> , 39, 2214-2229	7.9	116
825	B-Mode Ultrasonography versus Contrast-Enhanced Ultrasonography for Surveillance of Hepatocellular Carcinoma: A Prospective Multicenter Randomized Controlled Trial. <i>Liver Cancer</i> , <b>2019</b> , 8, 271-280	9.1	25
824	Lenvatinib as an Initial Treatment in Patients with Intermediate-Stage Hepatocellular Carcinoma Beyond Up-To-Seven Criteria and Child-Pugh A Liver Function: A Proof-Of-Concept Study. <i>Cancers</i> , <b>2019</b> , 11,	6.6	92
823	Risk factors for local recurrence and appropriate surveillance interval after endoscopic resection. <i>World Journal of Gastroenterology</i> , <b>2019</b> , 25, 1502-1512	5.6	15

822	Important Clinical Factors in Sequential Therapy Including Lenvatinib against Unresectable Hepatocellular Carcinoma. <i>Oncology</i> , <b>2019</b> , 97, 277-285	3.6	44
821	Intestinal dysbiosis mediates experimental autoimmune pancreatitis via activation of plasmacytoid dendritic cells. <i>International Immunology</i> , <b>2019</b> , 31, 795-809	4.9	13
820	Impact of Baseline ALBI Grade on the Outcomes of Hepatocellular Carcinoma Patients Treated with Lenvatinib: A Multicenter Study. <i>Cancers</i> , <b>2019</b> , 11,	6.6	71
819	Clinical practice guidelines for hepatocellular carcinoma: The Japan Society of Hepatology 2017 (4th JSH-HCC guidelines) 2019 update. <i>Hepatology Research</i> , <b>2019</b> , 49, 1109-1113	5.1	188
818	Urine protein:creatinine ratio vs 24-hour urine protein for proteinuria management: analysis from the phase 3 REFLECT study of lenvatinib vs sorafenib in hepatocellular carcinoma. <i>British Journal of Cancer</i> , <b>2019</b> , 121, 218-221	8.7	12
817	Novel concept using a plastic stent for endoscopic ultrasound-guided hepaticogastrostomy adjusting the length according to the patient's anatomy. <i>Endoscopy</i> , <b>2019</b> , 51, E362-E363	3.4	0
816	Conversion of percutaneous transhepatic gallbladder drainage to endoscopic ultrasound-guided hepaticogastrostomy by the intentional expansion method. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, 718	3.7	0
815	Large balloon expansion method for re-intervention after endoscopic ultrasound-guided hepaticogastrostomy for stent obstruction. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, e99-e100	3.7	0
814	A multicenter randomized controlled trial to evaluate the efficacy of surgery vs. radiofrequency ablation for small hepatocellular carcinoma (SURF trial).. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 4002-4002 <sup>2</sup>	2.2	30
813	Results of KEYNOTE-240: phase 3 study of pembrolizumab (Pembro) vs best supportive care (BSC) for second line therapy in advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 4004-4004	2.2	118
812	Nivolumab (NIVO) + ipilimumab (IPI) combination therapy in patients (pts) with advanced hepatocellular carcinoma (aHCC): Results from CheckMate 040.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 4012-4012	2.2	136
811	First-line avelumab + axitinib in patients with advanced hepatocellular carcinoma: Results from a phase 1b trial (VEGF Liver 100).. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 4072-4072	2.2	49
810	Ramucirumab (RAM) for sorafenib intolerant patients with hepatocellular carcinoma (HCC) and elevated baseline alpha fetoprotein (AFP): Outcomes from two randomized phase 3 studies (REACH, REACH2).. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 4073-4073	2.2	6
809	Lenvatinib (len) plus pembrolizumab (pembro) for the first-line treatment of patients (pts) with advanced hepatocellular carcinoma (HCC): Phase 3 LEAP-002 study.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, TPS4152-TPS4152	2.2	62
808	Analysis of survival and objective response (OR) in patients with hepatocellular carcinoma in a phase III study of lenvatinib (REFLECT).. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 186-186	2.2	21
807	Sorafenib versus hepatic arterial infusion chemotherapy in patients with advanced hepatocellular carcinoma: A Japanese multi-center large cohort study.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 323-323	2.2	3
806	Subsequent anticancer medication following first-line lenvatinib: A posthoc responder analysis from the phase 3 REFLECT study in unresectable hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 371-371	2.2	8
805	Effective use of the Japan Narrow Band Imaging Expert Team classification based on diagnostic performance and confidence level. <i>World Journal of Clinical Cases</i> , <b>2019</b> , 7, 2658-2665	1.6	5

804	Response Evaluation Criteria in Cancer of the Liver (RECICL 2019 revised version). <i>Acta Hepatologica Japonica</i> , <b>2019</b> , 60, 55-62	0.3	8
803	Autoimmune hepatitis and IgG4-related disease. <i>World Journal of Gastroenterology</i> , <b>2019</b> , 25, 2308-2314	5.6	19
802	Can Localized Stenosis of the Main Pancreatic Duct be a Predictive Factor for Early Detection of Pancreatic Cancer?. <i>Clinical Endoscopy</i> , <b>2019</b> , 52, 523-524	2.5	
801	Newly Proposed ALBI Grade and ALBI-T Score as Tools for Assessment of Hepatic Function and Prognosis in Hepatocellular Carcinoma Patients. <i>Liver Cancer</i> , <b>2019</b> , 8, 312-325	9.1	37
800	Rendezvous within biloma technique combining percutaneous and endoscopic approaches: a novel biliary recanalization method. <i>Endoscopy</i> , <b>2019</b> , 51, E42-E44	3.4	1
799	Computer aided diagnosis system developed for ultrasound diagnosis of liver lesions using deep learning <b>2019</b> ,		3
798	The IFN- $\beta$ -IL-33 Axis as Possible Biomarkers in IgG4-Related Disease. <i>American Journal of Gastroenterology</i> , <b>2019</b> , 114, 1002-1003	0.7	5
797	Objective Response by mRECIST Is an Independent Prognostic Factor for Overall Survival in Hepatocellular Carcinoma Treated with Sorafenib in the SILIUS Trial. <i>Liver Cancer</i> , <b>2019</b> , 8, 505-519	9.1	8
796	Endoscopic nasobiliary drainage tube-guided scope insertion technique for internal drainage in a case of difficult selective biliary duct guiding. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, e1-e2	3.7	1
795	Stereotactic Body Radiation Therapy as an Alternative Treatment for Patients with Hepatocellular Carcinoma Compared to Sorafenib: A Propensity Score Analysis. <i>Liver Cancer</i> , <b>2019</b> , 8, 281-294	9.1	20
794	Hemorrhage from metastasis of a 5-mm renal cell carcinoma lesion to the gallbladder detected by contrast-enhanced endoscopic ultrasonography. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 743	3.3	1
793	Sorafenib: key lessons from over 10 years of experience. <i>Expert Review of Anticancer Therapy</i> , <b>2019</b> , 19, 177-189	3.5	46
792	Novel metallic stent designed for endoscopic bilateral stent-in-stent placement in patients with hilar malignant biliary obstruction. <i>Endoscopy</i> , <b>2019</b> , 51, E30-E31	3.4	3
791	Endoscopic ultrasound-guided choledochoduodenostomy using a thin stent delivery system in patients with unresectable malignant distal biliary obstruction: A prospective multicenter study. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, 291-298	3.7	16
790	Liver damage related to immune checkpoint inhibitors. <i>Hepatology International</i> , <b>2019</b> , 13, 248-252	8.8	25
789	Efficacy and Safety of Chemotherapy Following Anti-PD-1 Antibody Therapy for Gastric Cancer: A Case of Sclerosing Cholangitis. <i>Internal Medicine</i> , <b>2019</b> , 58, 1263-1266	1.1	17
788	Value of contrast-enhanced harmonic endoscopic ultrasonography with enhancement pattern for diagnosis of pancreatic cancer: A meta-analysis. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, 125-133	3.7	47
787	Cytokines produced by innate immune cells in IgG4-related disease. <i>Modern Rheumatology</i> , <b>2019</b> , 29, 219-225	3.3	9

786	Long-term antitumor effect of lenvatinib on unresectable hepatocellular carcinoma with portal vein invasion. <i>Hepatology Research</i> , <b>2019</b> , 49, 594-599	5.1	22
785	Case of endoscopic ultrasonography-guided pancreatic duct rendezvous stenting in which initial contrast medium injection was useful for the second puncture. <i>Digestive Endoscopy</i> , <b>2019</b> , 31, e20-e21	3.7	
784	Impact of Advanced Age on Survival in Patients Undergoing Resection of Hepatocellular Carcinoma: Report of a Japanese Nationwide Survey. <i>Annals of Surgery</i> , <b>2019</b> , 269, 692-699	7.8	40
783	Treatment Optimization for Hepatocellular Carcinoma in Elderly Patients in a Japanese Nationwide Cohort. <i>Annals of Surgery</i> , <b>2019</b> , 270, 121-130	7.8	30
782	Gankyrin Contributes to Tumorigenesis and Chemoresistance in Sporadic Colorectal Cancer. <i>Digestion</i> , <b>2019</b> , 100, 192-200	3.6	2
781	Autoimmune Pancreatitis Mouse Model. <i>Current Protocols in Immunology</i> , <b>2018</b> , 120, 15.31.1-15.31.8	4	8
780	Novel quantitative assessment system of liver steatosis using a newly developed attenuation measurement method. <i>Hepatology Research</i> , <b>2018</b> , 48, 821-828	5.1	37
779	Value of additional endoscopic ultrasonography for surveillance after surgical removal of intraductal papillary mucinous neoplasms. <i>Digestive Endoscopy</i> , <b>2018</b> , 30, 659-666	3.7	7
778	Gastric Inverted Hyperplastic Polyp Mimicking a Papilla. <i>American Journal of Gastroenterology</i> , <b>2018</b> , 113, 462	0.7	3
777	Sorafenib plus low-dose cisplatin and fluorouracil hepatic arterial infusion chemotherapy versus sorafenib alone in patients with advanced hepatocellular carcinoma (SILIUS): a randomised, open label, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2018</b> , 3, 424-432	18.8	128
776	Reintervention for stent occlusion after endoscopic ultrasound-guided hepaticogastrostomy with novel use of a precut needle-knife. <i>Endoscopy</i> , <b>2018</b> , 50, E153-E154	3.4	4
775	Sustained antiviral effects and clearance of hepatitis surface antigen after combination therapy with entecavir and pegylated interferon in chronic hepatitis B. <i>Antiviral Therapy</i> , <b>2018</b> , 23, 513-521	1.6	15
774	Outcomes of endoscopic biliary drainage in pancreatic cancer patients with an indwelling gastroduodenal stent: a multicenter cohort study in West Japan. <i>Gastrointestinal Endoscopy</i> , <b>2018</b> , 88, 66-75.e2	5.2	26
773	How to perform Contrast-Enhanced Ultrasound (CEUS). <i>Ultrasound International Open</i> , <b>2018</b> , 4, E2-E15	2.1	147
772	Impact of resection and ablation for single hypovascular hepatocellular carcinoma $\geq 2$ cm analysed with propensity score weighting. <i>Liver International</i> , <b>2018</b> , 38, 484-493	7.9	18
771	Induction of Complete Remission by Azacitidine in a Patient with Myelodysplastic Syndrome-Associated Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , <b>2018</b> , 12, 499-502	1.5	6
770	Lenvatinib versus sorafenib in first-line treatment of patients with unresectable hepatocellular carcinoma: a randomised phase 3 non-inferiority trial. <i>Lancet, The</i> , <b>2018</b> , 391, 1163-1173	40	1995
769	A case of successful transluminal drainage of walled-off necrosis under contrast-enhanced harmonic endoscopic ultrasonography guidance. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2018</b> , 45, 161-165 <sup>1.4</sup>		2

768	Contrast-enhanced harmonic endoscopic ultrasonography for differential diagnosis of localized gallbladder lesions. <i>Digestive Endoscopy</i> , <b>2018</b> , 30, 98-106	3.7	22
767	Impact of avascular areas, as measured by contrast-enhanced harmonic EUS, on the accuracy of FNA for pancreatic adenocarcinoma. <i>Gastrointestinal Endoscopy</i> , <b>2018</b> , 87, 158-163	5.2	17
766	Orantinib versus placebo combined with transcatheter arterial chemoembolisation in patients with unresectable hepatocellular carcinoma (ORIENTAL): a randomised, double-blind, placebo-controlled, multicentre, phase 3 study. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2018</b> , 3, 37-46	18.8	69
765	Supplementation of pancreatic digestive enzymes alters the composition of intestinal microbiota in mice. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 495, 273-279	3.4	26
764	Cannulation method for intradiverticular papilla with long oral protrusion using biopsy forceps for axis alignment. <i>Digestive Endoscopy</i> , <b>2018</b> , 30, 700-701	3.7	1
763	Dysbiosis-Associated Polyposis of the Colon-Cap Polyposis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 918	8.4	11
762	Nivolumab-Induced Hemophilia A Presenting as Gastric Ulcer Bleeding in a Patient With NSCLC. <i>Journal of Thoracic Oncology</i> , <b>2018</b> , 13, e239-e241	8.9	5
761	Alleviating Pancreatic Cancer-Associated Pain Using Endoscopic Ultrasound-Guided Neurolysis. <i>Cancers</i> , <b>2018</b> , 10,	6.6	14
760	Immune checkpoint blockade for the treatment of human hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2018</b> , 48, 622-634	5.1	38
759	Novel method of biliary cannulation for patients with Roux-en-Y anastomosis using a unique, uneven, double-lumen cannula (Uneven method). <i>Digestive Endoscopy</i> , <b>2018</b> , 30, 808-809	3.7	6
758	Alpha-fetoprotein kinetics in patients with hepatocellular carcinoma receiving ramucirumab or placebo: an analysis of the phase 3 REACH study. <i>British Journal of Cancer</i> , <b>2018</b> , 119, 19-26	8.7	19
757	Regional Differences in Efficacy, Safety, and Biomarkers for Second-Line Axitinib in Patients with Advanced Hepatocellular Carcinoma: From a Randomized Phase II Study. <i>Liver Cancer</i> , <b>2018</b> , 7, 148-164	9.1	6
756	Acute Pancreatitis with Disturbed Consciousness Caused by Hyperparathyroidism. <i>Internal Medicine</i> , <b>2018</b> , 57, 3075-3078	1.1	3
755	A novel biliary cannulation method for difficult cannulation cases using a unique, uneven, double-lumen cannula (Uneven method). <i>Endoscopy</i> , <b>2018</b> , 50, E229-E230	3.4	8
754	Dual-energy computed tomography for non-invasive staging of liver fibrosis: Accuracy of iodine density measurements from contrast-enhanced data. <i>Hepatology Research</i> , <b>2018</b> , 48, 1008-1019	5.1	24
753	REACH-2: A randomized, double-blind, placebo-controlled phase 3 study of ramucirumab versus placebo as second-line treatment in patients with advanced hepatocellular carcinoma (HCC) and elevated baseline alpha-fetoprotein (AFP) following first-line sorafenib.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 4017-4017	2.2	62
752	Randomized, open label, multicenter, phase II trial of transcatheter arterial chemoembolization (TACE) therapy in combination with sorafenib as compared with TACE alone in patients with hepatocellular carcinoma: TACTICS trial.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 4017-4017	2.2	8
751	Outcomes of patients (pts) with hepatocellular carcinoma (HCC) treated with transarterial chemoembolization (TACE): Global OPTIMIS final analysis.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 4018-4018	2.2	37

750	A phase 1b trial of lenvatinib (LEN) plus pembrolizumab (PEM) in patients (pts) with unresectable hepatocellular carcinoma (uHCC).. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 4076-4076	2.2	80
749	A phase 3, randomized, open-label, multicenter study to compare the efficacy and safety of tislelizumab, an anti-PD-1 antibody, versus sorafenib as first-line treatment in patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, TPS3110-TPS3110	2.2	13
748	Randomized, open label, multicenter, phase II trial comparing transarterial chemoembolization (TACE) plus sorafenib with TACE alone in patients with hepatocellular carcinoma (HCC): TACTICS trial.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 206-206	2.2	27
747	KEYNOTE-224: Pembrolizumab in patients with advanced hepatocellular carcinoma previously treated with sorafenib.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 209-209	2.2	20
746	Independent imaging review (IIR) results in a phase 3 trial of lenvatinib (LEN) versus sorafenib (SOR) in first-line treatment of patients (pts) with unresectable hepatocellular carcinoma (uHCC).. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 345-345	2.2	1
745	Deterioration of liver function after transarterial chemoembolization (TACE) in hepatocellular carcinoma (HCC): An exploratory analysis of OPTIMISAn international observational study assessing the use of sorafenib after TACE.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 368-368	2.2	5
744	Hand-foot skin reaction (HFSR) and overall survival (OS) in the phase 3 RESORCE trial of regorafenib for treatment of hepatocellular carcinoma (HCC) progressing on sorafenib.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 412-412	2.2	36
743	Impact of antitumor activity on survival outcomes, and nonconventional benefit, with nivolumab (NIVO) in patients with advanced hepatocellular carcinoma (aHCC): Subanalyses of CheckMate-040.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 475-475	2.2	29
742	A study of ramucirumab (LY3009806) versus placebo in patients with hepatocellular carcinoma and elevated baseline alpha-fetoprotein (REACH-2).. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, TPS538-TPS538	2.2	19
741	Nucleotide-binding oligomerization domain 1 and infection: A review. <i>World Journal of Gastroenterology</i> , <b>2018</b> , 24, 1725-1733	5.6	11
740	Utility of endoscopic ultrasound in hemorrhage from recurrent duodenal varices. <i>Annals of Gastroenterology</i> , <b>2018</b> , 31, 636	2.2	
739	Cystic duct antegrade stenting for cholangitis after the long-term deployment of lumen-apposing metal stents for calculous cholecystitis. <i>Endoscopic Ultrasound</i> , <b>2018</b> , 7, 349-350	3.6	1
738	Involvement of innate immunity in chronic fibro-inflammatory responses of the pancreas. <i>Suiza</i> , <b>2018</b> , 33, 737-742	0.1	
737	Ultrasound-ultrasound image overlay fusion improves real-time control of radiofrequency ablation margin in the treatment of hepatocellular carcinoma. <i>European Radiology</i> , <b>2018</b> , 28, 1986-1993	8	25
736	Transrectal endoscopic ultrasound-guided paracentesis for diagnosis of malignant ascites in the pelvis. <i>Digestive and Liver Disease</i> , <b>2018</b> , 50, 311	3.3	
735	Endoscopic ultrasound-guided biliary drainage using a newly designed metal stent with a thin delivery system: a preclinical study in phantom and porcine models. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2018</b> , 45, 391-397	1.4	6
734	Transarterial chemoembolization with miriplatin vs. epirubicin for unresectable hepatocellular carcinoma: a phase III randomized trial. <i>Journal of Gastroenterology</i> , <b>2018</b> , 53, 281-290	6.9	25
733	Recent Advances of Systemic Therapy for Hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , <b>2018</b> , 59, 517-544	0.3	1

732	Ramucirumab Safety in East Asian Patients: A Meta-Analysis of Six Global, Randomized, Double-Blind, Placebo-Controlled, Phase III Clinical Trials. <i>Journal of Global Oncology</i> , <b>2018</b> , 4, 1-12	2.6	6
731	Systemic Therapy for Hepatocellular Carcinoma: Recent Advances. <i>Acta Hepatologica Japonica</i> , <b>2018</b> , 59, 587-603	0.3	3
730	Erythropoietic Protoporphyrin-related Hepatopathy Successfully Treated with Phlebotomy. <i>Internal Medicine</i> , <b>2018</b> , 57, 2505-2509	1.1	4
729	Molecular Scoring of Hepatocellular Carcinoma for Predicting Metastatic Recurrence and Requirements of Systemic Chemotherapy. <i>Cancers</i> , <b>2018</b> , 10,	6.6	15
728	Mechanistic Insights into Autoimmune Pancreatitis and IgG4-Related Disease. <i>Trends in Immunology</i> , <b>2018</b> , 39, 874-889	14.4	33
727	Systemic Therapy for Hepatocellular Carcinoma: Latest Advances. <i>Cancers</i> , <b>2018</b> , 10,	6.6	110
726	Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection. <i>Journal of Hepatology</i> , <b>2018</b> , 69, 1284-1293	13.4	183
725	Phase I/II study of first-line combination therapy with sorafenib plus resminostat, an oral HDAC inhibitor, versus sorafenib monotherapy for advanced hepatocellular carcinoma in east Asian patients. <i>Investigational New Drugs</i> , <b>2018</b> , 36, 1072-1084	4.3	24
724	Liver Ultrasound Elastography: An Update to the World Federation for Ultrasound in Medicine and Biology Guidelines and Recommendations. <i>Ultrasound in Medicine and Biology</i> , <b>2018</b> , 44, 2419-2440	3.5	195
723	Neurilemmoma Mimicking a Multilocular Cystic Lesion of the Liver. <i>Internal Medicine</i> , <b>2018</b> , 57, 3377-3380	1	3
722	Contrast-enhanced Harmonic EUS Imaging of Pancreatic Mucinous Cystadenocarcinoma. <i>Internal Medicine</i> , <b>2018</b> , 57, 3051-3052	1.1	
721	Pembrolizumab in patients with advanced hepatocellular carcinoma previously treated with sorafenib (KEYNOTE-224): a non-randomised, open-label phase 2 trial. <i>Lancet Oncology</i> , <b>2018</b> , 19, 940-952	21.7	1120
720	Systemic therapy for intermediate and advanced hepatocellular carcinoma: Sorafenib and beyond. <i>Cancer Treatment Reviews</i> , <b>2018</b> , 68, 16-24	14.4	89
719	Stent migration into the abdominal cavity after EUS-guided hepaticogastrostomy. <i>Gastrointestinal Endoscopy</i> , <b>2017</b> , 85, 263-264	5.2	21
718	Semiquantitative prediction of early response of conventional transcatheter arterial chemoembolization for hepatocellular carcinoma using postprocedural plain cone-beam computed tomography. <i>Hepatology Research</i> , <b>2017</b> , 47, E113-E119	5.1	1
717	Influence of Liver Inflammation on Liver Stiffness Measurement in Patients with Autoimmune Hepatitis Evaluation by Combinational Elastography. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 10-15	3.6	14
716	Magnetic resonance elastography in the assessment of hepatic fibrosis: a study comparing transient elastography and histological data in the same patients. <i>Abdominal Radiology</i> , <b>2017</b> , 42, 1659-1666	3.66	12
715	Malignant Transformation of Hepatocellular Adenoma. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 16-28	3.6	8

714	Objective response by mRECIST as a predictor and potential surrogate end-point of overall survival in advanced HCC. <i>Journal of Hepatology</i> , <b>2017</b> , 66, 1166-1172	13.4	128
713	Contrast-enhanced harmonic endoscopic ultrasonography for differential diagnosis of submucosal tumors of the upper gastrointestinal tract. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 1686-1692	4	31
712	Validation of serological models for staging and prognostication of HCC in patients from a Japanese nationwide survey. <i>Journal of Gastroenterology</i> , <b>2017</b> , 52, 1112-1121	6.9	18
711	Immune Checkpoint Inhibition in Hepatocellular Carcinoma: Basics and Ongoing Clinical Trials. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 50-62	3.6	120
710	Multimaterial Decomposition Algorithm for the Quantification of Liver Fat Content by Using Fast-Kilovolt-Peak Switching Dual-Energy CT: Clinical Evaluation. <i>Radiology</i> , <b>2017</b> , 283, 108-118	20.5	45
709	CD68-Positive Cells in Hepatic Angiomyolipoma. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 35-39	3.6	4
708	Nivolumab in patients with advanced hepatocellular carcinoma (CheckMate 040): an open-label, non-comparative, phase 1/2 dose escalation and expansion trial. <i>Lancet, The</i> , <b>2017</b> , 389, 2492-2502	4.0	2151
707	Cost-effectiveness of EOB-MRI for Hepatocellular Carcinoma in Japan. <i>Clinical Therapeutics</i> , <b>2017</b> , 39, 738-750.e4	3.5	12
706	Liver resection for hepatocellular carcinoma associated with hepatic vein invasion: A Japanese nationwide survey. <i>Hepatology</i> , <b>2017</b> , 66, 510-517	11.2	86
705	Albumin-Bilirubin (ALBI) Grade as Part of the Evidence-Based Clinical Practice Guideline for HCC of the Japan Society of Hepatology: A Comparison with the Liver Damage and Child-Pugh Classifications. <i>Liver Cancer</i> , <b>2017</b> , 6, 204-215	9.1	96
704	Regorafenib for patients with hepatocellular carcinoma who progressed on sorafenib treatment (RESORCE): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , <b>2017</b> , 389, 56-66	4.0	1888
703	Stress Response Protein RBM3 Promotes the Development of Colitis-associated Cancer. <i>Inflammatory Bowel Diseases</i> , <b>2017</b> , 23, 57-65	4.5	9
702	Stress Response Protein RBM3 Promotes the Development of Colitis-associated Cancer. <i>Inflammatory Bowel Diseases</i> , <b>2017</b> , 23, 66-74	4.5	3
701	Asia-Pacific clinical practice guidelines on the management of hepatocellular carcinoma: a 2017 update. <i>Hepatology International</i> , <b>2017</b> , 11, 317-370	8.8	955
700	Ramucirumab as second-line treatment in patients with advanced hepatocellular carcinoma following first-line therapy with sorafenib: Patient-focused outcome results from the randomised phase III REACH study. <i>European Journal of Cancer</i> , <b>2017</b> , 81, 17-25	7.5	45
699	Rescue EUS-guided intrahepatic biliary drainage for malignant hilar biliary stricture after failed transpapillary re-intervention. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2017</b> , 31, 4764-4772	5.2	26
698	Chronic Fibro-Inflammatory Responses in Autoimmune Pancreatitis Depend on IFN- $\gamma$ and IL-33 Produced by Plasmacytoid Dendritic Cells. <i>Journal of Immunology</i> , <b>2017</b> , 198, 3886-3896	5.3	41
697	Imaging and clinicopathological features of nivolumab-related cholangitis in patients with non-small cell lung cancer. <i>Investigational New Drugs</i> , <b>2017</b> , 35, 529-536	4.3	90

696	MicroRNAs for the Prediction of Early Response to Sorafenib Treatment in Human Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2017</b> , 6, 113-125	9.1	41
695	Outcome of Combination Therapy with Sofosbuvir and Ledipasvir for Chronic Type C Liver Disease. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 3-9	3.6	10
694	Role of Immune Checkpoint Blockade in the Treatment for Human Hepatocellular Carcinoma. <i>Digestive Diseases</i> , <b>2017</b> , 35, 618-622	3.2	8
693	Diagnosis of Fibrosis and Activity by a Combined Use of Strain and Shear Wave Imaging in Patients with Liver Disease. <i>Digestive Diseases</i> , <b>2017</b> , 35, 515-520	3.2	22
692	Non-Hypervascular Hypointense Hepatic Nodules during the Hepatobiliary Phase of Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced MRI as a Risk Factor of Intrahepatic Distant Recurrence after Radiofrequency Ablation of Hepatocellular Carcinoma. <i>Digestive Diseases</i> , <b>2017</b> , 35, 574-582	3.2	6
691	Contrast-Enhanced Tissue Harmonic Imaging versus Phase Inversion Harmonic Sonographic Imaging for the Delineation of Hepatocellular Carcinomas. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 29-34	3.6	3
690	Ability of Cytokeratin-18 Fragments and FIB-4 Index to Diagnose Overall and Mild Fibrosis Nonalcoholic Steatohepatitis in Japanese Nonalcoholic Fatty Liver Disease Patients. <i>Digestive Diseases</i> , <b>2017</b> , 35, 521-530	3.2	10
689	Serum IFN- $\beta$ Levels Correlate with Serum Hepatitis C Virus RNA Levels in Symptomatic Patients with Acute Hepatitis C. <i>Digestive Diseases</i> , <b>2017</b> , 35, 531-540	3.2	1
688	Hepatocellular Carcinoma after Achievement of Sustained Viral Response with Daclatasvir and Asunaprevir in Patients with Chronic Hepatitis C Virus Infection. <i>Digestive Diseases</i> , <b>2017</b> , 35, 565-573	3.2	9
687	Clinicopathological Study of Autoimmune Hepatitis Cases That Were Difficult to Differentiate from Drug-Induced Liver Injury. <i>Digestive Diseases</i> , <b>2017</b> , 35, 506-514	3.2	8
686	Comparison of Sofosbuvir Plus Ribavirin Treatment with Pegylated Interferon Plus Ribavirin Treatment for Chronic Hepatitis C Genotype 2. <i>Digestive Diseases</i> , <b>2017</b> , 35, 541-547	3.2	2
685	Hepatocarcinogenesis Is Associated with Serum Albumin Levels after Sustained Virological Responses with Interferon-Based Therapy in Patients with Hepatitis C. <i>Digestive Diseases</i> , <b>2017</b> , 35, 548-555	3.2	0
684	Unique Characteristics Associated with Sustained Liver Damage in Chronic Hepatitis C Patients Treated with Direct Acting Antivirals. <i>Digestive Diseases</i> , <b>2017</b> , 35, 556-564	3.2	2
683	Hepatic Function during Repeated TACE Procedures and Prognosis after Introducing Sorafenib in Patients with Unresectable Hepatocellular Carcinoma: Multicenter Analysis. <i>Digestive Diseases</i> , <b>2017</b> , 35, 602-610	3.2	81
682	Hemodynamic Changes on Cone-Beam Computed Tomography during Balloon-Occluded Transcatheter Arterial Chemoembolization Using Miriplatin for Hepatocellular Carcinoma: A Preliminary Study. <i>Digestive Diseases</i> , <b>2017</b> , 35, 598-601	3.2	2
681	Time to Transcatheter Arterial Chemoembolization Refractoriness in Patients with Hepatocellular Carcinoma in Kinki Criteria Stages B1 and B2. <i>Digestive Diseases</i> , <b>2017</b> , 35, 589-597	3.2	27
680	Sorafenib-Regorafenib Sequential Therapy in Advanced Hepatocellular Carcinoma: A Single-Institute Experience. <i>Digestive Diseases</i> , <b>2017</b> , 35, 611-617	3.2	11
679	Impact of Tumor Factors on Survival in Patients with Hepatocellular Carcinoma Classified Based on Kinki Criteria Stage B2. <i>Digestive Diseases</i> , <b>2017</b> , 35, 583-588	3.2	4

678	A New Horizon in Liver Disease. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 1-2	3.6	1
677	Clinical significance of Akt2 in advanced pancreatic cancer treated with erlotinib. <i>International Journal of Oncology</i> , <b>2017</b> , 50, 2049-2058	4.4	11
676	Nucleotide-binding oligomerization domain 1 and gastrointestinal disorders. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , <b>2017</b> , 93, 578-599	4	6
675	Removal of diminutive colorectal polyps: A prospective randomized clinical trial between cold snare polypectomy and hot forceps biopsy. <i>World Journal of Gastroenterology</i> , <b>2017</b> , 23, 328-335	5.6	32
674	IgG4-Related Disease and Innate Immunity. <i>Current Topics in Microbiology and Immunology</i> , <b>2017</b> , 401, 115-128	3.3	9
673	Endoscopic ultrasound-guided choledochoduodenostomy with novel use of contrast-enhanced harmonic imaging. <i>Endoscopy</i> , <b>2017</b> , 49, E281-E282	3.4	1
672	Contribution of C1485T mutation in the HBx gene to human and murine hepatocarcinogenesis. <i>Scientific Reports</i> , <b>2017</b> , 7, 10440	4.9	2
671	Gankyrin induces STAT3 activation in tumor microenvironment and sorafenib resistance in hepatocellular carcinoma. <i>Cancer Science</i> , <b>2017</b> , 108, 1996-2003	6.9	26
670	S-1 versus placebo in patients with sorafenib-refractory advanced hepatocellular carcinoma (S-CUBE): a randomised, double-blind, multicentre, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2017</b> , 2, 407-417	18.8	42
669	Stent migration during EUS-guided hepaticogastrostomy in a patient with massive ascites: Troubleshooting using additional EUS-guided antegrade stenting. <i>Arab Journal of Gastroenterology</i> , <b>2017</b> , 18, 120-121	1.7	6
668	Portal vein stenting for portal vein stenosis caused by bile duct cancer. <i>Digestive and Liver Disease</i> , <b>2017</b> , 49, 1282	3.3	
667	Abdominal Ultrasound Findings of Tumor-Forming Hepatic Malignant Lymphoma. <i>Digestive Diseases</i> , <b>2017</b> , 35, 498-505	3.2	3
666	Electronic hydraulic lithotripsy by antegrade digital cholangioscopy through endoscopic ultrasound-guided hepaticojejunostomy. <i>Endoscopy</i> , <b>2017</b> , 49, E316-E318	3.4	5
665	Validation and Potential of Albumin-Bilirubin Grade and Prognostication in a Nationwide Survey of 46,681 Hepatocellular Carcinoma Patients in Japan: The Need for a More Detailed Evaluation of Hepatic Function. <i>Liver Cancer</i> , <b>2017</b> , 6, 325-336	9.1	102
664	New Era of the Management of Liver Diseases and Liver Cancer: State-of-the-Art Progress in 2017. <i>Digestive Diseases</i> , <b>2017</b> , 35, 493-497	3.2	1
663	The Overall Survival of Patients with Hepatocellular Carcinoma Correlates with the Newly Defined Time to Progression after Transarterial Chemoembolization. <i>Liver Cancer</i> , <b>2017</b> , 6, 227-235	9.1	18
662	Utility of contrast-enhanced harmonic EUS for evaluating the effects of steroid therapy in a case of immunoglobulin G4-negative focal autoimmune pancreatitis. <i>Gastrointestinal Endoscopy</i> , <b>2017</b> , 86, 1177-1179	5.7	3
661	Immunological Microenvironment of Hepatocellular Carcinoma and Its Clinical Implication. <i>Oncology</i> , <b>2017</b> , 92 Suppl 1, 40-49	3.6	69

660	Phase 2 study of lenvatinib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , <b>2017</b> , 52, 512-519	6.9	196
659	Ramucirumab as second-line treatment in patients with advanced hepatocellular carcinoma: Japanese subgroup analysis of the REACH trial. <i>Journal of Gastroenterology</i> , <b>2017</b> , 52, 494-503	6.9	30
658	Ramucirumab as Second-Line Treatment in Patients With Advanced Hepatocellular Carcinoma: Analysis of REACH Trial Results by Child-Pugh Score. <i>JAMA Oncology</i> , <b>2017</b> , 3, 235-243	13.4	59
657	The ALBI grade provides objective hepatic reserve estimation across each BCLC stage of hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2017</b> , 66, 338-346	13.4	191
656	Endoscopic ultrasonography-guided choledochoduodenostomy using a newly designed laser-cut metal stent: Feasibility study in a porcine model. <i>Digestive Endoscopy</i> , <b>2017</b> , 29, 211-217	3.7	6
655	New Paradigm in Gastrointestinal Cancer Treatment. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 1-8	3.6	3
654	Characterization of Pancreatic Tumors with Quantitative Perfusion Analysis in Contrast-Enhanced Harmonic Endoscopic Ultrasonography. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 55-60	3.6	17
653	Prophylactic Suturing Closure Is Recommended after Endoscopic Treatment of Colorectal Tumors in Patients with Antiplatelet/Anticoagulant Therapy. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 27-29	3.6	5
652	Magnifying Narrow Band Imaging (NBI) for the Diagnosis of Localized Colorectal Lesions Using the Japan NBI Expert Team (JNET) Classification. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 49-54	3.6	42
651	Hand-Foot Syndrome and Post-Progression Treatment Are the Good Predictors of Better Survival in Advanced Hepatocellular Carcinoma Treated with Sorafenib: A Multicenter Study. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 113-119	3.6	19
650	Clinical Significance of Bmi1 Expression in Inflammatory Bowel Disease. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 20-266		9
649	Computer-Aided Diagnosis Based on Convolutional Neural Network System for Colorectal Polyp Classification: Preliminary Experience. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 30-34	3.6	118
648	Risk Factors for Postoperative Bleeding in Endoscopic Submucosal Dissection of Colorectal Tumors. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 35-42	3.6	17
647	The Feasibility of 18-mm-Diameter Colonic Stents for Obstructive Colorectal Cancers. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 43-48	3.6	9
646	Association between the Risk Factors for Pancreatic Ductal Adenocarcinoma and Those for Malignant Intraductal Papillary Mucinous Neoplasm. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 102-106	3.6	4
645	Needle Tract Seeding: An Overlooked Rare Complication of Endoscopic Ultrasound-Guided Fine-Needle Aspiration. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 107-112	3.6	54
644	Primary Hepatic Adenosquamous Carcinoma Associated with Primary Sclerosing Cholangitis. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 76-80	3.6	4
643	A Social Program for the Early Detection of Pancreatic Cancer: The Kishiwada Katsuragi Project. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 89-97	3.6	4

642	Validation of Newly Proposed Time to Transarterial Chemoembolization Progression in Intermediate-Stage Hepatocellular Carcinoma Cases. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 120-126	3.6	17
641	Transarterial Chemoembolization in Combination with a Molecular Targeted Agent: Lessons Learned from Negative Trials (Post-TACE, BRISK-TA, SPACE, ORIENTAL, and TACE-2). <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 127-134	3.6	45
640	Systemic Therapy for Hepatocellular Carcinoma: 2017 Update. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 135-146	3.6	80
639	Immuno-Oncology in Hepatocellular Carcinoma: 2017 Update. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 147-159	3.6	69
638	Oncogenic Signal and Tumor Microenvironment in Hepatocellular Carcinoma. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 160-164	3.6	42
637	A case of small invasive gastric cancer arising from negative gastric mucosa: Fundic gland-type adenocarcinoma. <i>JGH Open</i> , <b>2017</b> , 1, 74-75	1.8	2
636	Detection of High-Grade Pancreatic Intraepithelial Neoplasia without Morphological Changes of the Main Pancreatic Duct over a Long Period: Importance for Close Follow-Up for Confirmation. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 81-86	3.6	6
635	A Case of Pancreatic Carcinoma in situ Diagnosed by Repeated Pancreatic Juice Cytology. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 98-101	3.6	12
634	Treatment Stage Migration Maximizes Survival Outcomes in Patients with Hepatocellular Carcinoma Treated with Sorafenib: An Observational Study. <i>Liver Cancer</i> , <b>2017</b> , 6, 313-324	9.1	14
633	Comparative Study of Clarithromycin- versus Metronidazole-Based Triple Therapy as First-Line Eradication for <i>Helicobacter pylori</i> . <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 15-19	3.6	13
632	Utility of Endoscopic Ultrasound-Guided Hepaticogastrostomy with Antegrade Stenting for Malignant Biliary Obstruction after Failed Endoscopic Retrograde Cholangiopancreatography. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 69-75	3.6	23
631	Clinical Analysis of Esophageal Stricture in Patients Treated with Intralesional Triamcinolone Injection after Endoscopic Submucosal Dissection for Superficial Esophageal Cancer. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 9-14	3.6	10
630	Chronic Pancreatitis Finding by Endoscopic Ultrasonography in the Pancreatic Parenchyma of Intraductal Papillary Mucinous Neoplasms Is Associated with Invasive Intraductal Papillary Mucinous Carcinoma. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 61-68	3.6	6
629	EUS-Guided Pancreatic Duct Drainage for Repeat Pancreatitis in a Patient with Pancreatic Cancer. <i>Oncology</i> , <b>2017</b> , 93 Suppl 1, 87-88	3.6	4
628	Phase III trial of lenvatinib (LEN) vs sorafenib (SOR) in first-line treatment of patients (pts) with unresectable hepatocellular carcinoma (uHCC).. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 4001-4001	2.2	45
627	Nivolumab (nivo) in sorafenib (sor)-naive and -experienced pts with advanced hepatocellular carcinoma (HCC): CheckMate 040 study.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 4013-4013	2.2	60
626	Phase 3, randomized study of pembrolizumab (pembro) vs best supportive care (BSC) for second-line advanced hepatocellular carcinoma (HCC): KEYNOTE-240.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, TPS4143-TPS4143	2.2	3
625	Nivolumab dose escalation and expansion in patients with advanced hepatocellular carcinoma (HCC): The CheckMate 040 study.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 226-226	2.2	17

624	Survival by pattern of tumor progression during prior sorafenib (SOR) treatment in patients with hepatocellular carcinoma (HCC) in the phase III RESORCE trial comparing second-line treatment with regorafenib (REG) or placebo.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 229-229	2.2	8
623	KEYNOTE-240: Randomized phase III study of pembrolizumab versus best supportive care for second-line advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, TPS503-TPS503	2.2	24
622	KEYNOTE-224: Phase II study of pembrolizumab in patients with previously treated advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, TPS504-TPS504	2.2	7
621	The oncoprotein gankyrin promotes the development of colitis-associated cancer through activation of STAT3. <i>Oncotarget</i> , <b>2017</b> , 8, 24762-24776	3.3	17
620	Integration of the cancer-related inflammatory response as a stratifying biomarker of survival in hepatocellular carcinoma treated with sorafenib. <i>Oncotarget</i> , <b>2017</b> , 8, 36161-36170	3.3	28
619	Endoscopic ultrasound-guided gallbladder drainage for acute cholecystitis: Long-term outcomes after removal of a self-expandable metal stent. <i>World Journal of Gastroenterology</i> , <b>2017</b> , 23, 661-667	5.6	39
618	Achievement of long-term stent patency in endoscopic ultrasonography-guided right bile duct drainage after left hepatic lobectomy (with video). <i>Endoscopic Ultrasound</i> , <b>2017</b> , 6, 412-413	3.6	2
617	A Case of Type II Enteropathy-Associated T-Cell Lymphoma in a Patient With Ulcerative Colitis. <i>American Journal of Gastroenterology</i> , <b>2017</b> , 112, 833	0.7	2
616	Endoscopic treatment of tracheoesophageal fistula using the over-the-scope-clip system. <i>Annals of Gastroenterology</i> , <b>2017</b> , 30, 578	2.2	9
615	Response Evaluation Criteria in Cancer of the Liver (RECICL) (2015 Revised version). <i>Hepatology Research</i> , <b>2016</b> , 46, 3-9	5.1	43
614	Hepatocellular Carcinoma: Therapeutic Guidelines and Medical Treatment. <i>Liver Cancer</i> , <b>2016</b> , 6, 16-26	9.1	81
613	Through-the-mesh technique after endoscopic ultrasonography-guided hepaticogastrostomy: a novel re-intervention method. <i>Endoscopy</i> , <b>2016</b> , 48, E369-E370	3.4	9
612	Validation of Kinki Criteria, a Modified Substaging System, in Patients with Intermediate Stage Hepatocellular Carcinoma. <i>Digestive Diseases</i> , <b>2016</b> , 34, 671-678	3.2	15
611	Comparison of Two-Dimensional Shear Wave Elastography and Real-Time Tissue Elastography for Assessing Liver Fibrosis in Chronic Hepatitis B. <i>Digestive Diseases</i> , <b>2016</b> , 34, 640-649	3.2	15
610	Clinical Significance of Epigenetic Alterations in Human Hepatocellular Carcinoma and Its Association with Genetic Mutations. <i>Digestive Diseases</i> , <b>2016</b> , 34, 708-713	3.2	14
609	Safety, Tolerability, and Efficacy of Sofosbuvir Plus Ribavirin in Elderly Patients Infected with Hepatitis C Virus Genotype 2. <i>Digestive Diseases</i> , <b>2016</b> , 34, 632-639	3.2	5
608	Recent Trends in the Management of Hepatocellular Carcinoma with Special Emphasis on Treatment with Regorafenib and Immune Checkpoint Inhibitors. <i>Digestive Diseases</i> , <b>2016</b> , 34, 714-730	3.2	7
607	Prospective Risk Analysis of Hepatocellular Carcinoma in Patients with Chronic Hepatitis C by Ultrasound Strain Elastography. <i>Digestive Diseases</i> , <b>2016</b> , 34, 650-653	3.2	2

606	Efficacy and Safety of Sofosbuvir Plus Ribavirin Treatment for Patients with Chronic Hepatitis C Genotype 2. <i>Digestive Diseases</i> , <b>2016</b> , 34, 627-631	3.2	4
605	Monoethanolamine Oleate Sclerotherapy for Polycystic Liver Disease. <i>Digestive Diseases</i> , <b>2016</b> , 34, 654-658	3.2	4
604	Needle-Tract Seeding on the Proximal Gastric Wall After EUS-Guided Fine-Needle Aspiration of a Pancreatic Mass. <i>American Journal of Gastroenterology</i> , <b>2016</b> , 111, 1515	0.7	22
603	Chronic Liver Diseases and Liver Cancer: State-of-the Art Progress in 2016. <i>Digestive Diseases</i> , <b>2016</b> , 34, 617-619	3.2	1
602	Radiofrequency Ablation Guided by Contrast-Enhanced Sonography versus B-Mode Sonography for Hepatocellular Carcinoma after Transcatheter Arterial Chemoembolization. <i>Digestive Diseases</i> , <b>2016</b> , 34, 692-695	3.2	3
601	Feasibility of Extracted-Overlay Fusion Imaging for Intraoperative Treatment Evaluation of Radiofrequency Ablation for Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2016</b> , 5, 269-279	9.1	27
600	Randomized phase II placebo controlled study of codrituzumab in previously treated patients with advanced hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 289-95	13.4	73
599	Survival Analysis over 28 Years of 173,378 Patients with Hepatocellular Carcinoma in Japan. <i>Liver Cancer</i> , <b>2016</b> , 5, 190-7	9.1	92
598	Response. <i>Gastrointestinal Endoscopy</i> , <b>2016</b> , 83, 1303	5.2	
597	371 The Oncoprotein Gankyrin Links Inflammation and Tumorigenesis in Inflammatory Bowel Disease. <i>Gastroenterology</i> , <b>2016</b> , 150, S83	13.3	2
596	Survival benefit of liver resection for hepatocellular carcinoma associated with portal vein invasion. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 938-943	13.4	214
595	Predictors of pain response in patients undergoing endoscopic ultrasound-guided neurolysis for abdominal pain caused by pancreatic cancer. <i>Therapeutic Advances in Gastroenterology</i> , <b>2016</b> , 9, 483-94	4.7	18
594	Reply. <i>Hepatology</i> , <b>2016</b> , 63, 1744-5	11.2	2
593	Randomized, open-label phase 2 study comparing frontline dovitinib versus sorafenib in patients with advanced hepatocellular carcinoma. <i>Hepatology</i> , <b>2016</b> , 64, 774-84	11.2	58
592	Regional differences in sorafenib-treated patients with hepatocellular carcinoma: GIDEON observational study. <i>Liver International</i> , <b>2016</b> , 36, 1196-205	7.9	32
591	EUS-guided gallbladder drainage for rescue treatment of malignant distal biliary obstruction after unsuccessful ERCP. <i>Gastrointestinal Endoscopy</i> , <b>2016</b> , 84, 147-51	5.2	61
590	TACE Treatment in Patients with Sorafenib-treated Unresectable Hepatocellular Carcinoma in Clinical Practice: Final Analysis of GIDEON. <i>Radiology</i> , <b>2016</b> , 279, 630-40	20.5	85
589	Contrast-enhanced harmonic endoscopic ultrasonography for differential diagnosis of pancreatic cysts. <i>Endoscopy</i> , <b>2016</b> , 48, 35-41	3.4	52

588	Impact of Tight Junction Protein ZO-1 and TWIST Expression on Postoperative Survival of Patients with Hepatocellular Carcinoma. <i>Digestive Diseases</i> , <b>2016</b> , 34, 702-707	3.2	9
587	Safety and antitumor activity of nivolumab (nivo) in patients (pts) with advanced hepatocellular carcinoma (HCC): Interim analysis of dose-expansion cohorts from the phase 1/2 CheckMate-040 study.. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 4078-4078	2.2	24
586	Phase 1/2 study of durvalumab and tremelimumab as monotherapy and in combination in patients with unresectable hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, TPS3103-TPS3103	2.2	5
585	Identification of a high-response patient population to S-1 via predictive enrichment strategy analysis of the S-CUBE phase III trial.. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 229-229	2.2	2
584	A randomized, double-blind, placebo-controlled phase III study of ramucirumab versus placebo as second-line treatment in patients with hepatocellular carcinoma and elevated baseline alpha-fetoprotein following first-line sorafenib (REACH-2).. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, TPS478-TPS478	2.2	2
583	Second-line ramucirumab therapy for advanced hepatocellular carcinoma (REACH): an East Asian and non-East Asian subgroup analysis. <i>Oncotarget</i> , <b>2016</b> , 7, 75482-75491	3.3	15
582	Combined sequential use of HAP and ART scores to predict survival outcome and treatment failure following chemoembolization in hepatocellular carcinoma: a multi-center comparative study. <i>Oncotarget</i> , <b>2016</b> , 7, 44705-44718	3.3	25
581	Contrast-enhanced harmonic endoscopic ultrasonography for assessment of lymph node metastases in pancreatobiliary carcinoma. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 3381-91	5.6	30
580	Urgent endoscopic ultrasound-guided choledochoduodenostomy for acute obstructive suppurative cholangitis-induced sepsis. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 4264-9	5.6	15
579	Modified single transluminal gateway transcystic multiple drainage technique for a huge infected walled-off pancreatic necrosis: A case report. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 5132-6	5.6	1
578	Evaluation of anti-migration properties of biliary covered self-expandable metal stents. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 6917-24	5.6	14
577	Endosonography, Contrast Agents, and Elastography <b>2016</b> , 187-208		
576	Regional differences in efficacy/safety/biomarkers in a randomised study of axitinib in 2nd line patients (pts) with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 329-329	2.2	2
575	A randomized, double-blind, placebo-controlled phase III study of ramucirumab versus placebo as second-line treatment in patients with hepatocellular carcinoma and elevated baseline alpha-fetoprotein following first-line sorafenib (REACH-2).. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, TPS4145-TPS4145	2.2	2
574	Survival benefit of liver resection for hepatocellular carcinoma associated with portal vein invasion: A Japanese nationwide survey.. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 4067-4067	2.2	2
573	Impact of vitamin K dosing during sorafenib treatment for hepatocellular carcinoma: Effect on ischemic tumor cell damage caused by sorafenib.. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, e15585-e15585	2.2	
572	New endoscopic ultrasonography techniques for pancreaticobiliary diseases. <i>Ultrasonography</i> , <b>2016</b> , 35, 169-79	4.3	17
571	Report of the 19th follow-up survey of primary liver cancer in Japan. <i>Hepatology Research</i> , <b>2016</b> , 46, 372-390	5.0	103

570	Reply. <i>Hepatology</i> , <b>2016</b> , 64, 306	11.2	2
569	Unique features associated with hepatic oxidative DNA damage and DNA methylation in non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 1646-53	4	31
568	US-US Fusion Imaging in Radiofrequency Ablation for Liver Metastases. <i>Digestive Diseases</i> , <b>2016</b> , 34, 687-691	3.2	20
567	Survival Benefit of Locoregional Treatment for Hepatocellular Carcinoma with Advanced Liver Cirrhosis. <i>Liver Cancer</i> , <b>2016</b> , 5, 175-89	9.1	27
566	Outcome of Asunaprevir/Daclatasvir Combination Therapy for Chronic Liver Disease Type C. <i>Digestive Diseases</i> , <b>2016</b> , 34, 620-626	3.2	6
565	Cases with Refractory Ascites and a Delayed Response to Tolvaptan. <i>Internal Medicine</i> , <b>2016</b> , 55, 3273-3277	1	1
564	Hepaticogastrostomy guided by real-time contrast-enhanced harmonic endoscopic ultrasonography: a novel technique. <i>Endoscopy</i> , <b>2016</b> , 48 Suppl 1, E228-9	3.4	2
563	Coffee Intake and Liver Enzyme Association in Korean Immigrants and Japanese: A Comprehensive Cross-Sectional Study. <i>Digestive Diseases</i> , <b>2016</b> , 34, 665-670	3.2	4
562	Prediction of Embolization Area after Conventional Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma Using SYNAPSE VINCENT. <i>Digestive Diseases</i> , <b>2016</b> , 34, 696-701	3.2	8
561	Comparison of Contrast-Enhanced Ultrasound and Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced MRI for the Diagnosis of Macroscopic Type of Hepatocellular Carcinoma. <i>Digestive Diseases</i> , <b>2016</b> , 34, 679-686	3.2	11
560	Factors predicting through-the-scope gastroduodenal stenting outcomes in patients with gastric outlet obstruction: a large multicenter retrospective study in West Japan. <i>Gastrointestinal Endoscopy</i> , <b>2016</b> , 84, 757-763.e6	5.2	31
559	Gastric Perineurioma. <i>American Journal of Gastroenterology</i> , <b>2016</b> , 111, 453	0.7	5
558	Kupffer phase image of Sonazoid-enhanced US is useful in predicting a hypervascularization of non-hypervascular hypointense hepatic lesions detected on Gd-EOB-DTPA-enhanced MRI: a multicenter retrospective study. <i>Journal of Gastroenterology</i> , <b>2016</b> , 51, 144-52	6.9	22
557	Acute spinal cord infarction after EUS-guided celiac plexus neurolysis. <i>Gastrointestinal Endoscopy</i> , <b>2016</b> , 83, 1039-40; discussion 1040	5.2	20
556	Histologic diagnosis of pancreatic masses using 25-gauge endoscopic ultrasound needles with and without a core trap: a multicenter randomized trial. <i>Endoscopy</i> , <b>2016</b> , 48, 632-8	3.4	57
555	Safety and efficacy of sorafenib in Japanese patients with hepatocellular carcinoma in clinical practice: a subgroup analysis of GIDEON. <i>Journal of Gastroenterology</i> , <b>2016</b> , 51, 1150-1160	6.9	36
554	Prognostic sub-classification of intermediate-stage hepatocellular carcinoma: a multicenter cohort study with propensity score analysis. <i>Medical Oncology</i> , <b>2016</b> , 33, 114	3.7	3
553	Bile duct adenoma in patient with chronic hepatitis C: As a benign neoplasm by pathological and imaging studies. <i>Pathology International</i> , <b>2016</b> , 66, 640-642	1.8	1

552	Observational registry of sorafenib use in clinical practice across Child-Pugh subgroups: The GIDEON study. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 1140-1147	13.4	189
551	Proposal of a new staging system for intrahepatic cholangiocarcinoma: Analysis of surgical patients from a nationwide survey of the Liver Cancer Study Group of Japan. <i>Cancer</i> , <b>2016</b> , 122, 61-70	6.4	99
550	Survey of survival among patients with hepatitis C virus-related hepatocellular carcinoma treated with peretinoin, an acyclic retinoid, after the completion of a randomized, placebo-controlled trial. <i>Journal of Gastroenterology</i> , <b>2015</b> , 50, 667-74	6.9	26
549	Heat shock protein A4 controls cell migration and gastric ulcer healing. <i>Digestive Diseases and Sciences</i> , <b>2015</b> , 60, 850-7	4	16
548	Surveillance, diagnosis, treatment, and outcome of liver cancer in Japan. <i>Liver Cancer</i> , <b>2015</b> , 4, 39-50	9.1	149
547	Validation of the hepatoma arterial embolization prognostic score in European and Asian populations and proposed modification. <i>Clinical Gastroenterology and Hepatology</i> , <b>2015</b> , 13, 1204-8.e2	6.9	37
546	Ramucirumab versus placebo as second-line treatment in patients with advanced hepatocellular carcinoma following first-line therapy with sorafenib (REACH): a randomised, double-blind, multicentre, phase 3 trial. <i>Lancet Oncology</i> , <b>2015</b> , 16, 859-70	21.7	542
545	Safety and efficacy of tigatuzumab plus sorafenib as first-line therapy in subjects with advanced hepatocellular carcinoma: A phase 2 randomized study. <i>Journal of Hepatology</i> , <b>2015</b> , 63, 896-904	13.4	32
544	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 1: basic principles and terminology. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1126-47	3.5	483
543	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 3: liver. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1161-79	3.5	390
542	Foreword to the WFUMB guidelines and recommendations on the clinical use of ultrasound elastography. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1125	3.5	4
541	Imaging Modalities for Assessment of Treatment Response to Nonsurgical Hepatocellular Carcinoma Therapy: Contrast-Enhanced US, CT, and MRI. <i>Liver Cancer</i> , <b>2015</b> , 4, 106-14	9.1	48
540	A comparison of the surgical outcomes among patients with HBV-positive, HCV-positive, and non-B non-C hepatocellular carcinoma: a nationwide study of 11,950 patients. <i>Annals of Surgery</i> , <b>2015</b> , 261, 513-20	7.8	95
539	Involvement of heat shock protein $\alpha$ 4/apg-2 in refractory inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , <b>2015</b> , 21, 31-9	4.5	18
538	Plasmacytoid Dendritic Cell Activation and IFN- $\beta$ Production Are Prominent Features of Murine Autoimmune Pancreatitis and Human IgG4-Related Autoimmune Pancreatitis. <i>Journal of Immunology</i> , <b>2015</b> , 195, 3033-44	5.3	47
537	Primary leiomyosarcoma of the colon. <i>Clinical Journal of Gastroenterology</i> , <b>2015</b> , 8, 217-22	1.1	13
536	Evidence-based Clinical Practice Guidelines for Hepatocellular Carcinoma: The Japan Society of Hepatology 2013 update (3rd JSH-HCC Guidelines). <i>Hepatology Research</i> , <b>2015</b> , 45,	5.1	275
535	The role of hepatic resection in the treatment of hepatocellular cancer. <i>Hepatology</i> , <b>2015</b> , 62, 440-51	11.2	214

534	Percutaneous endoscopic gastrostomy with Funada-style gastropexy greatly reduces the risk of peristomal infection. <i>Gastroenterology Report</i> , <b>2015</b> , 3, 69-74	3.3	18
533	Adjuvant sorafenib for hepatocellular carcinoma after resection or ablation (STORM): a phase 3, randomised, double-blind, placebo-controlled trial. <i>Lancet Oncology</i> , <b>2015</b> , 16, 1344-54	21.7	553
532	Linifanib versus Sorafenib in patients with advanced hepatocellular carcinoma: results of a randomized phase III trial. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 172-9	2.2	417
531	Activin signal promotes cancer progression and is involved in cachexia in a subset of pancreatic cancer. <i>Cancer Letters</i> , <b>2015</b> , 356, 819-27	9.9	52
530	Peretinoin after curative therapy of hepatitis C-related hepatocellular carcinoma: a randomized double-blind placebo-controlled study. <i>Journal of Gastroenterology</i> , <b>2015</b> , 50, 191-202	6.9	50
529	Synchronous pancreatic and gastric metastasis from an ovarian adenocarcinoma diagnosed by endoscopic ultrasound-guided fine-needle aspiration. <i>Endoscopy</i> , <b>2015</b> , 47 Suppl 1 UCTN, E596-7	3.4	4
528	Comparison of Daclatasvir and Asunaprevir for Chronic HCV 1b Infection with Telaprevir and Simeprevir plus Peginterferon and Ribavirin, with a Focus on the Prevention of Occurrence and Recurrence of Hepatocellular Carcinoma. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 42-6	3.6	7
527	Balloon-Occluded Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma: A Single-Center Experience. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 27-32	3.6	19
526	Contrast-enhanced harmonic endoscopic ultrasonography for pancreatobiliary diseases. <i>Digestive Endoscopy</i> , <b>2015</b> , 27 Suppl 1, 60-7	3.7	32
525	Global patterns of hepatocellular carcinoma management from diagnosis to death: the BRIDGE Study. <i>Liver International</i> , <b>2015</b> , 35, 2155-66	7.9	505
524	Real-Life Clinical Practice with Sorafenib in Advanced Hepatocellular Carcinoma: A Single-Center Experience Second Analysis. <i>Digestive Diseases</i> , <b>2015</b> , 33, 728-34	3.2	8
523	Validation of a Modified Substaging System (Kinki Criteria) for Patients with Intermediate-Stage Hepatocellular Carcinoma. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 47-52	3.6	16
522	Effectiveness of Sorafenib in Patients with Transcatheter Arterial Chemoembolization (TACE) Refractory and Intermediate-Stage Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2015</b> , 4, 253-62	9.1	130
521	Challenges of Clinical Research on Hepatocellular Carcinoma. <i>Digestive Diseases</i> , <b>2015</b> , 33, 780-90	3.2	3
520	Hyperenhanced Rim Surrounding Liver Metastatic Tumors in the Postvascular Phase of Sonazoid-Enhanced Ultrasonography: A Histological Indication of the Presence of Kupffer Cells. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 33-41	3.6	6
519	A Newly Developed Shear Wave Elastography Modality: With a Unique Reliability Index. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 53-9	3.6	16
518	Molecular Mechanism and Prediction of Sorafenib Chemoresistance in Human Hepatocellular Carcinoma. <i>Digestive Diseases</i> , <b>2015</b> , 33, 771-9	3.2	62
517	A case of psoriasis vulgaris complicated with antimitochondrial M2 antibody-positive liver dysfunction after infliximab treatment. <i>Acta Hepatologica Japonica</i> , <b>2015</b> , 56, 655-660	0.3	0

516	Comparison between T1 relaxation time of Gd-EOB-DTPA-enhanced MRI and liver stiffness measurement of ultrasound elastography in the evaluation of cirrhotic liver. <i>Journal of Magnetic Resonance Imaging</i> , <b>2015</b> , 41, 329-38	5.6	11
515	Initial Experience Performing Percutaneous Ultrasound Examination with Real-Time Virtual Sonography with Color Display. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 11-8	3.6	3
514	Response Evaluation Criteria in Cancer of the Liver (RECICL 2015 revised version). <i>Acta Hepatologica Japonica</i> , <b>2015</b> , 56, 116-121	0.3	8
513	Phase II Study of Personalized Peptide Vaccination with Both a Hepatitis C Virus-Derived Peptide and Peptides from Tumor-Associated Antigens for the Treatment of HCV-Positive Advanced Hepatocellular Carcinoma Patients. <i>Journal of Immunology Research</i> , <b>2015</b> , 2015, 473909	4.5	10
512	Hepatic DNA Methylation Is Affected by Hepatocellular Carcinoma Risk in Patients with and without Hepatitis Virus. <i>Digestive Diseases</i> , <b>2015</b> , 33, 745-50	3.2	6
511	Cold-inducible RNA-binding protein promotes the development of liver cancer. <i>Cancer Science</i> , <b>2015</b> , 106, 352-8	6.9	41
510	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 2: breast. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1148-60	3.5	255
509	Evidence and Consensus on the Management of Hepatocellular Carcinoma: Update 2015. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 1-3	3.6	8
508	Phase I/II Study of Sorafenib in Combination with Hepatic Arterial Infusion Chemotherapy Using Low-Dose Cisplatin and 5-Fluorouracil. <i>Liver Cancer</i> , <b>2015</b> , 4, 263-73	9.1	21
507	Impaired expression of ATP-binding cassette transporter G2 and liver damage in erythropoietic protoporphyria. <i>Hepatology</i> , <b>2015</b> , 62, 1638-9	11.2	8
506	General Rules for the Clinical and Pathological Study of Primary Liver Cancer, Nationwide Follow-Up Survey and Clinical Practice Guidelines: The Outstanding Achievements of the Liver Cancer Study Group of Japan. <i>Digestive Diseases</i> , <b>2015</b> , 33, 765-70	3.2	172
505	Evaluation of ART Scores for Repeated Transarterial Chemoembolization in Japanese Patients with Hepatocellular Carcinoma. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 4-10	3.6	18
504	Subclassification of BCLC B Stage Hepatocellular Carcinoma and Treatment Strategies: Proposal of Modified Bolondi's Subclassification (Kinki Criteria). <i>Digestive Diseases</i> , <b>2015</b> , 33, 751-8	3.2	103
503	Randomized phase II study of axitinib versus placebo plus best supportive care in second-line treatment of advanced hepatocellular carcinoma. <i>Annals of Oncology</i> , <b>2015</b> , 26, 2457-63	10.3	62
502	Usefulness of Cytokeratin-18M65 in Diagnosing Non-Alcoholic Steatohepatitis in Japanese Population. <i>Digestive Diseases</i> , <b>2015</b> , 33, 715-20	3.2	6
501	Cone-Beam CT Angiography for Hepatocellular Carcinoma: Current Status. <i>Digestive Diseases</i> , <b>2015</b> , 33, 759-64	3.2	5
500	Characteristics of Hypovascular versus Hypervascular Well-Differentiated Hepatocellular Carcinoma Smaller Than 2 cm - Focus on Tumor Size, Markers and Imaging Detectability. <i>Digestive Diseases</i> , <b>2015</b> , 33, 721-7	3.2	16
499	Recent Advances in the Management of Chronic Hepatitis B Including Suppression of Hepatocellular Carcinoma by Entecavir and Interferon. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 60-9	3.6	5

498	Early Viral Response Predicts the Efficacy of Antiviral Triple Therapy with Simeprevir, Peg-Interferon and Ribavirin in Patients Infected with Hepatitis C Virus Genotype 1. <i>Digestive Diseases</i> , <b>2015</b> , 33, 708-14	3.2	1
497	Percutaneous Radiofrequency Ablation for Intermediate-Stage Hepatocellular Carcinoma. <i>Oncology</i> , <b>2015</b> , 89 Suppl 2, 19-26	3.6	17
496	Multicenter cooperative case survey of hepatitis B virus reactivation by chemotherapeutic agents. <i>Hepatology Research</i> , <b>2015</b> , 45, 1220-7	5.1	12
495	A randomized, double-blind, placebo-controlled phase III study of S-1 in patients with sorafenib-refractory advanced hepatocellular carcinoma (S-CUBE).. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 4018-4018	2.2	4
494	Sorafenib plus intra-arterial cisplatin versus sorafenib alone in patients with advanced hepatocellular carcinoma: A randomized phase II trial.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 4076-4076	2.2	2
493	Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma following first-line therapy with sorafenib: Patient-focused outcome (PFO) results from the phase 3 REACH study.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 4077-4077	2.2	1
492	Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma (HCC): Analysis of patients with elevated $\alpha$ -fetoprotein (AFP) from the randomized phase III REACH study.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 232-232	2.2	12
491	Phase II study of front-line dovitinib (TKI258) versus sorafenib in patients (Pts) with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 237-237	2.2	4
490	Antiviral therapy for chronic hepatitis B: Combination of nucleoside analogs and interferon. <i>World Journal of Hepatology</i> , <b>2015</b> , 7, 2427-31	3.4	11
489	Objective response by mRECIST to predict survival in hepatocellular carcinoma: A multivariate, time-dependent analysis from the phase III BRISK-PS study.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 4084-4084	2.2	4
488	Prognostic subclassification of Intermediate Hepatocellular Carcinoma (I-HCC): a multicentre cohort study with propensity score analysis.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, e15139-e15139	2.2	
487	Proposal of a new staging system for intrahepatic cholangiocarcinoma: Analysis of surgical patients from a nationwide survey of Liver Cancer Study Group of Japan.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 4075-4075	2.2	
486	Ramucirumab (RAM) as second-line treatment in patients (pts) with advanced hepatocellular carcinoma (HCC): Analysis of REACH pts by Child-Pugh (CP) score.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 4108-4108	2.2	
485	Comparison of systems for assessment of post-therapeutic response to sorafenib for hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , <b>2014</b> , 49, 1578-87	6.9	33
484	The gross classification of hepatocellular carcinoma: usefulness of contrast-enhanced US. <i>Journal of Clinical Ultrasound</i> , <b>2014</b> , 42, 1-8	1	23
483	Duration of stable disease is associated with overall survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Digestive Diseases</i> , <b>2014</b> , 32, 705-10	3.2	13
482	Clinical features of vascular disorders associated with chronic hepatitis virus infection. <i>Digestive Diseases</i> , <b>2014</b> , 32, 786-90	3.2	9
481	Emerging strategies for the management of hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2014</b> , 32, 655-3.2	3.2	3

480	GIDEON (Global Investigation of therapeutic DEcisions in hepatocellular carcinoma and Of its treatment with sorafeNib): second interim analysis. <i>International Journal of Clinical Practice</i> , <b>2014</b> , 68, 609-17	2.9	177
479	Assessment for retreatment (ART) score for repeated transarterial chemoembolization in patients with hepatocellular carcinoma. <i>Hepatology</i> , <b>2014</b> , 59, 2424-5	11.2	29
478	Relevance of the Core 70 and IL-28B polymorphism and response-guided therapy of peginterferon alfa-2a + ribavirin for chronic hepatitis C of Genotype 1b: a multicenter randomized trial, ReGIT-J study. <i>Journal of Gastroenterology</i> , <b>2014</b> , 49, 492-501	6.9	5
477	Homozygous deletion of the activin A receptor, type IB gene is associated with an aggressive cancer phenotype in pancreatic cancer. <i>Molecular Cancer</i> , <b>2014</b> , 13, 126	42.1	21
476	Virtual sonography for novice sonographers: usefulness of SYNAPSE VINCENT <sup>®</sup> with pre-check imaging of tumor location. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 50-4	3.6	6
475	Alteration of Epigenetic Profile in Human Hepatocellular Carcinoma and Its Clinical Implications. <i>Liver Cancer</i> , <b>2014</b> , 3, 417-27	9.1	33
474	Efficacy and safety of telaprevir-based antiviral treatment for elderly patients with hepatitis C virus. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 110-7	3.6	3
473	Tracking Navigation Imaging of Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma Using Three-Dimensional Cone-Beam CT Angiography. <i>Liver Cancer</i> , <b>2014</b> , 3, 53-61	9.1	47
472	Impact of histologically confirmed lymph node metastases on patient survival after surgical resection for hepatocellular carcinoma: report of a Japanese nationwide survey. <i>Annals of Surgery</i> , <b>2014</b> , 259, 166-70	7.8	38
471	Nationwide study of 4741 patients with non-B non-C hepatocellular carcinoma with special reference to the therapeutic impact. <i>Annals of Surgery</i> , <b>2014</b> , 259, 336-45	7.8	51
470	Validation of the criteria of transcatheter arterial chemoembolization failure or refractoriness in patients with advanced hepatocellular carcinoma proposed by the LCSGJ. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 32-6	3.6	32
469	Validation of three staging systems for hepatocellular carcinoma (JIS score, biomarker-combined JIS score and BCLC system) in 4,649 cases from a Japanese nationwide survey. <i>Digestive Diseases</i> , <b>2014</b> , 32, 717-24	3.2	20
468	Decreased blood flow after sorafenib administration is an imaging biomarker to predict overall survival in patients with advanced hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2014</b> , 32, 733-9	3.2	7
467	Identification of epigenetically inactivated genes in human hepatocellular carcinoma by integrative analyses of methylation profiling and pharmacological unmasking. <i>Digestive Diseases</i> , <b>2014</b> , 32, 740-6	3.2	12
466	Radiofrequency ablation for hepatocellular carcinoma measuring 2 cm or smaller: results and risk factors for local recurrence. <i>Digestive Diseases</i> , <b>2014</b> , 32, 670-7	3.2	21
465	Ultrasound fusion imaging of hepatocellular carcinoma: a review of current evidence. <i>Digestive Diseases</i> , <b>2014</b> , 32, 690-5	3.2	27
464	Pathological diagnosis of benign hepatocellular nodular lesions based on the new World Health Organization classification. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 37-49	3.6	15
463	Surveillance and diagnostic algorithm for hepatocellular carcinoma proposed by the Liver Cancer Study Group of Japan: 2014 update. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 7-21	3.6	65

462	JSH Consensus-Based Clinical Practice Guidelines for the Management of Hepatocellular Carcinoma: 2014 Update by the Liver Cancer Study Group of Japan. <i>Liver Cancer</i> , <b>2014</b> , 3, 458-68	9.1	394
461	Accuracy of real-time tissue elastography for the evaluation of hepatic fibrosis in patients with chronic hepatitis B: a prospective multicenter study. <i>Digestive Diseases</i> , <b>2014</b> , 32, 791-9	3.2	13
460	Ultrasound elastography correlates treatment response by antiviral therapy in patients with chronic hepatitis C. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 118-23	3.6	16
459	Recent progress in radiofrequency ablation therapy for hepatocellular carcinoma. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 73-7	3.6	25
458	Quantitative Levels of Hepatitis B Virus DNA and Surface Antigen and the Risk of Hepatocellular Carcinoma in Patients with Hepatitis B Receiving Long-Term Nucleos(t)ide Analogue Therapy. <i>Liver Cancer</i> , <b>2014</b> , 3, 41-52	9.1	37
457	Combination guidance of contrast-enhanced US and fusion imaging in radiofrequency ablation for hepatocellular carcinoma with poor conspicuity on contrast-enhanced US/fusion imaging. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 55-62	3.6	36
456	Genome-wide profiling of DNA methylation and tumor progression in human hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2014</b> , 32, 658-63	3.2	19
455	Value of EUS in early detection of pancreatic ductal adenocarcinomas in patients with intraductal papillary mucinous neoplasms. <i>Endoscopy</i> , <b>2014</b> , 46, 358-358	3.4	9
454	Contrast-enhanced endoscopic ultrasound. <i>Digestive Endoscopy</i> , <b>2014</b> , 26 Suppl 1, 79-85	3.7	30
453	NOD2 downregulates colonic inflammation by IRF4-mediated inhibition of K63-linked polyubiquitination of RICK and TRAF6. <i>Mucosal Immunology</i> , <b>2014</b> , 7, 1312-25	9.2	37
452	Serum amyloid A and C-reactive protein positive nodule in alcoholic liver cirrhosis, hard to make definite diagnosis. <i>Hepatology Research</i> , <b>2014</b> , 44, 584-90	5.1	8
451	Stress response protein cirp links inflammation and tumorigenesis in colitis-associated cancer. <i>Cancer Research</i> , <b>2014</b> , 74, 6119-28	10.1	51
450	Dynamic changes of the inflammation-based index predict mortality following chemoembolisation for hepatocellular carcinoma: a prospective study. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2014</b> , 40, 1270-81	6.1	23
449	Nationwide survey in Japan regarding splenectomy/partial splenic embolization for interferon treatment targeting hepatitis C virus-related chronic liver disease in patients with low platelet count. <i>Hepatology Research</i> , <b>2014</b> , 44, 829-36	5.1	6
448	Current treatment status of polycystic liver disease in Japan. <i>Hepatology Research</i> , <b>2014</b> , 44, 1110-8	5.1	12
447	Tolvaptan for improvement of hepatic edema: A phase 3, multicenter, randomized, double-blind, placebo-controlled trial. <i>Hepatology Research</i> , <b>2014</b> , 44, 73-82	5.1	98
446	Re-evaluating transarterial chemoembolization for the treatment of hepatocellular carcinoma: Consensus recommendations and review by an International Expert Panel. <i>Liver International</i> , <b>2014</b> , 34, 174-83	7.9	53
445	Brivanib as adjuvant therapy to transarterial chemoembolization in patients with hepatocellular carcinoma: A randomized phase III trial. <i>Hepatology</i> , <b>2014</b> , 60, 1697-707	11.2	194

444	Effect of everolimus on survival in advanced hepatocellular carcinoma after failure of sorafenib: the EVOLVE-1 randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 312, 57-67	27.4	427
443	Treatment strategies of intermediate-stage hepatocellular carcinomas in Japan (Barcelona Clinic Liver Cancer stage B). <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 78-81	3.6	13
442	Noninvasive diagnosis of liver fibrosis: utility of data mining of both ultrasound elastography and serological findings to construct a decision tree. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 63-72	3.6	11
441	Prognostic impact of spontaneous tumor rupture in patients with hepatocellular carcinoma: an analysis of 1160 cases from a nationwide survey. <i>Annals of Surgery</i> , <b>2014</b> , 259, 532-42	7.8	108
440	Transarterial chemoembolization failure/refractoriness: JSH-LCSGJ criteria 2014 update. <i>Oncology</i> , <b>2014</b> , 87 Suppl 1, 22-31	3.6	137
439	Value of EUS in early detection of pancreatic ductal adenocarcinomas in patients with intraductal papillary mucinous neoplasms. <i>Endoscopy</i> , <b>2014</b> , 46, 22-9	3.4	79
438	Prognostic and predictive role of circulating angiopoietin-2 in multiple solid tumors: An analysis of approximately 500 patients treated with lenvatinib across tumor types.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 11061-11061	2.2	2
437	STORM: A phase III randomized, double-blind, placebo-controlled trial of adjuvant sorafenib after resection or ablation to prevent recurrence of hepatocellular carcinoma (HCC). <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 4006-4006	2.2	28
436	Randomized phase II trial of intravenous RO5137382/GC33 at 1600 mg every other week and placebo in previously treated patients with unresectable advanced hepatocellular carcinoma (HCC; NCT01507168).. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 4102-4102	2.2	13
435	A multicenter, open-label, phase 3 trial to compare the efficacy and safety of lenvatinib (E7080) versus sorafenib in first-line treatment of subjects with unresectable hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, TPS4153-TPS4153	2.2	9
434	OPTIMIS: An international observational study to assess the use of sorafenib after transarterial chemoembolization (TACE) in patients with hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, TPS4155-TPS4155	2.2	1
433	EVOLVE-1: Phase 3 study of everolimus for advanced HCC that progressed during or after sorafenib.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 172-172	2.2	21
432	Therapeutic response assessment of RFA for HCC: contrast-enhanced US, CT and MRI. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 4160-6	5.6	51
431	Multicenter observational study of reactivation of hepatitis B virus (HBV) caused by chemotherapy for solid tumors (ST).. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 1590-1590	2.2	
430	Inhibition of hepatocellular carcinoma by PegIFN $\beta$ -2a in patients with chronic hepatitis C: a nationwide multicenter cooperative study. <i>Journal of Gastroenterology</i> , <b>2013</b> , 48, 382-90	6.9	18
429	Toll-like receptor activation in basophils contributes to the development of IgG4-related disease. <i>Journal of Gastroenterology</i> , <b>2013</b> , 48, 247-53	6.9	78
428	Diagnostic value of endoscopic ultrasound-guided directional eFLOW in solid pancreatic lesions. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2013</b> , 40, 211-8	1.4	12
427	Guidelines and good clinical practice recommendations for Contrast Enhanced Ultrasound (CEUS) in the liver - update 2012: A WFUMB-EFSUMB initiative in cooperation with representatives of AFSUMB, AIUM, ASUM, FLAUS and ICUS. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 187-210	3.5	503

426	Consensus recommendations and review by an International Expert Panel on Interventions in Hepatocellular Carcinoma (EPOIHCC). <i>Liver International</i> , <b>2013</b> , 33, 327-37	7.9	52
425	Oxidative stress and epigenetic instability in human hepatocarcinogenesis. <i>Digestive Diseases</i> , <b>2013</b> , 31, 447-53	3.2	53
424	JSUM ultrasound elastography practice guidelines: liver. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2013</b> , 40, 325-57	1.4	75
423	Association of gankyrin and stemness factor expression in human colorectal cancer. <i>Digestive Diseases and Sciences</i> , <b>2013</b> , 58, 2337-44	4	23
422	Brivanib versus sorafenib as first-line therapy in patients with unresectable, advanced hepatocellular carcinoma: results from the randomized phase III BRISK-FL study. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 3517-24	2.2	568
421	Sunitinib versus sorafenib in advanced hepatocellular cancer: results of a randomized phase III trial. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 4067-75	2.2	564
420	Factors of response to pegylated interferon/ribavirin combination therapy and mechanism of viral clearance. <i>Digestive Diseases</i> , <b>2013</b> , 31, 421-5	3.2	1
419	Prediction of response to pegylated interferon/ribavirin combination therapy for chronic hepatitis C genotypes 2a and 2b and high viral load. <i>Digestive Diseases</i> , <b>2013</b> , 31, 426-33	3.2	2
418	Corrigendum to: [Comparison of resection and ablation for hepatocellular carcinoma: A cohort study based on a Japanese nationwide survey[J <i>Hepatology</i> 2013;58:724-729]. <i>Journal of Hepatology</i> , <b>2013</b> , 59, 641	13.4	2
417	A randomised phase II study of TSU-68 in patients with hepatocellular carcinoma treated by transarterial chemoembolisation. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 2832-40	7.5	30
416	Brivanib in patients with advanced hepatocellular carcinoma who were intolerant to sorafenib or for whom sorafenib failed: results from the randomized phase III BRISK-PS study. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 3509-16	2.2	468
415	Assessment of liver fibrosis with real-time tissue elastography in chronic viral hepatitis. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 13-20	3.6	57
414	Novel image analysis method using ultrasound elastography for noninvasive evaluation of hepatic fibrosis in patients with chronic hepatitis C. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 3-12	3.6	61
413	Recent advancements in comprehensive genetic analyses for human hepatocellular carcinoma. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 93-7	3.6	52
412	Clinical implication of hypovascular hepatocellular carcinoma studied in 4,474 patients with solitary tumour equal or less than 3 cm. <i>Liver International</i> , <b>2013</b> , 33, 762-70	7.9	40
411	Expression of E-cadherin and vascular endothelial growth factor in noncancerous liver is associated with recurrence of hepatocellular carcinoma after curative resection. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 88-92	3.6	8
410	Role of gadolinium-ethoxybenzyl-diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging in the management of hepatocellular carcinoma: consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 21-7	3.6	28
409	Comparison of resection and ablation for hepatocellular carcinoma: a cohort study based on a Japanese nationwide survey. <i>Journal of Hepatology</i> , <b>2013</b> , 58, 724-9	13.4	239

408	FGF3/FGF4 amplification and multiple lung metastases in responders to sorafenib in hepatocellular carcinoma. <i>Hepatology</i> , <b>2013</b> , 57, 1407-15	11.2	106
407	Heat shock protein 27 expression is inversely correlated with atrophic gastritis and intraepithelial neoplasia. <i>Digestive Diseases and Sciences</i> , <b>2013</b> , 58, 381-8	4	9
406	Autoimmune hepatitis and immunoglobulin G4-associated autoimmune hepatitis. <i>Digestive Diseases</i> , <b>2013</b> , 31, 415-20	3.2	22
405	Advances in liver fibrosis imaging and hepatocellular carcinoma: update in 2013. Preface. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 1-2	3.6	3
404	Usefulness of contrast-enhanced ultrasonography to evaluate the post-treatment responses of radiofrequency ablation for hepatocellular carcinoma: comparison with dynamic CT. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 51-7	3.6	32
403	The prognostic value of vascular endothelial growth factor in hepatocellular carcinoma for predicting metastasis after curative resection. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 75-81	3.6	19
402	Quantification of tumor DNA in serum and vascular invasion of human hepatocellular carcinoma. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 82-7	3.6	10
401	Hypovascular nodules in patients with chronic liver disease: risk factors for development of hypervascular hepatocellular carcinoma. <i>Radiology</i> , <b>2013</b> , 266, 480-90	20.5	107
400	p38 $\beta$ inhibits liver fibrogenesis and consequent hepatocarcinogenesis by curtailing accumulation of reactive oxygen species. <i>Cancer Research</i> , <b>2013</b> , 73, 215-24	10.1	58
399	Hypothermia protects against fulminant hepatitis in mice by reducing reactive oxygen species production. <i>Digestive Diseases</i> , <b>2013</b> , 31, 440-6	3.2	19
398	Guidelines and good clinical practice recommendations for contrast enhanced ultrasound (CEUS) in the liver--update 2012: a WFUMB-EFSUMB initiative in cooperation with representatives of AFSUMB, AIUM, ASUM, FLAUS and ICUS. <i>Ultraschall in Der Medizin</i> , <b>2013</b> , 34, 11-29	3.8	369
397	Radiofrequency ablation of liver metastases from colorectal cancer: a literature review. <i>Gut and Liver</i> , <b>2013</b> , 7, 1-6	4.8	58
396	Novel mouse models of hepatocarcinogenesis with stepwise accumulation of genetic alterations. <i>Digestive Diseases</i> , <b>2013</b> , 31, 454-8	3.2	2
395	Usefulness of the extracted-overlay function in CT/MR-ultrasonography fusion imaging for radiofrequency ablation of hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2013</b> , 31, 485-9	3.2	9
394	Therapeutic response assessment of transcatheter arterial chemoembolization for hepatocellular carcinoma: ultrasonography, CT and MR imaging. <i>Oncology</i> , <b>2013</b> , 84 Suppl 1, 58-63	3.6	21
393	Outcome of double-filtration plasmapheresis plus interferon treatment in nonresponders to pegylated interferon plus ribavirin combination therapy. <i>Digestive Diseases</i> , <b>2013</b> , 31, 434-9	3.2	3
392	Molecular Link between Liver Fibrosis and Hepatocellular Carcinoma. <i>Liver Cancer</i> , <b>2013</b> , 2, 365-6	9.1	37
391	Impact of peginterferon alpha-2b and entecavir hydrate combination therapy on persistent viral suppression in patients with chronic hepatitis B. <i>Journal of Medical Virology</i> , <b>2013</b> , 85, 987-95	19.7	19

390	Senile systemic amyloidosis localized to the stomach. <i>Digestive Endoscopy</i> , <b>2013</b> , 25, 468-9	3.7	2
389	Effect of hepatic arterial infusion chemotherapy of 5-fluorouracil and cisplatin for advanced hepatocellular carcinoma in the Nationwide Survey of Primary Liver Cancer in Japan. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 1904-7	8.7	100
388	Clinical and histological features of different types of Budd-Chiari syndrome: a comparison of 4 cases. <i>Digestive Diseases</i> , <b>2013</b> , 31, 408-14	3.2	5
387	Reactive oxygen species induce epigenetic instability through the formation of 8-hydroxydeoxyguanosine in human hepatocarcinogenesis. <i>Digestive Diseases</i> , <b>2013</b> , 31, 459-66	3.2	61
386	CD34 expression in noncancerous liver tissue predicts multicentric recurrence of hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2013</b> , 31, 467-71	3.2	6
385	Hypovascular hepatic nodules showing hypointense on the hepatobiliary-phase image of Gd-EOB-DTPA-enhanced MRI to develop a hypervascular hepatocellular carcinoma: a nationwide retrospective study on their natural course and risk factors. <i>Digestive Diseases</i> , <b>2013</b> , 31, 472-9	3.2	34
384	Radiofrequency ablation for hepatic malignancies: is needle tract cauterization necessary for preventing iatrogenic bleeding?. <i>Digestive Diseases</i> , <b>2013</b> , 31, 480-4	3.2	7
383	Hepatocellular carcinoma in Child-Pugh C cirrhosis: prognostic factors and survival benefit of nontransplant treatments. <i>Digestive Diseases</i> , <b>2013</b> , 31, 490-8	3.2	20
382	Unique association between global DNA hypomethylation and chromosomal alterations in human hepatocellular carcinoma. <i>PLoS ONE</i> , <b>2013</b> , 8, e72312	3.7	27
381	Phase III trial of linifanib versus sorafenib in patients with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 249-249	2.2	31
380	Efficacy of treatment with rebamipide for endoscopic submucosal dissection-induced ulcers. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 5706-12	5.6	15
379	First interim analysis of the GIDEON (Global Investigation of therapeutic decisions in hepatocellular carcinoma and of its treatment with sorafeNib) non-interventional study. <i>International Journal of Clinical Practice</i> , <b>2012</b> , 66, 675-83	2.9	90
378	Activation of c-Jun N-terminal kinase in non-cancerous liver tissue predicts a high risk of recurrence after hepatic resection for hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2012</b> , 42, 394-400	5.1	8
377	Guideline on the use of new anticancer drugs for the treatment of Hepatocellular Carcinoma 2010 update. <i>Hepatology Research</i> , <b>2012</b> , 42, 523-42	5.1	38
376	Involvement of activation of toll-like receptors and nucleotide-binding oligomerization domain-like receptors in enhanced IgG4 responses in autoimmune pancreatitis. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 914-24		105
375	Quantification of tumor vascularity with contrast-enhanced ultrasound for early response of transcatheter arterial chemoembolization for hepatocellular carcinoma: a report of three cases. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2012</b> , 39, 15-9	1.4	3
374	Activation of JNK and high expression level of CD133 predict a poor response to sorafenib in hepatocellular carcinoma. <i>British Journal of Cancer</i> , <b>2012</b> , 106, 1997-2003	8.7	78
373	A randomized phase II trial of intra-arterial chemotherapy using SM-11355 (Miriplatin) for hepatocellular carcinoma. <i>Investigational New Drugs</i> , <b>2012</b> , 30, 2015-25	4.3	23

372	Assessment of Gd-EOB-DTPA-enhanced MRI for HCC and dysplastic nodules and comparison of detection sensitivity versus MDCT. <i>Journal of Gastroenterology</i> , <b>2012</b> , 47, 1036-47	6.9	69
371	Sensing of commensal organisms by the intracellular sensor NOD1 mediates experimental pancreatitis. <i>Immunity</i> , <b>2012</b> , 37, 326-38	32.3	65
370	Endoscopic ultrasound: contrast enhancement. <i>Gastrointestinal Endoscopy Clinics of North America</i> , <b>2012</b> , 22, 349-58, xi	3.3	25
369	Can the biliary enhancement of Gd-EOB-DTPA predict the degree of liver function?. <i>Hepatobiliary and Pancreatic Diseases International</i> , <b>2012</b> , 11, 307-13	2.1	11
368	Mechanical Model Analysis for Quantitative Evaluation of Liver Fibrosis Based on Ultrasound Tissue Elasticity Imaging. <i>Japanese Journal of Applied Physics</i> , <b>2012</b> , 51, 07GF11	1.4	13
367	Superselective transarterial chemoembolization for hepatocellular carcinoma. Validation of treatment algorithm proposed by Japanese guidelines. <i>Journal of Hepatology</i> , <b>2012</b> , 56, 886-92	13.4	145
366	Treatment response assessment of radiofrequency ablation for hepatocellular carcinoma: usefulness of virtual CT sonography with magnetic navigation. <i>European Journal of Radiology</i> , <b>2012</b> , 81, e277-80	4.7	21
365	Estimation of liver function using T2* mapping on gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid enhanced magnetic resonance imaging. <i>European Journal of Radiology</i> , <b>2012</b> , 81, 1460-47	4.7	31
364	Characteristic patterns of altered DNA methylation predict emergence of human hepatocellular carcinoma. <i>Hepatology</i> , <b>2012</b> , 56, 994-1003	11.2	110
363	Case of Peutz-Jeghers syndrome with depressed-type early duodenal carcinoma. <i>Digestive Endoscopy</i> , <b>2012</b> , 24, 489	3.7	1
362	Characteristic pattern of reactivation of hepatitis B virus during chemotherapy for solid cancers. <i>Digestive Diseases</i> , <b>2012</b> , 30, 541-6	3.2	14
361	Transcatheter endoscopy for pancreaticobiliary duct diseases (with videos). <i>Gastrointestinal Endoscopy</i> , <b>2012</b> , 76, 892-9	5.2	2
360	Septicemia due to <i>Vibrio cholerae</i> serogroup non-O1/non-O139 strain in a cirrhotic patient. <i>Clinical Journal of Gastroenterology</i> , <b>2012</b> , 5, 383-7	1.1	3
359	Treatment of advanced hepatocellular carcinoma with emphasis on hepatic arterial infusion chemotherapy and molecular targeted therapy. <i>Liver Cancer</i> , <b>2012</b> , 1, 62-70	9.1	88
358	p38MAPK suppresses chronic pancreatitis by regulating HSP27 and BAD expression. <i>Free Radical Biology and Medicine</i> , <b>2012</b> , 52, 2284-91	7.8	5
357	Plasma concentrations of angiogenesis-related molecules in patients with pancreatic cancer. <i>Japanese Journal of Clinical Oncology</i> , <b>2012</b> , 42, 105-12	2.8	17
356	Retreatment with peginterferon $\alpha$ -2a + ribavirin in patients who failed previous peginterferon $\alpha$ -2b + ribavirin combination therapy. <i>Digestive Diseases</i> , <b>2012</b> , 30, 554-60	3.2	2
355	Characterization of small solid tumors in the pancreas: the value of contrast-enhanced harmonic endoscopic ultrasonography. <i>American Journal of Gastroenterology</i> , <b>2012</b> , 107, 303-10	0.7	221

354	Gender differences in the livers of patients with hepatocellular carcinoma and chronic hepatitis C infection. <i>Digestive Diseases</i> , <b>2012</b> , 30, 547-53	3.2	3
353	Novel non-trocar technique for laparoscopic radiofrequency ablation. <i>Digestive Diseases</i> , <b>2012</b> , 30, 588-93	3.2	1
352	Viral hepatitis and hepatocellular carcinoma: update in 2012. <i>Digestive Diseases</i> , <b>2012</b> , 30, 539-40	3.2	
351	Risk of hepatocellular carcinoma development in cases of hepatitis C treated by long-term, low-dose PEG-IFN-2a. <i>Digestive Diseases</i> , <b>2012</b> , 30, 561-7	3.2	2
350	Histopathological diagnosis of early HCC through biopsy: efficacy of Victoria blue and cytokeratin 7 staining. <i>Digestive Diseases</i> , <b>2012</b> , 30, 574-9	3.2	10
349	Hepatocellular carcinoma with obstructive jaundice: endoscopic and percutaneous biliary drainage. <i>Digestive Diseases</i> , <b>2012</b> , 30, 592-7	3.2	14
348	Real-life clinical practice with sorafenib in advanced hepatocellular carcinoma: a single-center experience. <i>Digestive Diseases</i> , <b>2012</b> , 30, 609-16	3.2	22
347	Targeted Therapy for Liver Cancer: Updated Review in 2012. <i>Current Cancer Drug Targets</i> , <b>2012</b> , 12, 1062-1072	3.2	3
346	Well-differentiated hepatocellular carcinoma detected as hypovascularity by only CT during hepatic arteriography. <i>Internal Medicine</i> , <b>2012</b> , 51, 885-90	1.1	2
345	Hepatic nodules associated with an inferior mesenteric arteriovenous malformation. <i>Internal Medicine</i> , <b>2012</b> , 51, 2753-5	1.1	3
344	Observations of hepatocellular carcinoma (HCC) management patterns from the global HCC bridge study: First characterization of the full study population.. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 4033-4033	2.2	9
343	Phase I/II study of E7080 (lenvatinib), a multitargeted tyrosine kinase inhibitor, in patients (pts) with advanced hepatocellular carcinoma (HCC): Initial assessment of response rate.. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 320-320	2.2	4
342	Mechanical Model Analysis for Quantitative Evaluation of Liver Fibrosis Based on Ultrasound Tissue Elasticity Imaging. <i>Japanese Journal of Applied Physics</i> , <b>2012</b> , 51, 07GF11	1.4	3
341	Phase Ib dose-escalation study of a phase II randomized trial to assess the safety and tolerability of tigatuzumab (CS-1008) in combination with sorafenib in patients (pts) with advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, e14617-e14617	2.2	
340	Current Status of Hepatocellular Carcinoma Treatment in Japan. <i>Clinical Drug Investigation</i> , <b>2012</b> , 32, 37-51	3.2	1
339	Targeted therapy for liver cancer: updated review in 2012. <i>Current Cancer Drug Targets</i> , <b>2012</b> , 12, 1062-728		21
338	Endoscopic ultrasonography-guided biliary drainage: evaluation of a choledochoduodenostomy technique. <i>Pancreatology</i> , <b>2011</b> , 11 Suppl 2, 47-51	3.8	41
337	Endoscopic ultrasonography and contrast-enhanced endoscopic ultrasonography. <i>Pancreatology</i> , <b>2011</b> , 11 Suppl 2, 28-33	3.8	30

336	Involvement of angiotensin II and reactive oxygen species in pancreatic fibrosis. <i>Pancreatology</i> , <b>2011</b> , 11 Suppl 2, 7-13	3.8	26
335	Estimation of malignant potential of GI stromal tumors by contrast-enhanced harmonic EUS (with videos). <i>Gastrointestinal Endoscopy</i> , <b>2011</b> , 73, 227-37	5.2	81
334	mTOR inhibitor for the treatment of hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2011</b> , 29, 310-5	3.2	19
333	Hepatocellular carcinoma in 2011 and beyond: from the pathogenesis to molecular targeted therapy. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 1-10	3.6	18
332	Management of hepatocellular carcinoma in Japan: Consensus-Based Clinical Practice Guidelines proposed by the Japan Society of Hepatology (JSH) 2010 updated version. <i>Digestive Diseases</i> , <b>2011</b> , 29, 339-64	3.2	627
331	Prevention of Delayed Bleeding After Endoscopic Submucosal Dissection (ESD) for Gastric Tumors. <i>Gastroenterology</i> , <b>2011</b> , 140, S-235	13.3	3
330	Endoscopic ultrasound-guided neurolysis in pancreatic cancer. <i>Pancreatology</i> , <b>2011</b> , 11 Suppl 2, 52-8	3.8	22
329	Association of interleukin-28B and hepatitis C genotype 1 with a high viral load and response to pegylated interferon plus ribavirin therapy. <i>Digestion</i> , <b>2011</b> , 84 Suppl 1, 56-61	3.6	5
328	Phase III study of sorafenib after transarterial chemoembolisation in Japanese and Korean patients with unresectable hepatocellular carcinoma. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 2117-27	7.5	390
327	Management of hepatitis B: Consensus of the Japan Society of Hepatology 2009. <i>Hepatology Research</i> , <b>2011</b> , 41, 1-21	5.1	22
326	Demonstration of quality of care measurement using the Japanese liver cancer registry. <i>Hepatology Research</i> , <b>2011</b> , 41, 1208-15	5.1	15
325	Estimation of liver function using T1 mapping on Gd-EOB-DTPA-enhanced magnetic resonance imaging. <i>Investigative Radiology</i> , <b>2011</b> , 46, 277-83	10.1	155
324	New techniques and future perspective of EUS for the differential diagnosis of pancreatic malignancies: contrast harmonic imaging. <i>Digestive Endoscopy</i> , <b>2011</b> , 23 Suppl 1, 46-50	3.7	42
323	Correlation between hyporesponsiveness to Toll-like receptor ligands and liver dysfunction in patients with chronic hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , <b>2011</b> , 18, e561-7	3.4	16
322	Signaling pathways governing tumor angiogenesis. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 24-9	3.6	133
321	The cancer stem cell marker CD133 is a predictor of the effectiveness of S1+ pegylated interferon $\beta$ -2b therapy against advanced hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , <b>2011</b> , 46, 212-21	6.9	13
320	Phenotype-dependent production of des- $\beta$ -carboxy prothrombin in hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , <b>2011</b> , 46, 1219-29	6.9	8
319	Identifying and prioritizing strategies for comprehensive liver cancer control in Asia. <i>BMC Health Services Research</i> , <b>2011</b> , 11, 298	2.9	13

318	Tissue biomarkers as predictors of outcome and selection of transplant candidates with hepatocellular carcinoma. <i>Liver Transplantation</i> , <b>2011</b> , 17 Suppl 2, S67-71	4.5	18
317	Optimal scanning protocol of arterial dominant phase for hypervascular hepatocellular carcinoma with gadolinium-ethoxybenzyl-diethylenetriamine pentaacetic acid-enhanced MR. <i>Journal of Magnetic Resonance Imaging</i> , <b>2011</b> , 33, 864-72	5.6	16
316	Effect of vitamin K2 on the recurrence of hepatocellular carcinoma. <i>Hepatology</i> , <b>2011</b> , 54, 532-40	11.2	78
315	Recurrence-free survival more than 10 years after liver resection for hepatocellular carcinoma. <i>British Journal of Surgery</i> , <b>2011</b> , 98, 552-7	5.3	65
314	Tailor-made therapy for viral hepatitis: recent advances. <i>Digestion</i> , <b>2011</b> , 84 Suppl 1, 1-4	3.6	2
313	The prognosis of patients with pancreatic cancer is extremely poor. Preface. <i>Pancreatology</i> , <b>2011</b> , 11 Suppl 2, 1-2	3.8	
312	Diagnostic imaging of hepatocellular carcinoma: recent progress. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 73-85	3.6	48
311	Adjuvant therapy after curative treatment for hepatocellular carcinoma. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 50-5	3.6	38
310	Sorafenib inhibits the hepatocyte growth factor-mediated epithelial mesenchymal transition in hepatocellular carcinoma. <i>Molecular Cancer Therapeutics</i> , <b>2011</b> , 10, 169-77	6.1	99
309	Antitumor activity of BIBF 1120, a triple angiokinase inhibitor, and use of VEGFR2+pTyr+ peripheral blood leukocytes as a pharmacodynamic biomarker in vivo. <i>Clinical Cancer Research</i> , <b>2011</b> , 17, 1373-81	12.9	32
308	Oral branched-chain amino acid granules reduce the incidence of hepatocellular carcinoma and improve event-free survival in patients with liver cirrhosis. <i>Digestive Diseases</i> , <b>2011</b> , 29, 326-32	3.2	46
307	Correlation between insulin resistance and outcome of pegylated interferon and ribavirin therapy, hepatic steatosis, hepatic fibrosis in chronic hepatitis C-1b and high viral load. <i>Digestion</i> , <b>2011</b> , 84 Suppl 1, 5-9	3.6	2
306	Radiofrequency ablation of hepatocellular carcinoma: a literature review. <i>International Journal of Hepatology</i> , <b>2011</b> , 2011, 104685	2.7	62
305	Double-Filtration Plasmapheresis plus Interferon- $\alpha$ for HCV-1b Patients with Non-Sustained Virological Response to Previous Combination Therapy. <i>Digestion</i> , <b>2011</b> , 84 Suppl 1, 10-6	3.6	3
304	Clinical characteristics of non-B non-C hepatocellular carcinoma: a single-center retrospective study. <i>Digestion</i> , <b>2011</b> , 84 Suppl 1, 43-9	3.6	17
303	Signaling pathway and molecular-targeted therapy for hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2011</b> , 29, 289-302	3.2	30
302	Future treatment option for hepatocellular carcinoma: a focus on brivanib. <i>Digestive Diseases</i> , <b>2011</b> , 29, 316-20	3.2	9
301	Des- $\beta$ -carboxyprothrombin may be a promising biomarker to determine the therapeutic efficacy of sorafenib for hepatocellular carcinoma. <i>Digestive Diseases</i> , <b>2011</b> , 29, 321-5	3.2	44

300	Complete response of advanced hepatocellular carcinoma with multiple lung metastases treated with sorafenib: a case report. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 152-7	3.6	39
299	Adriamycin enhances proteasome-mediated generation of the proapoptotic processed form of MAGE-A4 in hepatoma cells. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 30-5	3.6	12
298	Molecular targeted therapy for hepatocellular carcinoma: bench to bedside. <i>Digestive Diseases</i> , <b>2011</b> , 29, 273-7	3.2	19
297	Double-contrast ultrasound: a novel surveillance tool for hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , <b>2011</b> , 106, 368-70	0.7	40
296	Usefulness of combination of imaging modalities in the diagnosis of hepatocellular carcinoma using Sonazoid-enhanced ultrasound, gadolinium diethylene-triamine-pentaacetic acid-enhanced magnetic resonance imaging, and contrast-enhanced computed tomography. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 66-72	3.6	30
295	Recent advances in the management of chronic hepatitis B. <i>Hepatitis Monthly</i> , <b>2011</b> , 11, 601-11	1.8	6
294	The status of polycystic liver disease in Japan: a questionnaire survey of patients. <i>Acta Hepatologica Japonica</i> , <b>2011</b> , 52, 709-715	0.3	1
293	Review of dynamic contrast-enhanced ultrasound guidance in ablation therapy for hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , <b>2011</b> , 17, 4952-9	5.6	45
292	Endoscopic characteristics of colorectal serrated lesions. <i>Hepato-Gastroenterology</i> , <b>2011</b> , 58, 1163-7		18
291	Proposed treatment guidance on new anticancer agents for the treatment of hepatocellular carcinoma, 2010 up date. <i>Acta Hepatologica Japonica</i> , <b>2011</b> , 52, 532-551	0.3	
290	Identification and characterization of IgG4-associated autoimmune hepatitis. <i>Liver International</i> , <b>2010</b> , 30, 222-31	7.9	78
289	Age and immunoglobulin G4-associated autoimmune hepatitis: author's response. <i>Liver International</i> , <b>2010</b> , 30, 333-333	7.9	
288	Radiofrequency ablation guided by contrast harmonic sonography using perfluorocarbon microbubbles (Sonazoid) for hepatic malignancies: an initial experience. <i>Liver International</i> , <b>2010</b> , 30, 759-64	7.9	40
287	Design and rationale for the non-interventional Global Investigation of Therapeutic DEcisions in Hepatocellular Carcinoma and Of its Treatment with Sorafenib (GIDEON) study. <i>International Journal of Clinical Practice</i> , <b>2010</b> , 64, 1034-41	2.9	59
286	Phase I/II study of the pharmacokinetics, safety and efficacy of S-1 in patients with advanced hepatocellular carcinoma. <i>Cancer Science</i> , <b>2010</b> , 101, 2606-11	6.9	26
285	The 2008 Okuda lecture: Management of hepatocellular carcinoma: from surveillance to molecular targeted therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2010</b> , 25, 439-52	4	82
284	Pancreatic ductal drainage by endoscopic ultrasound-assisted rendezvous technique for pain caused by ductal stricture with chronic pancreatitis. <i>Digestive Endoscopy</i> , <b>2010</b> , 22, 217-9	3.7	8
283	Response Evaluation Criteria in Cancer of the Liver (RECICL). <i>Acta Hepatologica Japonica</i> , <b>2010</b> , 51, 261-266		17

282	Non-invasive evaluation method of the liver fibrosis using Real-time Tissue Elastography ~Usefulness of judgment liver fibrosis stage by Liver Fibrosis Index (LF index). <i>Acta Hepatologica Japonica</i> , <b>2010</b> , 51, 539-541	0.3	17
281	Diagnosis of pancreatic tumors by endoscopic ultrasonography. <i>World Journal of Radiology</i> , <b>2010</b> , 2, 122-34	2.4	27
280	Hepatic malignancies: Correlation between sonographic findings and pathological features. <i>World Journal of Radiology</i> , <b>2010</b> , 2, 249-56	2.9	25
279	The challenge of prognosis and staging for hepatocellular carcinoma. <i>Oncologist</i> , <b>2010</b> , 15 Suppl 4, 23-33;7	3.7	106
278	Real practice of hepatocellular carcinoma in Japan: conclusions of the Japan Society of Hepatology 2009 Kobe Congress. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 180-8	3.6	44
277	Viral hepatitis A to E: an update in 2010. <i>Intervirolgy</i> , <b>2010</b> , 53, 5-9	2.5	
276	Double-filtration plasmapheresis plus IFN for HCV-1b patients with non-sustained virological response to previous combination therapy: early viral dynamics. <i>Intervirolgy</i> , <b>2010</b> , 53, 44-8	2.5	4
275	Outcome and early viral dynamics with viral mutation in PEG-IFN/RBV therapy for chronic hepatitis in patients with high viral loads of serum HCV RNA genotype 1b. <i>Intervirolgy</i> , <b>2010</b> , 53, 49-54	2.5	8
274	PEG-IFNalpha/RBV combination therapy for chronic hepatitis C patients increases serum ferritin level while it improves sustained viral response rate. <i>Intervirolgy</i> , <b>2010</b> , 53, 60-5	2.5	5
273	Non-invasive evaluation of hepatic fibrosis for type C chronic hepatitis. <i>Intervirolgy</i> , <b>2010</b> , 53, 76-81	2.5	68
272	Liver Cancer Working Group report. <i>Japanese Journal of Clinical Oncology</i> , <b>2010</b> , 40 Suppl 1, i19-27	2.8	51
271	Changing trends in hepatitis C infection over the past 50 years in Japan. <i>Intervirolgy</i> , <b>2010</b> , 53, 39-43	2.5	128
270	Prolonged PEG-IFN and RBV is effective in patients with HCV genotype 1 and high viral load who achieved virological response later than 24 weeks. <i>Intervirolgy</i> , <b>2010</b> , 53, 55-9	2.5	3
269	EUS-guided broad plexus neurolysis over the superior mesenteric artery using a 25-gauge needle. <i>American Journal of Gastroenterology</i> , <b>2010</b> , 105, 2599-606	0.7	67
268	Endoscopic ultrasound (EUS)-guided transluminal endoscopic removal of gallstones. <i>Endoscopy</i> , <b>2010</b> , 42 Suppl 2, E331-2	3.4	9
267	Hepatitis C virus core protein induces homotolerance and cross-tolerance to Toll-like receptor ligands by activation of Toll-like receptor 2. <i>Journal of Infectious Diseases</i> , <b>2010</b> , 202, 853-61	7	37
266	Endoscopic findings of intestinal Behçet's disease complicated with toxic megacolon. <i>Endoscopy</i> , <b>2010</b> , 42 Suppl 2, E173-4	3.4	5
265	Management of hepatocellular carcinoma: from prevention to molecular targeted therapy. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 1-6	3.6	17

264	Newly developed novel ultrasound technique, defect reperfusion ultrasound imaging, using sonazoid in the management of hepatocellular carcinoma. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 40-5	3.6	81
263	Usefulness of the post-vascular phase of contrast-enhanced ultrasonography with sonazoid in the evaluation of gross types of hepatocellular carcinoma. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 53-9	3.6	25
262	Depiction of portal supply in early hepatocellular carcinoma and dysplastic nodule: value of pure arterial ultrasound imaging in hepatocellular carcinoma. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 60-7	3.6	22
261	Contrast-enhanced ultrasound techniques for guiding and assessing response to locoregional treatments for hepatocellular carcinoma. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 68-77	3.6	10
260	Will Gd-EOB-MRI change the diagnostic algorithm in hepatocellular carcinoma?. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 87-93	3.6	65
259	Radiofrequency ablation for hepatocellular carcinoma: assistant techniques for difficult cases. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 94-101	3.6	26
258	Radiofrequency ablation for hepatocellular carcinoma: updated review in 2010. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 113-24	3.6	117
257	Hepatic arterial infusion chemotherapy using low-dose 5-fluorouracil and cisplatin for advanced hepatocellular carcinoma. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 148-53	3.6	72
256	Positioning of a molecular-targeted agent, sorafenib, in the treatment algorithm for hepatocellular carcinoma and implication of many complete remission cases in Japan. <i>Oncology</i> , <b>2010</b> , 78 Suppl 1, 154-66	3.6	83
255	Overall survival after transarterial lipiodol infusion chemotherapy with or without embolization for unresectable hepatocellular carcinoma: propensity score analysis. <i>American Journal of Roentgenology</i> , <b>2010</b> , 194, 830-7	5.4	83
254	EUS-guided in vivo microdialysis of the pancreas: a novel technique with potential diagnostic and therapeutic application. <i>Gastrointestinal Endoscopy</i> , <b>2010</b> , 71, 176-9	5.2	5
253	Characterization of intra-abdominal lesions of undetermined origin by contrast-enhanced harmonic EUS (with videos). <i>Gastrointestinal Endoscopy</i> , <b>2010</b> , 72, 637-42	5.2	43
252	Report of the 18th follow-up survey of primary liver cancer in Japan. <i>Hepatology Research</i> , <b>2010</b> , 40, 1043-1059	3.1	93
251	Management of hepatitis C; Report of the Consensus Meeting at the 45th Annual Meeting of the Japan Society of Hepatology (2009). <i>Hepatology Research</i> , <b>2010</b> , 40, 347-68	5.1	37
250	Management of hepatocellular carcinoma: Report of Consensus Meeting in the 45th Annual Meeting of the Japan Society of Hepatology (2009). <i>Hepatology Research</i> , <b>2010</b> , 40, 667-85	5.1	144
249	Response Evaluation Criteria in Cancer of the Liver (RECICL) proposed by the Liver Cancer Study Group of Japan (2009 Revised Version). <i>Hepatology Research</i> , <b>2010</b> , 40, 686-92	5.1	110
248	Cecal intussusception in an adult with Cronkhite-Canada syndrome relieved by colonoscopy. <i>Internal Medicine</i> , <b>2010</b> , 49, 1123-6	1.1	6
247	Autoimmune thrombocytopenic purpura during pegylated interferon $\alpha$ treatment for chronic hepatitis C. <i>Internal Medicine</i> , <b>2010</b> , 49, 1119-22	1.1	6

246	JSH Consensus Kobe 2009: Diagnosis and Treatment of Hepatitis B. <i>Acta Hepatologica Japonica</i> , <b>2010</b> , 51, 243-260	0.3	
245	Current status of molecularly targeted therapy for hepatocellular carcinoma: clinical practice. <i>International Journal of Clinical Oncology</i> , <b>2010</b> , 15, 242-55	4.2	28
244	Single HCC between 2 and 5 cm: the grey zone: hepatologist's perspective. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2010</b> , 17, 434-7	2.8	3
243	Asian Pacific Association for the Study of the Liver consensus recommendations on hepatocellular carcinoma. <i>Hepatology International</i> , <b>2010</b> , 4, 439-74	8.8	825
242	A novel biomarker TERTmRNA is applicable for early detection of hepatoma. <i>BMC Gastroenterology</i> , <b>2010</b> , 10, 46	3	28
241	PIVKA-II is a predictive marker in the treatment response of sorafenib to hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , <b>2010</b> , 51, 681-683	0.3	6
240	Diagnostic sensitivity of imaging modalities for hepatocellular carcinoma smaller than 2 cm. <i>World Journal of Gastroenterology</i> , <b>2010</b> , 16, 4187-92	5.6	55
239	Radiofrequency ablation of hepatocellular carcinoma: Current status. <i>World Journal of Radiology</i> , <b>2010</b> , 2, 417-24	2.9	70
238	Diagnosis of subepithelial tumors in the upper gastrointestinal tract by endoscopic ultrasonography. <i>World Journal of Radiology</i> , <b>2010</b> , 2, 289-97	2.9	43
237	Elevated serum ALT levels following hyperferritinemia in CHC patients receiving pegylated interferon (PEG-IFN) therapy and availability of phlebotomy. <i>Acta Hepatologica Japonica</i> , <b>2010</b> , 51, 371-378	0.3	
236	JSH Consensus Kobe 2009: Diagnosis and Treatment of Hepatitis C. <i>Acta Hepatologica Japonica</i> , <b>2009</b> , 50, 665-677	0.3	
235	Utility of Gd-EOB-DTPA-Enhanced MRI in Diagnosing Small Hepatocellular Carcinoma. <i>Case Reports in Gastroenterology</i> , <b>2009</b> , 3, 187-192	1	1
234	Percutaneous aspiration and ethanolamine oleate sclerotherapy for sustained resolution of symptomatic polycystic liver disease: an initial experience. <i>American Journal of Roentgenology</i> , <b>2009</b> , 193, 1540-5	5.4	34
233	Value of liver parenchymal phase contrast-enhanced sonography to diagnose premalignant and borderline lesions and overt hepatocellular carcinoma. <i>American Journal of Roentgenology</i> , <b>2009</b> , 192, 698-705	5.4	27
232	Extramedullary plasmacytoma of the colon: a rare cause of gastrointestinal bleeding. <i>Endoscopy</i> , <b>2009</b> , 41 Suppl 2, E306-7	3.4	7
231	Crohn's disease with gastroduodenal mucosa lesions that are similar to the lesions caused by ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , <b>2009</b> , 15, 646-8	4.5	
230	Campylobacter fetus meningitis in a patient with Crohn's disease. <i>Inflammatory Bowel Diseases</i> , <b>2009</b> , 15, 645-6	4.5	10
229	Multistep human hepatocarcinogenesis: correlation of imaging with pathology. <i>Journal of Gastroenterology</i> , <b>2009</b> , 44 Suppl 19, 112-8	6.9	174

228	Small cell carcinoma of the pancreas: role of EUS-FNA and subsequent effective chemotherapy using carboplatin and etoposide. <i>Journal of Gastroenterology</i> , <b>2009</b> , 44, 432-8	6.9	13
227	Well-differentiated hepatocellular carcinoma smaller than 15 mm in diameter totally eradicated with percutaneous ethanol injection instead of radiofrequency ablation. <i>Hepatology International</i> , <b>2009</b> , 3, 411-5	8.8	6
226	Association of genetic polymorphisms with interferon-induced haematologic adverse effects in chronic hepatitis C patients. <i>Journal of Viral Hepatitis</i> , <b>2009</b> , 16, 388-96	3.4	17
225	Prospective comparative study of the EUS guided 25-gauge FNA needle with the 19-gauge Trucut needle and 22-gauge FNA needle in patients with solid pancreatic masses. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2009</b> , 24, 384-90	4	189
224	Present status and future perspective of EUS-guided drainage. <i>Digestive Endoscopy</i> , <b>2009</b> , 21 Suppl 1, S66-70	3.7	9
223	Consensus report of the 2nd International Forum for Liver MRI. <i>European Radiology</i> , <b>2009</b> , 19 Suppl 5, S975-89	8	116
222	Pegylated interferon plus ribavirin combination therapy for chronic hepatitis C with high viral load of serum hepatitis C virus RNA, genotype 1b, discontinued on attaining sustained virological response at week 16 after onset of acute pancreatitis. <i>Digestion</i> , <b>2009</b> , 79, 36-9	3.6	3
221	Hepatectomy versus radiofrequency ablation for early hepatocellular carcinoma: Reply. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 1052-1053	13.4	8
220	Transarterial chemotherapy alone versus transarterial chemoembolization for hepatocellular carcinoma: a randomized phase III trial. <i>Journal of Hepatology</i> , <b>2009</b> , 51, 1030-6	13.4	68
219	Dynamic Imaging By Contrast-Enhanced Harmonic EUS with Long-Lasting Contrast: Role in Diagnosis of Pancreatic Tumors. <i>Gastrointestinal Endoscopy</i> , <b>2009</b> , 69, AB235-AB236	5.2	4
218	FNA Guided By Contrast-Enhanced Harmonic EUS in Pancreatic Tumors. <i>Gastrointestinal Endoscopy</i> , <b>2009</b> , 69, AB328-AB329	5.2	7
217	JSH Consensus Kobe 2009; Diagnosis and Treatment of NASH. <i>Acta Hepatologica Japonica</i> , <b>2009</b> , 50, 741-747	0.3	8
216	Scirrhus hepatocellular carcinoma displaying atypical findings on imaging studies. <i>World Journal of Gastroenterology</i> , <b>2009</b> , 15, 2296-9	5.6	9
215	Small invasive ductal carcinoma of the pancreas distinct from branch duct intraductal papillary mucinous neoplasm. <i>World Journal of Gastroenterology</i> , <b>2009</b> , 15, 5489-92	5.6	16
214	Contrast-enhanced harmonic ultrasound imaging in ablation therapy for primary hepatocellular carcinoma. <i>World Journal of Radiology</i> , <b>2009</b> , 1, 86-91	2.9	11
213	Panel discussion: Management of hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , <b>2009</b> , 50, 407-408		
212	Comparison of an ecabet sodium and proton pump inhibitor (PPI) combination therapy with PPI alone in the treatment of endoscopic submucosal dissection (ESD)--induced ulcers in early gastric cancer: prospective randomized study. <i>Hepato-Gastroenterology</i> , <b>2009</b> , 56, 1270-3		14
211	Foreign body granuloma mimicking disseminated tumour recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>Liver International</i> , <b>2008</b> , 28, 414-5	7.9	3

210	Comparison of three current staging systems for hepatocellular carcinoma: Japan integrated staging score, new Barcelona Clinic Liver Cancer staging classification, and Tokyo score. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2008</b> , 23, 445-52	4	40
209	Comparison of the outcomes between an anatomical subsegmentectomy and a non-anatomical minor hepatectomy for single hepatocellular carcinomas based on a Japanese nationwide survey. <i>Surgery</i> , <b>2008</b> , 143, 469-75	3.6	290
208	Differential diagnosis of hepatic tumors: value of contrast-enhanced harmonic sonography using the newly developed contrast agent, Sonazoid. <i>Intervirolgy</i> , <b>2008</b> , 51 Suppl 1, 61-9	2.5	121
207	A novel perfusion imaging technique of the pancreas: contrast-enhanced harmonic EUS (with video). <i>Gastrointestinal Endoscopy</i> , <b>2008</b> , 67, 141-50	5.2	169
206	Prognostic value of pretreatment levels of tumor markers for hepatocellular carcinoma on survival after curative treatment of patients with HCC. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 223-32	13.4	77
205	Surgical resection vs. percutaneous ablation for hepatocellular carcinoma: a preliminary report of the Japanese nationwide survey. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 589-94	13.4	144
204	Molecular mechanisms of portal vein tolerance. <i>Hepatology Research</i> , <b>2008</b> , 38, 441-9	5.1	8
203	Sonazoid-enhanced Ultrasound in the Diagnosis and Treatment of Hepatic Tumors. <i>Journal of Medical Ultrasound</i> , <b>2008</b> , 16, 130-139	0.8	25
202	Defect Reperfusion Imaging, a Newly Developed Novel Technology using Sonazoid in the Treatment of Hepatocellular Carcinoma. <i>Journal of Medical Ultrasound</i> , <b>2008</b> , 16, 169-176	0.8	20
201	Noninvasive evaluation of hepatic fibrosis using serum fibrotic markers, transient elastography (FibroScan) and real-time tissue elastography. <i>Intervirolgy</i> , <b>2008</b> , 51 Suppl 1, 27-33	2.5	90
200	Usefulness of a new immunoradiometric assay of HCV core antigen to predict virological response during PEG-IFN/RBV combination therapy for chronic hepatitis with high viral load of serum HCV RNA genotype 1b. <i>Intervirolgy</i> , <b>2008</b> , 51 Suppl 1, 70-5	2.5	44
199	Elevated serum ALT levels during pegylated interferon monotherapy may be caused by hepatic iron overload. <i>Intervirolgy</i> , <b>2008</b> , 51 Suppl 1, 76-85	2.5	11
198	Diagnostic accuracy of imaging for liver cirrhosis compared to histologically proven liver cirrhosis. A multicenter collaborative study. <i>Intervirolgy</i> , <b>2008</b> , 51 Suppl 1, 17-26	2.5	102
197	A new prognostic staging system for hepatocellular carcinoma: value of the biomarker combined Japan integrated staging score. <i>Intervirolgy</i> , <b>2008</b> , 51 Suppl 1, 86-94	2.5	35
196	Epidemiology of hepatocellular carcinoma in Japan and Korea. A review. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 13-6	3.6	51
195	Impact of interferon therapy after curative treatment of hepatocellular carcinoma. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 30-41	3.6	21
194	Sonazoid-enhanced ultrasonography for diagnosis of hepatic malignancies: comparison with contrast-enhanced CT. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 42-7	3.6	97
193	Imaging of hepatocellular carcinoma: qualitative and quantitative analysis of postvascular phase contrast-enhanced ultrasonography with sonazoid. Comparison with superparamagnetic iron oxide magnetic resonance images. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 48-54	3.6	33

192	Intranodular blood supply correlates well with biological malignancy grade determined by tumor growth rate in pathologically proven hepatocellular carcinoma. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 55-64	3.6	19
191	Validation of a new prognostic staging system for hepatocellular carcinoma: a comparison of the biomarker-combined Japan Integrated Staging Score, the conventional Japan Integrated Staging Score and the BALAD Score. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 83-90	3.6	49
190	PIVKA-II is the best prognostic predictor in patients with hepatocellular carcinoma after radiofrequency ablation therapy. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 91-8	3.6	19
189	Response evaluation of transcatheter arterial chemoembolization in hepatocellular carcinomas: the usefulness of sonazoid-enhanced harmonic sonography. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 99-105	3.6	50
188	Combination therapy with S-1 and pegylated interferon alpha for advanced hepatocellular carcinoma. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 106-13	3.6	18
187	Long-term follow-up of atypical progressive focal nodular hyperplasia increasing in size and number implicates its pathogenesis. <i>American Journal of Gastroenterology</i> , <b>2008</b> , 103, 2153-5	0.7	6
186	In situ carcinoma of pancreas diagnosed by EUS-FNA. <i>Endoscopy</i> , <b>2008</b> , 40 Suppl 2, E15-6	3.4	5
185	Hepatocellular carcinoma 2009 and beyond: from the surveillance to molecular targeted therapy. <i>Oncology</i> , <b>2008</b> , 75 Suppl 1, 1-12	3.6	95
184	Radiofrequency ablation of hepatocellular carcinoma: value of virtual CT sonography with magnetic navigation. <i>American Journal of Roentgenology</i> , <b>2008</b> , 190, W335-41	5.4	91
183	Intracystic hemorrhage in a patient of polycystic kidney with renocolic fistula diagnosed by contrast-enhanced ultrasonography. <i>Internal Medicine</i> , <b>2008</b> , 47, 1977-9	1.1	4
182	Focal nodular hyperplasia-like lesion with venous washout in alcoholic liver cirrhosis. <i>Internal Medicine</i> , <b>2008</b> , 47, 1899-903	1.1	13
181	Effects of decorin on the expression of alpha-smooth muscle actin in a human myofibroblast cell line. <i>Molecular and Cellular Biochemistry</i> , <b>2008</b> , 308, 201-7	4.2	13
180	Preliminary study of contrast-enhanced harmonic endosonography with second-generation contrast agents. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2008</b> , 35, 11-8	1.4	32
179	Utility of contrast-enhanced endoscopic ultrasonography for diagnosis of small pancreatic carcinomas. <i>Ultrasound in Medicine and Biology</i> , <b>2008</b> , 34, 525-32	3.5	135
178	Long-term outcome of percutaneous ethanol injection therapy for minimum-sized hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 1997-2002	5.6	22
177	Endoscopic findings can predict the efficacy of leukocytapheresis for steroid-naive patients with moderately active ulcerative colitis. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 5316-21	5.6	4
176	Pegylated interferon $\alpha$ -2b/ribavirin combination therapy for elderly patients with chronic hepatitis C with high viral load of HCV genotype 1b. <i>Acta Hepatologica Japonica</i> , <b>2008</b> , 49, 145-152	0.3	
175	The clinical characteristics, endoscopic treatment, and prognosis for patients presenting with duodenal varices. <i>Hepato-Gastroenterology</i> , <b>2008</b> , 55, 959-62		9

174	Multistep progression from a hypovascular nodule to a nodule-in-nodule type hepatocellular carcinoma in hepatitis C-related cirrhosis. <i>Indian Journal of Gastroenterology</i> , <b>2008</b> , 27, 176	1.9	1
173	First attempt of boron neutron capture therapy (BNCT) for hepatocellular carcinoma. <i>Japanese Journal of Clinical Oncology</i> , <b>2007</b> , 37, 376-81	2.8	62
172	A proposal of novel treatment-assist technique for hepatocellular carcinoma in the Sonazoid-enhanced ultrasonography: value of defect re-perfusion imaging. <i>Acta Hepatologica Japonica</i> , <b>2007</b> , 48, 299-301	0.3	22
171	Diagnosis of gallbladder diseases by contrast-enhanced phase-inversion harmonic ultrasonography. <i>Ultrasound in Medicine and Biology</i> , <b>2007</b> , 33, 353-61	3.5	51
170	MIXED INTESTINAL- AND DIFFUSE-TYPE HISTOLOGY IS A RISK FACTOR FOR LYMPH NODE METASTASIS OF SUBMUCOSAL INVASIVE GASTRIC CANCER. <i>Digestive Endoscopy</i> , <b>2007</b> , 20, 17-21	3.7	1
169	Case of rapidly progressed sarcomatoid hepatocellular carcinoma in a young female without risk factor. <i>Liver International</i> , <b>2007</b> , 27, 1428-30	7.9	4
168	Review of 4th Single Topic Conference on HCC. Hepatocellular carcinoma: International consensus and controversies. <i>Hepatology Research</i> , <b>2007</b> , 37 Suppl 2, S83-7	5.1	7
167	Role of tumor markers in assessment of tumor progression and prediction of outcomes in patients with hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2007</b> , 37 Suppl 2, S166-71	5.1	23
166	New sonographic techniques for the diagnosis and treatment of hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2007</b> , 37 Suppl 2, S193-9	5.1	46
165	Review of current staging systems for hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2007</b> , 37 Suppl 2, S210-5	5.1	7
164	International comparison of treatment outcomes based on staging systems. <i>Hepatology Research</i> , <b>2007</b> , 37 Suppl 2, S216-22	5.1	4
163	Management of hepatocellular carcinoma in Japan: consensus-based clinical practice manual proposed by the Japan Society of Hepatology. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 2-15	3.6	149
162	Severe complications of radiofrequency ablation therapy for hepatocellular carcinoma: an analysis of 3,891 ablations in 2,614 patients. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 72-5	3.6	88
161	Outcomes of nontransplant potentially curative therapy for early-stage hepatocellular carcinoma in Child-Pugh stage A cirrhosis is comparable with liver transplantation. <i>Digestive Diseases</i> , <b>2007</b> , 25, 303-9 <sup>3.2</sup>	3.2	25
160	Superiority of CT arteriportal angiography to contrast-enhanced CT and MRI in the diagnosis of hepatocellular carcinoma in nodules smaller than 2 cm. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 58-66	3.6	11
159	What is the best time to evaluate treatment response after radiofrequency ablation of hepatocellular carcinoma using contrast-enhanced sonography?. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 92-7	3.6	15
158	Initial treatment response is essential to improve survival in patients with hepatocellular carcinoma who underwent curative radiofrequency ablation therapy. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 98-103	3.6	78
157	Natural course of small nodular lesions with intranodular preserved portal supply in cirrhotic liver. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 24-9	3.6	7

156	Long-term interferon maintenance therapy improves survival in patients with HCV-related hepatocellular carcinoma after curative radiofrequency ablation. A matched case-control study. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 132-8	3.6	47
155	Contrast harmonic sonography-guided radiofrequency ablation therapy versus B-mode sonography in hepatocellular carcinoma: prospective randomized controlled trial. <i>American Journal of Roentgenology</i> , <b>2007</b> , 188, 489-94	5.4	73
154	Percutaneous radiofrequency ablation of sonographically unidentifiable liver tumors. Feasibility and usefulness of a novel guiding technique with an integrated system of computed tomography and sonographic images. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 111-6	3.6	39
153	Development of a novel assay to quantify serum human telomerase reverse transcriptase messenger RNA and its significance as a tumor marker for hepatocellular carcinoma. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 45-51	3.6	28
152	Endoscopic ultrasound-guided pancreaticogastrostomy reconstruction. <i>Endoscopy</i> , <b>2007</b> , 39 Suppl 1, E70-1	3.4	5
151	Clinical characteristics of NonBNonC- HCC: Comparison with HBV and HCV related HCC. <i>Intervirology</i> , <b>2007</b> , 50, 24-31	2.5	42
150	Antibody to hepatitis B core antigen and risk for hepatitis C-related hepatocellular carcinoma: a prospective study. <i>Annals of Internal Medicine</i> , <b>2007</b> , 146, 649-56	8	110
149	Report of the 17th Nationwide Follow-up Survey of Primary Liver Cancer in Japan. <i>Hepatology Research</i> , <b>2007</b> , 37, 676-91	5.1	323
148	Small hepatocellular carcinoma presenting with massive metastasis in the peritoneum, mimicking sarcomatous tumor. <i>Hepatology Research</i> , <b>2007</b> , 37, 885-9	5.1	3
147	Well-to moderately-differentiated HCC manifesting hyperattenuation on both CT during arteriography and arterial portography. <i>World Journal of Gastroenterology</i> , <b>2007</b> , 13, 5775-8	5.6	5
146	Multistep hepatocarcinogenesis from a dysplastic nodule to well-differentiated hepatocellular carcinoma in a patient with alcohol-related liver cirrhosis. <i>World Journal of Gastroenterology</i> , <b>2007</b> , 13, 1271-4	5.6	10
145	Dissemination of clinical practice guidelines for hepatocellular carcinoma among Japanese hepatologists and liver surgeons. <i>Acta Hepatologica Japonica</i> , <b>2007</b> , 48, 562-570	0.3	
144	Treatment of large and/or multiple hepatic malignancies: open surgical approaches of radiofrequency ablation. <i>Hepato-Gastroenterology</i> , <b>2007</b> , 54, 2358-60		5
143	Prognostic factors for portal venous invasion in patients with hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , <b>2006</b> , 41, 1214-9	6.9	44
142	Early detection and characterization of hepatocellular carcinoma: value of imaging multistep human hepatocarcinogenesis. <i>Intervirology</i> , <b>2006</b> , 49, 64-9	2.5	14
141	Clinical significance of the genotype and core promoter/pre-core mutations in hepatitis B virus carriers. <i>Intervirology</i> , <b>2006</b> , 49, 200-6	2.5	8
140	Staging hepatocellular carcinoma by a novel scoring system (BALAD score) based on serum markers. <i>Clinical Gastroenterology and Hepatology</i> , <b>2006</b> , 4, 1528-36	6.9	74
139	Cecal necrosis due to ischemic colitis mimicking an abscess on sonography. <i>Journal of Ultrasound in Medicine</i> , <b>2006</b> , 25, 393-6	2.9	5

138	WEGENER'S GRANULOMATOSIS COMPLICATED WITH APHTHOID COLITIS. <i>Digestive Endoscopy</i> , <b>2006</b> , 18, 221-224	3.7	1
137	VALUE OF COMPUTED TOMOGRAPHY FOR EVALUATING THE INJECTION SITE IN ENDOSONOGRAPHY-GUIDED CELIAC PLEXUS NEUROLYSIS. <i>Digestive Endoscopy</i> , <b>2006</b> , 18, 206-211	3.7	16
136	A proposal of the modified liver damage classification for hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2006</b> , 34, 124-9	5.1	4
135	Case of adult genotype C HBV carrier after acute hepatitis B, losing HBsAg and acquiring HBsAb after IFN and lamivudine treatment. <i>Hepatology Research</i> , <b>2006</b> , 36, 149-52	5.1	
134	Regulatory failure of serum prohepcidin levels in patients with hepatitis C. <i>Hepatology Research</i> , <b>2006</b> , 36, 288-93	5.1	41
133	Consensus on extra-hepatic portal vein obstruction. <i>Liver International</i> , <b>2006</b> , 26, 512-9	7.9	185
132	Comparison of standard-dose and low-dose gemcitabine regimens in pancreatic adenocarcinoma patients: a prospective randomized trial. <i>Journal of Gastroenterology</i> , <b>2006</b> , 41, 70-6	6.9	22
131	Hepatocellular carcinoma metastasizing to the skull base involving multiple cranial nerves. <i>World Journal of Gastroenterology</i> , <b>2006</b> , 12, 6727-9	5.6	19
130	Primary sclerosing cholangitis and hepatitis C virus infection. <i>Intervirolgy</i> , <b>2005</b> , 48, 268-72	2.5	5
129	Early detection and curative treatment of early-stage hepatocellular carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , <b>2005</b> , 3, S144-8	6.9	37
128	Studies on the variation in clinical laboratory data and safety evaluation of pharmaceuticals. <i>Yakugaku Zasshi</i> , <b>2005</b> , 125, 997-1004	0	1
127	Clinical comparison of branched-chain amino acid (l-Leucine, l-Isoleucine, l-Valine) granules and oral nutrition for hepatic insufficiency in patients with decompensated liver cirrhosis (LIV-EN study). <i>Hepatology Research</i> , <b>2005</b> , 31, 232-40	5.1	40
126	Efficacy of lamivudine for preventing hepatocellular carcinoma in chronic hepatitis B: A multicenter retrospective study of 2795 patients. <i>Hepatology Research</i> , <b>2005</b> , 32, 173-84	5.1	159
125	Multiple hypervascular liver nodules in a heavy drinker of alcohol. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2005</b> , 20, 795-9	4	8
124	Staging for hepatocellular carcinoma: treatment strategy matters. <i>Hepatology</i> , <b>2005</b> , 41, 678; author reply 678-9	11.2	8
123	Reply:. <i>Hepatology</i> , <b>2005</b> , 41, 678-679	11.2	2
122	Vascularity of gastric carcinoma: evaluation using color Doppler ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2005</b> , 32, 23-8	1.4	
121	Multiple metastases from a meningeal hemangiopericytoma associated with severe hypoglycemia. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2005</b> , 32, 187-90	1.4	4

120	Imaging findings of biliary hamartomas (von Meyenburg complexes). <i>Journal of Medical Ultrasonics</i> (2001), <b>2005</b> , 32, 205	1.4	4
119	Hepatic angiomyolipoma: identification of an efferent vessel as a hepatic vein by contrast-enhanced harmonic sonography. <i>Journal of Medical Ultrasonics</i> (2001), <b>2005</b> , 32, 191-6	1.4	3
118	Hemodynamic and morphologic changes of peripheral hepatic vasculature in chronic liver disease: a preliminary study by contrast-enhanced coded phase-inversion harmonic sonography. <i>Journal of Medical Ultrasonics</i> (2001), <b>2005</b> , 32, 197-204	1.4	1
117	Estimation of the malignant potential of gastrointestinal stromal tumors: the value of contrast-enhanced coded phase-inversion harmonics US. <i>Journal of Gastroenterology</i> , <b>2005</b> , 40, 247-55	6.9	31
116	Differential diagnosis of nodular lesions in cirrhotic liver by post-vascular phase contrast-enhanced US with Levovist: comparison with superparamagnetic iron oxide magnetic resonance images. <i>Journal of Gastroenterology</i> , <b>2005</b> , 40, 1139-47	6.9	31
115	Imaging findings of biliary hamartomas. <i>World Journal of Gastroenterology</i> , <b>2005</b> , 11, 6354-9	5.6	79
114	Ischemia of rat stomach mobilizes ECL cell histamine. <i>American Journal of Physiology - Renal Physiology</i> , <b>2005</b> , 288, G1084-90	5.1	18
113	Hepatic angiomyolipoma: identification of an efferent vessel to be hepatic vein by contrast-enhanced harmonic ultrasound. <i>British Journal of Radiology</i> , <b>2005</b> , 78, 956-60	3.4	22
112	Low-dose, long-term, intermittent interferon-alpha-2b therapy after radical treatment by radiofrequency ablation delays clinical recurrence in patients with hepatitis C virus-related hepatocellular carcinoma. <i>Intervirolgy</i> , <b>2005</b> , 48, 64-70	2.5	50
111	Hemodynamic and morphologic changes of peripheral hepatic vasculature in cirrhotic liver disease: a preliminary study using contrast-enhanced coded phase inversion harmonic ultrasonography. <i>World Journal of Gastroenterology</i> , <b>2005</b> , 11, 6348-53	5.6	10
110	Staging system for hepatocellular carcinoma. <i>Acta Hepatologica Japonica</i> , <b>2005</b> , 46, 53-63	0.3	1
109	Forefront of radiofrequency ablation treatment of hepatic cancer. 1. Treatment indication (positioning of the treatment).. <i>Acta Hepatologica Japonica</i> , <b>2005</b> , 46, 160-164	0.3	
108	Well-differentiated HCC manifesting hyperattenuation on CT during arterial portography. <i>Hepato-Gastroenterology</i> , <b>2005</b> , 52, 1559-62		3
107	Characterization of hepatic tumors: value of contrast-enhanced coded phase-inversion harmonic angio. <i>American Journal of Roentgenology</i> , <b>2004</b> , 182, 1019-26	5.4	86
106	Treatment of hepatocellular carcinoma with percutaneous radiofrequency ablation: usefulness of contrast harmonic sonography for lesions poorly defined with B-mode sonography. <i>American Journal of Roentgenology</i> , <b>2004</b> , 183, 153-6	5.4	69
105	Percutaneous radiofrequency ablation guided by contrast-enhanced harmonic sonography with artificial pleural effusion for hepatocellular carcinoma in the hepatic dome. <i>American Journal of Roentgenology</i> , <b>2004</b> , 182, 1224-6	5.4	58
104	Dynamic imaging of pancreatic diseases by contrast enhanced coded phase inversion harmonic ultrasonography. <i>Gut</i> , <b>2004</b> , 53, 854-9	19.2	176
103	Afferent and efferent vessels of premalignant and overt hepatocellular carcinoma: observation by color Doppler imaging. <i>Intervirolgy</i> , <b>2004</b> , 47, 144-53	2.5	15

102	Differentiation of hepatic tumors by color Doppler imaging: role of the maximum velocity and the pulsatility index of the intratumoral blood flow signal. <i>Intervirolgy</i> , <b>2004</b> , 47, 154-61	2.5	13
101	Detection of intratumoral vascularity in small hepatocellular carcinoma by coded phase inversion harmonics. <i>Intervirolgy</i> , <b>2004</b> , 47, 169-78	2.5	11
100	Hepatocellular carcinoma with nodule-in-nodule appearance: demonstration by contrast-enhanced coded phase inversion harmonic imaging. <i>Intervirolgy</i> , <b>2004</b> , 47, 184-90	2.5	11
99	Atypical large well-differentiated hepatocellular carcinoma with benign nature: a new clinical entity. <i>Intervirolgy</i> , <b>2004</b> , 47, 227-37	2.5	19
98	Hypervascular Liver Nodules in Heavy Drinkers of Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2004</b> , 28, 174S-180S	3.7	8
97	Local ablation therapy for hepatocellular carcinoma: current status and future perspectives. <i>Journal of Gastroenterology</i> , <b>2004</b> , 39, 205-14	6.9	81
96	Comparison of argon plasma coagulation and paravariceal injection sclerotherapy with 1% polidocanol in mucosa-fibrosing therapy for esophageal varices. <i>Journal of Gastroenterology</i> , <b>2004</b> , 39, 397-9	6.9	7
95	Multiple tuberculous abscesses of the liver and the brain in a patient with acute leukemia. <i>Journal of Gastroenterology</i> , <b>2004</b> , 39, 497-9	6.9	6
94	Hepatocellular carcinoma that ruptured during radiofrequency ablation therapy. <i>Journal of Gastroenterology</i> , <b>2004</b> , 39, 1015-6	6.9	4
93	Mucin phenotypic expression and background mucosa of esophagogastric junctional adenocarcinoma. <i>Gastric Cancer</i> , <b>2004</b> , 7, 97-103	7.6	8
92	Diagnosis of acute cholecystitis in patients with liver cirrhosis: waveform analysis of the cystic artery by color Doppler imaging. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2004</b> , 31, 21-8	1.4	2
91	Atypical focal spared area in fatty liver: evaluation by color Doppler ultrasonography. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2004</b> , 31, 131-4	1.4	
90	Validation of a new prognostic staging system for hepatocellular carcinoma: the JIS score compared with the CLIP score. <i>Hepatology</i> , <b>2004</b> , 40, 1396-405	11.2	306
89	Anisakis in a biopsy specimen from the edge of a gastric ulcer: report of a case. <i>Gastrointestinal Endoscopy</i> , <b>2004</b> , 60, 854-6	5.2	3
88	Hypervascular liver nodules in heavy drinkers of alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2004</b> , 28, 174S-180S	3.7	3
87	Transcatheter arterial chemoembolization of hepatocellular carcinoma: usefulness of coded phase-inversion harmonic sonography. <i>American Journal of Roentgenology</i> , <b>2003</b> , 180, 703-8	5.4	64
86	Radiofrequency ablation of hepatocellular carcinoma: therapeutic response using contrast-enhanced coded phase-inversion harmonic sonography. <i>American Journal of Roentgenology</i> , <b>2003</b> , 181, 57-63	5.4	96
85	Detection of tumor vascularity in hepatocellular carcinoma with contrast-enhanced Dynamic Flow imaging: Comparison with contrast-enhanced power Doppler imaging. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2003</b> , 30, 141-51	1.4	8

84	Contrast-enhanced agent detection imaging: Early experience in hepatocellular carcinoma. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2003</b> , 30, 77-84	1.4	8
83	Value of new contrast harmonic technique for detecting tumor vascularity in hepatocellular carcinoma: Preliminary results. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2003</b> , 30, 85-92	1.4	7
82	Assessment of image quality of contrast-enhanced power doppler imaging in hepatocellular carcinoma with the personal ultrasound imager: Comparison with the conventional machine. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2003</b> , 30, 31-8	1.4	4
81	Scintigraphic study of regenerative nodules due to fulminant hepatic failure. <i>Journal of Gastroenterology</i> , <b>2003</b> , 38, 695-9	6.9	2
80	Risk of HCV transmission after needlestick injury, and the efficacy of short-duration interferon administration to prevent HCV transmission to medical personnel. <i>Journal of Gastroenterology</i> , <b>2003</b> , 38, 877-9	6.9	23
79	Percutaneous ultrasound-guided radiofrequency ablation with artificial pleural effusion for hepatocellular carcinoma in the hepatic dome. <i>Journal of Gastroenterology</i> , <b>2003</b> , 38, 1066-70	6.9	55
78	Transient portal vein thrombosis caused by radiofrequency ablation for hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , <b>2003</b> , 38, 101-3	6.9	16
77	Prognostic staging system for hepatocellular carcinoma (CLIP score): its value and limitations, and a proposal for a new staging system, the Japan Integrated Staging Score (JIS score). <i>Journal of Gastroenterology</i> , <b>2003</b> , 38, 207-15	6.9	531
76	Stage IV hepatocellular carcinoma with portal venous tumor thrombus: complete response after combined therapy of repeated arterial chemoembolization and radiofrequency ablation. <i>Journal of Gastroenterology</i> , <b>2003</b> , 38, 406-9	6.9	5
75	Spontaneous regurgitation of portal blood flow normalized by meal intake in a patient with alcoholic liver cirrhosis. <i>Hepatology Research</i> , <b>2003</b> , 25, 143-148	5.1	
74	Hepatocellular carcinoma mimicking cavernous hemangioma on angiography and contrast enhanced harmonic ultrasonography. A case report. <i>Hepatology Research</i> , <b>2003</b> , 25, 202-212	5.1	8
73	Hepatocellular carcinoma associated with secondary haemochromatosis in non-cirrhotic liver: a case report. <i>Hepatology Research</i> , <b>2003</b> , 26, 254-258	5.1	14
72	Hepatobiliary and pancreatic: arterioportal fistula causing portal hypertension. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2003</b> , 18, 873	4	2
71	Hepatobiliary and pancreatic: inflammatory pseudotumor of the liver. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2003</b> , 18, 994	4	
70	Hepatobiliary and pancreatic: fatty liver, spared areas and aberrant gastric venous drainage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2003</b> , 18, 1423	4	
69	Characterization of focal hepatic lesions with contrast-enhanced C-cube gray scale ultrasonography. <i>World Journal of Gastroenterology</i> , <b>2003</b> , 9, 1667-74	5.6	13
68	Agent Detection Imaging (ADI) (Acuson Sequoia 512) <b>2003</b> , 128-144		
67	The Roles of Contrast-Enhanced Harmonic Imaging in Treating Hepatocellular Carcinoma <b>2003</b> , 216-242		

66	Contrast Imaging (Toshiba PowerVision 8000 and Aplio) <b>2003</b> , 69-120		
65	Intranodular Hemodynamic Transition Associated with Dedifferentiation of Hepatocellular Carcinoma <b>2003</b> , 12-13		
64	Natural history of untreated hepatocellular carcinoma: A retrospective multicenter study of 195 patients. <i>Acta Hepatologica Japonica</i> , <b>2003</b> , 44, 546-551	0.3	3
63	Intraarterial Contrast-Enhanced Ultrasonography Is the Final Goal of Intravenous Contrast-Enhanced Ultrasonography <b>2003</b> , 1-3		2
62	Application of Contrast-Enhanced Harmonic Imaging in Biliary and Pancreatic Tumors <b>2003</b> , 248-250		
61	Coded Harmonic Angio (GE LOGIQ 700 EXPERT Series) <b>2003</b> , 145-179		
60	Vascularity and Hemodynamics of Liver Tumors as Seen with Intraarterial Contrast-Enhanced Ultrasonography <b>2003</b> , 4-11		
59	Differential Diagnosis of Various Hepatic Tumors by Harmonic Imaging <b>2003</b> , 180-215		
58	Update and Direction of Ultrasonic Contrast Agents <b>2003</b> , 251-253		
57	Contrast Harmonic Imaging in the Diagnosis and Treatment of Hepatic Tumors <b>2003</b> ,		16
56	Harmonic Power Doppler and Other New Techniques on ALOKA ProSound Series <b>2003</b> , 31-68		1
55	Various Contrast-Enhanced Imaging Modes After Administration of Levovist <b>2003</b> , 22-25		10
54	Contrast advanced dynamic flow imaging and contrast pulse subtraction imaging: Preliminary results in hepatic tumors. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2002</b> , 29, 195-204	1.4	8
53	The efferent blood flow of early hepatocellular carcinoma and borderline lesions: Demonstration by color Doppler imaging. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2002</b> , 29, 205-9	1.4	5
52	Evaluation of image quality of personal ultrasound imager: Comparison with the conventional machine. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2002</b> , 29, 41-6	1.4	1
51	Proximal bifurcation of hepatic artery: Novel findings on hepatic arteries demonstrated by ultrasound Doppler imaging, B-flow, and US angiography. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2002</b> , 29, 11-7	1.4	1
50	Development of multicentric hepatocellular carcinoma after completion of interferon therapy. <i>Journal of Gastroenterology</i> , <b>2002</b> , 37, 663-8	6.9	9
49	CEA producing primary hepatic carcinoid. <i>Hepatology Research</i> , <b>2002</b> , 22, 313-321	5.1	10

48	Intrahepatic huge hematoma due to rupture of small hepatocellular adenoma: a case report. <i>Hepatology Research</i> , <b>2002</b> , 23, 145-151	5.1	11
47	Eosinophilic pseudotumor of the liver due to <i>Ascaris suum</i> infection. <i>Hepatology Research</i> , <b>2002</b> , 23, 306	5.1	9
46	Somatic mutation and SNP in the promoter of dbpA and human hepatocarcinogenesis <b>2002</b> , 21, 847		6
45	Imaging blood flow characteristics of hepatocellular carcinoma. <i>Oncology</i> , <b>2002</b> , 62 Suppl 1, 48-56	3.6	43
44	Endoscopic band ligation for control of nonvariceal upper GI hemorrhage: comparison with bipolar electrocoagulation. <i>Gastrointestinal Endoscopy</i> , <b>2002</b> , 55, 214-8	5.2	75
43	Application of contrast-enhanced ultrasonography to the local treatment of hepatocellular carcinoma. <i>Journal of Microwave Surgery</i> , <b>2002</b> , 20, 17-25	0	
42	Agenesis of the left lobe of the liver: Radiologic findings. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2001</b> , 28, 181-183	1.4	
41	Vascularity of advanced gastric carcinoma: evaluation by using power Doppler imaging. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2001</b> , 16, 149-53	4	4
40	Cerebral vascular resistance in hepatic insufficiency. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2001</b> , 16, 845-7	4	4
39	Multicenter prospective analysis of newly diagnosed hepatocellular carcinoma with respect to the percentage of Lens culinaris agglutinin-reactive alpha-fetoprotein. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2001</b> , 16, 1378-83	4	116
38	A case of localized primary sclerosing cholangitis mimicking intrahepatic bile duct cancer. <i>Hepatology Research</i> , <b>2001</b> , 20, 259-264	5.1	3
37	Detection of tumor parenchymal blood flow in hepatic tumors: value of second harmonic imaging with a galactose-based contrast agent. <i>Hepatology Research</i> , <b>2001</b> , 21, 242-251	5.1	18
36	Sonographic diagnosis of pancreatic islet cell tumor: value of intermittent harmonic imaging. <i>Journal of Clinical Ultrasound</i> , <b>2001</b> , 29, 411-6	1	27
35	Intrahepatic spontaneous retrograde portal flow in patients with cirrhosis of the liver: reversal by food intake. <i>American Journal of Roentgenology</i> , <b>2001</b> , 177, 1109-12	5.4	12
34	Hepatocellular carcinoma: depiction of tumor parenchymal flow with intermittent harmonic power Doppler US during the early arterial phase in dual-display mode. <i>Radiology</i> , <b>2001</b> , 220, 349-56	20.5	76
33	Evaluation of posttreatment response of hepatocellular carcinoma with contrast-enhanced coded phase-inversion harmonic US: comparison with dynamic CT. <i>Radiology</i> , <b>2001</b> , 221, 721-30	20.5	124
32	Contrast-enhanced subtraction harmonic sonography for evaluating treatment response in patients with hepatocellular carcinoma. <i>American Journal of Roentgenology</i> , <b>2001</b> , 176, 661-6	5.4	77
31	Riedel's lobe of the liver and its clinical implication. <i>Internal Medicine</i> , <b>2000</b> , 39, 87-8	1.1	14

30	TTV positivity and transfusion history in non-B, non-C hepatocellular carcinoma compared with HBV- and HCV-positive cases. <i>Intervirolgy</i> , <b>2000</b> , 43, 13-5	2.5	10
29	Repeated hepatic arterial chemoembolization therapy for management of a patient with metastatic carcinoid tumors of the liver. <i>American Journal of Gastroenterology</i> , <b>2000</b> , 95, 1842-3	0.7	2
28	Hepatocellular carcinoma transforming from dysplastic nodule with background of non-B non-C chronic persistent hepatitis. <i>Journal of Hepatology</i> , <b>2000</b> , 33, 857-8	13.4	11
27	Imaging diagnosis of hepatocellular carcinoma and premalignant/borderline lesions. <i>Seminars in Liver Disease</i> , <b>1999</b> , 19, 297-309	7.3	94
26	Massive rectal bleeding due to ileal tuberculosis. <i>Journal of Gastroenterology</i> , <b>1999</b> , 34, 525-9	6.9	8
25	Inflammatory pseudotumor of the liver in a patient with chronic hepatitis C: difficulty in differentiating it from hepatocellular carcinoma. <i>Pathology International</i> , <b>1999</b> , 49, 726-30	1.8	15
24	Cronkhite-Canada syndrome associated with triple gastric cancers: a case report. <i>Gastrointestinal Endoscopy</i> , <b>1999</b> , 50, 688-91	5.2	24
23	The Draining Vessel of Advanced Hepatocellular Carcinoma: Assessment of Color Doppler Findings in Comparison with Histopathological Findings.. <i>Acta Hepatologica Japonica</i> , <b>1999</b> , 40, 243-252	0.3	2
22	A case of well-differentiated minute hepatocellular carcinoma with extrahepatic metastasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>1998</b> , 13, 892-6	4	2
21	Hepatocellular carcinomas infected with the novel TT DNA virus lack viral integration. <i>Biochemical and Biophysical Research Communications</i> , <b>1998</b> , 251, 339-43	3.4	40
20	Compartmental analysis of asialoglycoprotein receptor scintigraphy for quantitative measurement of liver function: a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1997</b> , 24, 130-7		44
19	Synthesis and radiolabeling of galactosyl human serum albumin. <i>Methods in Enzymology</i> , <b>1994</b> , 247, 383-94		7
18	Radiopharmaceutical preparation of technetium-99m-labeled galactosyl neoglycoalbumin. <i>Methods in Enzymology</i> , <b>1994</b> , 247, 402-9	1.7	1
17	In vivo quantification of asialoglycoprotein receptor. <i>Methods in Enzymology</i> , <b>1994</b> , 247, 373-82	1.7	3
16	Hepatic Receptor Imaging Using Radiolabeled Asialoglycoprotein Analogs <b>1994</b> , 373-402		0
15	Hepatic angiomyolipoma pre-operatively diagnosed by imaging. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>1993</b> , 8, 483-8	4	23
14	In vivo functional imaging using receptor-binding radiopharmaceuticals. Technetium 99m-galactosyl-neoglycoalbumin as a model. <i>Investigative Radiology</i> , <b>1993</b> , 28, 64-70	10.1	16
13	Quantitative assessment of hepatocellular function through in vivo radioreceptor imaging with technetium 99m galactosyl human serum albumin. <i>Hepatology</i> , <b>1993</b> , 17, 814-819	11.2	56

12	Measurement of functioning hepatocyte mass via [ <sup>99m</sup> Tc]galactosyl-neoglycoalbumin. <i>Digestive Diseases and Sciences</i> , <b>1993</b> , 38, 2183-8	4	3
11	Endoscopic retrograde extraction of common bile duct stones with drip infusion of isosorbide dinitrate. <i>Gastrointestinal Endoscopy</i> , <b>1992</b> , 38, 178-80	5.2	23
10	Hemodynamic characteristics of early stage hepatocellular carcinoma: In vivo evaluation with vascular imagings.. <i>Acta Hepatologica Japonica</i> , <b>1992</b> , 33, 283-291	0.3	5
9	Growth speed of hepatocellular carcinoma. Relationship with arterial vascularity evaluated by US angiography.. <i>Acta Hepatologica Japonica</i> , <b>1992</b> , 33, 758-765	0.3	5
8	Functional hepatic imaging with receptor-binding radiopharmaceutical: clinical potential as a measure of functioning hepatocyte mass. <i>Gastroenterologia Japonica</i> , <b>1991</b> , 26, 734-41		4 <sup>0</sup>
7	Hepatic uptake of [ <sup>99m</sup> Tc]galactosyl-neoglycoalbumin is sensitive to receptor quantity. <i>International Journal of Radiation Applications and Instrumentation Part B, Nuclear Medicine and Biology</i> , <b>1991</b> , 18, 663-6		3
6	In Vivo Measurement of Hepatic Binding Protein Using Galactosyl-Neoglycoalbumin: Clinical Application as a New Liver Function Test.. <i>Trends in Glycoscience and Glycotechnology</i> , <b>1991</b> , 3, 193-199	0.1	
5	Avid accumulation of Ga-67 citrate in adenocarcinoma of pancreas. <i>Clinical Nuclear Medicine</i> , <b>1989</b> , 14, 843-5	1.7	4
4	Evaluation of asialoglycoprotein receptor-binding, synthetic radiolabeled glycoprotein in estimating hepatic functional reserve.. <i>Acta Hepatologica Japonica</i> , <b>1987</b> , 28, 1277-1286	0.3	3
3	Accumulation of Tc-99m methylene diphosphonate in calcified metastatic lesions of the liver from colonic carcinoma. Comparison with calcification on X-ray computed tomogram. <i>Clinical Nuclear Medicine</i> , <b>1985</b> , 10, 9-12	1.7	9
2	Final Results of TACTICS: A Randomized, Prospective Trial Comparing Transarterial Chemoembolization Plus Sorafenib to Transarterial Chemoembolization Alone in Patients with Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> ,	9.1	3
1	Tremelimumab plus Durvalumab in Unresectable Hepatocellular Carcinoma		12