Stanley M H Chan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4360810/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. Diabetologia, 2009, 52, 1409-1418.	6.3	535
2	HSP72 protects against obesity-induced insulin resistance. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 1739-1744.	7.1	477
3	Interleukin-6-deficient mice develop hepatic inflammation and systemic insulin resistance. Diabetologia, 2010, 53, 2431-2441.	6.3	283
4	Skeletal myocytes are a source of interleukinâ€6 mRNA expression and protein release during contraction: evidence of fiber type specificity. FASEB Journal, 2004, 18, 992-994.	0.5	227
5	Activation of PPARα Ameliorates Hepatic Insulin Resistance and Steatosis in High Fructose–Fed Mice Despite Increased Endoplasmic Reticulum Stress. Diabetes, 2013, 62, 2095-2105.	0.6	125
6	Altering dietary nutrient intake that reduces glycogen content leads to phosphorylation of nuclear p38 MAP kinase in human skeletal muscle: association with ILâ€6 gene transcription during contraction. FASEB Journal, 2004, 18, 1785-1787.	0.5	100
7	Differing Endoplasmic Reticulum Stress Response to Excess Lipogenesis versus Lipid Oversupply in Relation to Hepatic Steatosis and Insulin Resistance. PLoS ONE, 2012, 7, e30816.	2.5	88
8	Contraction-induced Interleukin-6 Gene Transcription in Skeletal Muscle Is Regulated by c-Jun Terminal Kinase/Activator Protein-1. Journal of Biological Chemistry, 2012, 287, 10771-10779.	3.4	87
9	Reduced glycogen availability is associated with increased AMPKα2 activity, nuclear AMPKα2 protein abundance, and GLUT4 mRNA expression in contracting human skeletal muscle. Applied Physiology, Nutrition and Metabolism, 2006, 31, 302-312.	1.9	83
10	Pathobiological mechanisms underlying metabolic syndrome (MetS) in chronic obstructive pulmonary disease (COPD): clinical significance and therapeutic strategies. , 2019, 198, 160-188.		81
11	βâ€∎drenergic stimulation of skeletal muscle HSL can be overridden by AMPK signaling. FASEB Journal, 2004, 18, 1445-1446.	0.5	68
12	Cigarette Smoking Exacerbates Skeletal Muscle Injury without Compromising Its Regenerative Capacity. American Journal of Respiratory Cell and Molecular Biology, 2020, 62, 217-230.	2.9	45
13	System-L amino acid transporters play a key role in pancreatic β-cell signalling and function. Journal of Molecular Endocrinology, 2016, 56, 175-187.	2.5	42
14	Screening for the efficacy on lipid accumulation in 3T3-L1 cells is an effective tool for the identification of new anti-diabetic compounds. Biochemical Pharmacology, 2012, 84, 830-837.	4.4	41
15	Increasing leucine concentration stimulates mechanistic target of rapamycin signaling and cell growth in C2C12 skeletal muscle cells. Nutrition Research, 2014, 34, 1000-1007.	2.9	34
16	Endoplasmic reticulum stress upâ€regulates Nedd4â€2 to induce autophagy. FASEB Journal, 2016, 30, 2549-2556.	0.5	30
17	Angiotensin II Causes β-Cell Dysfunction Through an ER Stress-Induced Proinflammatory Response. Endocrinology, 2017, 158, 3162-3173.	2.8	25
18	Neonatal overfeeding attenuates acute central pro-inflammatory effects of short-term high fat diet. Frontiers in Neuroscience, 2015, 8, 446.	2.8	24

STANLEY M H CHAN

#	Article	IF	CITATIONS
19	IRE1 impairs insulin signaling transduction of fructose-fed mice via JNK independent of excess lipid. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 156-165.	3.8	23
20	The inositol-requiring enzyme 1 (IRE1α) RNAse inhibitor, 4µ8C, is also a potent cellular antioxidant. Biochemical Journal, 2018, 475, 923-929.	3.7	23
21	Strategies for the Discovery and Development of Anti-Diabetic Drugs from the Natural Products of Traditional Medicines. Journal of Pharmacy and Pharmaceutical Sciences, 2013, 16, 207.	2.1	22
22	Fenofibrate insulates diacylglycerol in lipid droplet/ER and preserves insulin signaling transduction in the liver of high fat fed mice. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 1511-1519.	3.8	21
23	The role of de novo protein synthesis and SIRT1 in ER stress-induced Atf4 and Chop mRNA expression in mammalian cells. Biochimie, 2017, 138, 156-167.	2.6	21
24	3′,4′-dihydroxyflavonol ameliorates endoplasmic reticulum stress-induced apoptosis and endothelial dysfunction in mice. Scientific Reports, 2018, 8, 1818.	3.3	20
25	Ebselen reduces cigarette smokeâ€induced endothelial dysfunction in mice. British Journal of Pharmacology, 2021, 178, 1805-1818.	5.4	11
26	Apocynin prevents cigarette smokingâ€induced loss of skeletal muscle mass and function in mice by preserving proteostatic signalling. British Journal of Pharmacology, 2021, 178, 3049-3066.	5.4	9
27	Cigarette Smoke Exposure Induces Neurocognitive Impairments and Neuropathological Changes in the Hippocampus. Frontiers in Molecular Neuroscience, 2022, 15, .	2.9	9
28	Ebselen prevents cigarette smoke-induced cognitive dysfunction in mice by preserving hippocampal synaptophysin expression. Journal of Neuroinflammation, 2022, 19, 72.	7.2	6
29	Cigarette smoking blocks the benefit from reduced weight gain for insulin action by shifting lipids deposition to muscle. Clinical Science, 2020, 134, 1659-1673.	4.3	4
30	Ebselen abolishes vascular dysfunction in influenza A virus-induced exacerbations of cigarette smoke-induced lung inflammation in mice. Clinical Science, 2022, 136, 537-555.	4.3	4
31	Ebselen prevents cigarette smoke-induced gastrointestinal dysfunction in mice. Clinical Science, 2020, 134, 2943-2957.	4.3	3
32	Influenza A Virus-Driven Airway Inflammation may be Dissociated From Limb Muscle Atrophy in Cigarette Smoke-Exposed Mice. Frontiers in Pharmacology, 2022, 13, 859146.	3.5	1