

Markus Reuber

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4361139/publications.pdf>

Version: 2024-02-01

220
papers

11,983
citations

22548

61
h-index

37326

100
g-index

222
all docs

222
docs citations

222
times ranked

6845
citing authors

#	ARTICLE	IF	CITATIONS
1	Shame in the treatment of patients with psychogenic nonepileptic seizures: The elephant in the room. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022, 94, 176-182.	0.9	8
2	An exploration of the experiences of self-disgust in people with epilepsy. <i>Epilepsy and Behavior</i> , 2022, 126, 108435.	0.9	0
3	Experiences of stigma in people with epilepsy: A meta-synthesis of qualitative evidence. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022, 94, 142-160.	0.9	13
4	Six-month outcomes of the CODES randomised controlled trial of cognitive behavioural therapy for dissociative seizures: A secondary analysis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022, 96, 128-136.	0.9	7
5	Functional Cognitive Disorder: Differential Diagnosis of Common Clinical Presentations. <i>Archives of Clinical Neuropsychology</i> , 2022, 37, 1158-1176.	0.3	6
6	Should a scientific epilepsy journal feature a picture highlighting the war in Ukraine on its front cover?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022, 96, iii.	0.9	2
7	Heterogeneity of patients with functional/dissociative seizures: Three multidimensional profiles. <i>Epilepsia</i> , 2022, 63, 1500-1515.	2.6	11
8	Beyond the medical encounter: can the free association narrative interview method extend psychosocial understandings of non-epileptic attack disorder?. <i>Journal of Psychosocial Studies</i> , 2022, 15, 36-51.	0.2	1
9	Psychological and demographic characteristics of 368 patients with dissociative seizures: data from the CODES cohort. <i>Psychological Medicine</i> , 2021, 51, 2433-2445.	2.7	24
10	Psychogenic nonepileptic seizures in Latin America: A survey describing current practices. <i>Epilepsy and Behavior</i> , 2021, 114, 107150.	0.9	3
11	Characterising spoken responses to an intelligent virtual agent by persons with mild cognitive impairment. <i>Clinical Linguistics and Phonetics</i> , 2021, 35, 237-252.	0.5	4
12	Managing depression and anxiety in people with epilepsy: A survey of epilepsy health professionals by the ILAE Psychology Task Force. <i>Epilepsia Open</i> , 2021, 6, 127-139.	1.3	42
13	Valproate prescribing practices for women with intellectual disability across Europe. <i>Acta Neurologica Scandinavica</i> , 2021, 143, 56-61.	1.0	2
14	Neurologists'™ perceptions of utilising tele-neurology to practice remotely during the COVID-19 pandemic. <i>Patient Education and Counseling</i> , 2021, 104, 452-459.	1.0	30
15	Evidence of objective sleep impairment in nonepileptic attack disorder: A naturalistic prospective controlled study using actigraphy and daily sleep diaries over six nights. <i>Epilepsy and Behavior</i> , 2021, 117, 107867.	0.9	1
16	Cognitive-behavioural therapy compared with standardised medical care for adults with dissociative non-epileptic seizures: the CODES RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-144.	1.3	8
17	Use of suggestive seizure manipulation methods in the investigation of patients with possible psychogenic nonepileptic seizures—An international ILAE survey. <i>Epilepsia Open</i> , 2021, 6, 472-482.	1.3	7
18	Validation of the PHQ-9 in adults with dissociative seizures. <i>Journal of Psychosomatic Research</i> , 2021, 146, 110487.	1.2	7

#	ARTICLE	IF	CITATIONS
19	Reply: Functional cognitive disorder: dementia's blind spot. <i>Brain</i> , 2021, 144, e73.	3.7	2
20	It's both challenging and probably the most rewarding work – A qualitative study of psychological therapy providers' experiences of working with people with dissociative seizures. <i>Epilepsy and Behavior</i> , 2021, 122, 108156.	0.9	1
21	Psychogenic non-epileptic seizures (PNES) in the context of concurrent epilepsy – making the right diagnosis. <i>Acta Epileptologica</i> , 2021, 3, .	0.4	6
22	What do we know about non-epileptic seizures in adults with intellectual disability: A narrative review. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 91, 437-446.	0.9	3
23	Feasibility of using an automated analysis of formulation effort in patients' spoken seizure descriptions in the differential diagnosis of epileptic and nonepileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 91, 141-145.	0.9	10
24	The role of evidence-based guidelines in the diagnosis and treatment of functional neurological disorder. <i>Epilepsy and Behavior Reports</i> , 2021, 16, 100494.	0.5	5
25	How to do things with words: Two seminars on the naming of functional (psychogenic, non-epileptic,) Tj ETQq1 1 102-110.	0.9	15
26	Interoception and stress in patients with Functional Neurological Symptom Disorder. <i>Cognitive Neuropsychiatry</i> , 2021, 26, 75-94.	0.7	12
27	Subjective versus objective measures of distress, arousal and symptom burden in patients with functional seizures and other functional neurological symptom disorder presentations: A systematic review. <i>Epilepsy and Behavior Reports</i> , 2021, 16, 100502.	0.5	7
28	Cochrane systematic review and meta-analysis of the impact of psychological treatment on health-related quality of life in people with epilepsy: an update by the ILAE Psychology Task Force, highlighting methodological changes –. <i>Epileptic Disorders</i> , 2021, 23, 803-811.	0.7	6
29	Developing an intelligent virtual agent to stratify people with cognitive complaints: A comparison of human-patient and intelligent virtual agent-patient interaction. <i>Dementia</i> , 2020, 19, 1173-1188.	1.0	8
30	On the potential of phonetic analysis to distinguish between people with epilepsy and non-epileptic seizures. <i>International Journal of Applied Linguistics</i> , 2020, 30, 92-109.	0.4	1
31	Symptoms of posttraumatic stress disorder in patients with functional neurological symptom disorder. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109907.	1.2	29
32	Drug withdrawal in the epilepsy monitoring unit – The patsalos table. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 75, 75-81.	0.9	14
33	Predicting first attendance at psychiatry appointments in patients with dissociative seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 74, 93-98.	0.9	4
34	Evaluation of LiNES: A New Measure of Trauma, Negative Affect, and Relationship Insecurity Over the Life Span in Persons With FND. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 43-49.	0.9	6
35	Outcome Measures for Functional Neurological Disorder: A Review of the Theoretical Complexities. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 33-42.	0.9	65
36	Catastrophising and repetitive negative thinking tendencies in patients with psychogenic non-epileptic seizures or epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 83, 57-62.	0.9	3

#	ARTICLE	IF	CITATIONS
37	The experience of trial participation, treatment approaches and perceptions of change among participants with dissociative seizures within the CODES randomized controlled trial: A qualitative study. <i>Epilepsy and Behavior</i> , 2020, 111, 107230.	0.9	7
38	Driving a motor vehicle and psychogenic nonepileptic seizures: ILAE Report by the Task Force on Psychogenic Nonepileptic Seizures. <i>Epilepsia Open</i> , 2020, 5, 371-385.	1.3	13
39	A European questionnaire survey on epilepsy monitoring units' current practice for postoperative psychogenic nonepileptic seizures' detection. <i>Epilepsy and Behavior</i> , 2020, 112, 107355.	0.9	2
40	Functional cognitive disorder: dementia's blind spot. <i>Brain</i> , 2020, 143, 2895-2903.	3.7	84
41	The Normativity of Medical Tests: Test Ordering as a Routine Activity in "New Problem" Consultations in Secondary Care. <i>Research on Language and Social Interaction</i> , 2020, 53, 405-424.	1.3	1
42	Psychological treatments for people with epilepsy. <i>The Cochrane Library</i> , 2020, 2020, .	1.5	7
43	Food for thought: Opinions on the past, present and future of carbamazepine. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 83, 242.	0.9	0
44	26...Can an automated assessment of language help distinguish between Functional Cognitive Disorder and early neurodegeneration?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, e18.2-e19.	0.9	1
45	The impact and challenges of the 2018 MHRA statement on the use of sodium valproate in women of childbearing age during the first year of implementation, in a UK epilepsy centre. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 79, 8-13.	0.9	6
46	Periictal responsiveness to the social environment is greater in psychogenic nonepileptic than epileptic seizures. <i>Epilepsia</i> , 2020, 61, 758-765.	2.6	9
47	Outcome measurement in functional neurological disorder: a systematic review and recommendations. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 638-649.	0.9	77
48	Machine learning as a diagnostic decision aid for patients with transient loss of consciousness. <i>Neurology: Clinical Practice</i> , 2020, 10, 96-105.	0.8	25
49	Cognitive behavioural therapy for adults with dissociative seizures (CODES): a pragmatic, multicentre, randomised controlled trial. <i>Lancet Psychiatry</i> , 2020, 7, 491-505.	3.7	175
50	The importance of semiological information based on epileptic seizure history. <i>Epileptic Disorders</i> , 2020, 22, 15-31.	0.7	8
51	Psychoedukation und Psychotherapie. , 2020, , 557-563.		0
52	Dementia detection using automatic analysis of conversations. <i>Computer Speech and Language</i> , 2019, 53, 65-79.	2.9	45
53	Self-compassion and adjustment in epilepsy and psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2019, 100, 106490.	0.9	12
54	Characteristics of 698 patients with dissociative seizures: A UK multicenter study. <i>Epilepsia</i> , 2019, 60, 2182-2193.	2.6	51

#	ARTICLE	IF	CITATIONS
55	Physio4FMD: protocol for a multicentre randomised controlled trial of specialist physiotherapy for functional motor disorder. BMC Neurology, 2019, 19, 242.	0.8	32
56	Development of a patient-reported outcome measure for psychotherapeutic interventions in people with seizures: A mixed methods study. Epilepsy and Behavior, 2019, 99, 106464.	0.9	5
57	Value of witness observations in the differential diagnosis of transient loss of consciousness. Neurology, 2019, 92, e895-e904.	1.5	27
58	A new diagnostic approach for the identification of patients with neurodegenerative cognitive complaints. PLoS ONE, 2019, 14, e0217388.	1.1	26
59	Epileptic seizures and criminal acts: Is there a relationship?. Epilepsy and Behavior, 2019, 97, 15-21.	0.9	12
60	Neurologists'™ experiences of participating in the CODES study" A multicentre randomised controlled trial comparing cognitive behavioural therapy vs standardised medical care for dissociative seizures. Seizure: the Journal of the British Epilepsy Association, 2019, 71, 8-12.	0.9	3
61	Direct and indirect costs associated with stereotactic radiosurgery or open surgery for medial temporal lobe epilepsy: Results from the ROSE trial. Epilepsia, 2019, 60, 1453-1461.	2.6	5
62	Computational Cognitive Assessment: Investigating the Use of an Intelligent Virtual Agent for the Detection of Early Signs of Dementia. , 2019, , .		21
63	Epilepsy and psychogenic nonepileptic seizures. , 2019, , 343-366.		1
64	Coping with stress: A pilot study of a self-help stress management intervention for patients with epileptic or psychogenic nonepileptic seizures. Epilepsy and Behavior, 2019, 94, 169-177.	0.9	9
65	Dissociative (non-epileptic) seizures: tackling common challenges after the diagnosis. Practical Neurology, 2019, 19, 332-341.	0.5	18
66	Screening for functional neurological disorders by questionnaire. Journal of Psychosomatic Research, 2019, 119, 65-73.	1.2	4
67	The influence of attachment style and relationship quality on quality of life and psychological distress in carers of people with epileptic and nonepileptic seizures. Epilepsy and Behavior, 2019, 93, 16-21.	0.9	9
68	24"Relationship between interoception and stress in patients with functional neurological symptom disorder. , 2019, , .		0
69	3" The comorbidity between epilepsy and dissociative seizures. , 2019, , .		0
70	Patients'™ accounts of memory lapses in interactions between neurologists and patients with functional memory disorders. Sociology of Health and Illness, 2019, 41, 249-265.	1.1	8
71	Stress and functional neurological disorders: mechanistic insights. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 813-821.	0.9	84
72	The aetiology of psychogenic non"epileptic seizures: risk factors and comorbidities. Epileptic Disorders, 2019, 21, 529-547.	0.7	49

#	ARTICLE	IF	CITATIONS
73	Diagnostic and treatment services for patients with Psychogenic Nonepileptic Seizures (PNES): A survey of health professionals in urban China. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 56, 78-87.	0.9	4
74	Following the patient's orders? Recommending vs. offering choice in neurology outpatient consultations. <i>Social Science and Medicine</i> , 2018, 205, 8-16.	1.8	15
75	Changes in Emotion Processing following Brief Augmented Psychodynamic Interpersonal Therapy for Functional Neurological Symptoms. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 350-366.	0.9	11
76	Health related quality of life of people with non-epileptic seizures: The role of socio-demographic characteristics and stigma. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 55, 93-99.	0.9	27
77	Phenytoin-related ataxia in patients with epilepsy: clinical and radiological characteristics. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 56, 26-30.	0.9	15
78	The first seizure as an indicator of epilepsy. <i>Current Opinion in Neurology</i> , 2018, 31, 156-161.	1.8	8
79	An Interactional Profile to Assist the Differential Diagnosis of Neurodegenerative and Functional Memory Disorders. <i>Alzheimer Disease and Associated Disorders</i> , 2018, 32, 197-206.	0.6	24
80	Cochrane systematic review and meta-analysis of the impact of psychological treatments for people with epilepsy on health-related quality of life. <i>Epilepsia</i> , 2018, 59, 315-332.	2.6	76
81	Written Accounts of Living With Epilepsy or Psychogenic Nonepileptic Seizures: A Thematic Comparison. <i>Qualitative Health Research</i> , 2018, 28, 950-962.	1.0	13
82	The frequency and management of seizures during psychological treatment among patients with psychogenic nonepileptic seizures and epilepsy. <i>Epilepsia</i> , 2018, 59, 844-853.	2.6	14
83	Radiosurgery versus open surgery for mesial temporal lobe epilepsy: The randomized, controlled <scp>ROSE</scp> trial. <i>Epilepsia</i> , 2018, 59, 1198-1207.	2.6	83
84	Trauma, traumatisation, and functional neurological symptom disorder—what are the links?. <i>Lancet Psychiatry</i> , 2018, 5, 288-289.	3.7	5
85	Distinctive neuropsychological profiles differentiate patients with functional memory disorder from patients with amnesic-mild cognitive impairment. <i>Acta Neuropsychiatrica</i> , 2018, 30, 90-96.	1.0	22
86	Access to diagnostic and therapeutic facilities for psychogenic nonepileptic seizures: An international survey by the <scp>ILAE PNES</scp> Task Force. <i>Epilepsia</i> , 2018, 59, 203-214.	2.6	89
87	Quantitative expression and localization of GABAB receptor protein subunits in hippocampi from patients with refractory temporal lobe epilepsy. <i>Neuropharmacology</i> , 2018, 136, 117-128.	2.0	11
88	Emergency hospital care for adults with suspected seizures in the NHS in England 2007–2013: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e023352.	0.8	34
89	Visual field defects after radiosurgery versus temporal lobectomy for mesial temporal lobe epilepsy: Findings of the ROSE trial. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 63, 62-67.	0.9	11
90	Narrative analysis of written accounts about living with epileptic or psychogenic nonepileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 62, 59-65.	0.9	11

#	ARTICLE	IF	CITATIONS
91	Correct Diagnosis of Psychogenic Nonepileptic Seizures. <i>International Journal of Epilepsy</i> , 2018, 05, 112-113.	0.5	0
92	Experience of psychogenic nonepileptic seizures in the Canadian league against epilepsy: A survey describing current practices by neurologists and epileptologists. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 61, 227-233.	0.9	7
93	Health care practitionersâ€™ perceptions of psychogenic nonepileptic seizures: A systematic review of qualitative and quantitative studies. <i>Epilepsia</i> , 2018, 59, 1109-1123.	2.6	51
94	Cortical thickness and gyrification patterns in patients with psychogenic non-epileptic seizures. <i>Neuroscience Letters</i> , 2018, 678, 124-130.	1.0	21
95	â€œSeizures have become a means of somehow learning things about myselfâ€” A qualitative study of the development of self-efficacy and mastery during a psychotherapeutic intervention for people with epilepsy. <i>Epilepsy and Behavior</i> , 2018, 84, 152-161.	0.9	21
96	Emotion dysregulation in patients with psychogenic nonepileptic seizures: A systematic review based on the extended process model. <i>Epilepsy and Behavior</i> , 2018, 86, 37-48.	0.9	34
97	Diagnostic criteria to aid the differential diagnosis of patients presenting with transient loss of consciousness: A systematic review. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 61, 139-148.	0.9	29
98	Generating the perception of choice: the remarkable malleability of optionâ€listing. <i>Sociology of Health and Illness</i> , 2018, 40, 1250-1267.	1.1	23
99	Current Concepts in Diagnosis and Treatment of Functional Neurological Disorders. <i>JAMA Neurology</i> , 2018, 75, 1132.	4.5	455
100	A pilot randomised controlled trial of a home-based writing intervention for individuals with seizures. <i>Psychology and Health</i> , 2018, 33, 1151-1171.	1.2	4
101	Cognitive-behavioural therapy does meaningfully reduce depression in people with epilepsy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 1127-1127.	0.9	1
102	Psychological treatments for adults and children with epilepsy: Evidenceâ€based recommendations by the International League Against Epilepsy Psychology Task Force. <i>Epilepsia</i> , 2018, 59, 1282-1302.	2.6	94
103	Comorbid depression and associated factors in PNES versus epilepsy: Systematic review and meta-analysis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 60, 44-56.	0.9	52
104	Evaluating nuanced practices for initiating decision-making in neurology clinics: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2018, 6, 1-148.	1.4	7
105	Seizure â€” European Journal of Epilepsy at age 25: Where are we now and where we are going?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 44, 1-3.	0.9	0
106	Predictors of health-related quality of life in patients with epilepsy and psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2017, 68, 153-158.	0.9	65
107	Toward the Automation of Diagnostic Conversation Analysis in Patients with Memory Complaints. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 373-387.	1.2	37
108	Diurnal patterns and relationships between physiological and self-reported stress in patients with epilepsy and psychogenic non-epileptic seizures. <i>Epilepsy and Behavior</i> , 2017, 70, 204-211.	0.9	12

#	ARTICLE	IF	CITATIONS
109	PNES around the world: Where we are now and how we can close the diagnosis and treatment gaps – an ILAE PNES Task Force report. <i>Epilepsia Open</i> , 2017, 2, 307-316.	1.3	114
110	Proposal for best practice in the use of video-EEG when psychogenic non-epileptic seizures are a possible diagnosis. <i>Clinical Neurophysiology Practice</i> , 2017, 2, 130-139.	0.6	16
111	Written accounts of living with epilepsy: A thematic analysis. <i>Epilepsy and Behavior</i> , 2017, 72, 63-70.	0.9	17
112	Attachment style, relationship quality, and psychological distress in patients with psychogenic non-epileptic seizures versus epilepsy. <i>Epilepsy and Behavior</i> , 2017, 66, 120-126.	0.9	47
113	Cross-sectional study of the hospital management of adult patients with a suspected seizure (EPIC2). <i>BMJ Open</i> , 2017, 7, e015696.	0.8	27
114	Deconstructing stigma in psychogenic nonepileptic seizures: An exploratory study. <i>Epilepsy and Behavior</i> , 2017, 74, 167-172.	0.9	32
115	Neuroimaging studies in patients with psychogenic non-epileptic seizures: A systematic meta-review. <i>NeuroImage: Clinical</i> , 2017, 16, 210-221.	1.4	65
116	Written accounts of living with psychogenic nonepileptic seizures: A thematic analysis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 50, 83-91.	0.9	23
117	COgnitive behavioural therapy versus standardised medical care for adults with Dissociative non-Epileptic Seizures (CODES): statistical and economic analysis plan for a randomised controlled trial. <i>Trials</i> , 2017, 18, 258.	0.7	13
118	Understanding psychogenic nonepileptic seizures – Phenomenology, semiology and the Integrative Cognitive Model. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 44, 199-205.	0.9	87
119	Early Seizure Detection Based on Cardiac Autonomic Regulation Dynamics. <i>Frontiers in Physiology</i> , 2017, 8, 765.	1.3	52
120	Non-epileptic attack disorder: the importance of diagnosis and treatment. <i>BMJ Case Reports</i> , 2017, 2017, bcr2016218278.	0.2	8
121	Correlates of health-related quality of life in adults with psychogenic nonepileptic seizures: A systematic review. <i>Epilepsia</i> , 2016, 57, 171-181.	2.6	82
122	The role of companions in outpatient seizure clinic interactions: A pilot study. <i>Epilepsy and Behavior</i> , 2016, 60, 86-93.	0.9	10
123	A multicenter evaluation of a brief manualized psychoeducation intervention for psychogenic nonepileptic seizures delivered by health professionals with limited experience in psychological treatment. <i>Epilepsy and Behavior</i> , 2016, 63, 50-56.	0.9	21
124	What patients say about living with psychogenic nonepileptic seizures: A systematic synthesis of qualitative studies. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 41, 100-111.	0.9	75
125	Value of patient-reported symptoms in the diagnosis of transient loss of consciousness. <i>Neurology</i> , 2016, 87, 625-633.	1.5	51
126	Antibody-associated epilepsies: Clinical features, evidence for immunotherapies and future research questions. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 41, 26-41.	0.9	43

#	ARTICLE	IF	CITATIONS
127	Neurologists can identify diagnostic linguistic features during routine seizure clinic interactions: results of a one-day teaching intervention. <i>Epilepsy and Behavior</i> , 2016, 64, 257-261.	0.9	26
128	Cross-sectional study of the prehospital management of adult patients with a suspected seizure (EPIC1). <i>BMJ Open</i> , 2016, 6, e010573.	0.8	41
129	Towards an integrative theory of psychogenic non-epileptic seizures (PNES). <i>Clinical Psychology Review</i> , 2016, 47, 55-70.	6.0	184
130	Conversational assessment in memory clinic encounters: interactional profiling for differentiating dementia from functional memory disorders. <i>Aging and Mental Health</i> , 2016, 20, 500-509.	1.5	92
131	Psychological and psychiatric aspects of psychogenic non-epileptic seizures (PNES): A systematic review. <i>Clinical Psychology Review</i> , 2016, 45, 157-182.	6.0	201
132	Do patients want choice? An observational study of neurology consultations. <i>Patient Education and Counseling</i> , 2016, 99, 1170-1178.	1.0	10
133	Clinical experience with adjunctive perampanel in adult patients with uncontrolled epilepsy: A UK and Ireland multicentre study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 34, 1-5.	0.9	56
134	Psychogenic Non-epileptic Seizures: How Doctors Use Medical Labels when They Communicate and Explain the Diagnosis. , 2016, , 209-226.		2
135	A brief conversation analytic communication intervention can change history-taking in the seizure clinic. <i>Epilepsy and Behavior</i> , 2015, 52, 62-67.	0.9	26
136	Functional (Psychogenic) Cognitive Disorders: A Perspective from the Neurology Clinic. <i>Journal of Alzheimer's Disease</i> , 2015, 48, S5-S17.	1.2	83
137	PATIENT SATISFACTION WITH MEDICAL ENCOUNTERS IN NEUROLOGY OUTPATIENT CLINICS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, e4.163-e4.	0.9	0
138	A prospective, multicenter study of cardiac-based seizure detection to activate vagus nerve stimulation. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 32, 52-61.	0.9	161
139	Differences in illness perceptions between patients with non-epileptic seizures and functional limb weakness. <i>Journal of Psychosomatic Research</i> , 2015, 79, 246-249.	1.2	27
140	Economic evaluation of a behavior-modifying intervention to enhance antiepileptic drug adherence. <i>Epilepsy and Behavior</i> , 2015, 45, 180-186.	0.9	12
141	Epilepsy service provision in the National Health Service in England in 2012. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 30, 26-31.	0.9	9
142	Towards diagnostic conversational profiles of patients presenting with dementia or functional memory disorders to memory clinics. <i>Patient Education and Counseling</i> , 2015, 98, 1071-1077.	1.0	55
143	Differences in relatives' and patients' illness perceptions in functional neurological symptom disorders compared with neurological diseases. <i>Epilepsy and Behavior</i> , 2015, 42, 159-164.	0.9	22
144	Implicit and explicit self-esteem discrepancies in people with psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2015, 46, 109-117.	0.9	13

#	ARTICLE	IF	CITATIONS
145	New insights into psychogenic nonepileptic seizures 2011â€“2014. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 29, 69-80.	0.9	30
146	Emotion processing and psychogenic non-epileptic seizures: A cross-sectional comparison of patients and healthy controls. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 29, 4-10.	0.9	50
147	A prospective service evaluation of acceptance and commitment therapy for patients with refractory epilepsy. <i>Epilepsy and Behavior</i> , 2015, 46, 234-241.	0.9	41
148	COgnitive behavioural therapy vs standardised medical care for adults with Dissociative non-Epileptic Seizures (CODES): a multicentre randomised controlled trial protocol. <i>BMC Neurology</i> , 2015, 15, 98.	0.8	77
149	Cognitive impairment in adults with epilepsy: The relationship between subjective and objective assessments of cognition. <i>Epilepsy and Behavior</i> , 2015, 52, 9-13.	0.9	36
150	Epilepsy research methods update: Understanding the causes of epileptic seizures and identifying new treatments using non-mammalian model organisms. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 24, 44-51.	0.9	62
151	Pre-hospital care after a seizure: Evidence base and United Kingdom management guidelines. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 24, 82-87.	0.9	16
152	Delivering patient choice in clinical practice: a conversation analytic study of communication practices used in neurology clinics to involve patients in decision-making. <i>Health Services and Delivery Research</i> , 2015, 3, 1-170.	1.4	26
153	A Conversation Analytic Intervention to Help Neurologists Identify Diagnostically Relevant Linguistic Features in Seizure Patientsâ€™ Talk. <i>Research on Language and Social Interaction</i> , 2014, 47, 266-279.	1.3	32
154	Memory difficulties are not always a sign of incipient dementia: a review of the possible causes of loss of memory efficiency. <i>British Medical Bulletin</i> , 2014, 112, 71-81.	2.7	54
155	Alterations of consciousness in psychogenic nonepileptic seizures: Emotion, emotion regulation and dissociation. <i>Epilepsy and Behavior</i> , 2014, 30, 43-49.	0.9	74
156	Patient perceptions of the referral of older adults to an epilepsy clinic: Do patients and professionals agree who should be referred to a specialist?. <i>Epilepsy and Behavior</i> , 2014, 34, 120-123.	0.9	8
157	Understanding the perceived treatment needs of patients with psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2014, 31, 295-303.	0.9	30
158	Some reflections on the 15th birthday of <i>Epilepsy & Behavior</i> . <i>Epilepsy and Behavior</i> , 2014, 40, 65.	0.9	0
159	Anxiety and avoidance in psychogenic nonepileptic seizures: The role of implicit and explicit anxiety. <i>Epilepsy and Behavior</i> , 2014, 33, 77-86.	0.9	71
160	Emotional dysregulation, alexithymia, and attachment in psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2013, 29, 178-183.	0.9	88
161	Minimum requirements for the diagnosis of psychogenic nonepileptic seizures: A staged approach. <i>Epilepsia</i> , 2013, 54, 2005-2018.	2.6	601
162	Patients' and neurologists' perception of epilepsy and psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2013, 54, 708-717.	2.6	72

#	ARTICLE	IF	CITATIONS
163	The role of stress as a trigger for epileptic seizures: A narrative review of evidence from human and animal studies. <i>Epilepsia</i> , 2013, 54, 1866-1876.	2.6	101
164	A feasibility study of a brief psycho-educational intervention for psychogenic nonepileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013, 22, 760-765.	0.9	42
165	Functional symptoms in neurology: mimics and chameleons. <i>Practical Neurology</i> , 2013, 13, 104-113.	0.5	53
166	Management of psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2013, 54, 53-67.	2.6	239
167	Initiating decision-making in neurology consultations: "recommending" versus "option-listing" and the implications for medical authority. <i>Sociology of Health and Illness</i> , 2013, 35, 873-890.	1.1	81
168	Recent progress in the understanding and treatment of nonepileptic seizures. <i>Current Opinion in Psychiatry</i> , 2012, 25, 244-250.	3.1	41
169	Comparison of heart rate variability parameters during complex partial seizures and psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2012, 53, 1314-1321.	2.6	103
170	Illness perceptions of neurologists and psychiatrists in relation to epilepsy and nonepileptic attack disorder. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012, 21, 104-109.	0.9	35
171	Understanding patient perceptions following a psycho-educational intervention for psychogenic non-epileptic seizures. <i>Epilepsy and Behavior</i> , 2012, 23, 487-493.	0.9	30
172	Catastrophising and normalising in patient's accounts of their seizure experiences. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012, 21, 795-801.	0.9	39
173	Differential Diagnosis of Epilepsy. , 2012, , 81-94.		15
174	How do neurologists discuss functional symptoms with their patients: A conversation analytic study. <i>Journal of Psychosomatic Research</i> , 2011, 71, 377-383.	1.2	60
175	Offering patients choices: A pilot study of interactions in the seizure clinic. <i>Epilepsy and Behavior</i> , 2011, 20, 312-320.	0.9	44
176	Illness perceptions of health care workers in relation to epileptic and psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2011, 20, 668-673.	0.9	52
177	Psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2011, 22, 85-93.	0.9	82
178	Management of patients with nonepileptic attack disorder in the United Kingdom: A survey of health care professionals. <i>Epilepsy and Behavior</i> , 2011, 21, 402-406.	0.9	69
179	Heart rate variability measures as biomarkers in patients with psychogenic nonepileptic seizures: Potential and limitations. <i>Epilepsy and Behavior</i> , 2011, 22, 685-691.	0.9	70
180	Psychogenic nonepileptic seizure manifestations reported by patients and witnesses. <i>Epilepsia</i> , 2011, 52, 2028-2035.	2.6	86

#	ARTICLE	IF	CITATIONS
181	Are there interactional reasons why doctors may find it hard to tell patients that their physical symptoms may have emotional causes? A conversation analytic study in neurology outpatients. <i>Patient Education and Counseling</i> , 2011, 85, e189-e200.	1.0	65
182	Metaphors in the description of seizure experiences: Common expressions and differential diagnosis. <i>Language and Cognition</i> , 2011, 3, 209-233.	0.2	22
183	Consciousness in non-epileptic attack disorder. <i>Behavioural Neurology</i> , 2011, 24, 95-106.	1.1	4
184	Acceptability and effectiveness of a strategy for the communication of the diagnosis of psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2010, 51, 70-78.	2.6	167
185	Long-term outcome of brief augmented psychodynamic interpersonal therapy for psychogenic nonepileptic seizures: Seizure control and health care utilization. <i>Epilepsia</i> , 2010, 51, 1169-1176.	2.6	132
186	Do older adults have equitable access to specialist epilepsy services?. <i>Epilepsia</i> , 2010, 51, 2341-2343.	2.6	18
187	The influence of cognitive impairment on health-related quality of life in neurological disease. <i>Acta Neuropsychiatrica</i> , 2010, 22, 2-13.	1.0	119
188	Seizure metaphors differ in patients' accounts of epileptic and psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2009, 50, 994-1000.	2.6	73
189	Conversation analysis can help to distinguish between epilepsy and non-epileptic seizure disorders: A case comparison. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2009, 18, 43-50.	0.9	49
190	Psychogenic nonepileptic seizures and health-related quality of life: The relationship with psychological distress and other physical symptoms. <i>Epilepsy and Behavior</i> , 2009, 14, 167-171.	0.9	33
191	What is it like to receive a diagnosis of nonepileptic seizures?. <i>Epilepsy and Behavior</i> , 2009, 14, 508-515.	0.9	102
192	Using interactional and linguistic analysis to distinguish between epileptic and psychogenic nonepileptic seizures: A prospective, blinded multirater study. <i>Epilepsy and Behavior</i> , 2009, 16, 139-144.	0.9	94
193	Conversational displays of coping resources in clinical encounters between patients with epilepsy and neurologists: A pilot study. <i>Epilepsy and Behavior</i> , 2009, 16, 652-659.	0.9	16
194	Enhancing antiepileptic drug adherence: A randomized controlled trial. <i>Epilepsy and Behavior</i> , 2009, 16, 634-639.	0.9	105
195	Making the diagnosis in patients with blackouts: it's all in the history. <i>Practical Neurology</i> , 2009, 9, 4-15.	0.5	36
196	The Etiology of Psychogenic Non-Epileptic Seizures: Toward a Biopsychosocial Model. <i>Neurologic Clinics</i> , 2009, 27, 909-924.	0.8	202
197	An augmented model of brief psychodynamic interpersonal therapy for patients with nonepileptic seizures.. <i>Psychotherapy</i> , 2009, 46, 125-138.	0.7	49
198	Epileptic Automatism in the Criminal Courts: 13 Cases Tried in England and Wales between 1975 and 2001. <i>Epilepsia</i> , 2008, 49, 138-145.	2.6	29

#	ARTICLE	IF	CITATIONS
199	Psychogenic nonepileptic seizures: Answers and questions. <i>Epilepsy and Behavior</i> , 2008, 12, 622-635.	0.9	291
200	Listening to people with seizures: How can linguistic analysis help in the differential diagnosis of seizure disorders?. <i>Communication and Medicine</i> , 2008, 5, 59-72.	0.1	88
201	Engagement in psychological treatment for functional neurological symptoms--Barriers and solutions.. <i>Psychotherapy</i> , 2007, 44, 354-360.	0.7	52
202	Tailored psychotherapy for patients with functional neurological symptoms: A pilot study. <i>Journal of Psychosomatic Research</i> , 2007, 63, 625-632.	1.2	72
203	Non-Epileptic Seizures and Other Functional Neurological Symptoms: Predisposing, Precipitating, and Perpetuating Factors. <i>Psychosomatics</i> , 2007, 48, 230-238.	2.5	164
204	Differential diagnosis of seizure disorders: A conversation analytic approach. <i>Social Science and Medicine</i> , 2007, 65, 712-724.	1.8	89
205	Left hippocampal pathology is associated with atypical language lateralization in patients with focal epilepsy. <i>Brain</i> , 2006, 129, 346-351.	3.7	103
206	Measuring Outcome in Psychogenic Nonepileptic Seizures: How Relevant Is Seizure Remission?. <i>Epilepsia</i> , 2005, 46, 1788-1795.	2.6	103
207	Psychologic treatment of patients with psychogenic nonepileptic seizures. <i>Expert Review of Neurotherapeutics</i> , 2005, 5, 737-752.	1.4	41
208	Anxiety in patients with epilepsy: Systematic review and suggestions for clinical management. <i>Epilepsy and Behavior</i> , 2005, 7, 161-171.	0.9	310
209	Depression and anxiety before and after temporal lobe epilepsy surgery. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2004, 13, 129-135.	0.9	96
210	Clinical significance of recurrent psychogenic nonepileptic seizure status. <i>Journal of Neurology</i> , 2003, 250, 1355-1362.	1.8	106
211	Chronic epilepsy and cognition: A longitudinal study in temporal lobe epilepsy. <i>Annals of Neurology</i> , 2003, 54, 425-432.	2.8	640
212	Outcome in psychogenic nonepileptic seizures: 1 to 10-year follow-up in 164 patients. <i>Annals of Neurology</i> , 2003, 53, 305-311.	2.8	336
213	Somatization, dissociation and general psychopathology in patients with psychogenic non-epileptic seizures. <i>Epilepsy Research</i> , 2003, 57, 159-167.	0.8	133
214	Are there physical risk factors for psychogenic non-epileptic seizures in patients with epilepsy?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2003, 12, 561-567.	0.9	94
215	Psychogenic nonepileptic seizures: review and update. <i>Epilepsy and Behavior</i> , 2003, 4, 205-216.	0.9	358
216	Menstrual Cycle-Dependent Neural Plasticity in the Adult Human Brain Is Hormone, Task, and Region Specific. <i>Journal of Neuroscience</i> , 2003, 23, 3790-3795.	1.7	167

#	ARTICLE	IF	CITATIONS
217	Treating patients with psychogenic non-epileptic seizures. <i>Current Opinion in Neurology</i> , 2002, 15, 207-211.	1.8	53
218	Epilepsy Surgery in Patients With Additional Psychogenic Seizures. <i>Archives of Neurology</i> , 2002, 59, 82.	4.9	47
219	Interictal EEG Abnormalities in Patients with Psychogenic Nonepileptic Seizures. <i>Epilepsia</i> , 2002, 43, 1013-1020.	2.6	110
220	Language Mapping in Less Than 15 Minutes: Real-Time Functional MRI during Routine Clinical Investigation. <i>NeuroImage</i> , 2001, 14, 585-594.	2.1	206