

Matti Wahlsten

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4362363/publications.pdf>

Version: 2024-02-01

62
papers

2,395
citations

186265

28
h-index

214800

47
g-index

64
all docs

64
docs citations

64
times ranked

2229
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery of varlaxins, new aeruginosin-type inhibitors of human trypsins. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 2681-2692.	2.8	8
2	Microbial Communities of Cladonia Lichens and Their Biosynthetic Gene Clusters Potentially Encoding Natural Products. <i>Microorganisms</i> , 2021, 9, 1347.	3.6	10
3	The structure and biosynthesis of heinamides A1–A3 and B1–B5, antifungal members of the laxaphycin lipopeptide family. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 5577-5588.	2.8	5
4	Potent Inhibitor of Human Trypsins from the Aeruginosin Family of Natural Products. <i>ACS Chemical Biology</i> , 2021, 16, 2537-2546.	3.4	11
5	Dereplication of Natural Products with Antimicrobial and Anticancer Activity from Brazilian Cyanobacteria. <i>Toxins</i> , 2020, 12, 12.	3.4	27
6	Shared PKS Module in Biosynthesis of Synergistic Laxaphycins. <i>Frontiers in Microbiology</i> , 2020, 11, 578878.	3.5	14
7	Biosynthesis of the Bis-Prenylated Alkaloids Muscoride A and B. <i>ACS Chemical Biology</i> , 2019, 14, 2683-2690.	3.4	32
8	Characterization of the interaction of the antifungal and cytotoxic cyclic glycolipopeptide hassallidin with sterol-containing lipid membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019, 1861, 1510-1521.	2.6	25
9	The Biosynthesis of Rare Homo-Amino Acid Containing Variants of Microcystin by a Benthic Cyanobacterium. <i>Marine Drugs</i> , 2019, 17, 271.	4.6	20
10	Insight into the genome and brackish water adaptation strategies of toxic and bloom-forming Baltic Sea <i>Dolichospermum</i> sp. UHCC 0315. <i>Scientific Reports</i> , 2019, 9, 4888.	3.3	14
11	A Report on Finding a New Peptide Aldehyde from Cyanobacterium <i>Nostoc</i> sp. Bahar M by LC-MS and Marfey's Analysis. <i>Iranian Journal of Biotechnology</i> , 2019, 17, 71-78.	0.3	10
12	The Swinholide Biosynthesis Gene Cluster from a Terrestrial Cyanobacterium, <i>Nostoc</i> sp. Strain UHCC 0450. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	3.1	21
13	Sphaerocyclamide, a prenylated cyanobactin from the cyanobacterium <i>Sphaerospermopsis</i> sp. LEGE 00249. <i>Scientific Reports</i> , 2018, 8, 14537.	3.3	27
14	N-Prenylation of Tryptophan by an Aromatic Prenyltransferase from the Cyanobactin Biosynthetic Pathway. <i>Biochemistry</i> , 2018, 57, 6860-6867.	2.5	26
15	Comparative Genomics of the Baltic Sea Toxic Cyanobacteria <i>Nodularia spumigena</i> UHCC 0039 and Its Response to Varying Salinity. <i>Frontiers in Microbiology</i> , 2018, 9, 356.	3.5	15
16	Rearranged Biosynthetic Gene Cluster and Synthesis of Hassallidin E in <i>Planktothrix sericea</i> PCC 8927. <i>ACS Chemical Biology</i> , 2017, 12, 1796-1804.	3.4	25
17	Cyclic peptide production using a macrocyclase with enhanced substrate promiscuity and relaxed recognition determinants. <i>Chemical Communications</i> , 2017, 53, 10656-10659.	4.1	19
18	Simultaneous Production of Anabaenopeptins and Namalides by the Cyanobacterium <i>Nostoc</i> sp. CENA543. <i>ACS Chemical Biology</i> , 2017, 12, 2746-2755.	3.4	35

#	ARTICLE	IF	CITATIONS
19	Production of High Amounts of Hepatotoxin Nodularin and New Protease Inhibitors Pseudospumigins by the Brazilian Benthic Nostoc sp. CENA543. <i>Frontiers in Microbiology</i> , 2017, 8, 1963.	3.5	35
20	Engineering Towards Catalytic Use of Fungal Class-II Peroxidases for Dye-Decolorizing and Conversion of Lignin Model Compounds. <i>Current Biotechnology</i> , 2017, 6, 116-127.	0.4	5
21	Toward the Reconstitution of a Two-Enzyme Cascade for Resveratrol Synthesis on Potyvirus Particles. <i>Frontiers in Plant Science</i> , 2016, 7, 89.	3.6	14
22	A Unique Tryptophan C ⁶ -Prenyltransferase from the Kawaguchipeptin Biosynthetic Pathway. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3596-3599.	13.8	49
23	A Unique Tryptophan C ⁶ -Prenyltransferase from the Kawaguchipeptin Biosynthetic Pathway. <i>Angewandte Chemie</i> , 2016, 128, 3660-3663.	2.0	6
24	A liquid chromatography-mass spectrometric method for the detection of cyclic β -amino fatty acid lipopeptides. <i>Journal of Chromatography A</i> , 2016, 1438, 76-83.	3.7	13
25	Transcriptomic and Proteomic Profiling of <i>Anabaena</i> sp. Strain 90 under Inorganic Phosphorus Stress. <i>Applied and Environmental Microbiology</i> , 2015, 81, 5212-5222.	3.1	49
26	Antifungal Compounds from Cyanobacteria. <i>Marine Drugs</i> , 2015, 13, 2124-2140.	4.6	83
27	Antifungal activity improved by coproduction of cyclodextrins and anabaenolysins in Cyanobacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13669-13674.	7.1	27
28	Pseudoaeruginosins, Nonribosomal Peptides in <i>Nodularia spumigena</i> . <i>ACS Chemical Biology</i> , 2015, 10, 725-733.	3.4	22
29	Cyanobacteria from Terrestrial and Marine Sources Contain Apoptogens Able to Overcome Chemoresistance in Acute Myeloid Leukemia Cells. <i>Marine Drugs</i> , 2014, 12, 2036-2053.	4.6	15
30	4-Methylproline Guided Natural Product Discovery: Co-Occurrence of 4-Hydroxy- and 4-Methylprolines in Nostoweipeptins and Nostopeptolides. <i>ACS Chemical Biology</i> , 2014, 9, 2646-2655.	3.4	28
31	Secondary metabolite from <i>Nostoc</i> sp. X-PORK14A inhibits photosynthesis and growth of <i>Synechocystis</i> sp. PCC 6803. <i>Plant, Cell and Environment</i> , 2014, 37, 1371-1381.	5.7	10
32	Hassallidins, antifungal glycolipopeptides, are widespread among cyanobacteria and are the end-product of a nonribosomal pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E1909-17.	7.1	102
33	Nostosins, Trypsin Inhibitors Isolated from the Terrestrial Cyanobacterium <i>Nostoc</i> sp. Strain FSN. <i>Journal of Natural Products</i> , 2014, 77, 1784-1790.	3.0	41
34	The Genetic Basis for O-Acetylation of the Microcystin Toxin in Cyanobacteria. <i>Chemistry and Biology</i> , 2013, 20, 861-869.	6.0	20
35	Genome Mining Expands the Chemical Diversity of the Cyanobactin Family to Include Highly Modified Linear Peptides. <i>Chemistry and Biology</i> , 2013, 20, 1033-1043.	6.0	90
36	Lichen species identity and diversity of cyanobacterial toxins in symbiosis. <i>New Phytologist</i> , 2013, 198, 647-651.	7.3	22

#	ARTICLE	IF	CITATIONS
37	Convergent evolution of [D-Leucine ¹] microcystin-LR in taxonomically disparate cyanobacteria. <i>BMC Evolutionary Biology</i> , 2013, 13, 86.	3.2	29
38	New Structural Variants of Aeruginosin Produced by the Toxic Bloom Forming Cyanobacterium <i>Nodularia spumigena</i> . <i>PLoS ONE</i> , 2013, 8, e73618.	2.5	65
39	Pathologic Findings and Toxin Identification in Cyanobacterial (<i>Nodularia spumigena</i>) Intoxication in a Dog. <i>Veterinary Pathology</i> , 2012, 49, 755-759.	1.7	26
40	Analysis of an Inactive Cyanobactin Biosynthetic Gene Cluster Leads to Discovery of New Natural Products from Strains of the Genus <i>Microcystis</i> . <i>PLoS ONE</i> , 2012, 7, e43002.	2.5	54
41	Cyanobacteria produce a high variety of hepatotoxic peptides in lichen symbiosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5886-5891.	7.1	138
42	Anabaenolysins, Novel Cytolytic Lipopeptides from Benthic <i>Anabaena</i> Cyanobacteria. <i>PLoS ONE</i> , 2012, 7, e41222.	2.5	33
43	Anatoxin-a Synthetase Gene Cluster of the Cyanobacterium <i>Anabaena</i> sp. Strain 37 and Molecular Methods To Detect Potential Producers. <i>Applied and Environmental Microbiology</i> , 2011, 77, 7271-7278.	3.1	166
44	Nodularin uptake and induction of oxidative stress in spinach (<i>Spinachia oleracea</i>). <i>Journal of Plant Physiology</i> , 2011, 168, 594-600.	3.5	26
45	Nostophycin Biosynthesis Is Directed by a Hybrid Polyketide Synthase-Nonribosomal Peptide Synthetase in the Toxic Cyanobacterium <i>Nostoc</i> sp. Strain 152. <i>Applied and Environmental Microbiology</i> , 2011, 77, 8034-8040.	3.1	29
46	A Novel Cyanobacterial Nostocyclopeptide is a Potent Antitoxin against Microcystins. <i>ChemBioChem</i> , 2010, 11, 1594-1599.	2.6	47
47	Purification of the mitochondrial calcium uniporter from beef heart and characterization of its properties. <i>Biophysics (Russian Federation)</i> , 2010, 55, 718-722.	0.7	0
48	Marine Benthic Cyanobacteria Contain Apoptosis-Inducing Activity Synergizing with Daunorubicin to Kill Leukemia Cells, but not Cardiomyocytes. <i>Marine Drugs</i> , 2010, 8, 2659-2672.	4.6	52
49	Highly Diverse Cyanobactins in Strains of the Genus <i>Anabaena</i>. <i>Applied and Environmental Microbiology</i> , 2010, 76, 701-709.	3.1	73
50	Discovering Protein Kinase C Active Plants Growing in Finland Utilizing Automated Bioassay Combined to LC/MS. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	1
51	The non-ribosomal assembly and frequent occurrence of the protease inhibitors spumigins in the bloom-forming cyanobacterium <i>Nodularia spumigena</i>. <i>Molecular Microbiology</i> , 2009, 73, 924-937.	2.5	63
52	Acyloxymethyl Esterification of Nodularin-R and Microcystin-LA Produces Inactive Protoxins that Become Reactivated and Produce Apoptosis inside Intact Cells. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5758-5762.	6.4	20
53	Natural occurrence of microcystin synthetase deletion mutants capable of producing microcystins in strains of the genus <i>Anabaena</i> (Cyanobacteria). <i>Microbiology (United Kingdom)</i> , 2008, 154, 1007-1014.	1.8	36
54	Direct Evidence for Production of Microcystins by <i>Anabaena</i> Strains from the Baltic Sea. <i>Applied and Environmental Microbiology</i> , 2007, 73, 6543-6550.	3.1	86

#	ARTICLE	IF	CITATIONS
55	Strains of the cyanobacterial genera <i>Calothrix</i> and <i>Rivularia</i> isolated from the Baltic Sea display cryptic diversity and are distantly related to <i>Gloeotrichia</i> and <i>Tolypothrix</i> . <i>FEMS Microbiology Ecology</i> , 2007, 61, 74-84.	2.7	60
56	Recurrent adenylation domain replacement in the microcystin synthetase gene cluster. <i>BMC Evolutionary Biology</i> , 2007, 7, 183.	3.2	97
57	Benthic cyanobacteria from the Baltic Sea contain cytotoxic <i>Anabaena</i> , <i>Nodularia</i> , and <i>Nostoc</i> strains and an apoptosis-inducing <i>Phormidium</i> strain. <i>Environmental Toxicology</i> , 2005, 20, 285-292.	4.0	33
58	A high proportion of Baltic Sea benthic cyanobacterial isolates contain apoptogens able to induce rapid death of isolated rat hepatocytes. <i>Toxicon</i> , 2005, 46, 252-260.	1.6	27
59	Discovery of Rare and Highly Toxic Microcystins from Lichen-Associated Cyanobacterium <i>Nostoc</i> sp. Strain IO-102-I. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5756-5763.	3.1	131
60	Effects of dissolved cyanobacterial toxins on the survival and egg hatching of estuarine calanoid copepods. <i>Marine Biology</i> , 2002, 140, 577-583.	1.5	56
61	Production and specificity of monoclonal antibodies against nodularin conjugated through N-methyldehydrobutyrine. <i>Toxicon</i> , 2001, 39, 1453-1459.	1.6	18
62	Expression of luciferase genes from different origins in <i>Bacillus subtilis</i> . <i>Molecular Genetics and Genomics</i> , 1992, 232, 498-504.	2.4	52