

# Blake W Buchan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4364177/publications.pdf>

Version: 2024-02-01

91  
papers

3,505  
citations

136885

32  
h-index

149623

56  
g-index

91  
all docs

91  
docs citations

91  
times ranked

4518  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of Methods for Determining the Antibiotic Susceptibility of <i>Aerococcus</i> Species in a Clinical Setting. <i>American Journal of Clinical Pathology</i> , 2022, 157, 781-788.	0.4	2
2	Commentary: Can Automated Blood Culture Systems Be Both New and Improved?. <i>Journal of Clinical Microbiology</i> , 2022, , e0019222.	1.8	1
3	Impact of an Antimicrobial Stewardship Program Pharmacist During Microbiology Rounds. <i>American Journal of Clinical Pathology</i> , 2021, 155, 455-460.	0.4	3
4	Toxigenic <i>Clostridioides difficile</i> colonization as a risk factor for development of <i>C. difficile</i> infection in solid-organ transplant patients. <i>Infection Control and Hospital Epidemiology</i> , 2021, 42, 287-291.	1.0	4
5	Molecular Diagnosis of Pneumonia (Including Multiplex Panels). <i>Clinical Chemistry</i> , 2021, 68, 59-68.	1.5	5
6	Bronchoalveolar lavage-based COVID-19 testing in patients with cancer. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2021, 14, 65-70.	0.6	19
7	Evaluation of a High-Definition PCR Assay for the Detection of SARS-CoV-2 in Extracted and Nonextracted Respiratory Specimens Collected in Various Transport Media. <i>American Journal of Clinical Pathology</i> , 2021, 156, 24-33.	0.4	0
8	Surveillance cultures following a regional outbreak of carbapenem-resistant <i>Acinetobacter baumannii</i> . <i>Infection Control and Hospital Epidemiology</i> , 2021, , 1-7.	1.0	0
9	A Multicenter Clinical Study To Demonstrate the Diagnostic Accuracy of the GenMark Dx ePlex Blood Culture Identification Gram-Negative Panel. <i>Journal of Clinical Microbiology</i> , 2021, 59, e0248420.	1.8	8
10	SARS-CoV-2 Cycle Thresholds, Poverty, Race, and Clinical Outcomes.. <i>Wisconsin Medical Journal</i> , 2021, 120, 301-304.	0.3	0
11	How frequently should sink drains be disinfected?. <i>Infection Control and Hospital Epidemiology</i> , 2020, 41, 358-360.	1.0	2
12	Association Between Environmental Factors and Toxigenic <i>Clostridioides difficile</i> Carriage at Hospital Admission. <i>JAMA Network Open</i> , 2020, 3, e1919132.	2.8	6
13	Racial Disparities in Incidence and Outcomes Among Patients With COVID-19. <i>JAMA Network Open</i> , 2020, 3, e2021892.	2.8	296
14	Distribution of SARS-CoV-2 PCR Cycle Threshold Values Provide Practical Insight Into Overall and Target-Specific Sensitivity Among Symptomatic Patients. <i>American Journal of Clinical Pathology</i> , 2020, 154, 479-485.	0.4	66
15	Direct detection of intact <i>Klebsiella pneumoniae</i> carbapenemase variants from cell lysates: Identification, characterization and clinical implications. <i>Clinical Mass Spectrometry</i> , 2020, 17, 12-21.	1.9	3
16	A Multicenter Study of the Revogene <i>C. difficile</i> System for Detection of the Toxin B Gene from Unformed Stool Specimens. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	1.8	2
17	Multicenter Evaluation of the BioFire FilmArray Pneumonia/Pneumonia Plus Panel for Detection and Quantification of Agents of Lower Respiratory Tract Infection. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	1.8	119
18	Practical Comparison of the BioFire FilmArray Pneumonia Panel to Routine Diagnostic Methods and Potential Impact on Antimicrobial Stewardship in Adult Hospitalized Patients with Lower Respiratory Tract Infections. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	1.8	126

#	ARTICLE	IF	CITATIONS
19	Evaluation of the WASPLab Segregation Software To Automatically Analyze Urine Cultures Using Routine Blood and MacConkey Agars. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	1.8	19
20	Patient-to-Patient Transmission of <i>Klebsiella pneumoniae</i> Carbapenemase Variants with Reduced Ceftazidime-Avibactam Susceptibility. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	18
21	Comparison of Acid-Fast Stain and Auramine Rhodamine Fluorescent Smear on Bronchoalveolar Lavage Specimens Submitted for Cytologic Examination. <i>American Journal of Clinical Pathology</i> , 2019, 152, S128-S128.	0.4	0
22	Improving Adherence to the HIV Testing Algorithm With Resident Physician Intervention. <i>American Journal of Clinical Pathology</i> , 2019, 152, S149-S150.	0.4	0
23	Evaluation of a Novel Multiplex High-Definition PCR Assay for Detection of Tick-Borne Pathogens in Whole-Blood Specimens. <i>Journal of Clinical Microbiology</i> , 2019, 57, .	1.8	21
24	Multicenter Study Demonstrates Standardization Requirements for Mold Identification by MALDI-TOF MS. <i>Frontiers in Microbiology</i> , 2019, 10, 2098.	1.5	35
25	Use of a cohorting-unit and systematic surveillance cultures to control a <i>Klebsiella pneumoniae</i> carbapenemase (KPC)â€“producing Enterobacteriaceae outbreak. <i>Infection Control and Hospital Epidemiology</i> , 2019, 40, 767-773.	1.0	5
26	Effectiveness of a hydrogen peroxide foam against bleach for the disinfection of sink drains. <i>Infection Control and Hospital Epidemiology</i> , 2019, 40, 724-726.	1.0	11
27	<i>Campylobacter</i> culture fails to correctly detect <i>Campylobacter</i> in 30% of positive patient stool specimens compared to non-cultural methods. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 1087-1093.	1.3	38
28	2339. <i>Clostridioides difficile</i> : Impact of Active Screening of Asymptomatic Carriers and Testing Stewardship. <i>Open Forum Infectious Diseases</i> , 2019, 6, S803-S804.	0.4	0
29	534. Active Screening for Carbapenemase Producing Enterobacteriaceae: Yield and Cost Considerations. <i>Open Forum Infectious Diseases</i> , 2019, 6, S256-S256.	0.4	0
30	1045. Impact of an Antimicrobial Stewardship Pharmacist on Microbiology Rounds. <i>Open Forum Infectious Diseases</i> , 2019, 6, S368-S368.	0.4	0
31	1225. How Frequently Should Sink Drains Be Disinfected?. <i>Open Forum Infectious Diseases</i> , 2019, 6, S440-S440.	0.4	0
32	Evaluation of WASPLab Software To Automatically Read chromID CPS Elite Agar for Reporting of Urine Cultures. <i>Journal of Clinical Microbiology</i> , 2019, 58, .	1.8	18
33	The relevance of sink proximity to toilets on the detection of <i>Klebsiella pneumoniae</i> carbapenemase inside sink drains. <i>American Journal of Infection Control</i> , 2019, 47, 98-100.	1.1	17
34	Multicenter Evaluation of the Accelerate PhenoTest BC Kit for Rapid Identification and Phenotypic Antimicrobial Susceptibility Testing Using Morphokinetic Cellular Analysis. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	130
35	Effective utilization of <i>C. difficile</i> PCR and identification of clinicopathologic factors associated with conversion to a positive result in symptomatic patients. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 90, 307-310.	0.8	2
36	1192. Identification of a Novel Enterobacter cloacae Isolate Producing an IMP-13 Metallo-Î²-Lactamase. <i>Open Forum Infectious Diseases</i> , 2018, 5, S360-S361.	0.4	1

#	ARTICLE	IF	CITATIONS
37	Immediate impact of healthcare-facility-onset Clostridium difficile laboratory-identified events reporting methodology change on standardized infection ratios. Infection Control and Hospital Epidemiology, 2018, 39, 1484-1486.	1.0	2
38	Avoiding the Headache: Laboratory Considerations for Implementation, Utilization, and Interpretation of Multiplex Molecular Panels for the Diagnosis of Meningitis and Encephalitis, Part I. Clinical Microbiology Newsletter, 2018, 40, 115-121.	0.4	1
39	Avoiding the Headache: Laboratory Considerations for Implementation, Utilization, and Interpretation of Multiplex Molecular Panels for the Diagnosis of Meningitis and Encephalitis, Part II. Clinical Microbiology Newsletter, 2018, 40, 123-127.	0.4	0
40	Clinical Evaluation of the iCubate iC-GPC Assay for Detection of Gram-Positive Bacteria and Resistance Markers from Positive Blood Cultures. Journal of Clinical Microbiology, 2018, 56, .	1.8	8
41	Multicenter Evaluation of the Portrait Staph ID/R Blood Culture Panel for Rapid Identification of Staphylococci and Detection of the <i>mecA</i> Gene. Journal of Clinical Microbiology, 2017, 55, 1140-1146.	1.8	3
42	Clinical Evaluation and Cost Analysis of Great Basin Shiga Toxin Direct Molecular Assay for Detection of Shiga Toxin-Producing Escherichia coli in Diarrheal Stool Specimens. Journal of Clinical Microbiology, 2017, 55, 519-525.	1.8	6
43	Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry for Use with Positive Blood Cultures: Methodology, Performance, and Optimization. Journal of Clinical Microbiology, 2017, 55, 3328-3338.	1.8	77
44	Evaluation of Copan FecalSwab as Specimen Type for Use in Xpert C. difficile Assay. Journal of Clinical Microbiology, 2017, 55, 3123-3129.	1.8	8
45	Elizabethkingia anophelis: Clinical Experience of an Academic Health System in Southeastern Wisconsin. Open Forum Infectious Diseases, 2017, 4, ofx251.	0.4	39
46	Multicenter Evaluation of Meridian Bioscience HSV 1&2 Molecular Assay for Detection of Herpes Simplex Virus 1 and 2 from Clinical Cutaneous and Mucocutaneous Specimens. Journal of Clinical Microbiology, 2016, 54, 2008-2013.	1.8	8
47	Resistance Mechanisms, Epidemiology, and Approaches to Screening for Vancomycin-Resistant Enterococcus in the Health Care Setting. Journal of Clinical Microbiology, 2016, 54, 2436-2447.	1.8	165
48	Automatic Digital Analysis of Chromogenic Media for Vancomycin-Resistant-Enterococcus Screens Using Copan WASPLab. Journal of Clinical Microbiology, 2016, 54, 2464-2469.	1.8	37
49	Multicenter Evaluation of the Solana Group A Streptococcus Assay: Comparison with Culture. Journal of Clinical Microbiology, 2016, 54, 2388-2390.	1.8	15
50	Treatment of Paecilomyces variotii pneumonia with posaconazole: case report and literature review. Mycoses, 2016, 59, 746-750.	1.8	28
51	Comparison of ESwab and Wound Fiber Swab Specimen Collection Devices for Use with Xpert SA Nasal Complete Assay. Journal of Clinical Microbiology, 2016, 54, 1904-1906.	1.8	4
52	Is Staphylococcal Screening and Suppression an Effective Interventional Strategy for Reduction of Surgical Site Infection?. Surgical Infections, 2016, 17, 158-166.	0.7	33
53	Multicenter Evaluation of the Xpert Norovirus Assay for Detection of Norovirus Genogroups I and II in Fecal Specimens. Journal of Clinical Microbiology, 2016, 54, 142-147.	1.8	32
54	Automated Scoring of Chromogenic Media for Detection of Methicillin-Resistant Staphylococcus aureus by Use of WASPLab Image Analysis Software. Journal of Clinical Microbiology, 2016, 54, 620-624.	1.8	48

#	ARTICLE	IF	CITATIONS
55	Multicenter Evaluation of MRSA Select II Chromogenic Agar for Identification of Methicillin-Resistant <i>Staphylococcus aureus</i> from Wound and Nasal Specimens. <i>Journal of Clinical Microbiology</i> , 2016, 54, 305-311.	1.8	11
56	Comparative Evaluation of AmpliVue HSV 1+2 Assay with ELVIS Culture for Detecting Herpes Simplex Virus 1 (HSV-1) and HSV-2 in Clinical Specimens. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3922-3925.	1.8	18
57	Detection of Group A <i>Streptococcus</i> in Pharyngeal Swab Specimens by Use of the AmpliVue GAS Isothermal Helicase-Dependent Amplification Assay. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2365-2367.	1.8	11
58	Identification of Gram-Negative Bacteria and Genetic Resistance Determinants from Positive Blood Culture Broths by Use of the Verigene Gram-Negative Blood Culture Multiplex Microarray-Based Molecular Assay. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2460-2472.	1.8	124
59	Comparison of the Next-Generation Xpert MRSA/SA BC Assay and the GeneOhm StaphSR Assay to Routine Culture for Identification of <i>Staphylococcus aureus</i> and Methicillin-Resistant <i>S. aureus</i> in Positive-Blood-Culture Broths. <i>Journal of Clinical Microbiology</i> , 2015, 53, 804-809.	1.8	63
60	Multicenter Evaluation of the BD Max Enteric Bacterial Panel PCR Assay for Rapid Detection of <i>Salmonella</i> spp., <i>Shigella</i> spp., <i>Campylobacter</i> spp. ( <i>C. jejuni</i> and <i>C. coli</i> ), and Shiga Toxin 1 and 2 Genes. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1639-1647.	1.8	80
61	Preliminary Evaluation of the Research-Use-Only (RUO) iCubate iC-GPC Assay for Identification of Select Gram-Positive Bacteria and Their Resistance Determinants in Blood Culture Broths. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3931-3934.	1.8	5
62	Multicenter Clinical Evaluation of the Xpert GBS LB Assay for Detection of Group B <i>Streptococcus</i> in Prenatal Screening Specimens. <i>Journal of Clinical Microbiology</i> , 2015, 53, 443-448.	1.8	38
63	Multicenter Evaluation of the Bruker MALDI Biotyper CA System for the Identification of Clinical Aerobic Gram-Negative Bacterial Isolates. <i>PLoS ONE</i> , 2015, 10, e0141350.	1.1	30
64	Comparison of the BD MAX Enteric Bacterial Panel to Routine Culture Methods for Detection of <i>Campylobacter</i> , Enterohemorrhagic <i>Escherichia coli</i> (O157), <i>Salmonella</i> , and <i>Shigella</i> Isolates in Preserved Stool Specimens. <i>Journal of Clinical Microbiology</i> , 2014, 52, 1222-1224.	1.8	52
65	Multicenter Evaluation of the Quidel Lyra Direct <i>C. difficile</i> Nucleic Acid Amplification Assay. <i>Journal of Clinical Microbiology</i> , 2014, 52, 1998-2002.	1.8	16
66	Clinical Evaluation of the Walk-Away Specimen Processor and ESwab for Recovery of <i>Streptococcus agalactiae</i> Isolates in Prenatal Screening Specimens. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2166-2168.	1.8	11
67	Comparison of MALDI-TOF MS With HPLC and Nucleic Acid Sequencing for the Identification of <i>Mycobacterium</i> Species in Cultures Using Solid Medium and Broth. <i>American Journal of Clinical Pathology</i> , 2014, 141, 25-34.	0.4	69
68	Light Microscopy, Culture, Molecular, and Serologic Methods for Detection of Herpes Simplex Virus. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2-8.	1.8	43
69	Emerging Technologies for the Clinical Microbiology Laboratory. <i>Clinical Microbiology Reviews</i> , 2014, 27, 783-822.	5.7	236
70	Clinical Evaluation of a Real-Time PCR Assay for Identification of <i>Salmonella</i> , <i>Shigella</i> , <i>Campylobacter</i> ( <i>Campylobacter jejuni</i> and <i>C. coli</i> ), and Shiga Toxin-Producing <i>Escherichia coli</i> Isolates in Stool Specimens. <i>Journal of Clinical Microbiology</i> , 2013, 51, 4001-4007.	1.8	67
71	Multiplex Identification of Gram-Positive Bacteria and Resistance Determinants Directly from Positive Blood Culture Broths: Evaluation of an Automated Microarray-Based Nucleic Acid Test. <i>PLoS Medicine</i> , 2013, 10, e1001478.	3.9	110
72	Advances in Identification of Clinical Yeast Isolates by Use of Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry. <i>Journal of Clinical Microbiology</i> , 2013, 51, 1359-1366.	1.8	77

#	ARTICLE	IF	CITATIONS
73	Francisella tularensis Live Vaccine Strain Folate Metabolism and Pseudouridine Synthase Gene Mutants Modulate Macrophage Caspase-1 Activation. Infection and Immunity, 2013, 81, 201-208.	1.0	16
74	Multicenter Clinical Evaluation of VREselect Agar for Identification of Vancomycin-Resistant Enterococcus faecalis and Enterococcus faecium. Journal of Clinical Microbiology, 2013, 51, 2758-2760.	1.8	20
75	Multicenter Evaluation of the Verigene Clostridium difficile Nucleic Acid Assay. Journal of Clinical Microbiology, 2013, 51, 4120-4125.	1.8	31
76	Multicenter Clinical Evaluation of the <i>illumina</i> gene Group A Streptococcus DNA Amplification Assay for Detection of Group A Streptococcus from Pharyngeal Swabs. Journal of Clinical Microbiology, 2013, 51, 1474-1477.	1.8	48
77	Multicenter Clinical Evaluation of the Portrait Toxigenic C. difficile Assay for Detection of Toxigenic Clostridium difficile Strains in Clinical Stool Specimens. Journal of Clinical Microbiology, 2012, 50, 3932-3936.	1.8	35
78	Comparison of BD Phoenix and bioMérieux Vitek 2 automated systems for the detection of macrolide-lincosamide-streptogramin B resistance among clinical isolates of Staphylococcus. Diagnostic Microbiology and Infectious Disease, 2012, 72, 291-294.	0.8	11
79	Effects of Solid-Medium Type on Routine Identification of Bacterial Isolates by Use of Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry. Journal of Clinical Microbiology, 2012, 50, 1008-1013.	1.8	77
80	Comparison of the MALDI Biotyper System Using Sepsityper Specimen Processing to Routine Microbiological Methods for Identification of Bacteria from Positive Blood Culture Bottles. Journal of Clinical Microbiology, 2012, 50, 346-352.	1.8	167
81	Evaluation of a Microarray-Based Genotyping Assay for the Rapid Detection of Cytochrome P450 2C19 *2 and *3 Polymorphisms From Whole Blood Using Nanoparticle Probes. American Journal of Clinical Pathology, 2011, 136, 604-608.	0.4	20
82	Cutting Edge: Mutation of <i>Francisella tularensis</i> <i>mviN</i> Leads to Increased Macrophage Absent in Melanoma 2 Inflammasome Activation and a Loss of Virulence. Journal of Immunology, 2010, 185, 2670-2674.	0.4	73
83	Identification of Two Borderline Oxacillin-Resistant Strains of <i>Staphylococcus aureus</i> From Routine Nares Swab Specimens by One of Three Chromogenic Agars Evaluated for the Detection of MRSA. American Journal of Clinical Pathology, 2010, 134, 921-927.	0.4	12
84	Real-Time Detection of Influenza A, Influenza B, and Respiratory Syncytial Virus A and B in Respiratory Specimens by Use of Nanoparticle Probes. Journal of Clinical Microbiology, 2010, 48, 3997-4002.	1.8	36
85	Multiple mechanisms of NADPH oxidase inhibition by type A and type B <i>Francisella tularensis</i> . Journal of Leukocyte Biology, 2010, 88, 791-805.	1.5	86
86	Identification of <i>migR</i> , a Regulatory Element of the <i>Francisella tularensis</i> Live Vaccine Strain <i>iglABCD</i> Virulence Operon Required for Normal Replication and Trafficking in Macrophages. Infection and Immunity, 2009, 77, 2517-2529.	1.0	67
87	<i>Francisella tularensis</i> Genes Required for Inhibition of the Neutrophil Respiratory Burst and Intramacrophage Growth Identified by Random Transposon Mutagenesis of Strain LVS. Infection and Immunity, 2009, 77, 1324-1336.	1.0	69
88	Identification of Differentially Regulated <i>Francisella tularensis</i> Genes by Use of a Newly Developed Tn <i>5</i> -Based Transposon Delivery System. Applied and Environmental Microbiology, 2008, 74, 2637-2645.	1.4	34
89	Light-induced exacerbation of retinal degeneration in a rat model of Smith-Lemli-Opitz syndrome. Experimental Eye Research, 2006, 82, 496-504.	1.2	38
90	X-ray structure of Arabidopsis At1g77680, 12-oxophytodienoate reductase isoform 1. Proteins: Structure, Function and Bioinformatics, 2005, 61, 206-208.	1.5	9

#	ARTICLE	IF	CITATIONS
91	Protocols for production of selenomethionine-labeled proteins in 2-L polyethylene terephthalate bottles using auto-induction medium. Protein Expression and Purification, 2005, 40, 256-267.	0.6	104