Lin Lu

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4365730/lin-lu-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

243
papers

10,276
citations

47
p-index

94
g-index

12,287
ext. papers

6.5
avg, IF

L-index

#	Paper	IF	Citations
243	The techno-economic feasibility of a coastal zero-energy hotel building supported by the hybrid wind-wave energy system. <i>Sustainable Energy, Grids and Networks</i> , 2022 , 30, 100650	3.6	O
242	Enhancing the spectral tunability of localized surface plasmon resonance and small polaron transfer in Li-doped CsxWO3 nanocrystals for energy-efficient windows. <i>Solar Energy</i> , 2022 , 231, 228-2	3 5 .8	0
241	Study on mass transfer performance and membrane resistance in concentration of high salinity solutions by electrodialysis. <i>Separation and Purification Technology</i> , 2022 , 281, 119907	8.3	2
240	A Novel Surge Damping Method for Hydraulic Transients with Operating Pump Using an Optimized Valve Control Strategy. <i>Water (Switzerland)</i> , 2022 , 14, 1576	3	
239	Oxygen defect-induced small polaron transfer for controlling the near-infrared absorption coefficient of hexagonal cesium tungsten bronze nanocrystals. <i>Ceramics International</i> , 2021 , 48, 6942-6	59 ⁵ 4 ²	O
238	Enhanced spectral modulation of CsxWO3 nanocrystals through anionic doping for energy-efficient glazing. <i>Solar Energy Materials and Solar Cells</i> , 2021 , 236, 111519	6.4	0
237	Improved hybrid inexact optimal scheduling of virtual powerplant (VPP) for zero-carbon multi-energy system (ZCMES) incorporating Electric Vehicle (EV) multi-flexible approach. <i>Journal of Cleaner Production</i> , 2021 , 326, 129294	10.3	4
236	Novel one-pot solvothermal synthesis and phase-transition mechanism of hexagonal Cs WO3 nanocrystals with superior near-infrared shielding property for energy-efficient windows. <i>Solar Energy</i> , 2021 , 230, 401-408	6.8	5
235	Thermal-hydraulic characteristic of short-length self-rotating twisted tapes in a circular tube. <i>International Communications in Heat and Mass Transfer</i> , 2021 , 122, 105157	5.8	4
234	Thermal performance assessment of self-rotating twisted tapes and Al2O3 nanoparticle in a circular pipe. <i>Chinese Journal of Chemical Engineering</i> , 2021 , 32, 77-86	3.2	
233	Developing a tier-hybrid uncertainty analysis approach for lifecycle impact assessment of a typical high-rise residential building. <i>Resources, Conservation and Recycling</i> , 2021 , 167, 105424	11.9	2
232	Turbulent heat transfer and flow analysis of hybrid Al2O3-CuO/water nanofluid: An experiment and CFD simulation study. <i>Applied Thermal Engineering</i> , 2021 , 188, 116589	5.8	16
231	Mass transfer enhancement of falling film liquid desiccant dehumidification by micro-baffle plates. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 169, 120945	4.9	8
230	Numerical Research of Pump-as-Turbine Performance with Synergy Analysis. <i>Processes</i> , 2021 , 9, 1031	2.9	2
229	A new study on passive radiative sky cooling resource maps of China. <i>Energy Conversion and Management</i> , 2021 , 237, 114132	10.6	8
228	Review on the fundamentals and investigations of falling film dehumidification/absorption refrigeration based on CFD technology. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 171, 121	0429	5
227	Development of a new spectral selectivity-based passive radiative roof cooling model and its application in hot and humid region. <i>Journal of Cleaner Production</i> , 2021 , 307, 127170	10.3	9

(2020-2021)

226	pH-dependent doping level and optical performance of antimony-doped tin oxide nanocrystals as nanofillers of spectrally selective coating for energy-efficient windows. <i>Ceramics International</i> , 2021 , 47, 20335-20340	5.1	5
225	Spraying fabrication of spectrally selective coating with improved near-infrared shielding performance for energy-efficient glazing. <i>Ceramics International</i> , 2021 , 47, 18991-18997	5.1	7
224	Comprehensive evaluation of thermal and energy performance of radiative roof cooling in buildings. <i>Journal of Building Engineering</i> , 2021 , 33, 101631	5.2	9
223	Experimental study and CFD modelling on the thermal and flow behavior of EG/water ZnO nanofluid in multiport mini channels. <i>Applied Thermal Engineering</i> , 2021 , 182, 116089	5.8	11
222	CFD simulation of liquid desiccant dehumidifier performance with smooth and rough plates. <i>International Journal of Refrigeration</i> , 2021 , 124, 1-12	3.8	6
221	Transparent and Colored Solar Photovoltaics for Building Integration. Solar Rrl, 2021, 5, 2000614	7.1	9
220	Design method for heating towers used in vapor-compression heat pump systems. <i>Building and Environment</i> , 2021 , 189, 107532	6.5	4
219	Biomass-derived nitrogen self-doped porous activation carbon as an effective bifunctional electrocatalysts. <i>Chinese Chemical Letters</i> , 2021 , 32, 92-98	8.1	9
218	One-step fabrication of a laser-induced forward transfer graphene/CuxO nanocomposite-based electrocatalyst to promote hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 1647	7ð-164	7 8
217	A novel multi-objective stochastic risk co-optimization model of a zero-carbon multi-energy system (ZCMES) incorporating energy storage aging model and integrated demand response. <i>Energy</i> , 2021 , 226, 120258	7.9	11
216	Experimental study on the thermal and flow characteristics of ZnO/water nanofluid in mini-channels integrated with GA-optimized ANN prediction and CFD simulation. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 178, 121617	4.9	6
215	Stochastic optimal planning scheme of a zero-carbon multi-energy system (ZC-MES) considering the uncertainties of individual energy demand and renewable resources: An integrated chance-constrained and decomposition algorithm (CC-DA) approach. <i>Energy</i> , 2021 , 232, 121000	7.9	6
214	Experimental and artificial neural network based study on the heat transfer and flow performance of ZnO-EG/water nanofluid in a mini-channel with serrated fins. <i>International Journal of Thermal Sciences</i> , 2021 , 170, 107149	4.1	6
213	Thermal and economic evaluation of phase change material volume fraction for thermocline tank used in concentrating solar power plants. <i>Applied Energy</i> , 2020 , 267, 115054	10.7	15
212	Experimental investigation on deposition reduction of different types of dust on solar PV cells by self-cleaning coatings. <i>Solar Energy</i> , 2020 , 206, 365-373	6.8	19
211	Plasmonic and Superhydrophobic Self-Decontaminating N95 Respirators. ACS Nano, 2020, 14, 8846-885	54 16.7	46
210	Pore-scale investigation on effects of void cavity distribution on melting of composite phase change materials. <i>Applied Energy</i> , 2020 , 275, 115302	10.7	9
209	Effect of device models on the multiobjective optimal operation of CCHP microgrids considering shiftable loads. <i>Applied Energy</i> , 2020 , 275, 115369	10.7	14

208	A new analytical model for short vertical ground heat exchangers with Neumann and Robin boundary conditions on ground surface. <i>International Journal of Thermal Sciences</i> , 2020 , 152, 106326	4.1	10
207	Investigation on the optical and energy performances of different kinds of monolithic aerogel glazing systems. <i>Applied Energy</i> , 2020 , 261, 114487	10.7	4
206	Enhancing the falling film dehumidification performance from the prospective of CFD simulation. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 151, 119459	4.9	7
205	Bypass pigging technology on amelioration of pigging-induced liquid flow: An experimental and modelling study. <i>Ocean Engineering</i> , 2020 , 198, 106974	3.9	8
204	The effect of urban morphology on the solar capacity of three-dimensional cities. <i>Renewable Energy</i> , 2020 , 153, 1111-1126	8.1	15
203	Thermal performance analysis of thermocline combined sensible-latent heat storage system using cascaded-layered PCM designs for medium temperature applications. <i>Renewable Energy</i> , 2020 , 152, 68	4- <mark>6</mark> 97	29
202	System-scale modeling and membrane structure parameter optimization for solar-powered sweeping gas membrane distillation desalination system. <i>Journal of Cleaner Production</i> , 2020 , 253, 119	9 1 8.3	9
201	A novel analytical multilayer cylindrical heat source model for vertical ground heat exchangers installed in layered ground. <i>Energy</i> , 2020 , 200, 117545	7.9	12
200	Reusable and Recyclable Graphene Masks with Outstanding Superhydrophobic and Photothermal Performances. <i>ACS Nano</i> , 2020 , 14, 6213-6221	16.7	179
199	Synthesis and characterization of Sb-doped SnO2 with high near-infrared shielding property for energy-efficient windows by a facile dual-titration co-precipitation method. <i>Ceramics International</i> , 2020 , 46, 18518-18525	5.1	12
198	Performance prediction of Building Integrated Photovoltaics under no-shading, shading and masking conditions using a multi-physics model. <i>Energy</i> , 2020 , 213, 118795	7.9	5
197	Fundamentals and applications of CFD technology on analyzing falling film heat and mass exchangers: A comprehensive review. <i>Applied Energy</i> , 2020 , 261, 114473	10.7	30
196	Modelling on space-domain surface waves of vertical low-Re falling film and the enhancement on mass transfer in halide-solution/air absorption. <i>Chemical Engineering Science</i> , 2020 , 215, 115459	4.4	6
195	Modeling and performance analysis of a fully solar-powered stand-alone sweeping gas membrane distillation desalination system for island and coastal households. <i>Energy Conversion and Management</i> , 2020 , 205, 112375	10.6	21
194	Falling film liquid desiccant air dehumidification. <i>Experimental and Computational Multiphase Flow</i> , 2020 , 2, 187-198	4.2	3
193	Characterization of bypass pig velocity in gas pipeline: An experimental and analytical study. Journal of Natural Gas Science and Engineering, 2020 , 73, 103059	4.6	5
192	An integrated life cycle assessment of different fallde systems for a typical residential building in Ghana. <i>Sustainable Cities and Society</i> , 2020 , 53, 101974	10.1	21
191	Thermal management of the waste energy of a stand-alone hybrid PV-wind-battery power system in Hong Kong. <i>Energy Conversion and Management</i> , 2020 , 203, 112261	10.6	16

(2019-2020)

190	Thermal properties measurement and performance evaluation of water/ZnO nanofluid in a mini channel with offset fins. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 162, 120361	4.9	15
189	Wind turbine power modelling and optimization using artificial neural network with wind field experimental data. <i>Applied Energy</i> , 2020 , 280, 115880	10.7	31
188	Development of radiative cooling and its integration with buildings: A comprehensive review. <i>Solar Energy</i> , 2020 , 212, 125-151	6.8	22
187	Deposition characteristics of particles in inclined heat exchange channel with surface ribs. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 161, 120289	4.9	2
186	A novel optimal configuration model for a zero-carbon multi-energy system (ZC-MES) integrated with financial constraints. <i>Sustainable Energy, Grids and Networks</i> , 2020 , 23, 100381	3.6	6
185	Thermal characteristics of perforated self-rotating twisted tapes in a double-pipe heat exchanger. <i>Applied Thermal Engineering</i> , 2019 , 162, 114296	5.8	14
184	Numerical study on polydispersed dust pollution process on solar photovoltaic panels mounted on a building roof. <i>Energy Procedia</i> , 2019 , 158, 879-884	2.3	7
183	Investigation on the regeneration characteristics of LiCl solution with PVP and MWNTs. <i>Energy Procedia</i> , 2019 , 158, 669-674	2.3	1
182	Thermal and daylighting performance of glass window using a newly developed transparent heat insulated coating. <i>Energy Procedia</i> , 2019 , 158, 1080-1085	2.3	3
181	Thermal regulation of PV fallde integrated with thin-film solar cells through a naturally ventilated open air channel. <i>Energy Procedia</i> , 2019 , 158, 1208-1214	2.3	10
180	Enhancing the dehumidification efficiency of solar-assisted liquid desiccant air dehumidifiers using nanoscale TiO2 super-hydrophilic coating. <i>Energy Procedia</i> , 2019 , 158, 5765-5769	2.3	5
179	Numerical investigation on monodispersed particle deposition in turbulent duct flow with thermophoresis. <i>Energy Procedia</i> , 2019 , 158, 5711-5716	2.3	3
178	Development and investigation on the dehumidification and corrosion resistance performance of a new mixed liquid desiccant. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 130, 72-82	4.9	19
177	Performance evaluation of a double-pipe heat exchanger fitted with self-rotating twisted tapes. <i>Applied Thermal Engineering</i> , 2019 , 158, 113770	5.8	24
176	A review and outlook for integrated BIM application in green building assessment. <i>Sustainable Cities and Society</i> , 2019 , 48, 101576	10.1	47
175	Analysis of Hong Kong Wind Energy: Power Potential, Development Constraints, and Experiences from Other Countries for Local Wind Energy Promotion Strategies. <i>Sustainability</i> , 2019 , 11, 924	3.6	5
174	Optimization of thermal performance in thermocline tank thermal energy storage system with the multilayered PCM(s) for CSP tower plants. <i>Applied Energy</i> , 2019 , 243, 175-190	10.7	36
173	Thermal and economic evaluation of thermocline combined sensible-latent heat thermal energy storage system for medium temperature applications. <i>Energy Conversion and Management</i> , 2019 , 189, 14-23	10.6	47

172	Performance enhancement of solar-assisted liquid desiccant dehumidifiers using super-hydrophilic surface. <i>Energy and Buildings</i> , 2019 , 199, 461-471	7	10
171	A new analytical heat transfer model for deep borehole heat exchangers with coaxial tubes. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 141, 1056-1065	4.9	35
170	Experimental investigation on non-boiling heat transfer of two-component air-oil and air-water slug flow in horizontal pipes. <i>International Journal of Multiphase Flow</i> , 2019 , 119, 28-41	3.6	12
169	A review of correlations and enhancement approaches for heat and mass transfer in liquid desiccant dehumidification system. <i>Applied Energy</i> , 2019 , 239, 757-784	10.7	50
168	Overall Energy Performance Assessment of a New Heat Blocking Coating. <i>Journal of Sustainable Development of Energy, Water and Environment Systems</i> , 2019 , 7, 1-12	1.9	2
167	Numerical and experimental study on internally cooled liquid desiccant dehumidification concerning film shrinkage shape and vapor condensation. <i>International Journal of Thermal Sciences</i> , 2019 , 136, 316-327	4.1	14
166	Overall energy assessment of semi-transparent photovoltaic insulated glass units for building integration under different climate conditions. <i>Renewable Energy</i> , 2019 , 134, 818-827	8.1	13
165	A new model to evaluate solar spectrum impacts on the short circuit current of solar photovoltaic modules. <i>Energy</i> , 2019 , 169, 29-37	7.9	9
164	Single layer molybdenum disulfide as an optical nanoprobe for 2 photon luminescence and second harmonic generation cell imaging. <i>Journal of Biophotonics</i> , 2018 , 11, e201700354	3.1	1
163	Experimental investigation and development of new correlation for flow boiling heat transfer in mini-channel. <i>International Journal of Thermal Sciences</i> , 2018 , 129, 209-217	4.1	14
162	Analyzing wind cleaning process on the accumulated dust on solar photovoltaic (PV) modules on flat surfaces. <i>Solar Energy</i> , 2018 , 159, 1031-1036	6.8	39
161	TiO2/antimony-doped tin oxide: Highly water-dispersed nano composites with excellent IR insulation and super-hydrophilic property. <i>Solar Energy Materials and Solar Cells</i> , 2018 , 174, 499-508	6.4	27
160	Investigation on the Regeneration and Corrosion Characteristics of an Anodized Aluminum Plate Regenerator. <i>Energies</i> , 2018 , 11, 1209	3.1	11
159	Investigation on the regeneration performance of liquid desiccant by adding surfactant PVP-K30. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 123, 445-454	4.9	29
158	Comparative study of the regeneration characteristics of LiCl and a new mixed liquid desiccant solution. <i>Energy</i> , 2018 , 163, 992-1005	7.9	17
157	Experimental and numerical study on the regeneration performance of LiCl solution with surfactant and nanoparticles. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 127, 154-164	4.9	23
156	Integrated effects of PM2.5 deposition, module surface conditions and nanocoatings on solar PV surface glass transmittance. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 82, 4107-4120	16.2	11
155	Development and experimental study of a novel plate dehumidifier made of anodized aluminum. <i>Energy</i> , 2018 , 144, 169-177	7.9	28

154	Investigating dehumidification performance of solar-assisted liquid desiccant dehumidifiers considering different surface properties. <i>Energy</i> , 2018 , 164, 978-994	7.9	21
153	Investigation on the dehumidification performance of LiCl/H2O-MWNTs nanofluid in a falling film dehumidifier. <i>Building and Environment</i> , 2018 , 139, 8-16	6.5	31
152	Simulation of thermo-mechanical performance of pile geothermal heat exchanger (PGHE) considering temperature-depend interface behavior. <i>Applied Thermal Engineering</i> , 2018 , 139, 356-366	5.8	8
151	Enhancing the dehumidification performance of LiCl solution with surfactant PVP-K30. <i>Energy and Buildings</i> , 2018 , 171, 183-195	7	31
150	Investigation on the heat transfer of energy piles with two-dimensional groundwater flow. <i>International Journal of Low-Carbon Technologies</i> , 2017 , 12, 43-50	2.8	6
149	Preparation and overall energy performance assessment of wide waveband two-component transparent NIR shielding coatings. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 168, 119-129	6.4	26
148	Evaluation of potential benefits of solar photovoltaic shadings in Hong Kong. <i>Energy</i> , 2017 , 137, 1152-1	1/589	48
147	Energy performance and heat transfer characteristics of photovoltaic double skin facades (PV-DSFs): a review. <i>Sustainable Energy and Fuels</i> , 2017 , 1, 1502-1515	5.8	4
146	Optimal design and analysis of a new CHP-HP integrated system. <i>Energy Conversion and Management</i> , 2017 , 146, 217-227	10.6	10
145	Model development of heat/mass transfer for internally cooled dehumidifier concerning liquid film shrinkage shape and contact angles. <i>Building and Environment</i> , 2017 , 114, 11-22	6.5	28
144	Performance Evaluation of Vacuum Photovoltaic Insulated Glass Unit. Energy Procedia, 2017, 105, 322-3	3 2 63	24
143	Development of evaporation pressure-capacity control strategy for aircraft vapor cycle system. <i>International Journal of Refrigeration</i> , 2017 , 83, 14-22	3.8	12
142	Feasibility Study of Developing a Zero-carbon-emission Green Deck in Hong Kong. <i>Energy Procedia</i> , 2017 , 105, 1155-1159	2.3	2
141	A Novel CHP-HP Coupling System and its Optimization Analysis by Genetic Algorithm. <i>Energy Procedia</i> , 2017 , 105, 2089-2094	2.3	1
140	Experimental study on dehumidification performance enhancement by TiO 2 superhydrophilic coating for liquid desiccant plate dehumidifiers. <i>Building and Environment</i> , 2017 , 124, 219-231	6.5	39
139	Experimental Study on Thermal Performance of Semi-transparent PV Window in Winter in Hong Kong. <i>Energy Procedia</i> , 2017 , 105, 864-868	2.3	11
138	Antimony Doped tin Oxide/Multi-walled Carbon Nanotubes: Highly Near-infrared Blocking Coating used for Heat Conservation Windows. <i>Energy Procedia</i> , 2017 , 105, 4836-4841	2.3	2
137	Investigation of particle deposition efficiency enhancement in turbulent duct air flow by surface ribs with hybrid-size ribs. <i>Indoor and Built Environment</i> , 2017 , 26, 608-620	1.8	4

136	Long term performance analysis of a standalone photovoltaic system under real conditions. <i>Applied Energy</i> , 2017 , 201, 320-331	10.7	34
135	Numerical study of monodispersed particle deposition rates in variable-section ducts with different expanding or contracting ratios. <i>Applied Thermal Engineering</i> , 2017 , 110, 150-161	5.8	16
134	Comparative performance study on liquid desiccant dehumidification with different packing types for built environment. <i>Science and Technology for the Built Environment</i> , 2017 , 23, 116-126	1.8	18
133	Thermal performance analysis on different types of glazing of public rental housing in Hong Kong. <i>Procedia Engineering</i> , 2017 , 205, 794-801		Ο
132	Investigating the Impact of Thermo-physical Property Difference between Soil and Pile on the Thermal Performance of Energy Piles. <i>Procedia Engineering</i> , 2017 , 205, 3199-3205		4
131	Life-cycle evaluation of different types of cooling systems in buildings. <i>Energy Procedia</i> , 2017 , 142, 174.	3-21.7748	1
130	Making Marble Powder Waste Profitable by Using Nano-TiO2 Surface Modification for Air Quality Improvement Applications. <i>Journal of Nanomaterials</i> , 2017 , 2017, 1-6	3.2	3
129	CFD investigation on particle deposition in aligned and staggered ribbed duct air flows. <i>Applied Thermal Engineering</i> , 2016 , 93, 697-706	5.8	33
128	Exploration on the reverse calculation method of groundwater velocity by means of the moving line heat source. <i>International Journal of Thermal Sciences</i> , 2016 , 99, 52-63	4.1	7
127	Development and characterization of transparent waterborne polyurethane acrylate/fullerenols thin-film nanocomposite as thermal-insulating coating. <i>Polymer Science - Series B</i> , 2016 , 58, 601-609	0.8	1
126	Numerical simulation of particle deposition in duct air flows with uniform, expanding or contracting cross-section. <i>Energy and Buildings</i> , 2016 , 128, 867-875	7	19
125	Estimation of Hong Kong® solar energy potential using GIS and remote sensing technologies. <i>Renewable Energy</i> , 2016 , 99, 325-335	8.1	63
124	Comparison of the overall energy performance of semi-transparent photovoltaic windows and common energy-efficient windows in Hong Kong. <i>Energy and Buildings</i> , 2016 , 128, 511-518	7	65
123	A novel model to estimate the cleaning frequency for dirty solar photovoltaic (PV) modules in desert environment. <i>Solar Energy</i> , 2016 , 140, 236-240	6.8	61
122	Numerical investigation of the energy saving potential of a semi-transparent photovoltaic double-skin facade in a cool-summer Mediterranean climate. <i>Applied Energy</i> , 2016 , 165, 345-356	10.7	141
121	A new approach to enhance the heat and mass transfer of liquid desiccant dehumidification with a titanium dioxide superhydrophilic self-cleaning coating. <i>Journal of Cleaner Production</i> , 2016 , 112, 3555-	3567	18
120	A novel composite-medium solution for pile geothermal heat exchangers with spiral coils. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 93, 760-769	4.9	21
119	Island-like mesoporous amorphous Fe 2 O 3 layer: surface disorder engineering for enhanced lithium-storage performance. <i>Electrochimica Acta</i> , 2016 , 188, 679-685	6.7	6

(2015-2016)

118	Experimentally Investigating the Effect of Temperature Differences in the Particle Deposition Process on Solar Photovoltaic (PV) Modules. <i>Sustainability</i> , 2016 , 8, 1091	3.6	12
117	A Study of Incentive Policies for Building-Integrated Photovoltaic Technology in Hong Kong. <i>Sustainability</i> , 2016 , 8, 769	3.6	14
116	Developing a method and simulation model for evaluating the overall energy performance of a ventilated semi-transparent photovoltaic double-skin facade. <i>Progress in Photovoltaics: Research and Applications</i> , 2016 , 24, 781-799	6.8	39
115	Long Term Performance Analysis of a 19.8kWp Standalone Photovoltaic System in a Remote Island. <i>Energy Procedia</i> , 2016 , 103, 183-188	2.3	2
114	Investigation on the dynamic characteristics of the counter-current flow for liquid desiccant dehumidification. <i>Energy</i> , 2016 , 101, 229-238	7.9	33
113	A new analytical solution for horizontal geothermal heat exchangers with vertical spiral coils. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 100, 111-120	4.9	19
112	Optimization of wind turbine layout position in a wind farm using a newly-developed two-dimensional wake model. <i>Applied Energy</i> , 2016 , 174, 192-200	10.7	114
111	Assessment of energy performance of semi-transparent PV insulating glass units using a validated simulation model. <i>Energy</i> , 2016 , 112, 538-548	7.9	52
110	Numerical investigation of dust pollution on a solar photovoltaic (PV) system mounted on an isolated building. <i>Applied Energy</i> , 2016 , 180, 27-36	10.7	73
109	Comparative study of the thermal and power performances of a semi-transparent photovoltaic fallde under different ventilation modes. <i>Applied Energy</i> , 2015 , 138, 572-583	10.7	94
108	Study on spiral source models revealing groundwater transfusion effects on pile foundation ground heat exchangers. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 84, 119-129	4.9	40
107	Validation of the Sandia model with indoor and outdoor measurements for semi-transparent amorphous silicon PV modules. <i>Renewable Energy</i> , 2015 , 80, 316-323	8.1	46
106	A comprehensive review on passive design approaches in green building rating tools. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 50, 1425-1436	16.2	151
105	A numerical study of particle deposition in ribbed duct flow with different rib shapes. <i>Building and Environment</i> , 2015 , 94, 43-53	6.5	39
104	Experimental study of internally cooled liquid desiccant dehumidification: Application in Hong Kong and intensive analysis of influencing factors. <i>Building and Environment</i> , 2015 , 93, 210-220	6.5	37
103	Experimental study of the film thickness in the dehumidifier of a liquid desiccant air conditioning system. <i>Energy</i> , 2015 , 84, 239-246	7.9	18
102	Numerical and analytical analysis of groundwater influence on the pile geothermal heat exchanger with cast-in spiral coils. <i>Applied Energy</i> , 2015 , 160, 705-714	10.7	29
101	Investigation on influential factors of engineering design of geothermal heat exchangers. <i>Applied Thermal Engineering</i> , 2015 , 84, 310-319	5.8	30

100	A Study of Dust Accumulating Process on Solar Photovoltaic Modules with Different Surface Temperatures. <i>Energy Procedia</i> , 2015 , 75, 337-342	2.3	15
99	Development of hybrid battery upercapacitor energy storage for remote area renewable energy systems. <i>Applied Energy</i> , 2015 , 153, 56-62	10.7	157
98	Optimal design of an autonomous solar wind-pumped storage power supply system. <i>Applied Energy</i> , 2015 , 160, 728-736	10.7	134
97	Numerical investigation on particle deposition enhancement in duct air flow by ribbed wall. <i>Building and Environment</i> , 2015 , 85, 61-72	6.5	33
96	Study on stand-alone power supply options for an isolated community. <i>International Journal of Electrical Power and Energy Systems</i> , 2015 , 65, 1-11	5.1	45
95	Pumped storage-based standalone photovoltaic power generation system: Modeling and techno-economic optimization. <i>Applied Energy</i> , 2015 , 137, 649-659	10.7	223
94	Stand-Alone Wind Power and Hybrid Solar Wind Power 2015 , 1-18		2
93	Effects of rib spacing and height on particle deposition in ribbed duct air flows. <i>Building and Environment</i> , 2015 , 92, 317-327	6.5	37
92	Investigation on the liquid contact angle and its influence for liquid desiccant dehumidification system. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 88, 210-217	4.9	14
91	Parameter analysis and optimization of the energy and economic performance of solar-assisted liquid desiccant cooling system under different climate conditions. <i>Energy Conversion and Management</i> , 2015 , 106, 1387-1395	10.6	36
90	Using phase change materials in photovoltaic systems for thermal regulation and electrical efficiency improvement: A review and outlook. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 43, 1273-1284	16.2	221
89	Wind turbine layout optimization using multi-population genetic algorithm and a case study in Hong Kong offshore. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2015 , 139, 89-99	3.7	78
88	A review of the mathematical models for predicting the heat and mass transfer process in the liquid desiccant dehumidifier. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 31, 587-599	16.2	73
87	Feasibility study and economic analysis of pumped hydro storage and battery storage for a renewable energy powered island. <i>Energy Conversion and Management</i> , 2014 , 79, 387-397	10.6	192
86	A feasibility study of a stand-alone hybrid solar wind Battery system for a remote island. <i>Applied Energy</i> , 2014 , 121, 149-158	10.7	366
85	Study on offshore wind power potential and wind farm optimization in Hong Kong. <i>Applied Energy</i> , 2014 , 130, 519-531	10.7	81
84	Development of a model to simulate the performance characteristics of crystalline silicon photovoltaic modules/strings/arrays. <i>Solar Energy</i> , 2014 , 100, 31-41	6.8	168
83	Wind power evaluation and utilization over a reference high-rise building in urban area. <i>Energy and Buildings</i> , 2014 , 68, 339-350	7	40

(2014-2014)

82	The research on ring-coil heat transfer models of pile foundation ground heat exchangers in the case of groundwater seepage. <i>Energy and Buildings</i> , 2014 , 71, 115-128	7	35
81	Liquid desiccant dehumidifier: Development of a new performance predication model based on CFD. International Journal of Heat and Mass Transfer, 2014 , 69, 408-416	4.9	42
80	Blue phase-mixed anataseflutile TiO2 heterogeneous junction composites: surface defect-induced reconstruction by F ion and superior lithium-storage properties. <i>RSC Advances</i> , 2014 , 4, 43346-43350	3.7	5
79	Topochemical synthesis of Bi2O3 microribbons derived from a bismuth oxalate precursor as high-performance lithium-ion batteries. <i>RSC Advances</i> , 2014 , 4, 17483-17489	3.7	17
78	Dynamic and microscopic simulation of the counter-current flow in a liquid desiccant dehumidifier. <i>Applied Energy</i> , 2014 , 136, 1018-1025	10.7	42
77	Energy consumption and optimization of internally cooled/heated liquid desiccant air-conditioning system: A case study in Hong Kong. <i>Energy</i> , 2014 , 73, 801-808	7.9	43
76	Investigation into the optimal wind turbine layout patterns for a Hong Kong offshore wind farm. <i>Energy</i> , 2014 , 73, 430-442	7.9	29
75	Energy performance of solar-assisted liquid desiccant air-conditioning system for commercial building in main climate zones. <i>Energy Conversion and Management</i> , 2014 , 88, 749-757	10.6	54
74	An energy system model for Hong Kong in 2020. <i>Energy</i> , 2014 , 68, 301-310	7.9	42
73	Technical feasibility study on a standalone hybrid solar-wind system with pumped hydro storage for a remote island in Hong Kong. <i>Renewable Energy</i> , 2014 , 69, 7-15	8.1	224
72	Model development for the wetted area of falling film liquid desiccant air-conditioning system. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 74, 206-209	4.9	18
71	Solar photovoltaic system modeling and performance prediction. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 36, 304-315	16.2	134
70	An Optimization Sizing Model for Solar Photovoltaic Power Generation System with Pumped Storage. <i>Energy Procedia</i> , 2014 , 61, 5-8	2.3	14
69	Analysis of orientation and tensor properties of airborne fibrous particle flow. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2014 , 24, 1795-1802	4.5	1
68	Topotactically Synthesized TiO2 Nanowires as Promising Anode Materials for High-performance Lithium-ion Batteries. <i>Energy Procedia</i> , 2014 , 61, 2562-2566	2.3	2
67	CFD Simulation of the Liquid Flow on Structured Packing in the Liquid Desiccant Dehumidifier. <i>Energy Procedia</i> , 2014 , 61, 180-183	2.3	1
66	Energy Consumption of Solar-assisted Internally Cooled/Heated Liquid Desiccant Air-conditioning System in Hong Kong. <i>Energy Procedia</i> , 2014 , 61, 2686-2689	2.3	6
65	Numerical and Analytical Analysis of Groundwater Influence on the Pile Ground Heat Exchanger with Cast-in Spiral Coils. <i>Energy Procedia</i> , 2014 , 61, 1784-1788	2.3	4

64	Quick performance prediction for internally cooled/heated liquid desiccant dehumidification system. <i>Building Services Engineering Research and Technology</i> , 2014 , 35, 99-112	2.3	6
63	The Fabrication of Barrier Layer Free TiO2 Nanotube Arrays and its Application for Highly Efficient Dye-sensitized Solar Cells. <i>Energy Procedia</i> , 2014 , 61, 2608-2612	2.3	3
62	The Heat Transfer Analysis and Optimal Design on Borehole Ground Heat Exchangers. <i>Energy Procedia</i> , 2014 , 61, 385-388	2.3	3
61	Analysis of Energy Utilization on Digestion Biogas Tri-Generation in Sewage Treatment Works. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 27-35	0.2	1
60	Numerical Analysis of the Thermo-mechanical Behavior of Energy Piles 2014 , 405-420		
59	Investigation on wetted area and film thickness for falling film liquid desiccant regeneration system. <i>Applied Energy</i> , 2013 , 112, 93-101	10.7	45
58	Investigation on the annual thermal performance of a photovoltaic wall mounted on a multi-layer fallde. <i>Applied Energy</i> , 2013 , 112, 646-656	10.7	105
57	Review on life cycle assessment of energy payback and greenhouse gas emission of solar photovoltaic systems. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 19, 255-274	16.2	413
56	Performance of ventilated double-sided PV fallde compared with conventional clear glass fallde. <i>Energy and Buildings</i> , 2013 , 56, 204-209	7	62
55	Preparation of lead-free nanoglass frit powder for crystalline silicon solar cells. <i>Applied Energy</i> , 2013 , 112, 657-662	10.7	15
54	Influence of plate surface temperature on the wetted area and system performance for falling film liquid desiccant regeneration system. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 64, 1003-10	1439	24
53	Experimental Study of Solid Particle Deposition in 90 th Ventilated Bends of Rectangular Cross Section with Turbulent Flow. <i>Aerosol Science and Technology</i> , 2013 , 47, 115-124	3.4	18
52	Experimentally diagnosing the shading impact on the power performance of a PV system in Hong Kong 2013 ,		1
51	A new environmental friendly silver front contact paste for crystalline silicon solar cells. <i>Journal of Alloys and Compounds</i> , 2013 , 549, 221-225	5.7	44
50	Overall energy performance of semi-transparent single-glazed photovoltaic (PV) window for a typical office in Hong Kong. <i>Renewable Energy</i> , 2013 , 49, 250-254	8.1	88
49	Nanoparticles-aided silver front contact paste for crystalline silicon solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 524-528	2.1	12
48	Development of high dispersed TiO2 paste for transparent screen-printable self-cleaning coatings on glass. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	7
47	Investigation on the development potential of rooftop PV system in Hong Kong and its environmental benefits. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 27, 149-162	16.2	94

Particle flow behavior of distribution and deposition throughout 90 th bends: Analysis of influencing factors. <i>Journal of Aerosol Science</i> , 2013 , 65, 26-41	4.3	20
The analysis on solid cylindrical heat source model of foundation pile ground heat exchangers with groundwater flow. <i>Energy</i> , 2013 , 55, 417-425	7.9	46
Development of simplified prediction model for internally cooled/heated liquid desiccant dehumidification system. <i>Energy and Buildings</i> , 2013 , 59, 133-142	7	47
An experimental study of the thermal performance of a novel photovoltaic double-skin facade in Hong Kong. <i>Solar Energy</i> , 2013 , 97, 293-304	6.8	99
Building self-ordered tubular macro- and mesoporous nitridated titania from gas bubbles towards high-performance lithium-ion batteries. <i>Dalton Transactions</i> , 2013 , 42, 8781-7	4.3	12
Performance evaluation of a stand-alone photovoltaic system on an isolated island in Hong Kong. <i>Applied Energy</i> , 2013 , 112, 663-672	10.7	84
One-step synthesis of hybrid silver particles for front contact paste for crystalline silicon solar cells. <i>Electronic Materials Letters</i> , 2013 , 9, 353-356	2.9	1
Modeling and Numerical Analysis of the Solid Particle Erosion in Curved Ducts. <i>Abstract and Applied Analysis</i> , 2013 , 2013, 1-8	0.7	1
Numerical Investigation of the Wall Effect on Airborne Particle Dispersion in a Test Chamber. <i>Aerosol and Air Quality Research</i> , 2013 , 13, 786-794	4.6	16
Investigation into the relationship of the overlap ratio and shift angle of double stage three bladed vertical axis wind turbine (VAWT). <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012 , 107-108, 57-75	3.7	28
Investigation on heat transfer around buried coils of pile foundation heat exchangers for ground-coupled heat pump applications. <i>International Journal of Heat and Mass Transfer</i> , 2012 , 55, 6023	-6031	51
Investigation on air-conditioning load profile and energy consumption of desiccant cooling system for commercial buildings in Hong Kong. <i>Energy and Buildings</i> , 2012 , 49, 509-518	7	70
A numerical study of bend-induced particle deposition in and behind duct bends. <i>Building and Environment</i> , 2012 , 52, 77-87	6.5	21
Optimum design of shading-type building-integrated photovoltaic claddings with different surface azimuth angles. <i>Applied Energy</i> , 2012 , 90, 233-240	10.7	89
Experimental study of aerosol distribution and concentration variation through curved ducts. <i>Thermal Science</i> , 2012 , 16, 1437-1441	1.2	1
In response to the L etter to the Editorlof Naiping Gao and Qibin He (23 September 2011), on L omputational Fluid Dynamics (CFD) modelling of particle deposition in a two-dimensional turbulent channel air flow: study of influence factors[]. <i>Indoor and Built Environment</i> , 2012 , 21, 351-352	1.8	
Computational Fluid Dynamics (CFD) Modelling of Particle Deposition in a Two-dimensional Turbulent Channel Air Flow: Study of Influence Factors. <i>Indoor and Built Environment</i> , 2012 , 21, 264-272	1.8	12
Impact of climate change on ventilation load and energy use of air conditioning systems in buildings of Hong Kong. <i>International Journal of Low-Carbon Technologies</i> , 2012 , 7, 303-309	2.8	5
	factors. Journal of Aerosal Science, 2013, 65, 26-41 The analysis on solid cylindrical heat source model of foundation pile ground heat exchangers with groundwater flow. Energy, 2013, 55, 417-425 Development of simplified prediction model for internally cooled/heated liquid desiccant dehumidification system. Energy and Buildings, 2013, 59, 133-142 An experimental study of the thermal performance of a novel photovoltaic double-skin facade in Hong Kong. Solar Energy, 2013, 97, 293-304 Building self-ordered tubular macro- and mesoporous nitridated titania from gas bubbles towards high-performance lithium-ion batteries. Dalton Transactions, 2013, 42, 8781-7 Performance evaluation of a stand-alone photovoltaic system on an isolated island in Hong Kong. Applied Energy, 2013, 112, 663-672 One-step synthesis of hybrid silver particles for front contact paste for crystalline silicon solar cells. Electronic Materials Letters, 2013, 9, 353-356 Modeling and Numerical Analysis of the Solid Particle Erosion in Curved Ducts. Abstract and Applied Analysis, 2013, 2013, 1-8 Numerical Investigation of the Wall Effect on Airborne Particle Dispersion in a Test Chamber. Aerosol and Air Quality Research, 2013, 13, 786-794 Investigation into the relationship of the overlap ratio and shift angle of double stage three bladed vertical axis wind turbine (VAWT). Journal of Wind Engineering and Industrial Aerodynamics, 2012, 107-108, 57-75 Investigation on heat transfer around buried coils of pile foundation heat exchangers for ground-coupled heat pump applications. International Journal of Heat and Mass Transfer, 2012, 55, 6023 Investigation on air-conditioning load profile and energy consumption of desiccant cooling system for commercial buildings in Hong Kong. Energy and Buildings, 2012, 49, 509-518 A numerical study of bend-induced particle deposition in and behind duct bends. Building and Environment, 2012, 52, 77-87 Optimum design of shading-type building-integrated photovoltaic claddings with different surface azimuth an	The analysis on solid cylindrical heat source model of foundation pile ground heat exchangers with groundwater flow. Energy, 2013, 55, 417-425 Development of simplified prediction model for internally cooled/heated liquid desiccant dehumidification system. Energy and Buildings, 2013, 59, 133-142 An experimental study of the thermal performance of a novel photovoltaic double-skin facade in Hong Kong. Solar Energy, 2013, 97, 293-304 Building self-ordered tubular macro- and mesoporous nitridated titania from gas bubbles towards high-performance lithium-ion batteries. Dalton Transactions, 2013, 42, 8781-7 Performance evaluation of a stand-alone photovoltaic system on an isolated island in Hong Kong. Applied Energy, 2013, 112, 663-672 One-step synthesis of hybrid silver particles for front contact paste for crystalline silicon solar cells. Electronic Materials Letters, 2013, 9, 353-356 Modeling and Numerical Analysis of the Solid Particle Erosion in Curved Ducts. Abstract and Applied Analysis, 2013, 2013, 1-8 Numerical Investigation of the Wall Effect on Airborne Particle Dispersion in a Test Chamber. 46 Acrosol and Air Quality Research, 2013, 13, 786-794 Investigation into the relationship of the overlap ratio and shift angle of double stage three bladed vertical axis wind turbine (VAWT). Journal of Wind Engineering and Industrial Aerodynamics, 2012, 107-108, 57-75 Investigation on heat transfer around buried coils of pile foundation heat exchangers for ground-coupled heat pump applications. International Journal of Heat and Mass Transfer, 2012, 55, 6023-8631 Investigation on air-conditioning load profile and energy consumption of desiccant cooling system for commercial buildings in Hong Kong. Energy and Buildings, 2012, 49, 509-518 A numerical study of bend-induced particle deposition in and behind duct bends. Building and Environment, 2012, 52, 77-87 Optimum design of shading-type building-integrated photovoltaic claddings with different surface azimuth angles. Applied Energy, 2012, 90, 233-240 Expe

28	Influence of Phase-Shift and Overlap Ratio on Savonius Wind Turbine® Performance. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2012 , 134,	2.3	33
27	Experimental studies on a ground coupled heat pump with solar thermal collectors for space heating. <i>Energy</i> , 2011 , 36, 5292-5300	7.9	78
26	Experimental investigation of the impact of airborne dust deposition on the performance of solar photovoltaic (PV) modules. <i>Atmospheric Environment</i> , 2011 , 45, 4299-4304	5.3	208
25	Experimental investigation on performance improvement of electro-osmotic regeneration for solid desiccant. <i>Applied Energy</i> , 2011 , 88, 2816-2823	10.7	15
24	A computational investigation of particle distribution and deposition in a 90°l bend incorporating a particle wall model. <i>Building and Environment</i> , 2011 , 46, 1251-1262	6.5	30
23	Experimental study and numerical investigation of particle penetration and deposition in 90°l bent ventilation ducts. <i>Building and Environment</i> , 2011 , 46, 2195-2202	6.5	23
22	First order multivariate Markov chain model for generating annual weather data for Hong Kong. <i>Energy and Buildings</i> , 2011 , 43, 2371-2377	7	24
21	Long term operation of a solar assisted ground coupled heat pump system for space heating and domestic hot water. <i>Energy and Buildings</i> , 2011 , 43, 1835-1844	7	88
20	Three-dimensional double deck meshlike dye-sensitized solar cells. <i>Journal of Applied Physics</i> , 2010 , 108, 064510	2.5	13
19	Measurement of the surface charge of ultrafine particles from laser printers and analysis of their electrostatic force. <i>Atmospheric Environment</i> , 2010 , 44, 3347-3351	5.3	12
18	Environmental payback time analysis of a roof-mounted building-integrated photovoltaic (BIPV) system in Hong Kong. <i>Applied Energy</i> , 2010 , 87, 3625-3631	10.7	135
17	Energy and economic performance analysis of an open cycle solar desiccant dehumidification air-conditioning system for application in Hong Kong. <i>Solar Energy</i> , 2010 , 84, 2085-2095	6.8	42
16	Current status of research on optimum sizing of stand-alone hybrid solar wind power generation systems. <i>Applied Energy</i> , 2010 , 87, 380-389	10.7	600
15	Numerical evaluation of the mixed convective heat transfer in a double-pane window integrated with see-through a-Si PV cells with low-e coatings. <i>Applied Energy</i> , 2010 , 87, 3431-3437	10.7	82
14	Simulation of particle deposition in ventilation duct with a particle wall impact model. <i>Building and Environment</i> , 2010 , 45, 1184-1191	6.5	27
13	Experimental analysis of particle concentration heterogeneity in a ventilated scale chamber. <i>Atmospheric Environment</i> , 2009 , 43, 4311-4318	5.3	9
12	Investigation on the feasibility and enhancement methods of wind power utilization in high-rise buildings of Hong Kong. <i>Renewable and Sustainable Energy Reviews</i> , 2009 , 13, 450-461	16.2	86
11	Thermal behavior of a novel type see-through glazing system with integrated PVIcells. <i>Building and Environment</i> , 2009 , 44, 2129-2136	6.5	36

LIST OF PUBLICATIONS

10	Investigation on the thermal performance of different lightweight roofing structures and its effect on space cooling load. <i>Applied Thermal Engineering</i> , 2009 , 29, 2491-2499	5.8	31
9	Investigating the effect of indoor water canal on the cooling load estimation and condensation issues of Venetian Macao. <i>Building Services Engineering Research and Technology</i> , 2008 , 29, 249-259	2.3	
8	Optimal sizing method for stand-alone hybrid solar wind system with LPSP technology by using genetic algorithm. <i>Solar Energy</i> , 2008 , 82, 354-367	6.8	562
7	A novel optimization sizing model for hybrid solar-wind power generation system. <i>Solar Energy</i> , 2007 , 81, 76-84	6.8	472
6	The Optimum Tilt Angles and Orientations of PV Claddings for Building-Integrated Photovoltaic (BIPV) Applications. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2007 , 129, 253-255	2.3	65
5	Optimum Design of Hybrid Solar-wind-diesel Power Generation System Using Genetic Algorithm. <i>HKIE Transactions</i> , 2007 , 14, 82-89	2.9	6
4	A Study on Simulations of the Power Output and Practical Models for Building Integrated Photovoltaic Systems. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2004 , 126, 929-935	5 2.3	28
3	Weather data and probability analysis of hybrid photovoltaic wind power generation systems in Hong Kong. <i>Renewable Energy</i> , 2003 , 28, 1813-1824	8.1	215
2	Investigation on wind power potential on Hong Kong islands analysis of wind power and wind turbine characteristics. <i>Renewable Energy</i> , 2002 , 27, 1-12	8.1	205
1	Wind Data Analysis and a Case Study of Wind Power Generation in Hong Kong. <i>Wind Engineering</i> , 2001 , 25, 115-123	1.2	8