## Janeusa T Souto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4366257/publications.pdf

Version: 2024-02-01

19	1,038	15	19
papers	citations	h-index	g-index
19	19	19	1491
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Interferon- $\hat{l}^3$ and Tumor Necrosis Factor- $\hat{l}^\pm$ Determine Resistance to Paracoccidioides brasiliensis Infection in Mice. American Journal of Pathology, 2000, 156, 1811-1820.	3.8	159
2	$\hat{l}^2$ -Chemokines Enhance Parasite Uptake and Promote Nitric Oxide-Dependent Microbiostatic Activity in Murine Inflammatory Macrophages Infected with <i>Trypanosoma cruzi </i> . Infection and Immunity, 1999, 67, 4819-4826.	2.2	149
3	Modulation of Chemokine Production and Inflammatory Responses in Interferon- $\hat{I}^3$ - and Tumor Necrosis Factor-R1-Deficient Mice during Trypanosoma cruzi Infection. American Journal of Pathology, 2001, 158, 1433-1440.	3.8	131
4	MIP- $1\hat{A}$ [CCL3] acting on the CCR1 receptor mediates neutrophil migration in immune inflammation via sequential release of TNF- $\hat{A}$ and LTB4. Journal of Leukocyte Biology, 2005, 78, 167-177.	3.3	124
5	Chemokine Production and Leukocyte Recruitment to the Lungs of Paracoccidioides brasiliensis-Infected Mice Is Modulated by Interferon- $\hat{l}^3$ . American Journal of Pathology, 2003, 163, 583-590.	3.8	76
6	Nitric oxide synthase-2 modulates chemokine production by Trypanosoma cruzi-infected cardiac myocytes. Microbes and Infection, 2008, 10, 1558-1566.	1.9	52
7	Fasâ€Fas Ligand (CD95 D95L) and Cytotoxic T Lymphocyte Antigen–4 Engagement Mediate T Cell Unresponsiveness in Patients with Paracoccidioidomycosis. Journal of Infectious Diseases, 2003, 187, 1496-1505.	4.0	51
8	Marine Alkaloids with Anti-Inflammatory Activity: Current Knowledge and Future Perspectives. Marine Drugs, 2020, 18, 147.	4.6	51
9	Increased LPS levels coexist with systemic inflammation and result in monocyte activation in severe COVID-19 patients. International Immunopharmacology, 2021, 100, 108125.	3.8	40
10	Aqueous and Methanolic Extracts of Caulerpa mexicana Suppress Cell Migration and Ear Edema Induced by Inflammatory Agents. Marine Drugs, 2011, 9, 1332-1345.	4.6	31
11	The Bisindole Alkaloid Caulerpin, from Seaweeds of the Genus Caulerpa, Attenuated Colon Damage in Murine Colitis Model. Marine Drugs, 2018, 16, 318.	4.6	30
12	Deficiency of IL-12p40 subunit determines severe paracoccidioidomycosis in mice. Medical Mycology, 2008, 46, 637-646.	0.7	29
13	Innate immune response in patients with acute Zika virus infection. Medical Microbiology and Immunology, 2019, 208, 703-714.	4.8	26
14	Inducible nitric oxide synthase-deficient mice show exacerbated inflammatory process and high production of both Th1 and Th2 cytokines during paracoccidioidomycosis. Microbes and Infection, 2009, 11, 123-132.	1.9	25
15	SNPs in DNA repair genes associated to meningitis and host immune response. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2011, 713, 39-47.	1.0	16
16	Stromal cell derived factor 1 synthesis by spleen cells in rodent malaria, and the effects of in vivo supplementation of SDF- $1\hat{1}\pm$ and CXCR4 receptor blocker. Immunology Letters, 2002, 83, 47-53.	2.5	15
17	Intercellular Adhesion Molecule-1 Is Required for the Early Formation of Granulomas and Participates in the Resistance of Mice to the Infection with the Fungus Paracoccidioides brasiliensis. American Journal of Pathology, 2006, 169, 1270-1281.	3.8	15
18	Anti-inflammatory effects of methanolic extract of green algae Caulerpa mexicana in a murine model of ulcerative colitis. Revista Brasileira De Farmacognosia, 2015, 25, 677-682.	1.4	15

#	<u> </u>	Article	lF	CITATIONS
1	9	NOD2 receptor is crucial for protecting against the digestive form of Chagas disease. PLoS Neglected Tropical Diseases, 2020, 14, e0008667.	3.0	3