

Anna Wańkiewicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/43666/publications.pdf>

Version: 2024-02-01

20
papers

419
citations

686830

13
h-index

752256

20
g-index

22
all docs

22
docs citations

22
times ranked

776
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary Plant Sterols and Phytosterol-Enriched Margarines and Their Relationship with Cardiovascular Disease among Polish Men and Women: The WOBASZ II Cross-Sectional Study. <i>Nutrients</i> , 2022, 14, 2665.	1.7	11
2	Diet quality in the population of Norway and Poland: differences in the availability and consumption of food considering national nutrition guidelines and food market. <i>BMC Public Health</i> , 2021, 21, 319.	1.2	9
3	Assessment of Plant Sterols in the Diet of Adult Polish Population with the Use of a Newly Developed Database. <i>Nutrients</i> , 2021, 13, 2722.	1.7	12
4	Dietary Habits and Dietary Antioxidant Intake Are Related to Socioeconomic Status in Polish Adults: A Nationwide Study. <i>Nutrients</i> , 2020, 12, 518.	1.7	20
5	The Consumption of Nuts is Associated with Better Dietary and Lifestyle Patterns in Polish Adults: Results of WOBASZ and WOBASZ II Surveys. <i>Nutrients</i> , 2019, 11, 1410.	1.7	10
6	Polyphenols and dietary antioxidant potential, and their relationship with arterial hypertension: A cross-sectional study of the adult population in Poland (WOBASZ II). <i>Advances in Clinical and Experimental Medicine</i> , 2019, 28, 797-806.	0.6	13
7	Relationship between the dietary glycemic load of the adult Polish population and socio-demographic and lifestyle factors – results of the WOBASZ II study. <i>Advances in Clinical and Experimental Medicine</i> , 2019, 28, 891-897.	0.6	5
8	Differences in food consumption in regions of Poland that had been previously under Austrian, Prussian and Russian annexations. <i>Roczniki Państwowego Zakładu Higieny</i> , 2019, 70, 287-294.	0.5	0
9	Dietary Total Antioxidant Capacity and Dietary Polyphenol Intake and Prevalence of Metabolic Syndrome in Polish Adults: A Nationwide Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-10.	1.9	32
10	Are Total and Individual Dietary Lignans Related to Cardiovascular Disease and Its Risk Factors in Postmenopausal Women? A Nationwide Study. <i>Nutrients</i> , 2018, 10, 865.	1.7	25
11	Metabolic syndrome and its components in Polish women of childbearing age: a nationwide study. <i>BMC Public Health</i> , 2018, 18, 15.	1.2	17
12	Dietary acid load and cardiometabolic risk in the Polish adult population. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 1347-1345.	0.6	21
13	Dietary Polyphenol Intake, but Not the Dietary Total Antioxidant Capacity, Is Inversely Related to Cardiovascular Disease in Postmenopausal Polish Women: Results of WOBASZ and WOBASZ II Studies. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-11.	1.9	22
14	Prevalence of general and abdominal obesity and overweight among adults in Poland. Results of the WOBASZ II study (2013–2014) and comparison with the WOBASZ study (2003–2005). <i>Polish Archives of Internal Medicine</i> , 2016, 126, 662-671.	0.3	53
15	Are dietary habits of the Polish population consistent with the recommendations for prevention of cardiovascular disease? – WOBASZ II project. <i>Kardiologia Polska</i> , 2016, 74, 969-977.	0.3	45
16	Comparison of Various Databases for Estimation of Dietary Polyphenol Intake in the Population of Polish Adults. <i>Nutrients</i> , 2015, 7, 9299-9308.	1.7	41
17	Dietary Antioxidant and Flavonoid Intakes Are Reduced in the Elderly. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-8.	1.9	27
18	Dietary antioxidant capacity of the patients with cardiovascular disease in a cross-sectional study. <i>Nutrition Journal</i> , 2015, 14, 26.	1.5	16

#	ARTICLE	IF	CITATIONS
19	Metabolic disorders in women at procreative age living in Warsaw. Roczniki Panstwowego Zakladu Higieny, 2015, 66, 245-51.	0.5	3
20	Socioeconomic factors and the risk of metabolic syndrome in the adult Polish population: the WOBASZ study. Kardiologia Polska, 2012, 70, 718-27.	0.3	22