

Å-rjan Sundin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4366760/publications.pdf>

Version: 2024-02-01

70
papers

2,027
citations

257450

24
h-index

265206

42
g-index

73
all docs

73
docs citations

73
times ranked

2370
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychometric properties of the Swedish version of the experiences in close relationships â€œ relationship structures questionnaire (ECR-RS global nine-item version). <i>Cogent Psychology</i> , 2021, 8, 1926080.	1.3	3
2	Contextual determinants of intimate partner violence: a multi-level analysis in six European cities. <i>International Journal of Public Health</i> , 2020, 65, 1669-1679.	2.3	1
3	Intimate Partner Violence and Use of Primary and Emergency Care: The Role of Informal Social Support. <i>Health and Social Work</i> , 2020, 45, 91-100.	1.0	3
4	Fluid reasoning, working memory and planning ability in assessment of risk for mathematical difficulties. <i>Educational Psychology in Practice</i> , 2020, 36, 229-240.	1.0	4
5	Designing a Web-Based Psychological Intervention for Patients With Myocardial Infarction With Nonobstructive Coronary Arteries: User-Centered Design Approach. <i>Journal of Medical Internet Research</i> , 2020, 22, e19066.	4.3	5
6	Social support and the intimate partner violence victimization among adults from six European countries. <i>Family Practice</i> , 2019, 36, 117-124.	1.9	30
7	Potential mechanisms in fear of birth: The role of pain catastrophizing and intolerance of uncertainty. <i>Birth</i> , 2019, 46, 61-68.	2.2	22
8	The impact of intimate partner violence on forgone healthcare: a population-based, multicentre European study. <i>European Journal of Public Health</i> , 2019, 29, 359-364.	0.3	7
9	Psychometric properties of a Swedish version of the reinforcement sensitivity theory of personality questionnaire. <i>Nordic Psychology</i> , 2019, 71, 134-145.	0.8	11
10	Personality Traits in Patients with Myocardial Infarction with Nonobstructive Coronary Arteries. <i>American Journal of Medicine</i> , 2019, 132, 374-381.e1.	1.5	11
11	The Reliability and Factorial Validity of the Swedish Version of the Revised Controlling Behaviors Scale. <i>Journal of Interpersonal Violence</i> , 2019, 34, 3850-3863.	2.0	0
12	Effect of traditional yoga, mindfulnessâ€œbased cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of burnout. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 80.	3.7	39
13	Ethnic Differences in the Risk Factors and Severity of Coronary Artery Disease: a Patient-Based Study in Iran. <i>Journal of Racial and Ethnic Health Disparities</i> , 2018, 5, 623-631.	3.2	19
14	Heterogeneity in childbirth related fear or anxiety. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 634-643.	1.5	16
15	The reliability and factorial validity of the Swedish version of the Recovery Experience Questionnaire. <i>Nordic Psychology</i> , 2018, 70, 324-333.	0.8	35
16	Prevalence of Anxiety and Depression Symptoms in Patients with Myocardial Infarction with Non-Obstructive Coronary Arteries. <i>American Journal of Medicine</i> , 2018, 131, 1118-1124.	1.5	37
17	Comparing Internet-Based Cognitive Behavioral Therapy With Standard Care for Women With Fear of Birth: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2018, 5, e10420.	3.3	28
18	Effect of Myocardial Infarction With Nonobstructive Coronary Arteries on Physical Capacity and Quality-of-Life. <i>American Journal of Cardiology</i> , 2017, 120, 341-346.	1.6	39

#	ARTICLE	IF	CITATIONS
19	A randomized controlled study comparing internet-based cognitive behavioral therapy and counselling by standard care for fear of birth " A study protocol. <i>Sexual and Reproductive Healthcare</i> , 2017, 13, 75-82.	1.2	15
20	The interactive effect of the Behavioral Inhibition System (BIS) and response inhibition on accuracy in a modified stop-signal task. <i>Personality and Individual Differences</i> , 2016, 97, 198-202.	2.9	9
21	Psychological perspectives on fear of childbirth. <i>Journal of Anxiety Disorders</i> , 2016, 44, 80-91.	3.2	101
22	Metacognitive Strategy Training Adds to the Effects of Working Memory Training in Children with Special Educational Needs. <i>International Journal of Psychological Studies</i> , 2015, 7, .	0.2	20
23	The effect of the work environment on future sleep disturbances: a systematic review. <i>Sleep Medicine Reviews</i> , 2015, 23, 10-19.	8.5	219
24	Intimate partner violence: a study in men and women from six European countries. <i>International Journal of Public Health</i> , 2015, 60, 467-478.	2.3	71
25	Quality of life and life satisfaction among adults with and without congenital heart disease in a developing country. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 169-179.	1.8	19
26	Socioeconomic status and in-hospital mortality of acute coronary syndrome: Can education and occupation serve as preventive measures?. <i>International Journal of Preventive Medicine</i> , 2015, 6, 36.	0.4	13
27	Intimate partner violence and health-related quality of life in European men and women: findings from the DOVE study. <i>Quality of Life Research</i> , 2015, 24, 463-471.	3.1	33
28	Style of Coping and Its Determinants in Adults with Congenital Heart Disease in a Developing Country. <i>Congenital Heart Disease</i> , 2014, 9, 349-360.	0.2	11
29	The relationship between abuse, psychosocial factors, and pain complaints among older persons in Europe. <i>Medicina (Lithuania)</i> , 2014, 50, 61-74.	2.0	1
30	The chronicity and severity of abuse among older persons by country: a European study. <i>Journal of Aggression, Conflict and Peace Research</i> , 2014, 6, 3-25.	0.6	6
31	Factors associated with refraining from buying prescribed medications among older people in Europe. <i>Australasian Journal on Ageing</i> , 2014, 33, E25-E30.	0.9	5
32	No Myocardial Vulnerability to Mental Stress in Takotsubo Stress Cardiomyopathy. <i>PLoS ONE</i> , 2014, 9, e93697.	2.5	14
33	Anxiety, depressive and somatic symptoms in adults with congenital heart disease. <i>Journal of Psychosomatic Research</i> , 2013, 74, 49-56.	2.6	50
34	Intimate partner violence in Europe: design and methods of a multinational study. <i>Gaceta Sanitaria</i> , 2013, 27, 558-561.	1.5	12
35	Gender differences in health conditions and socio-economic status of adults with congenital heart disease in a developing country. <i>Cardiology in the Young</i> , 2013, 23, 209-218.	0.8	10
36	Alcohol use among abused and non-abused older persons aged 60"84 years: An European study. <i>Drugs: Education, Prevention and Policy</i> , 2013, 20, 96-109.	1.3	7

#	ARTICLE	IF	CITATIONS
37	Developing an early screening instrument for predicting psychological morbidity after critical illness. <i>Critical Care</i> , 2013, 17, R210.	5.8	32
38	Psychological abuse among older persons in Europe: a cross-sectional study. <i>Journal of Aggression, Conflict and Peace Research</i> , 2013, 5, 16-34.	0.6	20
39	The Effect of Using Different Distractor Sets in Visual Search with Spiders and Snakes on Spider-Sensitive and Nonfearful Participants. <i>Swiss Journal of Psychology</i> , 2013, 72, 171-179.	0.9	5
40	Gender differences in psychological morbidity and treatment in intensive care survivors - a cohort study. <i>Critical Care</i> , 2012, 16, R80.	5.8	31
41	Pain among women: Associations with socio-economic factors over time and the mediating role of depressive symptoms. <i>Scandinavian Journal of Pain</i> , 2012, 3, 62-67.	1.3	18
42	Burnout Among Foreign-Born and Native Swedish Women: A Longitudinal Study. <i>Women and Health</i> , 2011, 51, 643-660.	1.0	22
43	The influence of psychosocial factors on quality of life among women with pain: a prospective study in Sweden. <i>Quality of Life Research</i> , 2011, 20, 1215-1225.	3.1	7
44	The role of psychosocial factors in the course of pain—a 1-year follow-up study among women living in Sweden. <i>Archives of Women's Mental Health</i> , 2011, 14, 493-503.	2.6	5
45	Does burnout predict changes in pain experiences among women living in Sweden? A longitudinal study. <i>Stress and Health</i> , 2009, 25, 297-311.	2.6	19
46	Treatment of post-traumatic stress disorder with eye movement desensitization and reprocessing: Outcome is stable in 35-month follow-up. <i>Psychiatry Research</i> , 2008, 159, 101-108.	3.3	65
47	Short- and long-term follow-up of intensive care unit patients after sedation with isoflurane and midazolam—a pilot study*. <i>Critical Care Medicine</i> , 2008, 36, 801-806.	0.9	99
48	Effects of EMDR psychotherapy on 99mTc-HMPAO distribution in occupation-related post-traumatic stress disorder. <i>Nuclear Medicine Communications</i> , 2007, 28, 757-765.	1.1	80
49	On treatment with eye movement desensitization and reprocessing of chronic post-traumatic stress disorder in public transportation workers — A randomized controlled trial. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 54-61.	1.3	73
50	Impact of depressive mood on lifestyle changes in patients with coronary artery disease. <i>Acta Dermato-Venereologica</i> , 2007, 39, 412-417.	1.3	5
51	Men's experiences of violence: extent, nature and determinants™. <i>International Journal of Social Welfare</i> , 2007, 16, 269-277.	1.7	10
52	Intensive cognitive-behavioral group treatment (CBGT) of social phobia: A randomized controlled study. <i>Journal of Anxiety Disorders</i> , 2006, 20, 646-660.	3.2	39
53	Pain among women: Associations with socio-economic and work conditions. <i>European Journal of Pain</i> , 2006, 10, 435-435.	2.8	38
54	Long-Term Effects of Lifestyle Behavior Change in Coronary Artery Disease: Effects on Recurrent Coronary Events After Percutaneous Coronary Intervention.. <i>Health Psychology</i> , 2005, 24, 41-48.	1.6	108

#	ARTICLE	IF	CITATIONS
55	Regional cerebral blood flow during auditory recall in 47 subjects exposed to assaultive and non-ssaultive trauma and developing or not posttraumatic stress disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 359-365.	3.2	40
56	Intensive Cognitive Behavioural Group Treatment for Social Phobia: a Pilot Study. <i>Cognitive Behaviour Therapy</i> , 2005, 34, 41-49.	3.5	24
57	Psychosocial experiences of foreign and native patients with/without pain. <i>Scandinavian Journal of Occupational Therapy</i> , 2004, 11, 36-48.	1.7	8
58	The stress of musculoskeletal pain. <i>Journal of Psychosomatic Research</i> , 2004, 56, 297-305.	2.6	18
59	Age and musculoskeletal pain. <i>International Journal of Behavioral Medicine</i> , 2003, 10, 181-190.	1.7	20
60	Comparing multifactorial lifestyle interventions and stress management in coronary risk reduction. <i>International Journal of Behavioral Medicine</i> , 2003, 10, 191-204.	1.7	28
61	Depression as a predictor of return to work in patients with coronary artery disease. <i>Social Science and Medicine</i> , 2003, 56, 193-202.	3.8	89
62	The Effects On and Of Depression - An Exploratory Study of Rehabilitation and Secondary Prevention in Coronary Artery Disease. <i>Cognitive Behaviour Therapy</i> , 1999, 28, 9-18.	0.3	2
63	Behavioral effects of a comprehensive, multifactorial program for lifestyle change after percutaneous transluminal coronary angioplasty. <i>Journal of Psychosomatic Research</i> , 1999, 46, 143-154.	2.6	84
64	Cardiovascular reactivity, Type A behavior, and coronary heart disease: Comparisons between myocardial infarction patients and controls during laboratory-induced stress. <i>Psychophysiology</i> , 1995, 32, 28-35.	2.4	34
65	Emotional factors in cardiovascular disorder. <i>Current Opinion in Psychiatry</i> , 1995, 8, 410-413.	6.3	5
66	Empirical contributions. <i>International Journal of Behavioral Medicine</i> , 1994, 1, 32-54.	1.7	39
67	Psychophysiological effects of cardiac rehabilitation in post-myocardial infarction patients. <i>International Journal of Behavioral Medicine</i> , 1994, 1, 55-75.	1.7	9
68	Heart and Lifestyle: A Type A Treatment Program for Myocardial Infarction Patients. <i>Cognitive Behaviour Therapy</i> , 1986, 15, 87-93.	0.3	5
69	Autonomic Nervous System Function and Essential Hypertension: Individual Response Specificity With and Without Beta-Adrenergic Blockade. <i>Psychophysiology</i> , 1985, 22, 167-174.	2.4	17
70	Raynauds Sjukdom. <i>Cognitive Behaviour Therapy</i> , 1978, 7, 247-251.	0.3	1