

Rupali Datta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4366993/publications.pdf>

Version: 2024-02-01

137
papers

4,591
citations

94269

37
h-index

123241

61
g-index

142
all docs

142
docs citations

142
times ranked

4551
citing authors

#	ARTICLE	IF	CITATIONS
1	Bioremediation of petroleum hydrocarbons in contaminated soils: comparison of biosolids addition, carbon supplementation, and monitored natural attenuation. <i>Environmental Pollution</i> , 2005, 136, 187-195.	3.7	308
2	Starch Biosynthesis during Pollen Maturation Is Associated with Altered Patterns of Gene Expression in Maize. <i>Plant Physiology</i> , 2002, 130, 1645-1656.	2.3	205
3	Bioaccumulation and physiological effects of mercury in <i>Sesbania drummondii</i> . <i>Chemosphere</i> , 2006, 65, 591-598.	4.2	182
4	Mechanisms of ciprofloxacin removal by nano-sized magnetite. <i>Journal of Hazardous Materials</i> , 2013, 246-247, 221-226.	6.5	148
5	Symbiotic role of <i>Glomus mosseae</i> in phytoextraction of lead in vetiver grass [<i>Chrysopogon zizanioides</i> (L.)]. <i>Journal of Hazardous Materials</i> , 2010, 177, 465-474.	6.5	139
6	Remediation of Acid Mine Drainage-Impacted Water. <i>Current Pollution Reports</i> , 2015, 1, 131-141.	3.1	133
7	Evaluating a drinking-water waste by-product as a novel sorbent for arsenic. <i>Chemosphere</i> , 2006, 64, 730-741.	4.2	125
8	Effect of solution chemistry on arsenic sorption by Fe- and Al-based drinking-water treatment residuals. <i>Chemosphere</i> , 2010, 78, 1028-1035.	4.2	101
9	Biodegradation of per- and polyfluoroalkyl substances (PFAS): A review. <i>Bioresource Technology</i> , 2022, 344, 126223.	4.8	87
10	Aluminum-based drinking-water treatment residuals: A novel sorbent for perchlorate removal. <i>Environmental Pollution</i> , 2006, 140, 9-12.	3.7	86
11	Antimony sorption at gibbsite-water interface. <i>Chemosphere</i> , 2011, 84, 480-483.	4.2	85
12	Analysis of phytochelatin complexes in the lead tolerant vetiver grass [<i>Vetiveria zizanioides</i> (L.)] using liquid chromatography and mass spectrometry. <i>Environmental Pollution</i> , 2009, 157, 2173-2183.	3.7	84
13	Fate of Arsenic in Swine Waste from Concentrated Animal Feeding Operations. <i>Journal of Environmental Quality</i> , 2008, 37, 1626-1633.	1.0	76
14	Heavy Metal Pollution and Remediation. , 2018, , 359-373.		76
15	Arsenic immobilization in soils amended with drinking-water treatment residuals. <i>Environmental Pollution</i> , 2007, 146, 414-419.	3.7	73
16	Integrated Metabolomic and Proteomic Approaches Dissect the Effect of Metal-Resistant Bacteria on Maize Biomass and Copper Uptake. <i>Environmental Science & Technology</i> , 2014, 48, 1184-1193.	4.6	69
17	PHYTOREMEDIATION POTENTIAL OF VETIVER GRASS [<i>CHRYSOPOGON ZIZANIOIDES</i> (L.)] FOR TETRACYCLINE. <i>International Journal of Phytoremediation</i> , 2013, 15, 343-351.	1.7	68
18	Synthesis of phytochelatin in vetiver grass upon lead exposure in the presence of phosphorus. <i>Plant and Soil</i> , 2010, 326, 171-185.	1.8	65

#	ARTICLE	IF	CITATIONS
19	High uptake of 2,4,6-trinitrotoluene by vetiver grass – Potential for phytoremediation?. Environmental Pollution, 2007, 146, 1-4.	3.7	63
20	Gene expression studies on developing kernels of maize sucrose synthase (SuSy) mutants show evidence for a third SuSy gene. Plant Molecular Biology, 2002, 49, 15-29.	2.0	62
21	Identification of Biochemical Pathways Associated with Lead Tolerance and Detoxification in <i>Chrysopogon zizanioides</i> L. Nash (Vetiver) by Metabolic Profiling. Environmental Science & Technology, 2016, 50, 2530-2537.	4.6	62
22	Effect of soil properties on arsenic fractionation and bioaccessibility in cattle and sheep dipping vat sites. Environment International, 2007, 33, 164-169.	4.8	61
23	Vetiver grass is capable of removing TNT from soil in the presence of urea. Environmental Pollution, 2010, 158, 1980-1983.	3.7	60
24	Induction of Lead-Binding Phytochelatins in Vetiver Grass [<i>Vetiveria zizanioides</i> (L.)]. Journal of Environmental Quality, 2009, 38, 868-877.	1.0	57
25	Mycorrhiza and heavy metal resistant bacteria enhance growth, nutrient uptake and alter metabolic profile of sorghum grown in marginal soil. Chemosphere, 2016, 157, 33-41.	4.2	56
26	Effectiveness of Aluminum-based Drinking Water Treatment Residuals as a Novel Sorbent to Remove Tetracyclines from Aqueous Medium. Journal of Environmental Quality, 2013, 42, 1449-1459.	1.0	55
27	Ethylenediaminedisuccinic acid (EDDS) enhances phytoextraction of lead by vetiver grass from contaminated residential soils in a panel study in the field. Environmental Pollution, 2017, 225, 524-533.	3.7	53
28	Mycorrhiza and PGPB modulate maize biomass, nutrient uptake and metabolic pathways in maize grown in mining-impacted soil. Plant Physiology and Biochemistry, 2015, 97, 390-399.	2.8	48
29	Remediation of acid mine drainage-impacted water by vetiver grass (<i>Chrysopogon zizanioides</i>): A multiscale long-term study. Ecological Engineering, 2019, 129, 97-108.	1.6	46
30	Gene-expression analysis of sucrose-starch metabolism during pollen maturation in cytoplasmic male-sterile and fertile lines of sorghum. Sexual Plant Reproduction, 2001, 14, 127-134.	2.2	45
31	Is Arsenic in Rice a Major Human Health Concern?. Current Pollution Reports, 2020, 6, 37-42.	3.1	45
32	X-ray absorption spectroscopy as a tool investigating arsenic(III) and arsenic(V) sorption by an aluminum-based drinking-water treatment residual. Journal of Hazardous Materials, 2009, 171, 980-986.	6.5	43
33	Effective integration of soil chemistry and plant molecular biology in phytoremediation of metals: An overview. Environmental Geosciences, 2004, 11, 53-63.	0.6	42
34	Chelant-aided enhancement of lead mobilization in residential soils. Environmental Pollution, 2008, 156, 1139-1148.	3.7	42
35	Comparative metabolic profiling of vetiver (<i>Chrysopogon zizanioides</i>) and maize (<i>Zea mays</i>) under lead stress. Chemosphere, 2018, 193, 903-911.	4.2	41
36	Temporal and spatial regulation of nitrate reductase and nitrite reductase in greening maize leaves. Plant Science, 1999, 144, 77-83.	1.7	40

#	ARTICLE	IF	CITATIONS
37	Chemically catalyzed uptake of 2,4,6-trinitrotoluene by <i>Vetiveria zizanioides</i> . <i>Environmental Pollution</i> , 2007, 148, 101-106.	3.7	39
38	Fate and bioavailability of arsenic in organo-arsenical pesticide-applied soils.. <i>Chemosphere</i> , 2005, 60, 188-195.	4.2	38
39	Surface arsenic speciation of a drinking-water treatment residual using X-ray absorption spectroscopy. <i>Journal of Colloid and Interface Science</i> , 2007, 311, 544-550.	5.0	37
40	Phytoremediation of Explosive-Contaminated Soils. <i>Current Pollution Reports</i> , 2015, 1, 23-34.	3.1	37
41	Vetiver grass (<i>Chrysopogon zizanioides</i>) is capable of removing insensitive high explosives from munition industry wastewater. <i>Chemosphere</i> , 2018, 209, 920-927.	4.2	37
42	Effect of soil aging on arsenic fractionation and bioaccessibility in inorganic arsenical pesticide contaminated soils. <i>Applied Geochemistry</i> , 2010, 25, 1422-1430.	1.4	36
43	Comparative transcriptome and proteome analysis to reveal the biosynthesis of gold nanoparticles in <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2016, 6, 21733.	1.6	35
44	Bioavailability and Bioaccessibility of Arsenic in a Soil Amended with Drinking-Water Treatment Residuals. <i>Archives of Environmental Contamination and Toxicology</i> , 2009, 57, 755-766.	2.1	33
45	Greenhouse Study on the Phytoremediation Potential of Vetiver Grass, <i>Chrysopogon zizanioides</i> L., in Arsenic-Contaminated Soils. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2011, 86, 124-128.	1.3	33
46	Surface complexation of antimony on kaolinite. <i>Chemosphere</i> , 2015, 119, 349-354.	4.2	33
47	Arsenic biogeochemistry and human health risk assessment in organo-arsenical pesticide-applied acidic and alkaline soils: An incubation study. <i>Science of the Total Environment</i> , 2006, 372, 39-48.	3.9	32
48	A modified in-vitro method to assess bioavailable arsenic in pesticide-applied soils. <i>Environmental Pollution</i> , 2003, 126, 363-366.	3.7	31
49	Controlling the Fate of Roxarsone and Inorganic Arsenic in Poultry Litter. <i>Journal of Environmental Quality</i> , 2008, 37, 963-971.	1.0	31
50	Effects of soil types and forms of arsenical pesticide on rice growth and development. <i>International Journal of Environmental Science and Technology</i> , 2011, 8, 445-460.	1.8	30
51	Uptake and transformation of ciprofloxacin by vetiver grass (<i>Chrysopogon zizanioides</i>). <i>International Biodeterioration and Biodegradation</i> , 2019, 142, 200-210.	1.9	30
52	Nitrate removal uncertainty in stormwater control measures: Is the design or climate a culprit?. <i>Water Research</i> , 2021, 190, 116781.	5.3	29
53	Changes in arsenic fractionation, bioaccessibility and speciation in organo-arsenical pesticide amended soils as a function of soil aging. <i>Chemosphere</i> , 2011, 84, 1563-1571.	4.2	28
54	Adsorption of arsenic(V) from aqueous solutions by goethite/silica nanocomposite. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 3905-3914.	1.8	28

#	ARTICLE	IF	CITATIONS
55	In Situ Attenuated Total Reflectance Fourier-Transform Infrared Study of Oxytetracycline Sorption on Magnetite. <i>Journal of Environmental Quality</i> , 2013, 42, 822-827.	1.0	27
56	Evidence for exocellular Arsenic in Fronds of <i>Pteris vittata</i> . <i>Scientific Reports</i> , 2017, 7, 2839.	1.6	27
57	Arsenic Bioaccessibility in a Soil Amended with Drinking-Water Treatment Residuals in the Presence of Phosphorus Fertilizer. <i>Archives of Environmental Contamination and Toxicology</i> , 2007, 53, 329-336.	2.1	26
58	A combined chemical and phytoremediation method for reclamation of acid mine drainage-impacted soils. <i>Environmental Science and Pollution Research</i> , 2019, 26, 14414-14425.	2.7	26
59	Removal of antibiotics and nutrients by Vetiver grass (<i>Chrysopogon zizanioides</i>) from secondary wastewater effluent. <i>International Journal of Phytoremediation</i> , 2020, 22, 764-773.	1.7	26
60	Amylases synthesis in scutellum and aleurone layer of maize seeds. <i>Phytochemistry</i> , 1998, 49, 657-666.	1.4	25
61	Arsenic Fate and Bioavailability in Two Soils Contaminated with Sodium Arsenate Pesticide: An Incubation Study. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2004, 72, 240-247.	1.3	25
62	In Vitro Model Improves the Prediction of Soil Arsenic Bioavailability: Worst-Case Scenario. <i>Environmental Science & Technology</i> , 2008, 42, 6278-6284.	4.6	25
63	Human health risk from arsenical pesticide contaminated soils: A long-term greenhouse study. <i>Journal of Hazardous Materials</i> , 2013, 262, 1031-1038.	6.5	25
64	Surface Complexation of Oxytetracycline by Magnetite: Effect of Solution Properties. <i>Vadose Zone Journal</i> , 2014, 13, 1-10.	1.3	24
65	Proteomics provides insights into biological pathways altered by plant growth promoting bacteria and arbuscular mycorrhiza in sorghum grown in marginal soil. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017, 1865, 243-251.	1.1	24
66	Stress-Mediated Enhancement of α -Amylase Activity in Pearl Millet and Maize Leaves is Dependent on Light. <i>Journal of Plant Physiology</i> , 1999, 154, 657-664.	1.6	23
67	A preliminary study to design a floating treatment wetland for remediating acid mine drainage-impacted water using vetiver grass (<i>Chrysopogon zizanioides</i>). <i>Environmental Science and Pollution Research</i> , 2017, 24, 27985-27993.	2.7	23
68	Consideration of Soil Properties in Assessment of Human Health Risk from Exposure to Arsenic-Enriched Soils. <i>Integrated Environmental Assessment and Management</i> , 2005, 1, 55.	1.6	22
69	Coupling indigenous biostimulation and phytoremediation for the restoration of 2,4,6-trinitrotoluene-contaminated sites. <i>Journal of Environmental Monitoring</i> , 2010, 12, 399-403.	2.1	22
70	Removal of tetracycline and ciprofloxacin from wastewater by vetiver grass (<i>Chrysopogon</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td <i>Pollution Research</i> , 2020, 27, 34951-34965.	2.7	22
71	Removal of heavy metals from stormwater runoff using granulated drinking water treatment residuals. <i>Environmental Technology and Innovation</i> , 2022, 28, 102636.	3.0	22
72	Drinking Water Treatment Residual Amendment Lowers Inorganic Arsenic Bioaccessibility in Contaminated soils: a Long-Term Study. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	1.1	21

#	ARTICLE	IF	CITATIONS
73	Effects of biosolids and compost amendment on chemistry of soils contaminated with copper from mining activities. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 176.	1.3	21
74	Removal of Acidity and Metals from Acid Mine Drainage-Impacted Water using Industrial Byproducts. <i>Environmental Management</i> , 2019, 63, 148-158.	1.2	21
75	Lead in Soils in Paint Contaminated Residential Sites at San Antonio, Texas, and Baltimore, Maryland. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2006, 77, 643-650.	1.3	20
76	Arsenic Fractionation and Bioaccessibility in Two Alkaline Texas Soils Incubated with Sodium Arsenate. <i>Archives of Environmental Contamination and Toxicology</i> , 2007, 52, 475-482.	2.1	19
77	Lead fractionation and bioaccessibility in contaminated soils with variable chemical properties. <i>Chemical Speciation and Bioavailability</i> , 2010, 22, 215-225.	2.0	19
78	Antioxidant Enzymes Response in Vetiver Grass: A Greenhouse Study for Chelant-Assisted Phytoremediation of Lead-Contaminated Residential Soils. <i>Clean - Soil, Air, Water</i> , 2011, 39, 428-436.	0.7	19
79	Arsenic bioaccessibility and speciation in the soils amended with organoarsenicals and drinking-water treatment residuals based on a long-term greenhouse study. <i>Journal of Hydrology</i> , 2014, 518, 477-485.	2.3	19
80	Tetracycline uptake and metabolism by vetiver grass (<i>Chrysopogon zizanioides</i> L. Nash). <i>Environmental Science and Pollution Research</i> , 2016, 23, 24880-24889.	2.7	19
81	Adsorption of perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) by aluminum-based drinking water treatment residuals. <i>Journal of Hazardous Materials Letters</i> , 2021, 2, 100034.	2.0	19
82	Organocopper complexes during roxarsone degradation in wastewater lagoons. <i>Environmental Science and Pollution Research</i> , 2010, 17, 1167-1173.	2.7	18
83	Arsenic geochemistry in three soils contaminated with sodium arsenite pesticide: An incubation study. <i>Environmental Geosciences</i> , 2004, 11, 87-97.	0.6	17
84	Effect of solution properties, competing ligands, and complexing metal on sorption of tetracyclines on Al-based drinking water treatment residuals. <i>Environmental Science and Pollution Research</i> , 2015, 22, 7508-7518.	2.7	16
85	Disentanglement of the secrets of aluminium in acidophilic tea plant (<i>Camellia sinensis</i> L.) influenced by organic and inorganic amendments. <i>Food Research International</i> , 2019, 120, 851-864.	2.9	16
86	Metabolic response of vetiver grass (<i>Chrysopogon zizanioides</i>) to acid mine drainage. <i>Chemosphere</i> , 2020, 240, 124961.	4.2	15
87	Removal of Antibiotics and Nutrients by Vetiver Grass (<i>Chrysopogon zizanioides</i>) from a Plug Flow Reactor Based Constructed Wetland Model. <i>Toxics</i> , 2021, 9, 84.	1.6	15
88	Health Risk Assessment of Exposure to Trace Elements from Drinking Black and Green Tea Marketed in Three Countries. <i>Biological Trace Element Research</i> , 2022, 200, 2970-2982.	1.9	14
89	Urea-facilitated uptake and nitroreductase-mediated transformation of 2,4,6-trinitrotoluene in soil using vetiver grass. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 445-452.	3.3	13
90	Assessment of Soil and Water Contamination at the Tab-Simco Coal Mine: A Case Study. <i>Mine Water and the Environment</i> , 2017, 36, 248-254.	0.9	13

#	ARTICLE	IF	CITATIONS
91	Inorganic arsenic sorption by drinking-water treatment residual-amended sandy soil: effect of soil solution chemistry. <i>International Journal of Environmental Science and Technology</i> , 2013, 10, 1-10.	1.8	12
92	Kinetics of oxytetracycline sorption on magnetite nanoparticles. <i>International Journal of Environmental Science and Technology</i> , 2014, 11, 1207-1214.	1.8	11
93	Uptake of 2,4-bis(Isopropylamino)-6-methylthio-s-triazine by Vetiver Grass (<i>Chrysopogon zizanioides</i> L.) from Hydroponic Media. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2016, 96, 550-555.	1.3	11
94	Sugar-regulated control of β -tubulin in maize cell suspension culture. <i>Plant Cell Reports</i> , 2001, 20, 262-266.	2.8	10
95	Alternative amendment for soluble phosphorus removal from poultry litter. <i>Environmental Science and Pollution Research</i> , 2010, 17, 195-202.	2.7	10
96	Wood mulch coated with iron-based water treatment residuals for the abatement of metals and phosphorus in simulated stormwater runoff. <i>Environmental Technology and Innovation</i> , 2021, 21, 101214.	3.0	10
97	Novel colorimetric method overcoming phosphorus interference during trace arsenic analysis in soil solution. <i>Analyst</i> , 2008, 133, 191-196.	1.7	9
98	Title is missing!. <i>Water, Air, and Soil Pollution</i> , 2001, 130, 1127-1132.	1.1	8
99	Human Health Risks from Arsenic in Soils: Does One Model Fit All. <i>Archives of Environmental Health</i> , 2004, 59, 337-341.	0.4	8
100	Immobilization of tetracyclines in manure and manure-amended soils using aluminum-based drinking water treatment residuals. <i>Environmental Science and Pollution Research</i> , 2016, 23, 3322-3332.	2.7	8
101	Removal of prometryn from hydroponic media using marsh pennywort (<i>Hydrocotyle vulgaris</i>) Tj ETQq1 1 0.784314 rgBT /Over	1.7	8
102	Predicting potentially plant-available lead in contaminated residential sites. <i>Environmental Monitoring and Assessment</i> , 2011, 175, 661-676.	1.3	7
103	Effectiveness of urea in enhancing the extractability of 2,4,6-trinitrotoluene from chemically variant soils. <i>Chemosphere</i> , 2013, 93, 1811-1817.	4.2	7
104	Greening the gray infrastructure: Green adsorbent media for catch basin inserts to remove stormwater pollutants. <i>Environmental Technology and Innovation</i> , 2021, 21, 101334.	3.0	7
105	Chaotropic effects on 2,4,6-trinitrotoluene uptake by wheat (<i>Triticum aestivum</i>). <i>Plant and Soil</i> , 2007, 295, 229-237.	1.8	6
106	Chelant-assisted Phytostabilization of Paint-contaminated Residential Sites. <i>Clean - Soil, Air, Water</i> , 2010, 38, 803-811.	0.7	6
107	Preliminary studies on potential remediation of acid mine drainage-impacted soils by amendment with drinking-water treatment residuals. <i>Remediation</i> , 2018, 28, 75-82.	1.1	6
108	Evidence for Phytoremediation and Phytoexcretion of NTO from Industrial Wastewater by Vetiver Grass. <i>Molecules</i> , 2021, 26, 74.	1.7	6

#	ARTICLE	IF	CITATIONS
109	Kinetics of nitroreductase-mediated phytotransformation of TNT in vetiver grass. International Journal of Environmental Science and Technology, 2017, 14, 187-192.	1.8	5
110	Anti-inflammatory and immune-modulating effects of rice callus suspension culture (RCSC) and bioactive fractions in an in vitro inflammatory bowel disease model. Phytomedicine, 2019, 57, 364-376.	2.3	5
111	Anti-inflammatory Effects of Northern Highbush Blueberry Extract on an <i>In Vitro</i> Inflammatory Bowel Disease Model. Nutrition and Cancer, 2020, 72, 1178-1190.	0.9	5
112	Using Nitrogen and Carbon Dioxide Molecules To Probe Arsenic(V) Bioaccessibility in Soils. Environmental Science & Technology, 2006, 40, 7732-7738.	4.6	4
113	Proteomic profiling of vetiver grass (<i>Chrysopogon zizanioides</i>) under 2,4,6-trinitrotoluene (TNT) stress. GeoHealth, 2017, 1, 66-74.	1.9	4
114	Assessment of water treatment residuals as sorbent material in permeable reactive barriers: Application to a copper-contaminated site. Remediation, 2018, 29, 45-51.	1.1	4
115	Differential protein abundance of vetiver grass in response to acid mine drainage. Physiologia Plantarum, 2021, 173, 829-842.	2.6	4
116	Health Risk from Toxic Metals in Wild Rice Grown in Copper Mining-Impacted Sediments. Applied Sciences (Switzerland), 2022, 12, 2937.	1.3	4
117	Distribution of Arsenic in Chemically Variant Dipping Vat Site Soils. Bulletin of Environmental Contamination and Toxicology, 2004, 73, 838-845.	1.3	3
118	Do lagoons near concentrated animal feeding operations promote nitrous oxide supersaturation?. Environmental Pollution, 2009, 157, 1957-1960.	3.7	3
119	Evaluation of Copper-Contaminated Marginal Land for the Cultivation of Vetiver Grass (<i>Chrysopogon</i>) Tj ETQq1 1 0.784314 rgBT /Over Applied Sciences (Switzerland), 2019, 9, 2685.	1.3	3
120	Growing Biofuel Feedstocks in Copper-Contaminated Soils of a Former Superfund Site. Applied Sciences (Switzerland), 2020, 10, 1499.	1.3	3
121	Impact of EDDS Dosage on Lead Phytoextraction in Contaminated Urban Residential Soils. Frontiers in Sustainable Cities, 2022, 3, .	1.2	3
122	Sugar Mimics the Light-Meditated β -Amylase Induction and Distribution in Maize and Pearl Millet Leaves. Journal of Plant Physiology, 1999, 154, 665-672.	1.6	2
123	Chapter 34 Current trends and future directions in environmental geochemistry research. Developments in Environmental Science, 2007, , 753-757.	0.5	2
124	Exchangeable lead from prediction models relates to vetiver lead uptake in different soil types. Environmental Monitoring and Assessment, 2011, 183, 571-579.	1.3	2
125	Arsenic Concentration and Bioavailability in Soils as a Function of Soil Properties. , 2005, , 77-93.		2
126	Effects of Sewage Sludge Disposal on Metal Content in the Sediment and Water of Mitchell Lake, San Antonio, Texas, USA. Bulletin of Environmental Contamination and Toxicology, 2006, 77, 104-111.	1.3	1

#	ARTICLE	IF	CITATIONS
127	Chapter 25 Remediation of arsenical pesticide applied soils using water treatment residuals: Preliminary greenhouse results. <i>Developments in Environmental Science</i> , 2007, 5, 543-559.	0.5	1
128	Chapter 16 A greenhouse study on soil-arsenic forms and their bioaccessibility in two chemically variant Florida soils amended with sodium arsenate pesticide: Preliminary results. <i>Developments in Environmental Science</i> , 2007, , 345-362.	0.5	1
129	Response to letter to the editor re: Datta et al., 2006 (Boyce et al.). <i>Science of the Total Environment</i> , 2007, 388, 376-378.	3.9	1
130	Nitrous oxide supersaturation at the liquid/air interface of animal waste. <i>Environmental Pollution</i> , 2009, 157, 3508-3513.	3.7	1
131	Community response to a sustainable restoration plan for a superfund site. <i>Environmental Science and Pollution Research</i> , 2018, 25, 16959-16968.	2.7	1
132	Bio-Buffering to Combat Ocean Acidification?. <i>Current Pollution Reports</i> , 2018, 4, 283-284.	3.1	1
133	Effect of Sewage Sludge Addition on Soil Quality in Terms of Metal Concentrations. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2006, 76, 823-830.	1.3	0
134	Effects of Remedial Treatment on Phosphorus Availability in an Arsenical Pesticide Contaminated Soil. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2006, 77, 297-304.	1.3	0
135	Chapter 15 Effects of incubation time and arsenic load on arsenic bioaccessibility in three Florida soils amended with sodium arsenate. <i>Developments in Environmental Science</i> , 2007, , 327-343.	0.5	0
136	Lead and Phytoremediation. , 2013, , 1161-1166.		0
137	Sorghum as a Biological Model for Studying the Effect of Microbial Interactions on Growth and Metabolic Activity in Miningâ€mpacted Soil. <i>FASEB Journal</i> , 2015, 29, LB206.	0.2	0