

Philip Spinhoven

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4367144/philip-spinhoven-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

357
papers

17,167
citations

68
h-index

116
g-index

377
ext. papers

19,497
ext. citations

4.4
avg, IF

6.53
L-index

#	Paper	IF	Citations
357	Outpatient psychotherapy for borderline personality disorder: randomized trial of schema-focused therapy vs transference-focused psychotherapy. <i>Archives of General Psychiatry</i> , 2006 , 63, 649-58		829
356	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 121-40	4.3	694
355	Comorbidity patterns of anxiety and depressive disorders in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 341-8	4.6	423
354	Cognitive behaviour therapy for chronic fatigue syndrome: a multicentre randomised controlled trial. <i>Lancet, The</i> , 2001 , 357, 841-7	4.0	401
353	The development and psychometric characteristics of the Somatoform Dissociation Questionnaire (SDQ-20). <i>Journal of Nervous and Mental Disease</i> , 1996 , 184, 688-94	1.8	355
352	Diminished cortisol responses to psychosocial stress associated with lifetime adverse events a study among healthy young subjects. <i>Psychoneuroendocrinology</i> , 2008 , 33, 227-37	5	273
351	Results of a multicenter randomized controlled trial of the clinical effectiveness of schema therapy for personality disorders. <i>American Journal of Psychiatry</i> , 2014 , 171, 305-22	11.9	268
350	Reduced medial prefrontal cortex volume in adults reporting childhood emotional maltreatment. <i>Biological Psychiatry</i> , 2010 , 68, 832-8	7.9	265
349	Cognitive therapy and exposure in vivo in the treatment of obsessive compulsive disorder. <i>Behaviour Research and Therapy</i> , 1995 , 33, 379-90	5.2	263
348	A validation study of the Whitely Index, the Illness Attitude Scales, and the Somatosensory Amplification Scale in general medical and general practice patients. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 95-104	4.1	240
347	Cognitive behavioural therapy for medically unexplained physical symptoms: a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 1995 , 311, 1328-32		225
346	Two-year course of depressive and anxiety disorders: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011 , 133, 76-85	6.6	223
345	Comparing psychological distress, traumatic stress reactions, and experiences of unaccompanied refugee minors with experiences of adolescents accompanied by parents. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 288-97	1.8	219
344	The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , 2010 , 126, 103-12	6.6	205
343	Catastrophizing and internal pain control as mediators of outcome in the multidisciplinary treatment of chronic low back pain. <i>European Journal of Pain</i> , 2004 , 8, 211-9	3.7	188
342	Preventing relapse/recurrence in recurrent depression with cognitive therapy: a randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2005 , 73, 647-57	6.5	188
341	Beyond acute social stress: increased functional connectivity between amygdala and cortical midline structures. <i>NeuroImage</i> , 2011 , 57, 1534-41	7.9	168

340	Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2013 , 8, 362-9	4	164
339	The association of depression and anxiety with pain: a study from NESDA. <i>PLoS ONE</i> , 2014 , 9, e106907	3.7	164
338	Implementation of outpatient schema therapy for borderline personality disorder with versus without crisis support by the therapist outside office hours: A randomized trial. <i>Behaviour Research and Therapy</i> , 2009 , 47, 961-73	5.2	160
337	Degree of somatoform and psychological dissociation in dissociative disorder is correlated with reported trauma. <i>Journal of Traumatic Stress</i> , 1998 , 11, 711-30	3.8	151
336	Trauma, stress, and preconscious threat processing in patients with psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2009 , 50, 1001-11	6.4	150
335	A randomised controlled clinical trial on the additional effect of hypnosis in a comprehensive treatment programme for in-patients with conversion disorder of the motor type. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 66-76	9.4	149
334	A meta-analysis of the treatment of panic disorder with or without agoraphobia: a comparison of psychopharmacological, cognitive-behavioral, and combination treatments. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 510-6	1.8	138
333	Hypothalamus-pituitary-adrenal axis hyperresponsiveness is associated with increased social avoidance behavior in social phobia. <i>Biological Psychiatry</i> , 2009 , 65, 336-43	7.9	136
332	Course and predictors of mental health of unaccompanied refugee minors in the Netherlands: one year follow-up. <i>Social Science and Medicine</i> , 2007 , 64, 1204-15	5.1	135
331	Understanding the differential impact of outcome monitoring: therapist variables that moderate feedback effects in a randomized clinical trial. <i>Psychotherapy Research</i> , 2012 , 22, 464-74	3.6	133
330	Cognitive and behavioral therapies alone versus in combination with fluvoxamine in the treatment of obsessive compulsive disorder. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 492-9	1.8	130
329	Cognitive-behavioural intervention for self-harm: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008 , 192, 202-11	5.4	128
328	Trauma and medically unexplained symptoms towards an integration of cognitive and neuro-biological accounts. <i>Clinical Psychology Review</i> , 2007 , 27, 798-820	10.8	126
327	Psychopathology in patients with severe asthma is associated with increased health care utilization. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 1093-6	10.2	125
326	Animal defensive reactions as a model for trauma-induced dissociative reactions. <i>Journal of Traumatic Stress</i> , 1998 , 11, 243-60	3.8	123
325	Comorbidity of PTSD in anxiety and depressive disorders: prevalence and shared risk factors. <i>Child Abuse and Neglect</i> , 2014 , 38, 1320-30	4.3	121
324	Out-patient psychotherapy for borderline personality disorder: cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. <i>British Journal of Psychiatry</i> , 2008 , 192, 450-7	5.4	120
323	Cognitive behavior therapy and paroxetine in the treatment of hypochondriasis: a randomized controlled trial. <i>American Journal of Psychiatry</i> , 2007 , 164, 91-9	11.9	120

322	Childhood Trauma Questionnaire: factor structure, measurement invariance, and validity across emotional disorders. <i>Psychological Assessment</i> , 2014 , 26, 717-29	5.3	116
321	A randomized controlled clinical trial of a hypnosis-based treatment for patients with conversion disorder, motor type. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2003 , 51, 29-50	1.8	116
320	Child abuse and negative explicit and automatic self-associations: the cognitive scars of emotional maltreatment. <i>Behaviour Research and Therapy</i> , 2010 , 48, 486-94	5.2	115
319	Reliability and validity of the short Schema Mode Inventory (SMI). <i>Behavioural and Cognitive Psychotherapy</i> , 2010 , 38, 437-58	2.1	114
318	The therapeutic alliance in schema-focused therapy and transference-focused psychotherapy for borderline personality disorder. <i>Journal of Consulting and Clinical Psychology</i> , 2007 , 75, 104-15	6.5	114
317	A longitudinal study of experiential avoidance in emotional disorders. <i>Behavior Therapy</i> , 2014 , 45, 840-50	5.8	113
316	Consistency of memory for emotionally arousing events: a review of prospective and experimental studies. <i>Clinical Psychology Review</i> , 2005 , 25, 935-53	10.8	103
315	Endogenous cortisol is associated with functional connectivity between the amygdala and medial prefrontal cortex. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1039-47	5	100
314	The Outcome Questionnaire (OQ-45) in a Dutch population: A cross-cultural validation. <i>Clinical Psychology and Psychotherapy</i> , 2007 , 14, 288-301	2.9	98
313	Interictal depression, anxiety, personality traits, and psychological dissociation in patients with temporal lobe epilepsy (TLE) and extra-TLE. <i>Epilepsia</i> , 2006 , 47, 2092-103	6.4	97
312	Treating eating disorders over the internet: a systematic review and future research directions. <i>International Journal of Eating Disorders</i> , 2013 , 46, 539-52	6.3	93
311	The impact of childhood abuse and recent stress on serum brain-derived neurotrophic factor and the moderating role of BDNF Val66Met. <i>Psychopharmacology</i> , 2011 , 214, 319-28	4.7	92
310	Basal hypercortisolism and trauma in patients with psychogenic nonepileptic seizures. <i>Epilepsia</i> , 2010 , 51, 752-9	6.4	91
309	Continuation and maintenance use of antidepressants in recurrent depression. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 17-26	9.4	90
308	Stress shifts brain activation towards ventral 'affective' areas during emotional distraction. <i>Social Cognitive and Affective Neuroscience</i> , 2012 , 7, 403-12	4	89
307	The effects of serotonin manipulations on emotional information processing and mood. <i>Journal of Affective Disorders</i> , 2007 , 103, 43-62	6.6	87
306	Cognitive-behavioral therapy for noncardiac chest pain: a randomized trial. <i>American Journal of Medicine</i> , 1999 , 106, 424-9	2.4	87
305	Optimism and mental imagery: a possible cognitive marker to promote well-being?. <i>Psychiatry Research</i> , 2013 , 206, 56-61	9.9	85

304	Childhood adversities as risk factors for alexithymia and other aspects of affect dysregulation in adulthood. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 107-16	9.4	84
303	Immediate and prolonged effects of cortisol, but not propranolol, on memory retrieval in healthy young men. <i>Neurobiology of Learning and Memory</i> , 2009 , 91, 23-31	3.1	82
302	Somatoform dissociative symptoms as related to animal defensive reactions to predatory imminence and injury.. <i>Journal of Abnormal Psychology</i> , 1998 , 107, 63-73	7	82
301	Repetitive behaviors in Tourette's syndrome and OCD with and without tics: what are the differences?. <i>Psychiatry Research</i> , 2001 , 101, 171-85	9.9	81
300	Changing Mental Health and Positive Psychological Well-Being Using Ecological Momentary Interventions: A Systematic Review and Meta-analysis. <i>Journal of Medical Internet Research</i> , 2016 , 18, e152	7.6	79
299	The impact of early trauma and recent life-events on symptom severity in patients with conversion disorder. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 508-14	1.8	75
298	Hydrocortisone reduces emotional distracter interference in working memory. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1284-93	5	74
297	Psychological traits and the cortisol awakening response: results from the Netherlands Study of Depression and Anxiety. <i>Psychoneuroendocrinology</i> , 2011 , 36, 240-8	5	73
296	Severity and duration of depression, not personality factors, predict short term outcome in the treatment of major depression. <i>Journal of Affective Disorders</i> , 2007 , 104, 119-26	6.6	73
295	Psychometric characteristics of the somatoform dissociation questionnaire: a replication study. <i>Psychotherapy and Psychosomatics</i> , 1998 , 67, 17-23	9.4	72
294	Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 2026-33	4	71
293	Is the Beck Anxiety Inventory a good tool to assess the severity of anxiety? A primary care study in the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Family Practice</i> , 2011 , 12, 66	2.6	71
292	Emotion regulation as mediator of treatment outcome in therapy for deliberate self-harm. <i>Clinical Psychology and Psychotherapy</i> , 2008 , 15, 205-16	2.9	71
291	The Dutch temperament and character inventory (TCI): dimensional structure, reliability and validity in a normal and psychiatric outpatient sample. <i>Personality and Individual Differences</i> , 2000 , 28, 487-499	3.3	69
290	Repetitive negative thinking as a transdiagnostic factor in depression and anxiety: A conceptual replication. <i>Behaviour Research and Therapy</i> , 2014 , 63, 177-83	5.2	68
289	Prediction of Recurrence in Recurrent Depression and the Influence of Consecutive Episodes on Vulnerability for Depression. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 747-755	4.6	67
288	The effects of cortisol administration on approach-avoidance behavior: an event-related potential study. <i>Biological Psychology</i> , 2007 , 76, 135-46	3.2	65
287	Pain coping strategies in a Dutch population of chronic low back pain patients. <i>Pain</i> , 1989 , 37, 77-83	8	64

286	Paroxetine, clomipramine, and cognitive therapy in the treatment of panic disorder. <i>Journal of Clinical Psychiatry</i> , 1999 , 60, 831-8	4.6	64
285	The role of conditioning, learning and dopamine in sexual behavior: a narrative review of animal and human studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 38, 38-59	9	63
284	The effects of cortisol increase on long-term memory retrieval during and after acute psychosocial stress. <i>Acta Psychologica</i> , 2008 , 127, 542-52	1.7	63
283	Hypnotic recall: a positive criterion in the differential diagnosis between epileptic and pseudoepileptic seizures. <i>Epilepsia</i> , 1999 , 40, 485-91	6.4	63
282	Childhood emotional maltreatment severity is associated with dorsal medial prefrontal cortex responsivity to social exclusion in young adults. <i>PLoS ONE</i> , 2014 , 9, e85107	3.7	63
281	Basal cortisol is positively correlated to threat vigilance in patients with psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2009 , 16, 558-60	3.2	62
280	Factors associated with mental health service need and utilization among unaccompanied refugee adolescents. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2006 , 33, 342-55	3.1	62
279	The effect of stress induction on working memory in patients with psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2010 , 19, 448-54	3.2	61
278	Automatic avoidance tendencies in patients with psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2011 , 20, 628-34	3.2	60
277	Personality, Life Events and the Course of Anxiety and Depression. <i>European Journal of Personality</i> , 2011 , 25, 443-452	5.1	60
276	Autobiographical memory in the euthymic phase of recurrent depression. <i>Journal of Abnormal Psychology</i> , 2006 , 115, 590-600	7	60
275	Alleviating social avoidance: effects of single dose testosterone administration on approach-avoidance action. <i>Hormones and Behavior</i> , 2014 , 65, 351-4	3.7	59
274	The role of psychological flexibility in a self-help acceptance and commitment therapy intervention for psychological distress in a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2013 , 51, 142-51	5.2	58
273	Experimentally induced anger, cardiovascular reactivity, and pain sensitivity. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 479-85	4.1	58
272	Positive and negative life events and personality traits in predicting course of depression and anxiety. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 462-73	6.5	57
271	Collaborative mental health care versus care as usual in a primary care setting: a randomized controlled trial. <i>Psychiatric Services</i> , 2009 , 60, 74-9	3.3	57
270	Construction and psychometric characteristics of two self-report questionnaires for the assessment of fear of flying.. <i>Psychological Assessment</i> , 1999 , 11, 146-158	5.3	57
269	Follow-up on the treatment of panic disorder with or without agoraphobia: a quantitative review. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 414-9	1.8	57

268	Somatoform dissociation discriminates among diagnostic categories over and above general psychopathology. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 511-20	2.6	56
267	Defense style in depressed and anxious psychiatric outpatients: an explorative study. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 87-94	1.8	56
266	Serum BDNF concentrations show strong seasonal variation and correlations with the amount of ambient sunlight. <i>PLoS ONE</i> , 2012 , 7, e48046	3.7	55
265	The effects of cognitive-behavior therapy for depression on repetitive negative thinking: A meta-analysis. <i>Behaviour Research and Therapy</i> , 2018 , 106, 71-85	5.2	54
264	Dissociation in temporal lobe epilepsy and pseudo-epileptic seizure patients. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 713-20	1.8	54
263	Common rather than unique aspects of repetitive negative thinking are related to depressive and anxiety disorders and symptoms. <i>Journal of Anxiety Disorders</i> , 2015 , 33, 45-52	10.9	53
262	Heart-focused anxiety as a mediating variable in the treatment of noncardiac chest pain by cognitive-behavioral therapy and paroxetine. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 227-35	4.1	53
261	The role of childhood abuse in HPA-axis reactivity in Social Anxiety Disorder: a pilot study. <i>Biological Psychology</i> , 2010 , 83, 1-6	3.2	52
260	Differential predictors of response to preventive cognitive therapy in recurrent depression: a 2-year prospective study. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 229-36	9.4	52
259	Salivary Testosterone Is Consistently and Positively Associated with Extraversion: Results from The Netherlands Study of Depression and Anxiety. <i>Neuropsychobiology</i> , 2015 , 71, 76-84	4	50
258	Cortisol administration enhances the coupling of midfrontal delta and beta oscillations. <i>International Journal of Psychophysiology</i> , 2008 , 67, 144-50	2.9	50
257	Autogenic training and cognitive self-hypnosis for the treatment of recurrent headaches in three different subject groups. <i>Pain</i> , 1994 , 58, 331-340	8	50
256	Personality and changes in comorbidity patterns among anxiety and depressive disorders. <i>Journal of Abnormal Psychology</i> , 2012 , 121, 874-84	7	49
255	Acute tryptophan depletion as a model of depressive relapse: behavioural specificity and ethical considerations. <i>British Journal of Psychiatry</i> , 2005 , 187, 148-54	5.4	48
254	Trait rumination predicts onset of Post-Traumatic Stress Disorder through trauma-related cognitive appraisals: A 4-year longitudinal study. <i>Behaviour Research and Therapy</i> , 2015 , 71, 101-9	5.2	47
253	Neural sensitivity to social reward and punishment anticipation in social anxiety disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2014 , 8, 439	3.5	47
252	Psychophysiological evidence for cortisol-induced reduction in early bias for implicit social threat in social phobia. <i>Psychoneuroendocrinology</i> , 2010 , 35, 21-32	5	47
251	Cognitive change following cognitive behavioural therapy for non-cardiac chest pain. <i>Psychotherapy and Psychosomatics</i> , 1999 , 68, 214-20	9.4	47

250	Behavioral treatment of chronic low back pain. I. Relation of coping strategy use to outcome. <i>Pain</i> , 1991 , 45, 29-34	8	47
249	People who seek help for fear of flying: Typology of flying phobics. <i>Behavior Therapy</i> , 1997 , 28, 237-251	4.8	46
248	Fear of flying treatment methods: virtual reality exposure vs. cognitive behavioral therapy. <i>Aviation, Space, and Environmental Medicine</i> , 2007 , 78, 121-8		46
247	Evidence for smaller right amygdala volumes in posttraumatic stress disorder following childhood trauma. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 436-42	2.9	45
246	The case for a dissociative interpretation of pseudoepileptic seizures. <i>Journal of Nervous and Mental Disease</i> , 1996 , 184, 468-74	1.8	45
245	Repetitive negative thinking as a predictor of depression and anxiety: A longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2018 , 241, 216-225	6.6	44
244	Anxiety, depression and personality traits in severe, prednisone-dependent asthma. <i>Respiratory Medicine</i> , 2014 , 108, 438-44	4.6	44
243	Cortisol-induced enhancement of emotional face processing in social phobia depends on symptom severity and motivational context. <i>Biological Psychology</i> , 2009 , 81, 123-30	3.2	44
242	Childhood maltreatment, maladaptive personality types and level and course of psychological distress: A six-year longitudinal study. <i>Journal of Affective Disorders</i> , 2016 , 191, 100-8	6.6	42
241	Validation of the multiple language versions of the Reactions of Adolescents to Traumatic Stress questionnaire. <i>Journal of Traumatic Stress</i> , 2006 , 19, 241-55	3.8	42
240	Hypnosis and autogenic training in the treatment of tension headaches: a two-phase constructive design study with follow-up. <i>Journal of Psychosomatic Research</i> , 1992 , 36, 219-28	4.1	42
239	Combination treatment for acute depression is superior only when psychotherapy is added to medication. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 289-97	9.4	41
238	Is there a specific relationship between asthma and panic disorder?. <i>Behaviour Research and Therapy</i> , 1996 , 34, 333-40	5.2	41
237	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 366-73	5.4	41
236	Effectiveness of collaborative stepped care for anxiety disorders in primary care: a pragmatic cluster randomised controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 37-44	9.4	40
235	Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 535-43	3.8	40
234	Cognitive behavioral therapy versus paroxetine in the treatment of hypochondriasis: an 18-month naturalistic follow-up. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2009 , 40, 487-96	2.6	40
233	Predictors and mediators of treatment outcome in patients with binge eating disorder. <i>Behaviour Research and Therapy</i> , 2007 , 45, 2551-62	5.2	40

232	The reporting of specific physical symptoms for mental distress in general practice. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 89-95	4.1	40
231	Psychopathology and personality characteristics in relation to blood serotonin in Tourette's syndrome and obsessive-compulsive disorder. <i>Journal of Psychopharmacology</i> , 2001 , 15, 111-9	4.6	40
230	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , 2016 , 40, 150-163	2.7	40
229	The Benefits of Psychosocial Interventions for Mental Health in People Living with HIV: A Systematic Review and Meta-analysis. <i>AIDS and Behavior</i> , 2018 , 22, 9-42	4.3	39
228	Sexual functioning in women with chronic pelvic pain: the role of anxiety and depression. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1901-10	1.1	39
227	Accurate heartbeat perception in panic disorder: fact and artefact. <i>Journal of Affective Disorders</i> , 1997 , 43, 121-30	6.6	39
226	Childrearing style of anxiety-disordered parents. <i>Child Psychiatry and Human Development</i> , 2006 , 37, 89-102	3.3	39
225	Propranolol reduces emotional distraction in working memory: a partial mediating role of propranolol-induced cortisol increases?. <i>Neurobiology of Learning and Memory</i> , 2010 , 93, 388-95	3.1	38
224	Somatization and somatosensory amplification in psychiatric outpatients: an explorative study. <i>Comprehensive Psychiatry</i> , 1997 , 38, 93-7	7.3	38
223	The endorsement of dysfunctional attitudes is associated with an impaired retrieval of specific autobiographical memories in response to matching cues. <i>Memory</i> , 2007 , 15, 324-38	1.8	38
222	Character and temperament in major depressive disorder and a highly anxious-retarded subtype derived from melancholia. <i>Comprehensive Psychiatry</i> , 2007 , 48, 426-35	7.3	38
221	Organic syndromes diagnosed as conversion disorder: identification and frequency in a study of 85 patients. <i>Journal of Psychosomatic Research</i> , 2000 , 49, 7-12	4.1	38
220	Thought suppression, dissociation and psychopathology. <i>Personality and Individual Differences</i> , 1999 , 27, 877-886	3.3	38
219	Amygdala and Dorsal Anterior Cingulate Connectivity during an Emotional Working Memory Task in Borderline Personality Disorder Patients with Interpersonal Trauma History. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 848	3.3	37
218	Web-Based Fully Automated Self-Help With Different Levels of Therapist Support for Individuals With Eating Disorder Symptoms: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016 , 18, e159	7.6	37
217	Prediction of 6-yr symptom course trajectories of anxiety disorders by diagnostic, clinical and psychological variables. <i>Journal of Anxiety Disorders</i> , 2016 , 44, 92-101	10.9	36
216	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012 , 12, 125	4.2	36
215	Mood reactivity rather than cognitive reactivity is predictive of depressive relapse: a randomized study with 5.5-year follow-up. <i>Journal of Consulting and Clinical Psychology</i> , 2013 , 81, 508-17	6.5	36

214	Collaborative care for anxiety disorders in primary care: a systematic review and meta-analysis. <i>BMC Family Practice</i> , 2016 , 17, 62	2.6	36
213	Psychophysiological responding to emotional memories in healthy young men after cortisol and propranolol administration. <i>Psychopharmacology</i> , 2009 , 203, 793-803	4.7	35
212	Autogenic training and self-hypnosis in the control of tension headache. <i>General Hospital Psychiatry</i> , 1992 , 14, 408-15	5.6	35
211	Gilles de la Tourette's syndrome with and without obsessive-compulsive disorder compared with obsessive-compulsive disorder without tics: which symptoms discriminate?. <i>Journal of Nervous and Mental Disease</i> , 2001 , 189, 219-28	1.8	35
210	The role of personality in comorbidity among anxiety and depressive disorders in primary care and specialty care: a cross-sectional analysis. <i>General Hospital Psychiatry</i> , 2009 , 31, 470-7	5.6	33
209	Failures to retrieve specific memories in previously depressed individuals: random errors or content-related?. <i>Behaviour Research and Therapy</i> , 2007 , 45, 1859-69	5.2	33
208	Single dose testosterone administration alleviates gaze avoidance in women with Social Anxiety Disorder. <i>Psychoneuroendocrinology</i> , 2016 , 63, 26-33	5	32
207	Prediction of treatment discontinuation and recovery from Borderline Personality Disorder: Results from an RCT comparing Schema Therapy and Transference Focused Psychotherapy. <i>Behaviour Research and Therapy</i> , 2015 , 74, 60-71	5.2	32
206	Two-year course trajectories of anxiety disorders: do DSM classifications matter?. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 985-93	4.6	32
205	Cognitive-behavioral therapy for deliberate self-harm. <i>Crisis</i> , 2007 , 28, 175-82	2.8	31
204	Effects of a stepped-care intervention programme among older subjects who screened positive for depressive symptoms in general practice: the PROMODE randomised controlled trial. <i>Age and Ageing</i> , 2012 , 41, 482-8	3	30
203	Reduced specificity of autobiographical memory in Cluster C personality disorders and the role of depression, worry, and experiential avoidance. <i>Journal of Abnormal Psychology</i> , 2009 , 118, 520-30	7	29
202	Testimony therapy: treatment method for traumatized victims of organized violence. <i>American Journal of Psychotherapy</i> , 2003 , 57, 361-73	1.3	29
201	Multicomponent standardized treatment programs for fear of flying: Description and effectiveness. <i>Cognitive and Behavioral Practice</i> , 2002 , 9, 138-149	2.3	29
200	Trauma and dissociation in conversion disorder and chronic pelvic pain. <i>International Journal of Psychiatry in Medicine</i> , 2004 , 34, 305-18	1	29
199	The prevalence of respiratory disorders in panic disorder, major depressive disorder and V-code patients. <i>Behaviour Research and Therapy</i> , 1994 , 32, 647-9	5.2	29
198	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015 , 187, 54-61	6.6	28
197	Changes in natural language use as an indicator of psychotherapeutic change in personality disorders. <i>Behaviour Research and Therapy</i> , 2012 , 50, 191-202	5.2	28

196	Prevalence and correlates of lifetime deliberate self-harm and suicidal ideation in naturalistic outpatients: the Leiden Routine Outcome Monitoring study. <i>Journal of Affective Disorders</i> , 2011 , 133, 257-64	6.6	28
195	The role of comorbidity in the detection of psychiatric disorders with checklists for mental and physical symptoms in primary care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 78-85	4.5	28
194	Pain cognitions as predictors of the request for pain relief during the first stage of labor: a prospective study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2011 , 32, 119-25	3.6	28
193	Early intervention in panic: pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010 , 196, 326-31	5.4	28
192	Cognitive coping and appraisal processes in the treatment of chronic headaches. <i>Pain</i> , 1996 , 64, 257-2648		28
191	Cost utility analysis of a collaborative stepped care intervention for panic and generalized anxiety disorders in primary care. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 57-63	4.1	27
190	Cognitive therapy versus moclobemide in social phobia: a controlled study. <i>Clinical Psychology and Psychotherapy</i> , 2001 , 8, 263-273	2.9	27
189	Prediction of recurrence in recurrent depression and the influence of consecutive episodes on vulnerability for depression: a 2-year prospective study. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 747-55	4.6	27
188	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. <i>Journal of Affective Disorders</i> , 2019 , 253, 26-34	6.6	26
187	Word use of outpatients with a personality disorder and concurrent or previous major depressive disorder. <i>Behaviour Research and Therapy</i> , 2010 , 48, 44-51	5.2	26
186	Pseudo-epileptic seizures: hypnosis as a diagnostic tool. <i>Seizure: the Journal of the British Epilepsy Association</i> , 1995 , 4, 123-8	3.2	26
185	Experiential Avoidance and Bordering Psychological Constructs as Predictors of the Onset, Relapse and Maintenance of Anxiety Disorders: One or Many?. <i>Cognitive Therapy and Research</i> , 2017 , 41, 867-880 ^{2.7}		25
184	The influence of cognitive emotion regulation strategies and depression severity on deliberate self-harm. <i>Suicide and Life-Threatening Behavior</i> , 2008 , 38, 274-86	3.9	25
183	The effects of failing to control pain: an experimental investigation. <i>Pain</i> , 2004 , 107, 227-233	8	25
182	Cognitive therapy by allocation versus cognitive therapy by preference in the treatment of panic disorder. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 240-3	9.4	25
181	Reduced amygdala reactivity and impaired working memory during dissociation in borderline personality disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 401-415	5.1	24
180	Predictors of outcome in a cohort of women with chronic pelvic pain - a follow-up study. <i>European Journal of Pain</i> , 2009 , 13, 769-75	3.7	24
179	Does preference for type of treatment matter? A study of exposure in vivo with or without hypnosis in the treatment of panic disorder with agoraphobia. <i>Behavior Modification</i> , 1997 , 21, 172-86	2.5	24

178	The Flight Anxiety Situations Questionnaire and the Flight Anxiety Modality Questionnaire: norms for people with fear of flying. <i>Travel Medicine and Infectious Disease</i> , 2008 , 6, 305-10	8.4	24
177	Dare to Approach: Single Dose Testosterone Administration Promotes Threat Approach in Patients With Social Anxiety Disorder. <i>Clinical Psychological Science</i> , 2016 , 4, 1073-1079	6	24
176	Improvement of mindfulness skills during Mindfulness-Based Cognitive Therapy predicts long-term reductions of neuroticism in persons with recurrent depression in remission. <i>Journal of Affective Disorders</i> , 2017 , 213, 112-117	6.6	23
175	Preventing panic disorder: cost-effectiveness analysis alongside a pragmatic randomised trial. <i>Cost Effectiveness and Resource Allocation</i> , 2009 , 7, 8	2.4	23
174	Which panic disorder patients benefit from which treatment: cognitive therapy or antidepressants?. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 154-61	9.4	23
173	Dissociative and hypnotic experiences in eating disorder patients: an exploratory study. <i>American Journal of Clinical Hypnosis</i> , 1995 , 38, 97-108	0.6	23
172	Autogenic training and future oriented hypnotic imagery in the treatment of tension headache: outcome and process. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1991 , 39, 6-23	1.8	23
171	Education and self-hypnosis in the management of low back pain: a component analysis. <i>British Journal of Clinical Psychology</i> , 1989 , 28, 145-53	3.6	23
170	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2018 , 35, 551-559	8.4	22
169	Inconsistencies in the self-report of traumatic experiences by unaccompanied refugee minors. <i>Journal of Traumatic Stress</i> , 2006 , 19, 663-73	3.8	22
168	Changes in coping styles and recovery after inpatient treatment for severe eating disorders. <i>European Eating Disorders Review</i> , 2001 , 9, 397-415	5.3	22
167	Multimodal treatment programmes for chronic pain: a quantitative analysis of existing research data. <i>Journal of Psychosomatic Research</i> , 1992 , 36, 275-86	4.1	22
166	Autobiographical memory after acute stress in healthy young men. <i>Memory</i> , 2009 , 17, 301-10	1.8	21
165	Predictors of fatigue in rescue workers and residents in the aftermath of an aviation disaster: a longitudinal study. <i>Psychosomatic Medicine</i> , 2006 , 68, 605-12	3.7	21
164	The influence on treatment gain of comorbid avoidant personality disorder in patients with social phobia. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 41-3	1.8	21
163	Enduring effects of Preventive Cognitive Therapy in adults remitted from recurrent depression: A 10 year follow-up of a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2015 , 185, 188-94	6.6	20
162	A longitudinal study of facets of extraversion in depression and social anxiety. <i>Personality and Individual Differences</i> , 2014 , 71, 39-44	3.3	20
161	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , 2017 , 256, 475-481	9.9	20

160	Responders and nonresponders to autogenic training and cognitive self-hypnosis: prediction of short- and long-term success in tension-type headache patients. <i>Headache</i> , 1995 , 35, 630-6	4.2	20
159	Hypochondriasis Y-BOCS: a study of the psychometric properties of a clinician-administered semi-structured interview to assess hypochondriacal thoughts and behaviours. <i>Clinical Psychology and Psychotherapy</i> , 2009 , 16, 431-43	2.9	19
158	Three controversies about dissociative identity disorder 1998 , 5, 13-23		19
157	Long-term outcomes of memory retrieval under stress. <i>Behavioral Neuroscience</i> , 2008 , 122, 697-703	2.1	19
156	Autobiographical memory in depressed and nondepressed patients with borderline personality disorder after long-term psychotherapy. <i>Cognition and Emotion</i> , 2006 , 20, 448-65	2.3	19
155	Locus of control orientation in panic disorder and the differential effects of treatment. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 85-9	9.4	19
154	Anxiety sensitivity moderates the relationship of changes in physiological arousal with flight anxiety during in vivo exposure therapy. <i>Behaviour Research and Therapy</i> , 2013 , 51, 98-105	5.2	18
153	Childhood sexual abuse differentially predicts outcome of cognitive-behavioral therapy for deliberate self-harm. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 455-7	1.8	18
152	Cognitive Behavioural Therapy for Unexplained Non-Cardiac Chest Pain: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 1997 , 25, 339-350	2.1	18
151	Validation of the child behavior checklist for guardians of unaccompanied refugee minors. <i>Children and Youth Services Review</i> , 2006 , 28, 867-887	2	18
150	The Defense Style Questionnaire: A Psychometric Examination. <i>Journal of Personality Disorders</i> , 1995 , 9, 124-133	2.6	18
149	Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. <i>Journal of Affective Disorders</i> , 2015 , 175, 351-8	6.6	17
148	Guided internet-based intervention for people with HIV and depressive symptoms: a randomised controlled trial in the Netherlands. <i>Lancet HIV</i> , 2018 , 5, e488-e497	7.8	17
147	Affect-congruent approach and withdrawal movements of happy and angry faces facilitate affective categorisation. <i>Cognition and Emotion</i> , 2010 , 24, 863-875	2.3	17
146	Three preparatory studies for promoting implementation of outpatient schema therapy for borderline personality disorder in general mental health care. <i>Behaviour Research and Therapy</i> , 2009 , 47, 938-45	5.2	17
145	Feasibility of computerized psychological testing with psychiatric outpatients. <i>Journal of Clinical Psychology</i> , 1993 , 49, 440-7	2.8	17
144	Similarities and dissimilarities in hypnotic and nonhypnotic procedures for headache control: a review. <i>American Journal of Clinical Hypnosis</i> , 1988 , 30, 183-94	0.6	17
143	Examining determinants of early and late age at onset in panic disorder: an admixture analysis. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1870-5	5.2	16

142	Anxious or Depressed and Still Happy?. <i>PLoS ONE</i> , 2015 , 10, e0139912	3.7	16
141	Implementation of outpatient schema therapy for borderline personality disorder: study design. <i>BMC Psychiatry</i> , 2009 , 9, 64	4.2	16
140	Hypnosis and behavior therapy: a review. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1987 , 35, 8-31	1.8	16
139	Extinction and renewal of conditioned sexual responses. <i>PLoS ONE</i> , 2014 , 9, e105955	3.7	16
138	Extinction of aversive classically conditioned human sexual response. <i>Journal of Sexual Medicine</i> , 2015 , 12, 916-35	1.1	15
137	Self-reported personality traits in forensic populations: a meta-analysis. <i>Psychology, Crime and Law</i> , 2017 , 23, 56-78	1.4	15
136	The placebo response in social phobia. <i>Journal of Psychopharmacology</i> , 2001 , 15, 199-203	4.6	15
135	The development of the multidimensional locus of pain control questionnaire (MLPC): Factor structure, reliability, and validity. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1993 , 15, 387-404	4.0	15
134	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. <i>European Journal of Personality</i> , 2013 , 27, 389-397	5.1	14
133	Behavioral and cognitive group treatment for fear of flying: a randomized controlled trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2006 , 37, 358-71	2.6	14
132	The developmental profile: preliminary results on interrater reliability and construct validity. <i>Journal of Personality Disorders</i> , 2000 , 14, 360-5	2.6	14
131	The predictive specificity of psychological vulnerability markers for the course of affective disorders. <i>Journal of Psychiatric Research</i> , 2018 , 103, 10-17	5.2	13
130	Response to an unsolicited intervention offer to persons aged 175 years after screening positive for depressive symptoms: a qualitative study. <i>International Psychogeriatrics</i> , 2012 , 24, 270-7	3.4	13
129	Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. <i>Trials</i> , 2008 , 9, 67	2.8	13
128	Can assessors and therapists predict the outcome of long-term psychotherapy in borderline personality disorder?. <i>Journal of Clinical Psychology</i> , 2008 , 64, 667-86	2.8	13
127	Relevance of assessment of cognitions during panic attacks in the treatment of panic disorder. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 158-61	9.4	13
126	Development of the Therapeutic Alliance and its Association With Internet-Based Mindfulness-Based Cognitive Therapy for Distressed Cancer Patients: Secondary Analysis of a Multicenter Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2019 , 21, e14065	7.6	13
125	The effects of neuroticism, extraversion, and positive and negative life events on a one-year course of depressive symptoms in euthymic previously depressed patients versus healthy controls. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 684-9	1.8	12

124	Physiological reactivity to phobic stimuli in people with fear of flying. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 309-17	4.1	12
123	Effects and feasibility of a preventive intervention in sub-threshold and mild panic disorder: Results of a pilot study. <i>BMC Research Notes</i> , 2009 , 2, 4	2.3	12
122	Associations among homesickness, anger, anxiety, and depression. <i>Psychological Reports</i> , 2004 , 94, 1155-70	1.7	12
121	Anxiety sensitivity profile: dimensional structure and relationship with temperament and character. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 217-22	9.4	12
120	Hypnotizability, dissociation and trauma in patients with a conversion disorder: an exploratory study. <i>Clinical Psychology and Psychotherapy</i> , 2001 , 8, 400-410	2.9	12
119	Borderline personality features in depressed or anxious patients. <i>Psychiatry Research</i> , 2016 , 241, 224-31	9.9	12
118	A new perspective on PTSD symptoms after traumatic vs stressful life events and the role of gender. <i>Høge Utbildning</i> , 2017 , 8, 1380470	5	11
117	d-Cycloserine reduces context specificity of sexual extinction learning. <i>Neurobiology of Learning and Memory</i> , 2015 , 125, 202-10	3.1	11
116	Five-Year Mental Health Care Use by Patients Referred to Collaborative Care or to Specialized Care. <i>Psychiatric Services</i> , 2015 , 66, 840-4	3.3	11
115	Treatment of depression in patients from ethnic minority groups in the Netherlands. <i>Transcultural Psychiatry</i> , 2010 , 47, 473-90	2.7	11
114	De Nederlandse versie van de Outcome Questionnaire (OQ-45): een crossculturele validatie. <i>Psychologie and Gezondheid</i> , 2008 , 36, 35-45		11
113	The developmental profile. <i>Journal of Personality Disorders</i> , 2001 , 15, 457-73	2.6	11
112	Cognitive Behavioural Therapy for Medically Unexplained Physical Symptoms: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 1996 , 24, 1-16	2.1	11
111	Medically unexplained physical symptoms in primary care: a controlled study on the effectiveness of cognitive-behavioral treatment by the family physician. <i>Psychosomatics</i> , 2009 , 50, 515-24	2.6	11
110	The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. <i>Journal of Psychosomatic Research</i> , 2016 , 89, 26-31	4.1	11
109	The influence of emotion down-regulation on the expectation of sexual reward. <i>Behavior Therapy</i> , 2015 , 46, 379-94	4.8	10
108	An admixture analysis of age of onset in agoraphobia. <i>Journal of Affective Disorders</i> , 2015 , 180, 112-5	6.6	10
107	Noncardiac chest pain: interest in a medical psychological treatment. <i>Journal of Psychosomatic Research</i> , 1998 , 45, 471-6	4.1	10

106	Homesickness, temperament and character. <i>Personality and Individual Differences</i> , 2003 , 35, 757-770	3.3	10
105	Construction and validation of the Homesickness Vulnerability Questionnaire. <i>Personality and Individual Differences</i> , 2001 , 30, 11-19	3.3	10
104	Treatment outcome expectancies and hypnotic susceptibility as moderators of pain reduction in patients with chronic tension-type headache. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2000 , 48, 290-305	1.8	10
103	The effectiveness of standardized versus individualized hypnotic suggestions: a brief communication. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1989 , 37, 1-5	1.8	10
102	Therapeutic alliance-not therapist competence or group cohesion-contributes to reduction of psychological distress in group-based mindfulness-based cognitive therapy for cancer patients. <i>Clinical Psychology and Psychotherapy</i> , 2019 , 26, 309-318	2.9	10
101	Repetitive negative thinking as a mediator in prospective cross-disorder associations between anxiety and depression disorders and their symptoms. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2019 , 63, 6-11	2.6	10
100	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , 2020 , 260, 77-83	6.6	10
99	Susceptibility to distraction by social cues in borderline personality disorder. <i>Psychopathology</i> , 2014 , 47, 148-57	3.4	9
98	A stepped care relapse prevention program for depression in older people: a randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 583-91	3.9	9
97	Intrusions of autobiographical memories in individuals reporting childhood emotional maltreatment. <i>Høge Utbildning</i> , 2011 , 2,	5	9
96	Cognitive Behavioural Therapy for Unexplained Physical Symptoms: Process and Prognostic Factors. <i>Behavioural and Cognitive Psychotherapy</i> , 1997 , 25, 291-294	2.1	9
95	The effectiveness of an authoritative versus permissive style of hypnotic communication. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1988 , 36, 182-91	1.8	9
94	Development of a Computerized Adaptive Test for Anxiety Based on the Dutch-Flemish Version of the PROMIS Item Bank. <i>Assessment</i> , 2019 , 26, 1362-1374	3.7	9
93	Satisficing in Mental Health Care Patients: The Effect of Cognitive Symptoms on Self-Report Data Quality. <i>Assessment</i> , 2020 , 27, 178-193	3.7	9
92	Mindfulness facets and Big Five personality facets in persons with recurrent depression in remission. <i>Personality and Individual Differences</i> , 2017 , 110, 109-114	3.3	8
91	Moderators of change in an Internet-based intervention for eating disorders with different levels of therapist support: What works for whom?. <i>Behaviour Research and Therapy</i> , 2017 , 89, 66-74	5.2	8
90	Neuroticism and chronicity as predictors of 9-year course of individual depressive symptoms. <i>Journal of Affective Disorders</i> , 2019 , 252, 484-492	6.6	8
89	The effect of a dopamine antagonist on conditioning of sexual arousal in women. <i>Psychopharmacology</i> , 2016 , 233, 1179-89	4.7	8

88	An Internet-based intervention for eating disorders consisting of automated computer-tailored feedback with or without supplemented frequent or infrequent support from a coach: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 340	2.8	8
87	Worry and cognitive control predict course trajectories of anxiety in older adults with late-life depression. <i>European Psychiatry</i> , 2017 , 44, 134-140	6	8
86	Psychological Distress and Physiological Reactivity During In Vivo Exposure in People With Aviophobia. <i>Psychosomatic Medicine</i> , 2015 , 77, 762-74	3.7	8
85	Assessment of hypnotic processes and responsiveness in a clinical context. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1993 , 41, 210-24	1.8	8
84	Group schema therapy versus group cognitive behavioral therapy for social anxiety disorder with comorbid avoidant personality disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 487	2.8	8
83	Effectiveness of a smartphone-based worry-reduction training for stress reduction: A randomized-controlled trial. <i>Psychology and Health</i> , 2018 , 33, 1079-1099	2.9	7
82	The Influence of Emotion Upregulation on the Expectation of Sexual Reward. <i>Journal of Sexual Medicine</i> , 2016 , 13, 105-19	1.1	7
81	Exogenous testosterone affects early threat processing in socially anxious and healthy women. <i>Biological Psychology</i> , 2017 , 129, 82-89	3.2	7
80	Personality predicts time to remission and clinical status in hypochondriasis during a 6-year follow-up. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 402-7	1.8	7
79	Predictors of response to the 'Coping with Depression' course for older adults. A field study. <i>Aging and Mental Health</i> , 2006 , 10, 424-34	3.5	7
78	Personality pathology and cognitive-behavioral treatment of fear of flying. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2003 , 34, 171-89	2.6	7
77	Can experimental memory research adequately explain memory for trauma?. <i>Psychotherapy</i> , 1999 , 36, 257-267	2.5	7
76	Effectiveness of enhanced cognitive behavioral therapy (CBT-E) for eating disorders: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 573	2.8	7
75	Emotion avoidance and fear bradycardia in patients with borderline personality disorder and healthy controls. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017 , 57, 6-13	2.6	6
74	Which biopsychosocial variables contribute to more weight gain in depressed persons?. <i>Psychiatry Research</i> , 2017 , 254, 96-103	9.9	6
73	Cognitive Coping as a Mechanism of Change in Cognitive-Behavioral Therapy for Fear of Flying: A Longitudinal Study With 3-Year Follow-Up. <i>Journal of Clinical Psychology</i> , 2017 , 73, 1064-1075	2.8	6
72	Consistency of reporting sexual and physical abuse during psychological treatment of personality disorder: an explorative study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012 , 43 Suppl 1, S43-50	2.6	6
71	Depersonalization and derealization during panic and hypnosis in low and highly hypnotizable agoraphobics. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1997 , 45, 41-54	1.8	6

70	Different flying histories in flying phobics: association with psychopathology and treatment outcome. <i>Aviation, Space, and Environmental Medicine</i> , 2008 , 79, 953-9		6
69	Validation of the Teacher Report Form for Teachers of Unaccompanied Refugee Minors. <i>Journal of Psychoeducational Assessment</i> , 2007 , 25, 53-68	1.3	6
68	The relationship of personality variables and patient recruitment to pain coping strategies and psychological distress in tension headache patients. <i>Clinical Journal of Pain</i> , 1991 , 7, 12-20	3.5	6
67	Prevention and treatment of mental health and psychosocial problems in college students: An umbrella review of meta-analyses.. <i>Clinical Psychology: Science and Practice</i> , 2021 , 28, 229-244	3.7	6
66	The association of changes in repetitive negative thinking with changes in depression and anxiety. <i>Journal of Affective Disorders</i> , 2020 , 275, 157-164	6.6	6
65	Blended Acceptance and Commitment Therapy Versus Face-to-face Cognitive Behavioral Therapy for Older Adults With Anxiety Symptoms in Primary Care: Pragmatic Single-blind Cluster Randomized Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e24366	7.6	6
64	Psychological risk factors and the course of depression and anxiety disorders: A review of 15 years NESDA research. <i>Journal of Affective Disorders</i> , 2021 , 295, 1347-1359	6.6	6
63	Effectiveness of enhanced cognitive behavior therapy for eating disorders: A randomized controlled trial. <i>International Journal of Eating Disorders</i> , 2020 , 53, 447-457	6.3	5
62	An Internet-based self-help intervention for people with HIV and depressive symptoms: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 172	2.8	5
61	The influence of worry and avoidance on the Iowa Gambling Task. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 74-80	2.6	5
60	Effects of sad mood on autobiographical memory in older adults with and without lifetime depression. <i>British Journal of Clinical Psychology</i> , 2010 , 49, 343-57	3.6	5
59	Participation in a trauma-focused epidemiological investigation may result in sensitization for current health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 132-9	4.5	5
58	Double-blindness procedure did not mask giving of medication in panic disorder. <i>Journal of Affective Disorders</i> , 1999 , 54, 189-92	6.6	5
57	An Internet-based Acceptance and Commitment Therapy intervention for older adults with anxiety complaints: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2018 , 19, 502	2.8	5
56	Patients with a preference for medication do equally well in mindfulness-based cognitive therapy for recurrent depression as those preferring mindfulness. <i>Journal of Affective Disorders</i> , 2016 , 195, 32-9	6.6	4
55	A randomized controlled trial of an Internet-based intervention for eating disorders and the added value of expert-patient support: study protocol. <i>Trials</i> , 2019 , 20, 509	2.8	4
54	Prediction of Mental Health Services Use One Year After Regular Referral to Specialized Care Versus Referral to Stepped Collaborative Care. <i>Community Mental Health Journal</i> , 2017 , 53, 316-323	2.1	4
53	Predictive value of implicit and explicit self-esteem for the recurrence of depression and anxiety disorders: A 3-year follow-up study. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 788-798	7	4

52	Mixed results of a pilot RCT of time-limited schema mindfulness-based cognitive therapy and competitive memory therapy plus treatment as usual for personality disorders. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2020 , 11, 170-180	4.1	4
51	Panic-free status is not associated with improvement on continuous measures in panic disorder. <i>Journal of Nervous and Mental Disease</i> , 2000 , 188, 840-2	1.8	4
50	The effect of parental emotional abuse on the severity and treatment of PTSD symptoms in children and adolescents. <i>Child Abuse and Neglect</i> , 2021 , 111, 104775	4.3	4
49	Offering a medical examination following disaster exposure does not result in long-lasting reassurance about health complaints. <i>General Hospital Psychiatry</i> , 2008 , 30, 200-7	5.6	3
48	Automatic negative evaluation of suffocation sensations in individuals with suffocation fear. <i>Journal of Abnormal Psychology</i> , 2005 , 114, 466-70	7	3
47	Psychoanalytical Aspects of DSM-III-R Personality Disorders in a Group of HIV Seropositive Homosexual Males. <i>Journal of Personality Disorders</i> , 1996 , 10, 195-201	2.6	3
46	An abbreviated questionnaire for quantifying treatment requests from Dutch outpatients. <i>Journal of Nervous and Mental Disease</i> , 1991 , 179, 502	1.8	3
45	Exploring Mediators of a Guided Web-Based Self-Help Intervention for People With HIV and Depressive Symptoms: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2019 , 6, e12711	6	3
44	The DAPP-SF as a screener for personality disorder in a forensic setting. <i>Journal of Personality Assessment</i> , 2015 , 97, 172-81	2.8	2
43	Evidence for Persistence of Sexual Evaluative Learning Effects. <i>Journal of Sexual Medicine</i> , 2020 , 17, 505-517	5.1	2
42	Person misfit on the Inventory of Depressive Symptomatology: Low quality self-report or true atypical symptom profile?. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	2
41	Two-year follow-up of a randomized controlled trial of stepped care cognitive behavioral therapy to prevent recurrence of depression in an older population. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 317-25	3.9	2
40	The influence of personality on the sensitivity to subjective effects of Δ -tetrahydrocannabinol. <i>Psychiatry Research</i> , 2014 , 220, 945-53	9.9	2
39	Somatoforme dissociatie: Bijna vergeten, maar meetbaar aanwezig. <i>Dth</i> , 1998 , 18, 43-58		2
38	Herinneringen aan traumatische ervaringen. <i>Dth</i> , 1998 , 18, 59-76		2
37	Onverklaarde lichamelijke klachten en de samenhang met depressie en angst. <i>Huisarts En Wetenschap</i> , 2007 , 50, 969-973	0.1	2
36	De hyperventilatieprovocatietest: een invalide test voor een onhoudbaar begrip?. <i>Dth</i> , 1992 , 12, 131-136		2
35	Mindfulness and Affect During Mindfulness-Based Cognitive Therapy for Recurrent Depression: an Autoregressive Latent Trajectory Analysis. <i>Mindfulness</i> , 2020 , 11, 2360-2370	2.9	2

34	Feasibility and effectiveness of a worry-reduction training using the smartphone: a pilot randomised controlled trial. <i>British Journal of Guidance and Counselling</i> , 2020 , 48, 227-239	0.8	2
33	Prospective Associations Between Home Practice and Depressive Symptoms in Mindfulness-Based Cognitive Therapy for Recurrent Depression: A 15 Months Follow-Up Study. <i>Cognitive Therapy and Research</i> , 2021 , 45, 250-261	2.7	2
32	Practical Significance of Longitudinal Measurement Invariance Violations in the Dutch-Flemish PROMIS Item Banks for Depression and Anxiety: An Illustration With Ordered-Categorical Data. <i>Assessment</i> , 2021 , 28, 277-294	3.7	2
31	The Associations of Common Psychological Problems With Mental Disorders Among College Students. <i>Frontiers in Psychiatry</i> , 2021 , 12, 573637	5	2
30	Prognostic Factors for Length of Enforced Forensic Treatment with Special Focus on Personality Disorder. <i>International Journal of Forensic Mental Health</i> , 2017 , 16, 93-103	1	1
29	Added value of Mindfulness-Based Cognitive Therapy for Depression: A Tree-based Qualitative Interaction Analysis. <i>Behaviour Research and Therapy</i> , 2019 , 122, 103467	5.2	1
28	Intervention targets for people living with HIV and depressive symptoms in Botswana. <i>African Journal of AIDS Research</i> , 2020 , 19, 80-88	1.8	1
27	Collaborative stepped care is effectief bij angststoornissen. <i>Huisarts En Wetenschap</i> , 2014 , 57, 566-570	0.1	1
26	Psychometric properties of the Dutch version of the Washington Psychosocial Seizure Inventory. <i>Epilepsia</i> , 2004 , 45, 844-8	6.4	1
25	Length of outpatient treatment affected by extraversion: Still waters run long. <i>Personality and Individual Differences</i> , 1996 , 21, 857-862	3.3	1
24	Cognitive change through hypnosis: The interface between cognitive therapy and hypnotherapy.. <i>Psychotherapy</i> , 1994 , 31, 146-153	2.5	1
23	Hypnotic age regression in an experimental and clinical context. <i>American Journal of Clinical Hypnosis</i> , 1992 , 35, 40-6	0.6	1
22	Fifteen years of the Netherlands study of depression and anxiety: An introduction to the special issue. <i>Journal of Affective Disorders</i> , 2022 , 298, 355-356	6.6	1
21	The Impact of Measuring		1
20	The effects of different types of treatment for anxiety on repetitive negative thinking: A meta-analysis. <i>Clinical Psychology: Science and Practice</i> , 2020 , 27, e12316	3.7	1
19	Moderators of the effect of guided online self-help for people with HIV and depressive symptoms. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 942-948	2.2	1
18	Feasibility and acceptability of a guided internet-based stress management intervention for university students with high levels of stress: Protocol for an open trial. <i>Internet Interventions</i> , 2021 , 24, 100369	4.4	1
17	Support for the higher-order factor structure of the WHODAS 2.0 self-report version in a Dutch outpatient psychiatric setting. <i>Quality of Life Research</i> , 2021 , 30, 2939-2949	3.7	1

16	Cost-utility of a guided Internet-based intervention in comparison with attention only for people with HIV and depressive symptoms: A randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2019 , 118, 34-40	4.1	1
15	Synchronous change in subjective and physiological reactivity during flight as an indicator of treatment outcome for aviophobia: A longitudinal study with 3-year follow-up. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020 , 67, 101443	2.6	1
14	Longitudinal associations between negative life events and depressive symptoms-A 9-year longitudinal study on between-person and within-person effects and the role of family history. <i>Journal of Personality and Social Psychology</i> , 2021 , 121, 707-721	6.5	1
13	Prevalence of anxiety disorders and subthreshold anxiety throughout later life: Systematic review and meta-analysis. <i>Psychology and Aging</i> , 2021 , 36, 268-287	3.6	1
12	Interplay between self-compassion and affect during Mindfulness-Based Compassionate Living for recurrent depression: An Autoregressive Latent Trajectory analysis. <i>Behaviour Research and Therapy</i> , 2021 , 146, 103946	5.2	1
11	Stepped care voor depressieve ouderen. <i>Huisarts En Wetenschap</i> , 2012 , 55, 548-552	0.1	0
10	The complex association of pulmonary function with panic disorder: a rejoinder to Ley (1998). <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 1999 , 30, 341-6	2.6	0
9	Cost-effectiveness and cost-utility of an Acceptance and Commitment Therapy intervention vs. a Cognitive Behavioral Therapy intervention for older adults with anxiety symptoms: A randomized controlled trial.. <i>PLoS ONE</i> , 2022 , 17, e0262220	3.7	0
8	The ICECAP-A instrument for capabilities: assessment of construct validity and test-retest reliability in a general Dutch population. <i>Quality of Life Research</i> , 2021 , 1	3.7	0
7	A tangled start: The link between childhood maltreatment, psychopathology, and relationships in adulthood. <i>Child Abuse and Neglect</i> , 2021 , 121, 105228	4.3	0
6	Voorbij de geraniums: vitaliteit en zelforganisatie van ouderen in de wijk. <i>Geron</i> , 2014 , 16, 12-15		
5	Het verband tussen coping en herstel na klinische behandeling van anorexia nervosa. <i>Dth</i> , 2000 , 20, 21-30		
4	Verschillen in verbale uitingen tijdens het eerste therapiegesprek. <i>Dth</i> , 1993 , 13, 188-195		
3	Conversion Disorder ¹		
2	Temporal relationships between happiness and psychiatric disorders and their symptom severity in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , 2021 , 21, 344	4.2	
1	Where are the breaks in translation from theory to clinical practice (and back) in addressing depression? An empirical graph-theoretic approach. <i>Psychological Medicine</i> , 2019 , 49, 2681-2691	6.9	