## Philip Spinhoven

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4367144/philip-spinhoven-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

357	17,167	68	116
papers	citations	h-index	g-index
377	19,497	4·4 avg, IF	6.53
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
357	Cost-effectiveness and cost-utility of an Acceptance and Commitment Therapy intervention vs. a Cognitive Behavioral Therapy intervention for older adults with anxiety symptoms: A randomized controlled trial <i>PLoS ONE</i> , <b>2022</b> , 17, e0262220	3.7	O
356	Fifteen years of the Netherlands study of depression and anxiety: An introduction to the special issue. <i>Journal of Affective Disorders</i> , <b>2022</b> , 298, 355-356	6.6	1
355	Prevention and treatment of mental health and psychosocial problems in college students: An umbrella review of meta-analyses <i>Clinical Psychology: Science and Practice</i> , <b>2021</b> , 28, 229-244	3.7	6
354	Blended Acceptance and Commitment Therapy Versus Face-to-face Cognitive Behavioral Therapy for Older Adults With Anxiety Symptoms in Primary Care: Pragmatic Single-blind Cluster Randomized Trial. <i>Journal of Medical Internet Research</i> , <b>2021</b> , 23, e24366	7.6	6
353	Feasibility and acceptability of a guided internet-based stress management intervention for university students with high levels of stress: Protocol for an open trial. <i>Internet Interventions</i> , <b>2021</b> , 24, 100369	4.4	1
352	Support for the higher-order factor structure of the WHODAS 2.0 self-report version in a Dutch outpatient psychiatric setting. <i>Quality of Life Research</i> , <b>2021</b> , 30, 2939-2949	3.7	1
351	Temporal relationships between happiness and psychiatric disorders and their symptom severity in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , <b>2021</b> , 21, 344	4.2	
350	Prospective Associations Between Home Practice and Depressive Symptoms in Mindfulness-Based Cognitive Therapy for Recurrent Depression: A 15 Months Follow-Up Study. <i>Cognitive Therapy and Research</i> , <b>2021</b> , 45, 250-261	2.7	2
349	The effect of parental emotional abuse on the severity and treatment of PTSD symptoms in children and adolescents. <i>Child Abuse and Neglect</i> , <b>2021</b> , 111, 104775	4.3	4
348	Practical Significance of Longitudinal Measurement Invariance Violations in the Dutch-Flemish PROMIS Item Banks for Depression and Anxiety: An Illustration With Ordered-Categorical Data. <i>Assessment</i> , <b>2021</b> , 28, 277-294	3.7	2
347	Longitudinal associations between negative life events and depressive symptoms-A 9-year longitudinal study on between-person and within-person effects and the role of family history. <i>Journal of Personality and Social Psychology</i> , <b>2021</b> , 121, 707-721	6.5	1
346	Prevalence of anxiety disorders and subthreshold anxiety throughout later life: Systematic review and meta-analysis. <i>Psychology and Aging</i> , <b>2021</b> , 36, 268-287	3.6	1
345	The ICECAP-A instrument for capabilities: assessment of construct validity and test-retest reliability in a general Dutch population. <i>Quality of Life Research</i> , <b>2021</b> , 1	3.7	O
344	Psychological risk factors and the course of depression and anxiety disorders: A review of 15 years NESDA research. <i>Journal of Affective Disorders</i> , <b>2021</b> , 295, 1347-1359	6.6	6
343	The Associations of Common Psychological Problems With Mental Disorders Among College Students. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 573637	5	2
342	Interplay between self-compassion and affect during Mindfulness-Based Compassionate Living for recurrent depression: An Autoregressive Latent Trajectory analysis. <i>Behaviour Research and Therapy</i> , <b>2021</b> , 146, 103946	5.2	1
341	A tangled start: The link between childhood maltreatment, psychopathology, and relationships in adulthood. <i>Child Abuse and Neglect</i> , <b>2021</b> , 121, 105228	4.3	O

340	Effectiveness of enhanced cognitive behavior therapy for eating disorders: A randomized controlled trial. <i>International Journal of Eating Disorders</i> , <b>2020</b> , 53, 447-457	6.3	5	
339	Evidence for Persistence of Sexual Evaluative Learning Effects. Journal of Sexual Medicine, 2020, 17, 5	505 <del>15</del> 17	2	
338	Intervention targets for people living with HIV and depressive symptoms in Botswana. <i>African Journal of AIDS Research</i> , <b>2020</b> , 19, 80-88	1.8	1	
337	Predictive value of implicit and explicit self-esteem for the recurrence of depression and anxiety disorders: A 3-year follow-up study. <i>Journal of Abnormal Psychology</i> , <b>2020</b> , 129, 788-798	7	4	
336	Mixed results of a pilot RCT of time-limited schema mindfulness-based cognitive therapy and competitive memory therapy plus treatment as usual for personality disorders. <i>Personality Disorders: Theory, Research, and Treatment</i> , <b>2020</b> , 11, 170-180	4.1	4	
335	The effects of different types of treatment for anxiety on repetitive negative thinking: A meta-analysis. <i>Clinical Psychology: Science and Practice</i> , <b>2020</b> , 27, e12316	3.7	1	
334	Moderators of the effect of guided online self-help for people with HIV and depressive symptoms. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2020</b> , 32, 942-948	2.2	1	
333	The association of changes in repetitive negative thinking with changes in depression and anxiety. Journal of Affective Disorders, <b>2020</b> , 275, 157-164	6.6	6	
332	Mindfulness and Affect During Mindfulness-Based Cognitive Therapy for Recurrent Depression: an Autoregressive Latent Trajectory Analysis. <i>Mindfulness</i> , <b>2020</b> , 11, 2360-2370	2.9	2	
331	Feasibility and effectiveness of a worry-reduction training using the smartphone: a pilot randomised controlled trial. <i>British Journal of Guidance and Counselling</i> , <b>2020</b> , 48, 227-239	0.8	2	
330	Satisficing in Mental Health Care Patients: The Effect of Cognitive Symptoms on Self-Report Data Quality. <i>Assessment</i> , <b>2020</b> , 27, 178-193	3.7	9	
329	Synchronous change in subjective and physiological reactivity during flight as an indicator of treatment outcome for aviophobia: A longitudinal study with 3-year follow-up. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2020</b> , 67, 101443	2.6	1	
328	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , <b>2020</b> , 260, 77-83	6.6	10	
327	Added value of Mindfulness-Based Cognitive Therapy for Depression: A Tree-based Qualitative Interaction Analysis. <i>Behaviour Research and Therapy</i> , <b>2019</b> , 122, 103467	5.2	1	
326	Neuroticism and chronicity as predictors of 9-year course of individual depressive symptoms. Journal of Affective Disorders, <b>2019</b> , 252, 484-492	6.6	8	
325	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. <i>Journal of Affective Disorders</i> , <b>2019</b> , 253, 26-34	6.6	26	
324	A randomized controlled trial of an Internet-based intervention for eating disorders and the added value of expert-patient support: study protocol. <i>Trials</i> , <b>2019</b> , 20, 509	2.8	4	
323	Exploring Mediators of a Guided Web-Based Self-Help Intervention for People With HIV and Depressive Symptoms: Randomized Controlled Trial. <i>JMIR Mental Health</i> , <b>2019</b> , 6, e12711	6	3	

322	Development of the Therapeutic Alliance and its Association With Internet-Based Mindfulness-Based Cognitive Therapy for Distressed Cancer Patients: Secondary Analysis of a Multicenter Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e14065	7.6	13
321	Cost-utility of a guided Internet-based intervention in comparison with attention only for people with HIV and depressive symptoms: A randomized controlled trial. <i>Journal of Psychosomatic Research</i> , <b>2019</b> , 118, 34-40	4.1	1
320	Where are the breaks in translation from theory to clinical practice (and back) in addressing depression? An empirical graph-theoretic approach. <i>Psychological Medicine</i> , <b>2019</b> , 49, 2681-2691	6.9	
319	Therapeutic alliance-not therapist competence or group cohesion-contributes to reduction of psychological distress in group-based mindfulness-based cognitive therapy for cancer patients. <i>Clinical Psychology and Psychotherapy</i> , <b>2019</b> , 26, 309-318	2.9	10
318	Repetitive negative thinking as a mediator in prospective cross-disorder associations between anxiety and depression disorders and their symptoms. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2019</b> , 63, 6-11	2.6	10
317	Development of a Computerized Adaptive Test for Anxiety Based on the Dutch-Flemish Version of the PROMIS Item Bank. <i>Assessment</i> , <b>2019</b> , 26, 1362-1374	3.7	9
316	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , <b>2018</b> , 35, 551-559	8.4	22
315	Effectiveness of a smartphone-based worry-reduction training for stress reduction: A randomized-controlled trial. <i>Psychology and Health</i> , <b>2018</b> , 33, 1079-1099	2.9	7
314	The effects of cognitive-behavior therapy for depression on repetitive negative thinking: A meta-analysis. <i>Behaviour Research and Therapy</i> , <b>2018</b> , 106, 71-85	5.2	54
313	The Benefits of Psychosocial Interventions for Mental Health in People Living with HIV: A Systematic Review and Meta-analysis. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 9-42	4.3	39
312	Reduced amygdala reactivity and impaired working memory during dissociation in borderline personality disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2018</b> , 268, 401-415	5.1	24
311	The predictive specificity of psychological vulnerability markers for the course of affective disorders. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 103, 10-17	5.2	13
310	Guided internet-based intervention for people with HIV and depressive symptoms: a randomised controlled trial in the Netherlands. <i>Lancet HIV,the</i> , <b>2018</b> , 5, e488-e497	7.8	17
309	Repetitive negative thinking as a predictor of depression and anxiety: A longitudinal cohort study. Journal of Affective Disorders, <b>2018</b> , 241, 216-225	6.6	44
308	An Internet-based Acceptance and Commitment Therapy intervention for older adults with anxiety complaints: study protocol for a cluster randomized controlled trial. <i>Trials</i> , <b>2018</b> , 19, 502	2.8	5
307	Prognostic Factors for Length of Enforced Forensic Treatment with Special Focus on Personality Disorder. <i>International Journal of Forensic Mental Health</i> , <b>2017</b> , 16, 93-103	1	1
306	Emotion avoidance and fear bradycardia in patients with borderline personality disorder and healthy controls. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2017</b> , 57, 6-13	2.6	6
305	Improvement of mindfulness skills during Mindfulness-Based Cognitive Therapy predicts long-term reductions of neuroticism in persons with recurrent depression in remission. <i>Journal of Affective Disorders</i> , <b>2017</b> , 213, 112-117	6.6	23

304	Mindfulness facets and Big Five personality facets in persons with recurrent depression in remission. <i>Personality and Individual Differences</i> , <b>2017</b> , 110, 109-114	3.3	8
303	Which biopsychosocial variables contribute to more weight gain in depressed persons?. <i>Psychiatry Research</i> , <b>2017</b> , 254, 96-103	9.9	6
302	Experiential Avoidance and Bordering Psychological Constructs as Predictors of the Onset, Relapse and Maintenance of Anxiety Disorders: One or Many?. <i>Cognitive Therapy and Research</i> , <b>2017</b> , 41, 867-880	) <sup>2.7</sup>	25
301	Moderators of change in an Internet-based intervention for eating disorders with different levels of therapist support: What works for whom?. <i>Behaviour Research and Therapy</i> , <b>2017</b> , 89, 66-74	5.2	8
300	Cognitive Coping as a Mechanism of Change in Cognitive-Behavioral Therapy for Fear of Flying: A Longitudinal Study With 3-Year Follow-Up. <i>Journal of Clinical Psychology</i> , <b>2017</b> , 73, 1064-1075	2.8	6
299	Exogenous testosterone affects early threat processing in socially anxious and healthy women. <i>Biological Psychology</i> , <b>2017</b> , 129, 82-89	3.2	7
298	Worry and cognitive control predict course trajectories of anxiety in older adults with late-life depression. <i>European Psychiatry</i> , <b>2017</b> , 44, 134-140	6	8
297	A new perspective on PTSD symptoms after traumatic vs stressful life events and the role of gender. <i>Hgre Utbildning</i> , <b>2017</b> , 8, 1380470	5	11
296	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , <b>2017</b> , 256, 475-481	9.9	20
295	Person misfit on the Inventory of Depressive Symptomatology: Low quality self-report or true atypical symptom profile?. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	2
294	Self-reported personality traits in forensic populations: a meta-analysis. <i>Psychology, Crime and Law</i> , <b>2017</b> , 23, 56-78	1.4	15
293	Prediction of Mental Health Services Use One Year After Regular Referral to Specialized Care Versus Referral to Stepped Collaborative Care. <i>Community Mental Health Journal</i> , <b>2017</b> , 53, 316-323	2.1	4
292	Single dose testosterone administration alleviates gaze avoidance in women with Social Anxiety Disorder. <i>Psychoneuroendocrinology</i> , <b>2016</b> , 63, 26-33	5	32
291	Prediction of 6-yr symptom course trajectories of anxiety disorders by diagnostic, clinical and psychological variables. <i>Journal of Anxiety Disorders</i> , <b>2016</b> , 44, 92-101	10.9	36
290	An Internet-based self-help intervention for people with HIV and depressive symptoms: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2016</b> , 17, 172	2.8	5
289	The effect of a dopamine antagonist on conditioning of sexual arousal in women. <i>Psychopharmacology</i> , <b>2016</b> , 233, 1179-89	4.7	8
288	Patients with a preference for medication do equally well in mindfulness-based cognitive therapy for recurrent depression as those preferring mindfulness. <i>Journal of Affective Disorders</i> , <b>2016</b> , 195, 32-9	6.6	4
287	The Influence of Emotion Upregulation on the Expectation of Sexual Reward. <i>Journal of Sexual Medicine</i> , <b>2016</b> , 13, 105-19	1.1	7

286	Childhood maltreatment, maladaptive personality types and level and course of psychological distress: A six-year longitudinal study. <i>Journal of Affective Disorders</i> , <b>2016</b> , 191, 100-8	6.6	42
285	Changing Mental Health and Positive Psychological Well-Being Using Ecological Momentary Interventions: A Systematic Review and Meta-analysis. <i>Journal of Medical Internet Research</i> , <b>2016</b> , 18, e152	7.6	79
284	Web-Based Fully Automated Self-Help With Different Levels of Therapist Support for Individuals With Eating Disorder Symptoms: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , <b>2016</b> , 18, e159	7.6	37
283	Effectiveness of enhanced cognitive behavioral therapy (CBT-E) for eating disorders: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2016</b> , 17, 573	2.8	7
282	Collaborative care for anxiety disorders in primary care: a systematic review and meta-analysis. <i>BMC Family Practice</i> , <b>2016</b> , 17, 62	2.6	36
281	Borderline personality features in depressed or anxious patients. <i>Psychiatry Research</i> , <b>2016</b> , 241, 224-3	19.9	12
280	Dare to Approach: Single Dose Testosterone Administration Promotes Threat Approach in Patients With Social Anxiety Disorder. <i>Clinical Psychological Science</i> , <b>2016</b> , 4, 1073-1079	6	24
279	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , <b>2016</b> , 40, 150-163	2.7	40
278	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , <b>2016</b> , 208, 366-73	5.4	41
277	Group schema therapy versus group cognitive behavioral therapy for social anxiety disorder with comorbid avoidant personality disorder: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2016</b> , 17, 487	2.8	8
276	The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. <i>Journal of Psychosomatic Research</i> , <b>2016</b> , 89, 26-31	4.1	11
275	Enduring effects of Preventive Cognitive Therapy in adults remitted from recurrent depression: A 10 year follow-up of a randomized controlled trial. <i>Journal of Affective Disorders</i> , <b>2015</b> , 185, 188-94	6.6	20
274	Common rather than unique aspects of repetitive negative thinking are related to depressive and anxiety disorders and symptoms. <i>Journal of Anxiety Disorders</i> , <b>2015</b> , 33, 45-52	10.9	53
273	The DAPP-SF as a screener for personality disorder in a forensic setting. <i>Journal of Personality Assessment</i> , <b>2015</b> , 97, 172-81	2.8	2
272	Evidence for smaller right amygdala volumes in posttraumatic stress disorder following childhood trauma. <i>Psychiatry Research - Neuroimaging</i> , <b>2015</b> , 233, 436-42	2.9	45
271	Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. <i>Journal of Affective Disorders</i> , <b>2015</b> , 175, 351-8	6.6	17
270	Trait rumination predicts onset of Post-Traumatic Stress Disorder through trauma-related cognitive appraisals: A 4-year longitudinal study. <i>Behaviour Research and Therapy</i> , <b>2015</b> , 71, 101-9	5.2	47
269	Salivary Testosterone Is Consistently and Positively Associated with Extraversion: Results from The Netherlands Study of Depression and Anxiety. <i>Neuropsychobiology</i> , <b>2015</b> , 71, 76-84	4	50

### (2014-2015)

268	The influence of emotion down-regulation on the expectation of sexual reward. <i>Behavior Therapy</i> , <b>2015</b> , 46, 379-94	4.8	10
267	An admixture analysis of age of onset in agoraphobia. <i>Journal of Affective Disorders</i> , <b>2015</b> , 180, 112-5	6.6	10
266	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , <b>2015</b> , 187, 54-61	6.6	28
265	Extinction of aversive classically conditioned human sexual response. <i>Journal of Sexual Medicine</i> , <b>2015</b> , 12, 916-35	1.1	15
264	d-Cycloserine reduces context specificity of sexual extinction learning. <i>Neurobiology of Learning and Memory</i> , <b>2015</b> , 125, 202-10	3.1	11
263	Psychological Distress and Physiological Reactivity During In Vivo Exposure in People With Aviophobia. <i>Psychosomatic Medicine</i> , <b>2015</b> , 77, 762-74	3.7	8
262	Anxious or Depressed and Still Happy?. PLoS ONE, 2015, 10, e0139912	3.7	16
261	Five-Year Mental Health Care Use by Patients Referred to Collaborative Care or to Specialized Care. <i>Psychiatric Services</i> , <b>2015</b> , 66, 840-4	3.3	11
260	Prediction of treatment discontinuation and recovery from Borderline Personality Disorder: Results from an RCT comparing Schema Therapy and Transference Focused Psychotherapy. <i>Behaviour Research and Therapy</i> , <b>2015</b> , 74, 60-71	5.2	32
259	The role of conditioning, learning and dopamine in sexual behavior: a narrative review of animal and human studies. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2014</b> , 38, 38-59	9	63
258	Voorbij de geraniums: vitaliteit en zelforganisatie van ouderen in de wijk. <i>Geron</i> , <b>2014</b> , 16, 12-15		
257	Repetitive negative thinking as a transdiagnostic factor in depression and anxiety: A conceptual replication. <i>Behaviour Research and Therapy</i> , <b>2014</b> , 63, 177-83	5.2	68
256	A longitudinal study of experiential avoidance in emotional disorders. <i>Behavior Therapy</i> , <b>2014</b> , 45, 840-5	5 <b>0</b> 4.8	113
255	A longitudinal study of facets of extraversion in depression and social anxiety. <i>Personality and Individual Differences</i> , <b>2014</b> , 71, 39-44	3.3	20
254	Cost utility analysis of a collaborative stepped care intervention for panic and generalized anxiety disorders in primary care. <i>Journal of Psychosomatic Research</i> , <b>2014</b> , 77, 57-63	4.1	27
253	Comorbidity of PTSD in anxiety and depressive disorders: prevalence and shared risk factors. <i>Child Abuse and Neglect</i> , <b>2014</b> , 38, 1320-30	4.3	121
252	Anxiety, depression and personality traits in severe, prednisone-dependent asthma. <i>Respiratory Medicine</i> , <b>2014</b> , 108, 438-44	4.6	44
251	Alleviating social avoidance: effects of single dose testosterone administration on approach-avoidance action. <i>Hormones and Behavior</i> , <b>2014</b> , 65, 351-4	3.7	59

250	The influence of worry and avoidance on the Iowa Gambling Task. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2014</b> , 45, 74-80	2.6	5
249	Neural sensitivity to social reward and punishment anticipation in social anxiety disorder. <i>Frontiers in Behavioral Neuroscience</i> , <b>2014</b> , 8, 439	3.5	47
248	Amygdala and Dorsal Anterior Cingulate Connectivity during an Emotional Working Memory Task in Borderline Personality Disorder Patients with Interpersonal Trauma History. <i>Frontiers in Human Neuroscience</i> , <b>2014</b> , 8, 848	3.3	37
247	Effectiveness of collaborative stepped care for anxiety disorders in primary care: a pragmatic cluster randomised controlled trial. <i>Psychotherapy and Psychosomatics</i> , <b>2014</b> , 83, 37-44	9.4	40
246	Results of a multicenter randomized controlled trial of the clinical effectiveness of schema therapy for personality disorders. <i>American Journal of Psychiatry</i> , <b>2014</b> , 171, 305-22	11.9	268
245	Collaborative stepped care is effectief bij angststoornissen. <i>Huisarts En Wetenschap</i> , <b>2014</b> , 57, 566-570	0.1	1
244	Childhood Trauma Questionnaire: factor structure, measurement invariance, and validity across emotional disorders. <i>Psychological Assessment</i> , <b>2014</b> , 26, 717-29	5.3	116
243	Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , <b>2014</b> , 9, 2026-33	4	71
242	Two-year follow-up of a randomized controlled trial of stepped care cognitive behavioral therapy to prevent recurrence of depression in an older population. <i>International Journal of Geriatric Psychiatry</i> , <b>2014</b> , 29, 317-25	3.9	2
241	The influence of personality on the sensitivity to subjective effects of <b>9</b> -tetrahydrocannabinol. <i>Psychiatry Research</i> , <b>2014</b> , 220, 945-53	9.9	2
240	Personality predicts time to remission and clinical status in hypochondriasis during a 6-year follow-up. <i>Journal of Nervous and Mental Disease</i> , <b>2014</b> , 202, 402-7	1.8	7
239	Susceptibility to distraction by social cues in borderline personality disorder. <i>Psychopathology</i> , <b>2014</b> , 47, 148-57	3.4	9
238	Childhood emotional maltreatment severity is associated with dorsal medial prefrontal cortex responsivity to social exclusion in young adults. <i>PLoS ONE</i> , <b>2014</b> , 9, e85107	3.7	63
237	Extinction and renewal of conditioned sexual responses. <i>PLoS ONE</i> , <b>2014</b> , 9, e105955	3.7	16
236	The association of depression and anxiety with pain: a study from NESDA. <i>PLoS ONE</i> , <b>2014</b> , 9, e106907	3.7	164
235	Two-year course trajectories of anxiety disorders: do DSM classifications matter?. <i>Journal of Clinical Psychiatry</i> , <b>2014</b> , 75, 985-93	4.6	32
234	The role of psychological flexibility in a self-help acceptance and commitment therapy intervention for psychological distress in a randomized controlled trial. <i>Behaviour Research and Therapy</i> , <b>2013</b> , 51, 142-51	5.2	58
233	Optimism and mental imagery: a possible cognitive marker to promote well-being?. <i>Psychiatry Research</i> , <b>2013</b> , 206, 56-61	9.9	85

232	Anxiety sensitivity moderates the relationship of changes in physiological arousal with flight anxiety during in vivo exposure therapy. <i>Behaviour Research and Therapy</i> , <b>2013</b> , 51, 98-105	5.2	18
231	An Internet-based intervention for eating disorders consisting of automated computer-tailored feedback with or without supplemented frequent or infrequent support from a coach: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 340	2.8	8
230	Examining determinants of early and late age at onset in panic disorder: an admixture analysis. <i>Journal of Psychiatric Research</i> , <b>2013</b> , 47, 1870-5	5.2	16
229	Treating eating disorders over the internet: a systematic review and future research directions. <i>International Journal of Eating Disorders</i> , <b>2013</b> , 46, 539-52	6.3	93
228	Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , <b>2013</b> , 8, 362-9	4	164
227	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. <i>European Journal of Personality</i> , <b>2013</b> , 27, 389-397	5.1	14
226	Mood reactivity rather than cognitive reactivity is predictive of depressive relapse: a randomized study with 5.5-year follow-up. <i>Journal of Consulting and Clinical Psychology</i> , <b>2013</b> , 81, 508-17	6.5	36
225	Endogenous cortisol is associated with functional connectivity between the amygdala and medial prefrontal cortex. <i>Psychoneuroendocrinology</i> , <b>2012</b> , 37, 1039-47	5	100
224	Consistency of reporting sexual and physical abuse during psychological treatment of personality disorder: an explorative study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2012</b> , 43 Suppl 1, S43-50	2.6	6
223	Changes in natural language use as an indicator of psychotherapeutic change in personality disorders. <i>Behaviour Research and Therapy</i> , <b>2012</b> , 50, 191-202	5.2	28
222	Stepped care voor depressieve ouderen. <i>Huisarts En Wetenschap</i> , <b>2012</b> , 55, 548-552	0.1	O
221	Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. <i>World Journal of Biological Psychiatry</i> , <b>2012</b> , 13, 535-43	3.8	40
220	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , <b>2012</b> , 12, 125	4.2	36
219	Serum BDNF concentrations show strong seasonal variation and correlations with the amount of ambient sunlight. <i>PLoS ONE</i> , <b>2012</b> , 7, e48046	3.7	55
218	A stepped care relapse prevention program for depression in older people: a randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , <b>2012</b> , 27, 583-91	3.9	9
217	Personality and changes in comorbidity patterns among anxiety and depressive disorders. <i>Journal of Abnormal Psychology</i> , <b>2012</b> , 121, 874-84	7	49
216	Effects of a stepped-care intervention programme among older subjects who screened positive for depressive symptoms in general practice: the PROMODE randomised controlled trial. <i>Age and Ageing</i> , <b>2012</b> , 41, 482-8	3	30
215	Stress shifts brain activation towards ventral 'affective' areas during emotional distraction. <i>Social Cognitive and Affective Neuroscience</i> , <b>2012</b> , 7, 403-12	4	89

214	Understanding the differential impact of outcome monitoring: therapist variables that moderate feedback effects in a randomized clinical trial. <i>Psychotherapy Research</i> , <b>2012</b> , 22, 464-74	3.6	133
213	Response to an unsolicited intervention offer to persons aged I75 years after screening positive for depressive symptoms: a qualitative study. <i>International Psychogeriatrics</i> , <b>2012</b> , 24, 270-7	3.4	13
212	Beyond acute social stress: increased functional connectivity between amygdala and cortical midline structures. <i>NeuroImage</i> , <b>2011</b> , 57, 1534-41	7.9	168
211	Automatic avoidance tendencies in patients with psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2011</b> , 20, 628-34	3.2	60
<b>2</b> 10	The effects of neuroticism, extraversion, and positive and negative life events on a one-year course of depressive symptoms in euthymic previously depressed patients versus healthy controls. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 684-9	1.8	12
209	Positive and negative life events and personality traits in predicting course of depression and anxiety. <i>Acta Psychiatrica Scandinavica</i> , <b>2011</b> , 124, 462-73	6.5	57
208	Psychological traits and the cortisol awakening response: results from the Netherlands Study of Depression and Anxiety. <i>Psychoneuroendocrinology</i> , <b>2011</b> , 36, 240-8	5	73
207	Prevalence and correlates of lifetime deliberate self-harm and suicidal ideation in naturalistic outpatients: the Leiden Routine Outcome Monitoring study. <i>Journal of Affective Disorders</i> , <b>2011</b> , 133, 257-64	6.6	28
206	Two-year course of depressive and anxiety disorders: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , <b>2011</b> , 133, 76-85	6.6	223
205	The impact of childhood abuse and recent stress on serum brain-derived neurotrophic factor and the moderating role of BDNF Val66Met. <i>Psychopharmacology</i> , <b>2011</b> , 214, 319-28	4.7	92
204	Is the Beck Anxiety Inventory a good tool to assess the severity of anxiety? A primary care study in the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Family Practice</i> , <b>2011</b> , 12, 66	2.6	71
203	Personality, Life Events and the Course of Anxiety and Depression. <i>European Journal of Personality</i> , <b>2011</b> , 25, 443-452	5.1	60
202	Pain cognitions as predictors of the request for pain relief during the first stage of labor: a prospective study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , <b>2011</b> , 32, 119-25	3.6	28
201	Intrusions of autobiographical memories in individuals reporting childhood emotional maltreatment. <i>Hgre Utbildning</i> , <b>2011</b> , 2,	5	9
200	Comorbidity patterns of anxiety and depressive disorders in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , <b>2011</b> , 72, 341-8	4.6	423
199	Treatment of depression in patients from ethnic minority groups in the Netherlands. <i>Transcultural Psychiatry</i> , <b>2010</b> , 47, 473-90	2.7	11
198	Reliability and validity of the short Schema Mode Inventory (SMI). <i>Behavioural and Cognitive Psychotherapy</i> , <b>2010</b> , 38, 437-58	2.1	114
197	Reduced medial prefrontal cortex volume in adults reporting childhood emotional maltreatment. <i>Biological Psychiatry</i> , <b>2010</b> , 68, 832-8	7.9	265

#### (2009-2010)

196	Affect-congruent approach and withdrawal movements of happy and angry faces facilitate affective categorisation. <i>Cognition and Emotion</i> , <b>2010</b> , 24, 863-875	2.3	17
195	Physiological reactivity to phobic stimuli in people with fear of flying. <i>Journal of Psychosomatic Research</i> , <b>2010</b> , 69, 309-17	4.1	12
194	Heart-focused anxiety as a mediating variable in the treatment of noncardiac chest pain by cognitive-behavioral therapy and paroxetine. <i>Journal of Psychosomatic Research</i> , <b>2010</b> , 69, 227-35	4.1	53
193	The role of childhood abuse in HPA-axis reactivity in Social Anxiety Disorder: a pilot study. <i>Biological Psychology</i> , <b>2010</b> , 83, 1-6	3.2	52
192	Word use of outpatients with a personality disorder and concurrent or previous major depressive disorder. <i>Behaviour Research and Therapy</i> , <b>2010</b> , 48, 44-51	5.2	26
191	Child abuse and negative explicit and automatic self-associations: the cognitive scars of emotional maltreatment. <i>Behaviour Research and Therapy</i> , <b>2010</b> , 48, 486-94	5.2	115
190	Propranolol reduces emotional distraction in working memory: a partial mediating role of propranolol-induced cortisol increases?. <i>Neurobiology of Learning and Memory</i> , <b>2010</b> , 93, 388-95	3.1	38
189	The effect of stress induction on working memory in patients with psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , <b>2010</b> , 19, 448-54	3.2	61
188	Early intervention in panic: pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , <b>2010</b> , 196, 326-31	5.4	28
187	Effects of sad mood on autobiographical memory in older adults with and without lifetime depression. <i>British Journal of Clinical Psychology</i> , <b>2010</b> , 49, 343-57	3.6	5
187		3.6 5	5 47
	depression. <i>British Journal of Clinical Psychology</i> , <b>2010</b> , 49, 343-57  Psychophysiological evidence for cortisol-induced reduction in early bias for implicit social threat in		
186	depression. <i>British Journal of Clinical Psychology</i> , <b>2010</b> , 49, 343-57  Psychophysiological evidence for cortisol-induced reduction in early bias for implicit social threat in social phobia. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 21-32  The specificity of childhood adversities and negative life events across the life span to anxiety and	5	47
186	depression. <i>British Journal of Clinical Psychology</i> , <b>2010</b> , 49, 343-57  Psychophysiological evidence for cortisol-induced reduction in early bias for implicit social threat in social phobia. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 21-32  The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , <b>2010</b> , 126, 103-12  Sexual functioning in women with chronic pelvic pain: the role of anxiety and depression. <i>Journal of</i>	5 6.6	47 205
186 185 184	depression. <i>British Journal of Clinical Psychology</i> , <b>2010</b> , 49, 343-57  Psychophysiological evidence for cortisol-induced reduction in early bias for implicit social threat in social phobia. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 21-32  The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , <b>2010</b> , 126, 103-12  Sexual functioning in women with chronic pelvic pain: the role of anxiety and depression. <i>Journal of Sexual Medicine</i> , <b>2010</b> , 7, 1901-10  Basal hypercortisolism and trauma in patients with psychogenic nonepileptic seizures. <i>Epilepsia</i> ,	5 6.6	47 205 39
186 185 184	depression. <i>British Journal of Clinical Psychology</i> , <b>2010</b> , 49, 343-57  Psychophysiological evidence for cortisol-induced reduction in early bias for implicit social threat in social phobia. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 21-32  The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , <b>2010</b> , 126, 103-12  Sexual functioning in women with chronic pelvic pain: the role of anxiety and depression. <i>Journal of Sexual Medicine</i> , <b>2010</b> , 7, 1901-10  Basal hypercortisolism and trauma in patients with psychogenic nonepileptic seizures. <i>Epilepsia</i> , <b>2010</b> , 51, 752-9  Hydrocortisone reduces emotional distracter interference in working memory.	5 6.6 1.1 6.4	47 205 39 91
186 185 184 183	Psychophysiological evidence for cortisol-induced reduction in early bias for implicit social threat in social phobia. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 21-32  The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , <b>2010</b> , 126, 103-12  Sexual functioning in women with chronic pelvic pain: the role of anxiety and depression. <i>Journal of Sexual Medicine</i> , <b>2010</b> , 7, 1901-10  Basal hypercortisolism and trauma in patients with psychogenic nonepileptic seizures. <i>Epilepsia</i> , <b>2010</b> , 51, 752-9  Hydrocortisone reduces emotional distracter interference in working memory. <i>Psychoneuroendocrinology</i> , <b>2009</b> , 34, 1284-93  Effects and feasibility of a preventive intervention in sub-threshold and mild panic disorder: Results	5 6.6 1.1 6.4	47 205 39 91 74

178	Psychophysiological responding to emotional memories in healthy young men after cortisol and propranolol administration. <i>Psychopharmacology</i> , <b>2009</b> , 203, 793-803	4.7	35
177	The role of comorbidity in the detection of psychiatric disorders with checklists for mental and physical symptoms in primary care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2009</b> , 44, 78-85	4.5	28
176	Implementation of outpatient schema therapy for borderline personality disorder: study design. <i>BMC Psychiatry</i> , <b>2009</b> , 9, 64	4.2	16
175	Preventing panic disorder: cost-effectiveness analysis alongside a pragmatic randomised trial. <i>Cost Effectiveness and Resource Allocation</i> , <b>2009</b> , 7, 8	2.4	23
174	Trauma, stress, and preconscious threat processing in patients with psychogenic nonepileptic seizures. <i>Epilepsia</i> , <b>2009</b> , 50, 1001-11	6.4	150
173	Predictors of outcome in a cohort of women with chronic pelvic pain - a follow-up study. <i>European Journal of Pain</i> , <b>2009</b> , 13, 769-75	3.7	24
172	Cortisol-induced enhancement of emotional face processing in social phobia depends on symptom severity and motivational context. <i>Biological Psychology</i> , <b>2009</b> , 81, 123-30	3.2	44
171	Three preparatory studies for promoting implementation of outpatient schema therapy for borderline personality disorder in general mental health care. <i>Behaviour Research and Therapy</i> , <b>2009</b> , 47, 938-45	5.2	17
170	Implementation of outpatient schema therapy for borderline personality disorder with versus without crisis support by the therapist outside office hours: A randomized trial. <i>Behaviour Research and Therapy</i> , <b>2009</b> , 47, 961-73	5.2	160
169	Immediate and prolonged effects of cortisol, but not propranolol, on memory retrieval in healthy young men. <i>Neurobiology of Learning and Memory</i> , <b>2009</b> , 91, 23-31	3.1	82
168	Basal cortisol is positively correlated to threat vigilance in patients with psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , <b>2009</b> , 16, 558-60	3.2	62
167	Cognitive behavioral therapy versus paroxetine in the treatment of hypochondriasis: an 18-month naturalistic follow-up. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2009</b> , 40, 487-96	2.6	40
166	Hypothalamus-pituitary-adrenal axis hyperresponsiveness is associated with increased social avoidance behavior in social phobia. <i>Biological Psychiatry</i> , <b>2009</b> , 65, 336-43	7.9	136
165	Autobiographical memory after acute stress in healthy young men. <i>Memory</i> , <b>2009</b> , 17, 301-10	1.8	21
164	Childhood sexual abuse differentially predicts outcome of cognitive-behavioral therapy for deliberate self-harm. <i>Journal of Nervous and Mental Disease</i> , <b>2009</b> , 197, 455-7	1.8	18
163	Reduced specificity of autobiographical memory in Cluster C personality disorders and the role of depression, worry, and experiential avoidance. <i>Journal of Abnormal Psychology</i> , <b>2009</b> , 118, 520-30	7	29
162	Collaborative mental health care versus care as usual in a primary care setting: a randomized controlled trial. <i>Psychiatric Services</i> , <b>2009</b> , 60, 74-9	3.3	57
161	Medically unexplained physical symptoms in primary care: a controlled study on the effectiveness of cognitive-behavioral treatment by the family physician. <i>Psychosomatics</i> , <b>2009</b> , 50, 515-24	2.6	11

#### (2007-2008)

160	Offering a medical examination following disaster exposure does not result in long-lasting reassurance about health complaints. <i>General Hospital Psychiatry</i> , <b>2008</b> , 30, 200-7	5.6	3
159	Diminished cortisol responses to psychosocial stress associated with lifetime adverse events a study among healthy young subjects. <i>Psychoneuroendocrinology</i> , <b>2008</b> , 33, 227-37	5	273
158	The Flight Anxiety Situations Questionnaire and the Flight Anxiety Modality Questionnaire: norms for people with fear of flying. <i>Travel Medicine and Infectious Disease</i> , <b>2008</b> , 6, 305-10	8.4	24
157	The influence of cognitive emotion regulation strategies and depression severity on deliberate self-harm. <i>Suicide and Life-Threatening Behavior</i> , <b>2008</b> , 38, 274-86	3.9	25
156	Cortisol administration enhances the coupling of midfrontal delta and beta oscillations. <i>International Journal of Psychophysiology</i> , <b>2008</b> , 67, 144-50	2.9	50
155	Out-patient psychotherapy for borderline personality disorder: cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 450-7	5.4	120
154	Cognitive-behavioural intervention for self-harm: randomised controlled trial. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 202-11	5.4	128
153	Continuation and maintenance use of antidepressants in recurrent depression. <i>Psychotherapy and Psychosomatics</i> , <b>2008</b> , 77, 17-26	9.4	90
152	Long-term outcomes of memory retrieval under stress. <i>Behavioral Neuroscience</i> , <b>2008</b> , 122, 697-703	2.1	19
151	Different flying histories in flying phobics: association with psychopathology and treatment outcome. <i>Aviation, Space, and Environmental Medicine</i> , <b>2008</b> , 79, 953-9		6
151 150		4.5	5
	outcome. <i>Aviation, Space, and Environmental Medicine</i> , <b>2008</b> , 79, 953-9  Participation in a trauma-focused epidemiological investigation may result in sensitization for	4.5	
150	outcome. Aviation, Space, and Environmental Medicine, 2008, 79, 953-9  Participation in a trauma-focused epidemiological investigation may result in sensitization for current health problems. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 132-9  Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. Trials, 2008,		5
150 149	outcome. Aviation, Space, and Environmental Medicine, 2008, 79, 953-9  Participation in a trauma-focused epidemiological investigation may result in sensitization for current health problems. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 132-9  Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. Trials, 2008, 9, 67  The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods.	2.8	5
150 149 148	outcome. Aviation, Space, and Environmental Medicine, 2008, 79, 953-9  Participation in a trauma-focused epidemiological investigation may result in sensitization for current health problems. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 132-9  Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. Trials, 2008, 9, 67  The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. International Journal of Methods in Psychiatric Research, 2008, 17, 121-40  Emotion regulation as mediator of treatment outcome in therapy for deliberate self-harm. Clinical	2.8	5 13 694
150 149 148	outcome. Aviation, Space, and Environmental Medicine, 2008, 79, 953-9  Participation in a trauma-focused epidemiological investigation may result in sensitization for current health problems. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 132-9  Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. Trials, 2008, 9, 67  The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. International Journal of Methods in Psychiatric Research, 2008, 17, 121-40  Emotion regulation as mediator of treatment outcome in therapy for deliberate self-harm. Clinical Psychology and Psychotherapy, 2008, 15, 205-16  Can assessors and therapists predict the outcome of long-term psychotherapy in borderline	2.8 4·3 2.9	5 13 694 71
150 149 148 147 146	Participation in a trauma-focused epidemiological investigation may result in sensitization for current health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2008</b> , 43, 132-9  Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. <i>Trials</i> , <b>2008</b> , 9, 67  The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , <b>2008</b> , 17, 121-40  Emotion regulation as mediator of treatment outcome in therapy for deliberate self-harm. <i>Clinical Psychology and Psychotherapy</i> , <b>2008</b> , 15, 205-16  Can assessors and therapists predict the outcome of long-term psychotherapy in borderline personality disorder?. <i>Journal of Clinical Psychology</i> , <b>2008</b> , 64, 667-86  The effects of cortisol increase on long-term memory retrieval during and after acute psychosocial	2.8 4·3 2.9 2.8	5 13 694 71 13

142	Cognitive-behavioral therapy for deliberate self-harm. <i>Crisis</i> , <b>2007</b> , 28, 175-82	2.8	31
141	The Outcome Questionnaire (OQ-45) in a Dutch population: A cross-cultural validation. <i>Clinical Psychology and Psychotherapy</i> , <b>2007</b> , 14, 288-301	2.9	98
140	The effects of serotonin manipulations on emotional information processing and mood. <i>Journal of Affective Disorders</i> , <b>2007</b> , 103, 43-62	6.6	87
139	Severity and duration of depression, not personality factors, predict short term outcome in the treatment of major depression. <i>Journal of Affective Disorders</i> , <b>2007</b> , 104, 119-26	6.6	73
138	Course and predictors of mental health of unaccompanied refugee minors in the Netherlands: one year follow-up. <i>Social Science and Medicine</i> , <b>2007</b> , 64, 1204-15	5.1	135
137	Onverklaarde lichamelijke klachten en de samenhang met depressie en angst. <i>Huisarts En Wetenschap</i> , <b>2007</b> , 50, 969-973	0.1	2
136	Validation of the Teachers Report Form for Teachers of Unaccompanied Refugee Minors. <i>Journal of Psychoeducational Assessment</i> , <b>2007</b> , 25, 53-68	1.3	6
135	The endorsement of dysfunctional attitudes is associated with an impaired retrieval of specific autobiographical memories in response to matching cues. <i>Memory</i> , <b>2007</b> , 15, 324-38	1.8	38
134	Which panic disorder patients benefit from which treatment: cognitive therapy or antidepressants?. <i>Psychotherapy and Psychosomatics</i> , <b>2007</b> , 76, 154-61	9.4	23
133	Combination treatment for acute depression is superior only when psychotherapy is added to medication. <i>Psychotherapy and Psychosomatics</i> , <b>2007</b> , 76, 289-97	9.4	41
132	Cognitive behavior therapy and paroxetine in the treatment of hypochondriasis: a randomized controlled trial. <i>American Journal of Psychiatry</i> , <b>2007</b> , 164, 91-9	11.9	120
131	Comparing psychological distress, traumatic stress reactions, and experiences of unaccompanied refugee minors with experiences of adolescents accompanied by parents. <i>Journal of Nervous and Mental Disease</i> , <b>2007</b> , 195, 288-97	1.8	219
130	Character and temperament in major depressive disorder and a highly anxious-retarded subtype derived from melancholia. <i>Comprehensive Psychiatry</i> , <b>2007</b> , 48, 426-35	7.3	38
129	Trauma and medically unexplained symptoms towards an integration of cognitive and neuro-biological accounts. <i>Clinical Psychology Review</i> , <b>2007</b> , 27, 798-820	10.8	126
128	The effects of cortisol administration on approach-avoidance behavior: an event-related potential study. <i>Biological Psychology</i> , <b>2007</b> , 76, 135-46	3.2	65
127	Failures to retrieve specific memories in previously depressed individuals: random errors or content-related?. <i>Behaviour Research and Therapy</i> , <b>2007</b> , 45, 1859-69	5.2	33
126	Predictors and mediators of treatment outcome in patients with binge eating disorder. <i>Behaviour Research and Therapy</i> , <b>2007</b> , 45, 2551-62	5.2	40
125	Fear of flying treatment methods: virtual reality exposure vs. cognitive behavioral therapy. <i>Aviation, Space, and Environmental Medicine</i> , <b>2007</b> , 78, 121-8		46

#### (2005-2006)

124	Validation of the child behavior checklist for guardians of unaccompanied refugee minors. <i>Children and Youth Services Review</i> , <b>2006</b> , 28, 867-887	2	18
123	Validation of the multiple language versions of the Reactions of Adolescents to Traumatic Stress questionnaire. <i>Journal of Traumatic Stress</i> , <b>2006</b> , 19, 241-55	3.8	42
122	Inconsistencies in the self-report of traumatic experiences by unaccompanied refugee minors. Journal of Traumatic Stress, <b>2006</b> , 19, 663-73	3.8	22
121	Differential predictors of response to preventive cognitive therapy in recurrent depression: a 2-year prospective study. <i>Psychotherapy and Psychosomatics</i> , <b>2006</b> , 75, 229-36	9.4	52
120	Predictors of response to the 'Coping with Depression' course for older adults. A field study. <i>Aging and Mental Health</i> , <b>2006</b> , 10, 424-34	3.5	7
119	Outpatient psychotherapy for borderline personality disorder: randomized trial of schema-focused therapy vs transference-focused psychotherapy. <i>Archives of General Psychiatry</i> , <b>2006</b> , 63, 649-58		829
118	Autobiographical memory in depressed and nondepressed patients with borderline personality disorder after long-term psychotherapy. <i>Cognition and Emotion</i> , <b>2006</b> , 20, 448-65	2.3	19
117	Behavioral and cognitive group treatment for fear of flying: a randomized controlled trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2006</b> , 37, 358-71	2.6	14
116	Autobiographical memory in the euthymic phase of recurrent depression. <i>Journal of Abnormal Psychology</i> , <b>2006</b> , 115, 590-600	7	60
115	Predictors of fatigue in rescue workers and residents in the aftermath of an aviation disaster: a longitudinal study. <i>Psychosomatic Medicine</i> , <b>2006</b> , 68, 605-12	3.7	21
114	Interictal depression, anxiety, personality traits, and psychological dissociation in patients with temporal lobe epilepsy (TLE) and extra-TLE. <i>Epilepsia</i> , <b>2006</b> , 47, 2092-103	6.4	97
113	Childrearing style of anxiety-disordered parents. <i>Child Psychiatry and Human Development</i> , <b>2006</b> , 37, 89-102	3.3	39
112	Factors associated with mental health service need and utilization among unaccompanied refugee adolescents. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , <b>2006</b> , 33, 342-55	3.1	62
111	Prediction of Recurrence in Recurrent Depression and the Influence of Consecutive Episodes on Vulnerability for Depression. <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67, 747-755	4.6	67
110	Prediction of recurrence in recurrent depression and the influence of consecutive episodes on vulnerability for depression: a 2-year prospective study. <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67, 747-55	4.6	27
109	The reporting of specific physical symptoms for mental distress in general practice. <i>Journal of Psychosomatic Research</i> , <b>2005</b> , 59, 89-95	4.1	40
108	Consistency of memory for emotionally arousing events: a review of prospective and experimental studies. <i>Clinical Psychology Review</i> , <b>2005</b> , 25, 935-53	10.8	103
107	The impact of early trauma and recent life-events on symptom severity in patients with conversion disorder. <i>Journal of Nervous and Mental Disease</i> , <b>2005</b> , 193, 508-14	1.8	75

106	Automatic negative evaluation of suffocation sensations in individuals with suffocation fear. Journal of Abnormal Psychology, <b>2005</b> , 114, 466-70	7	3
105	Preventing relapse/recurrence in recurrent depression with cognitive therapy: a randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , <b>2005</b> , 73, 647-57	6.5	188
104	Acute tryptophan depletion as a model of depressive relapse: behavioural specificity and ethical considerations. <i>British Journal of Psychiatry</i> , <b>2005</b> , 187, 148-54	5.4	48
103	Associations among homesickness, anger, anxiety, and depression. <i>Psychological Reports</i> , <b>2004</b> , 94, 115	55 <u>1</u> 760	12
102	Childhood adversities as risk factors for alexithymia and other aspects of affect dysregulation in adulthood. <i>Psychotherapy and Psychosomatics</i> , <b>2004</b> , 73, 107-16	9.4	84
101	Psychometric properties of the Dutch version of the Washington Psychosocial Seizure Inventory. <i>Epilepsia</i> , <b>2004</b> , 45, 844-8	6.4	1
100	Catastrophizing and internal pain control as mediators of outcome in the multidisciplinary treatment of chronic low back pain. <i>European Journal of Pain</i> , <b>2004</b> , 8, 211-9	3.7	188
99	The effects of failing to control pain: an experimental investigation. <i>Pain</i> , <b>2004</b> , 107, 227-233	8	25
98	Trauma and dissociation in conversion disorder and chronic pelvic pain. <i>International Journal of Psychiatry in Medicine</i> , <b>2004</b> , 34, 305-18	1	29
97	Testimony therapy: treatment method for traumatized victims of organized violence. <i>American Journal of Psychotherapy</i> , <b>2003</b> , 57, 361-73	1.3	29
96	Homesickness, temperament and character. Personality and Individual Differences, 2003, 35, 757-770	3.3	10
95	A randomized controlled clinical trial of a hypnosis-based treatment for patients with conversion disorder, motor type. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>2003</b> , 51, 29-50	1.8	116
94	Personality pathology and cognitive-behavioral treatment of fear of flying. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2003</b> , 34, 171-89	2.6	7
93	Anxiety sensitivity profile: dimensional structure and relationship with temperament and character. <i>Psychotherapy and Psychosomatics</i> , <b>2003</b> , 72, 217-22	9.4	12
92	Relevance of assessment of cognitions during panic attacks in the treatment of panic disorder. <i>Psychotherapy and Psychosomatics</i> , <b>2002</b> , 71, 158-61	9.4	13
91	Multicomponent standardized treatment programs for fear of flying: Description and effectiveness. <i>Cognitive and Behavioral Practice</i> , <b>2002</b> , 9, 138-149	2.3	29
90	A randomised controlled clinical trial on the additional effect of hypnosis in a comprehensive treatment programme for in-patients with conversion disorder of the motor type. <i>Psychotherapy and Psychosomatics</i> , <b>2002</b> , 71, 66-76	9.4	149
89	Locus of control orientation in panic disorder and the differential effects of treatment. <i>Psychotherapy and Psychosomatics</i> , <b>2002</b> , 71, 85-9	9.4	19

#### (2000-2002)

88	The influence on treatment gain of comorbid avoidant personality disorder in patients with social phobia. <i>Journal of Nervous and Mental Disease</i> , <b>2002</b> , 190, 41-3	1.8	21
87	The developmental profile. <i>Journal of Personality Disorders</i> , <b>2001</b> , 15, 457-73	2.6	11
86	Cognitive therapy versus moclobemide in social phobia: a controlled study. <i>Clinical Psychology and Psychotherapy</i> , <b>2001</b> , 8, 263-273	2.9	27
85	Hypnotizability, dissociation and trauma in patients with a conversion disorder: an exploratory study. <i>Clinical Psychology and Psychotherapy</i> , <b>2001</b> , 8, 400-410	2.9	12
84	Changes in coping styles and recovery after inpatient treatment for severe eating disorders. <i>European Eating Disorders Review</i> , <b>2001</b> , 9, 397-415	5.3	22
83	Construction and validation of the Homesickness Vulnerability Questionnaire. <i>Personality and Individual Differences</i> , <b>2001</b> , 30, 11-19	3.3	10
82	Psychopathology and personality characteristics in relation to blood serotonin in Tourette's syndrome and obsessive-compulsive disorder. <i>Journal of Psychopharmacology</i> , <b>2001</b> , 15, 111-9	4.6	40
81	The placebo response in social phobia. <i>Journal of Psychopharmacology</i> , <b>2001</b> , 15, 199-203	4.6	15
80	Psychopathology in patients with severe asthma is associated with increased health care utilization. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2001</b> , 163, 1093-6	10.2	125
79	Repetitive behaviors in Tourette's syndrome and OCD with and without tics: what are the differences?. <i>Psychiatry Research</i> , <b>2001</b> , 101, 171-85	9.9	81
78	Experimentally induced anger, cardiovascular reactivity, and pain sensitivity. <i>Journal of Psychosomatic Research</i> , <b>2001</b> , 51, 479-85	4.1	58
77	Cognitive behaviour therapy for chronic fatigue syndrome: a multicentre randomised controlled		
	trial. <i>Lancet, The</i> , <b>2001</b> , 357, 841-7	40	401
76	Gilles de la Tourette's syndrome with and without obsessive-compulsive disorder compared with obsessive-compulsive disorder without tics: which symptoms discriminate?. <i>Journal of Nervous and Mental Disease</i> , <b>2001</b> , 189, 219-28	1.8	401 35
76 75	Gilles de la Tourette's syndrome with and without obsessive-compulsive disorder compared with obsessive-compulsive disorder without tics: which symptoms discriminate?. <i>Journal of Nervous and</i>		
·	Gilles de la Tourette's syndrome with and without obsessive-compulsive disorder compared with obsessive-compulsive disorder without tics: which symptoms discriminate?. <i>Journal of Nervous and Mental Disease</i> , <b>2001</b> , 189, 219-28  Cognitive therapy by allocation versus cognitive therapy by preference in the treatment of panic	1.8 9.4	35
75	Gilles de la Tourette's syndrome with and without obsessive-compulsive disorder compared with obsessive-compulsive disorder without tics: which symptoms discriminate?. <i>Journal of Nervous and Mental Disease</i> , <b>2001</b> , 189, 219-28  Cognitive therapy by allocation versus cognitive therapy by preference in the treatment of panic disorder. <i>Psychotherapy and Psychosomatics</i> , <b>2000</b> , 69, 240-3	1.8 9.4	35
75 74	Gilles de la Tourette's syndrome with and without obsessive-compulsive disorder compared with obsessive-compulsive disorder without tics: which symptoms discriminate?. <i>Journal of Nervous and Mental Disease</i> , <b>2001</b> , 189, 219-28  Cognitive therapy by allocation versus cognitive therapy by preference in the treatment of panic disorder. <i>Psychotherapy and Psychosomatics</i> , <b>2000</b> , 69, 240-3  Het verband tussen coping en herstel na klinische behandeling van anorexia nervosa. <i>Dth</i> , <b>2000</b> , 20, 21  The developmental profile: preliminary results on interrater reliability and construct validity.	1.8 9.4 I-30	35 25

70	Treatment outcome expectancies and hypnotic susceptibility as moderators of pain reduction in patients with chronic tension-type headache. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>2000</b> , 48, 290-305	1.8	10
69	Panic-free status is not associated with improvement on continuous measures in panic disorder. Journal of Nervous and Mental Disease, <b>2000</b> , 188, 840-2	1.8	4
68	Cognitive change following cognitive behavioural therapy for non-cardiac chest pain. <i>Psychotherapy and Psychosomatics</i> , <b>1999</b> , 68, 214-20	9.4	47
67	Somatoform dissociation discriminates among diagnostic categories over and above general psychopathology. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>1999</b> , 33, 511-20	2.6	56
66	Hypnotic recall: a positive criterion in the differential diagnosis between epileptic and pseudoepileptic seizures. <i>Epilepsia</i> , <b>1999</b> , 40, 485-91	6.4	63
65	Double-blindness procedure did not mask giving of medication in panic disorder. <i>Journal of Affective Disorders</i> , <b>1999</b> , 54, 189-92	6.6	5
64	Thought suppression, dissociation and psychopathology. <i>Personality and Individual Differences</i> , <b>1999</b> , 27, 877-886	3.3	38
63	The complex association of pulmonary function with panic disorder: a rejoinder to Ley (1998). <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>1999</b> , 30, 341-6	2.6	O
62	Cognitive-behavioral therapy for noncardiac chest pain: a randomized trial. <i>American Journal of Medicine</i> , <b>1999</b> , 106, 424-9	2.4	87
61	Construction and psychometric characteristics of two self-report questionnaires for the assessment of fear of flying <i>Psychological Assessment</i> , <b>1999</b> , 11, 146-158	5.3	57
60	Can experimental memory research adequately explain memory for trauma?. <i>Psychotherapy</i> , <b>1999</b> , 36, 257-267	2.5	7
59	Paroxetine, clomipramine, and cognitive therapy in the treatment of panic disorder. <i>Journal of Clinical Psychiatry</i> , <b>1999</b> , 60, 831-8	4.6	64
58	Dissociation in temporal lobe epilepsy and pseudo-epileptic seizure patients. <i>Journal of Nervous and Mental Disease</i> , <b>1999</b> , 187, 713-20	1.8	54
57	Animal defensive reactions as a model for trauma-induced dissociative reactions. <i>Journal of Traumatic Stress</i> , <b>1998</b> , 11, 243-60	3.8	123
56	Degree of somatoform and psychological dissociation in dissociative disorder is correlated with reported trauma. <i>Journal of Traumatic Stress</i> , <b>1998</b> , 11, 711-30	3.8	151
55	Three controversies about dissociative identity disorder <b>1998</b> , 5, 13-23		19
54	Somatoforme dissociatie: Bijna vergeten, maar meetbaar aanwezig. <i>Dth</i> , <b>1998</b> , 18, 43-58		2
53	Herinneringen aan traumatische ervaringen. <i>Dth</i> , <b>1998</b> , 18, 59-76		2

52	Noncardiac chest pain: interest in a medical psychological treatment. <i>Journal of Psychosomatic Research</i> , <b>1998</b> , 45, 471-6	4.1	10
51	Somatoform dissociative symptoms as related to animal defensive reactions to predatory imminence and injury <i>Journal of Abnormal Psychology</i> , <b>1998</b> , 107, 63-73	7	82
50	Psychometric characteristics of the somatoform dissociation questionnaire: a replication study. <i>Psychotherapy and Psychosomatics</i> , <b>1998</b> , 67, 17-23	9.4	72
49	Follow-up on the treatment of panic disorder with or without agoraphobia: a quantitative review. Journal of Nervous and Mental Disease, <b>1998</b> , 186, 414-9	1.8	57
48	Cognitive and behavioral therapies alone versus in combination with fluvoxamine in the treatment of obsessive compulsive disorder. <i>Journal of Nervous and Mental Disease</i> , <b>1998</b> , 186, 492-9	1.8	130
47	Does preference for type of treatment matter? A study of exposure in vivo with or without hypnosis in the treatment of panic disorder with agoraphobia. <i>Behavior Modification</i> , <b>1997</b> , 21, 172-86	2.5	24
46	Cognitive Behavioural Therapy for Unexplained Non-Cardiac Chest Pain: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , <b>1997</b> , 25, 339-350	2.1	18
45	Cognitive Behavioural Therapy for Unexplained Physical Symptoms: Process and Prognostic Factors. <i>Behavioural and Cognitive Psychotherapy</i> , <b>1997</b> , 25, 291-294	2.1	9
44	Depersonalization and derealization during panic and hypnosis in low and highly hypnotizable agoraphobics. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>1997</b> , 45, 41-54	1.8	6
43	Somatization and somatosensory amplification in psychiatric outpatients: an explorative study. <i>Comprehensive Psychiatry</i> , <b>1997</b> , 38, 93-7	7.3	38
42	People who seek help for fear of flying: Typology of flying phobics. <i>Behavior Therapy</i> , <b>1997</b> , 28, 237-251	4.8	46
41	Accurate heartbeat perception in panic disorder: fact and artefact. <i>Journal of Affective Disorders</i> , <b>1997</b> , 43, 121-30	6.6	39
40	Defense style in depressed and anxious psychiatric outpatients: an explorative study. <i>Journal of Nervous and Mental Disease</i> , <b>1997</b> , 185, 87-94	1.8	56
39	A meta-analysis of the treatment of panic disorder with or without agoraphobia: a comparison of psychopharmacological, cognitive-behavioral, and combination treatments. <i>Journal of Nervous and Mental Disease</i> , <b>1997</b> , 185, 510-6	1.8	138
38	Cognitive coping and appraisal processes in the treatment of chronic headaches. <i>Pain</i> , <b>1996</b> , 64, 257-26	<b>4</b> 8	28
37	A validation study of the Whitely Index, the Illness Attitude Scales, and the Somatosensory Amplification Scale in general medical and general practice patients. <i>Journal of Psychosomatic Research</i> , <b>1996</b> , 40, 95-104	4.1	240
36	Is there a specific relationship between asthma and panic disorder?. <i>Behaviour Research and Therapy</i> , <b>1996</b> , 34, 333-40	5.2	41
35	Length of outpatient treatment affected by extraversion: Still waters run long. <i>Personality and Individual Differences</i> , <b>1996</b> , 21, 857-862	3.3	1

34	Psychoanalytical Aspects of DSM-III-R Personality Disorders in a Group of HIV Seropositive Homosexual Males. <i>Journal of Personality Disorders</i> , <b>1996</b> , 10, 195-201	2.6	3
33	The case for a dissociative interpretation of pseudoepileptic seizures. <i>Journal of Nervous and Mental Disease</i> , <b>1996</b> , 184, 468-74	1.8	45
32	The development and psychometric characteristics of the Somatoform Dissociation Questionnaire (SDQ-20). <i>Journal of Nervous and Mental Disease</i> , <b>1996</b> , 184, 688-94	1.8	355
31	Cognitive Behavioural Therapy for Medically Unexplained Physical Symptoms: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , <b>1996</b> , 24, 1-16	2.1	11
30	Dissociative and hypnotic experiences in eating disorder patients: an exploratory study. <i>American Journal of Clinical Hypnosis</i> , <b>1995</b> , 38, 97-108	0.6	23
29	The Defense Style Questionnaire: A Psychometric Examination. <i>Journal of Personality Disorders</i> , <b>1995</b> , 9, 124-133	2.6	18
28	Cognitive therapy and exposure in vivo in the treatment of obsessive compulsive disorder. <i>Behaviour Research and Therapy</i> , <b>1995</b> , 33, 379-90	5.2	263
27	Pseudo-epileptic seizures: hypnosis as a diagnostic tool. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>1995</b> , 4, 123-8	3.2	26
26	Responders and nonresponders to autogenic training and cognitive self-hypnosis: prediction of short- and long-term success in tension-type headache patients. <i>Headache</i> , <b>1995</b> , 35, 630-6	4.2	20
25	Cognitive behavioural therapy for medically unexplained physical symptoms: a randomised controlled trial. <i>BMJ: British Medical Journal</i> , <b>1995</b> , 311, 1328-32		225
24	The prevalence of respiratory disorders in panic disorder, major depressive disorder and V-code patients. <i>Behaviour Research and Therapy</i> , <b>1994</b> , 32, 647-9	5.2	29
23	Autogenic training and cognitive self-hypnosis for the treatment of recurrent headaches in three different subject groups. <i>Pain</i> , <b>1994</b> , 58, 331-340	8	50
22	Cognitive change through hypnosis: The interface between cognitive therapy and hypnotherapy <i>Psychotherapy</i> , <b>1994</b> , 31, 146-153	2.5	1
21	Assessment of hypnotic processes and responsiveness in a clinical context. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>1993</b> , 41, 210-24	1.8	8
20	Feasibility of computerized psychological testing with psychiatric outpatients. <i>Journal of Clinical Psychology</i> , <b>1993</b> , 49, 440-7	2.8	17
19	The development of the multidimensional locus of pain control questionnaire (MLPC): Factor structure, reliability, and validity. <i>Journal of Psychopathology and Behavioral Assessment</i> , <b>1993</b> , 15, 387-	464	15
18	Verschillen in verbale uitingen tijdens het eerste therapiegesprek. <i>Dth</i> , <b>1993</b> , 13, 188-195		
17	Hypnotic age regression in an experimental and clinical context. <i>American Journal of Clinical Hypnosis</i> , <b>1992</b> , 35, 40-6	0.6	1

#### LIST OF PUBLICATIONS

16	Autogenic training and self-hypnosis in the control of tension headache. <i>General Hospital Psychiatry</i> , <b>1992</b> , 14, 408-15	5.6	35
15	Hypnosis and autogenic training in the treatment of tension headaches: a two-phase constructive design study with follow-up. <i>Journal of Psychosomatic Research</i> , <b>1992</b> , 36, 219-28	4.1	42
14	Multimodal treatment programmes for chronic pain: a quantitative analysis of existing research data. <i>Journal of Psychosomatic Research</i> , <b>1992</b> , 36, 275-86	4.1	22
13	De hyperventilatieprovocatietest: een invalide test voor een onhoudbaar begrip?. <i>Dth</i> , <b>1992</b> , 12, 131-1	36	2
12	An abbreviated questionnaire for quantifying treatment requests from Dutch outpatients. <i>Journal of Nervous and Mental Disease</i> , <b>1991</b> , 179, 502	1.8	3
11	The relationship of personality variables and patient recruitment to pain coping strategies and psychological distress in tension headache patients. <i>Clinical Journal of Pain</i> , <b>1991</b> , 7, 12-20	3.5	6
10	Autogenic training and future oriented hypnotic imagery in the treatment of tension headache: outcome and process. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>1991</b> , 39, 6-23	1.8	23
9	Behavioral treatment of chronic low back pain. I. Relation of coping strategy use to outcome. <i>Pain</i> , <b>1991</b> , 45, 29-34	8	47
8	The effectiveness of standardized versus individualized hypnotic suggestions: a brief communication. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>1989</b> , 37, 1-5	1.8	10
7	Pain coping strategies in a Dutch population of chronic low back pain patients. <i>Pain</i> , <b>1989</b> , 37, 77-83	8	64
6	Education and self-hypnosis in the management of low back pain: a component analysis. <i>British Journal of Clinical Psychology</i> , <b>1989</b> , 28, 145-53	3.6	23
5	Similarities and dissimilarities in hypnotic and nonhypnotic procedures for headache control: a review. <i>American Journal of Clinical Hypnosis</i> , <b>1988</b> , 30, 183-94	0.6	17
4	The effectiveness of an authoritative versus permissive style of hypnotic communication. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>1988</b> , 36, 182-91	1.8	9
3	Hypnosis and behavior therapy: a review. <i>International Journal of Clinical and Experimental Hypnosis</i> , <b>1987</b> , 35, 8-31	1.8	16
2	Conversion Disorder1		
1	The Impact of Measuring283-298		1