

# Brje J Ljungberg

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4369118/borje-j-ljungberg-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

235  
papers

13,556  
citations

51  
h-index

112  
g-index

255  
ext. papers

16,127  
ext. citations

5.9  
avg, IF

6.04  
L-index

#	Paper	IF	Citations
235	EAU guidelines on renal cell carcinoma: 2014 update. <i>European Urology</i> , <b>2015</b> , 67, 913-24	10.2	1627
234	EAU guidelines on renal cell carcinoma: the 2010 update. <i>European Urology</i> , <b>2010</b> , 58, 398-406	10.2	1041
233	The epidemiology of renal cell carcinoma. <i>European Urology</i> , <b>2011</b> , 60, 615-21	10.2	644
232	European Association of Urology Guidelines on Renal Cell Carcinoma: The 2019 Update. <i>European Urology</i> , <b>2019</b> , 75, 799-810	10.2	597
231	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , <b>2010</b> , 42, 978-84	36.3	408
230	Renal cell carcinoma guideline. <i>European Urology</i> , <b>2007</b> , 51, 1502-10	10.2	382
229	Systematic Review and Meta-analysis of Diagnostic Accuracy of Percutaneous Renal Tumour Biopsy. <i>European Urology</i> , <b>2016</b> , 69, 660-673	10.2	276
228	Systematic review of oncological outcomes following surgical management of localised renal cancer. <i>European Urology</i> , <b>2012</b> , 61, 972-93	10.2	232
227	Molecular Stratification of Clear Cell Renal Cell Carcinoma by Consensus Clustering Reveals Distinct Subtypes and Survival Patterns. <i>Genes and Cancer</i> , <b>2010</b> , 1, 152-163	2.9	230
226	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , <b>2011</b> , 43, 60-5	36.3	199
225	Local treatments for metastases of renal cell carcinoma: a systematic review. <i>Lancet Oncology</i> , <b>2014</b> , 15, e549-61	21.7	185
224	VASCULAR ENDOTHELIAL GROWTH FACTOR AS PROGNOSTIC FACTOR IN RENAL CELL CARCINOMA. <i>Journal of Urology</i> , <b>2000</b> , 163, 343-347	2.5	180
223	DNA content in renal cell carcinoma with reference to tumor heterogeneity. <i>Cancer</i> , <b>1985</b> , 56, 503-8	6.4	167
222	High-resolution DNA copy number and gene expression analyses distinguish chromophobe renal cell carcinomas and renal oncocytomas. <i>BMC Cancer</i> , <b>2009</b> , 9, 152	4.8	165
221	Gene expression profiling predicts survival in conventional renal cell carcinoma. <i>PLoS Medicine</i> , <b>2006</b> , 3, e13	11.6	154
220	Systematic review of perioperative and quality-of-life outcomes following surgical management of localised renal cancer. <i>European Urology</i> , <b>2012</b> , 62, 1097-117	10.2	151
219	Suppression of renal cell carcinoma growth by inhibition of Notch signaling in vitro and in vivo. <i>Journal of Clinical Investigation</i> , <b>2008</b> , 118, 217-28	15.9	142

218	European Association of Urology Guidelines Office Rapid Reaction Group: An Organisation-wide Collaborative Effort to Adapt the European Association of Urology Guidelines Recommendations to the Coronavirus Disease 2019 Era. <i>European Urology</i> , <b>2020</b> , 78, 21-28	10.2	141
217	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2006</b> , 118, 728-38	7.5	141
216	Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , <b>2008</b> , 167, 438-46	3.8	134
215	Renal cell carcinoma recurrences and metastases in primary non-metastatic patients: a population-based study. <i>World Journal of Urology</i> , <b>2016</b> , 34, 1081-6	4	126
214	Updated European Association of Urology Guidelines on Renal Cell Carcinoma: Immune Checkpoint Inhibition Is the New Backbone in First-line Treatment of Metastatic Clear-cell Renal Cell Carcinoma. <i>European Urology</i> , <b>2019</b> , 76, 151-156	10.2	125
213	Diagnostic and prognostic molecular markers for renal cell carcinoma: a critical appraisal of the current state of research and clinical applicability. <i>European Urology</i> , <b>2009</b> , 55, 851-63	10.2	113
212	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , <b>2015</b> , 107, djv279	9.7	107
211	Differential expression of Axl and Gas6 in renal cell carcinoma reflecting tumor advancement and survival. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 4742-9	12.9	106
210	Updated European Association of Urology Guidelines: Recommendations for the Treatment of First-line Metastatic Clear Cell Renal Cancer. <i>European Urology</i> , <b>2018</b> , 73, 311-315	10.2	104
209	The expression of hypoxia-inducible factor 1alpha is a favorable independent prognostic factor in renal cell carcinoma. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 1129-35	12.9	102
208	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 1387-98	5.6	101
207	A Systematic Review and Meta-analysis Comparing the Effectiveness and Adverse Effects of Different Systemic Treatments for Non-clear Cell Renal Cell Carcinoma. <i>European Urology</i> , <b>2017</b> , 71, 426-436	10.2	89
206	Prognostic impact of carbonic anhydrase IX expression in human renal cell carcinoma. <i>BJU International</i> , <b>2007</b> , 100, 556-60	5.6	85
205	Vein invasion in renal cell carcinoma: impact on metastatic behavior and survival. <i>Journal of Urology</i> , <b>1995</b> , 154, 1681-4	2.5	83
204	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 6616-33	5.6	77
203	Metastatic potential in renal cell carcinomas $\geq$ 7 cm: Swedish Kidney Cancer Quality Register data. <i>European Urology</i> , <b>2011</b> , 60, 975-82	10.2	75
202	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 456-62	5.6	74
201	Contemporary epidemiology of renal cell carcinoma: perspectives of primary prevention. <i>World Journal of Urology</i> , <b>2010</b> , 28, 247-52	4	71

200	Prognostic markers in renal cell carcinoma. <i>Current Opinion in Urology</i> , <b>2007</b> , 17, 303-8	2.8	69
199	Prognostic value of deoxyribonucleic acid content in metastatic renal cell carcinoma. <i>Journal of Urology</i> , <b>1986</b> , 136, 801-4	2.5	68
198	Telomere length in peripheral blood predicts survival in clear cell renal cell carcinoma. <i>Cancer Research</i> , <b>2009</b> , 69, 2896-901	10.1	67
197	Fruits and vegetables and renal cell carcinoma: findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2006</b> , 118, 3133-9	7.5	61
196	Systematic review of adrenalectomy and lymph node dissection in locally advanced renal cell carcinoma. <i>European Urology</i> , <b>2013</b> , 64, 799-810	10.2	60
195	Hypoxia-inducible factor 1alpha expression in renal cell carcinoma analyzed by tissue microarray. <i>European Urology</i> , <b>2006</b> , 50, 1272-7	10.2	59
194	Metabolic factors associated with risk of renal cell carcinoma. <i>PLoS ONE</i> , <b>2013</b> , 8, e57475	3.7	59
193	The miR(21/10b) ratio as a prognostic marker in clear cell renal cell carcinoma. <i>European Journal of Cancer</i> , <b>2014</b> , 50, 1758-1765	7.5	58
192	Tumour characteristics and surgical treatment of renal cell carcinoma in Sweden 2005-2010: a population-based study from the national Swedish kidney cancer register. <i>Scandinavian Journal of Urology</i> , <b>2014</b> , 48, 231-8	1.6	58
191	Systematic Review of Surgical Management of Nonmetastatic Renal Cell Carcinoma with Vena Caval Thrombus. <i>European Urology</i> , <b>2016</b> , 70, 265-80	10.2	57
190	Serum insulin-like growth factor-1 is an independent predictor of prognosis in patients with renal cell carcinoma. <i>Acta Oncologica</i> , <b>2004</b> , 43, 744-8	3.2	55
189	The role of metastasectomy in renal cell carcinoma in the era of targeted therapy. <i>Current Urology Reports</i> , <b>2013</b> , 14, 19-25	2.9	53
188	Updated European Association of Urology Guidelines Regarding Adjuvant Therapy for Renal Cell Carcinoma. <i>European Urology</i> , <b>2017</b> , 71, 719-722	10.2	52
187	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , <b>2017</b> , 8, 15724	17.4	50
186	Factors of importance for prediction of survival in patients with metastatic renal cell carcinoma, treated with or without nephrectomy. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2000</b> , 34, 246-51		50
185	Serum acute phase reactants and prognosis in renal cell carcinoma. <i>Cancer</i> , <b>1995</b> , 76, 1435-9	6.4	50
184	The Radiogenomic Risk Score: Construction of a Prognostic Quantitative, Noninvasive Image-based Molecular Assay for Renal Cell Carcinoma. <i>Radiology</i> , <b>2015</b> , 277, 114-23	20.5	49
183	The notch and TGF- $\beta$ signaling pathways contribute to the aggressiveness of clear cell renal cell carcinoma. <i>PLoS ONE</i> , <b>2011</b> , 6, e23057	3.7	47

182	Different vascular endothelial growth factor (VEGF), VEGF-receptor 1 and -2 mRNA expression profiles between clear cell and papillary renal cell carcinoma. <i>BJU International</i> , <b>2006</b> , 98, 661-7	5.6	47
181	Somatic mitochondrial DNA mutations in human chromophobe renal cell carcinomas. <i>Genes Chromosomes and Cancer</i> , <b>2002</b> , 35, 256-60	5	47
180	Updated European Association of Urology Guidelines for Cytoreductive Nephrectomy in Patients with Synchronous Metastatic Clear-cell Renal Cell Carcinoma. <i>European Urology</i> , <b>2018</b> , 74, 805-809	10.2	47
179	Long-term Outcomes of Follow-up for Initially Localised Clear Cell Renal Cell Carcinoma: RECUR Database Analysis. <i>European Urology Focus</i> , <b>2019</b> , 5, 857-866	5.1	46
178	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2011</b> , 128, 2695-708	7.5	45
177	Flow cytometric deoxyribonucleic acid analysis in stage I renal cell carcinoma. <i>Journal of Urology</i> , <b>1991</b> , 146, 697-9	2.5	45
176	Tensin3 is a negative regulator of cell migration and all four Tensin family members are downregulated in human kidney cancer. <i>PLoS ONE</i> , <b>2009</b> , 4, e4350	3.7	44
175	Endoglin (CD105) expression in human renal cell carcinoma. <i>BJU International</i> , <b>2006</b> , 97, 706-10	5.6	44
174	The PTEN regulator DJ-1 is associated with hTERT expression in clear cell renal cell carcinoma. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 783-90	7.5	43
173	Prostate tissue stiffness as measured with a resonance sensor system: a study on silicone and human prostate tissue in vitro. <i>Medical and Biological Engineering and Computing</i> , <b>2006</b> , 44, 593-603	3.1	42
172	Updated European Association of Urology Guidelines on Renal Cell Carcinoma: Nivolumab plus Cabozantinib Joins Immune Checkpoint Inhibition Combination Therapies for Treatment-naïve Metastatic Clear-Cell Renal Cell Carcinoma. <i>European Urology</i> , <b>2021</b> , 79, 339-342	10.2	42
171	Surgical Metastasectomy in Renal Cell Carcinoma: A Systematic Review. <i>European Urology Oncology</i> , <b>2019</b> , 2, 141-149	6.7	42
170	Cyclin E and p27 protein content in human renal cell carcinoma: clinical outcome and associations with cyclin D. <i>International Journal of Cancer</i> , <b>2002</b> , 102, 601-7	7.5	40
169	The influence of obesity-related factors in the etiology of renal cell carcinoma-A mendelian randomization study. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002724	11.6	38
168	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 555-9	4	37
167	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 902-10	7	37
166	TERT promoter mutations in clear cell renal cell carcinoma. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 2448-52	7.5	36
165	Gas6 and the receptor tyrosine kinase Axl in clear cell renal cell carcinoma. <i>PLoS ONE</i> , <b>2009</b> , 4, e7575	3.7	36

164	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 2643-51	7.5	36
163	Tumour vascular endothelial growth factor (VEGF) mRNA in relation to serum VEGF protein levels and tumour progression in human renal cell carcinoma. <i>Urological Research</i> , <b>2003</b> , 31, 335-40		36
162	Cyclin-D1 expression in human renal-cell carcinoma. <i>International Journal of Cancer</i> , <b>1999</b> , 84, 268-72	7.5	36
161	Resonance sensor measurements of stiffness variations in prostate tissue in vitro--a weighted tissue proportion model. <i>Physiological Measurement</i> , <b>2006</b> , 27, 1373-86	2.9	35
160	Cyclin D3 protein content in human renal cell carcinoma in relation to cyclin D1 and clinico-pathological parameters. <i>Acta Oncologica</i> , <b>2002</b> , 41, 175-81	3.2	35
159	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , <b>2014</b> , 35, 1737-44	4.6	33
158	Glucose transporter-1 expression in renal cell carcinoma and its correlation with hypoxia inducible factor-1 alpha. <i>BJU International</i> , <b>2008</b> , 101, 480-4	5.6	33
157	Tumor-associated trypsin inhibitor in normal and malignant renal tissue and in serum of renal-cell carcinoma patients. <i>International Journal of Cancer</i> , <b>1999</b> , 83, 486-90	7.5	33
156	Erythropoietin in renal cell carcinoma: evaluation of its usefulness as a tumor marker. <i>European Urology</i> , <b>1992</b> , 21, 160-3	10.2	33
155	The Role of Cytoreductive Nephrectomy: European Association of Urology Recommendations in 2016. <i>European Urology</i> , <b>2016</b> , 70, 901-905	10.2	32
154	Lack of genetic changes at specific genomic sites separates renal oncocytomas from renal cell carcinomas. <i>Journal of Pathology</i> , <b>1998</b> , 184, 58-62	9.4	30
153	TUMOR ASSOCIATED TRYPSIN INHIBITOR AS A PROGNOSTIC FACTOR IN RENAL CELL CARCINOMA. <i>Journal of Urology</i> , <b>2001</b> , 165, 959-962	2.5	30
152	European Association of Urology Guidelines for Clear Cell Renal Cancers That Are Resistant to Vascular Endothelial Growth Factor Receptor-Targeted Therapy. <i>European Urology</i> , <b>2016</b> , 70, 705-706	10.2	29
151	Different isoform patterns for vascular endothelial growth factor between clear cell and papillary renal cell carcinoma. <i>BJU International</i> , <b>2006</b> , 97, 1102-8	5.6	29
150	European Association of Urology Guidelines on Renal Cell Carcinoma: The 2022 Update.. <i>European Urology</i> , <b>2022</b> ,	10.2	29
149	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , <b>2017</b> , 72, 747-754	10.2	27
148	Safe Use of Immune Checkpoint Inhibitors in the Multidisciplinary Management of Urological Cancer: The European Association of Urology Position in 2019. <i>European Urology</i> , <b>2019</b> , 76, 368-380	10.2	26
147	Transforming growth factor- $\beta$ promotes aggressiveness and invasion of clear cell renal cell carcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 35917-35931	3.3	26

146	The radiogenomic risk score stratifies outcomes in a renal cell cancer phase 2 clinical trial. <i>European Radiology</i> , <b>2016</b> , 26, 2798-807	8	25
145	Reduced number of CD169 macrophages in pre-metastatic regional lymph nodes is associated with subsequent metastatic disease in an animal model and with poor outcome in prostate cancer patients. <i>Prostate</i> , <b>2017</b> , 77, 1468-1477	4.2	25
144	Tumor-cell proliferation and prognosis in renal-cell carcinoma. <i>International Journal of Cancer</i> , <b>1993</b> , 55, 566-70	7.5	25
143	Local recurrence and progression of non-muscle-invasive bladder cancer in Sweden: a population-based follow-up study. <i>Scandinavian Journal of Urology</i> , <b>2015</b> , 49, 290-5	1.6	24
142	Circulating 25-hydroxyvitamin D3 in relation to renal cell carcinoma incidence and survival in the EPIC cohort. <i>American Journal of Epidemiology</i> , <b>2014</b> , 180, 810-20	3.8	24
141	CD 9 and vimentin distinguish clear cell from chromophobe renal cell carcinoma. <i>BMC Clinical Pathology</i> , <b>2009</b> , 9, 9	3	24
140	Evaluation of CD31 (PECAM-1) expression using tissue microarray in patients with renal cell carcinoma. <i>Tumor Biology</i> , <b>2007</b> , 28, 158-64	2.9	24
139	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 635-44	7.5	23
138	Urinary bladder cancer treated with radical cystectomy: perioperative parameters and early complications prospectively registered in a national population-based database. <i>Scandinavian Journal of Urology</i> , <b>2014</b> , 48, 334-40	1.6	23
137	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 2971-9	7.5	23
136	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 982-7	7.5	23
135	Evaluation of five glycoprotein tumour markers (CEA, CA-50, CA-19-9, CA-125, CA-15-3) for the prognosis of renal-cell carcinoma. <i>International Journal of Cancer</i> , <b>1997</b> , 74, 233-6	7.5	23
134	Gender-related differences in urothelial carcinoma of the bladder: a population-based study from the Swedish National Registry of Urinary Bladder Cancer. <i>Scandinavian Journal of Urology</i> , <b>2016</b> , 50, 292-7 <sup>1.6</sup>	1.6	23
133	Management of Sporadic Renal Angiomyolipomas: A Systematic Review of Available Evidence to Guide Recommendations from the European Association of Urology Renal Cell Carcinoma Guidelines Panel. <i>European Urology Oncology</i> , <b>2020</b> , 3, 57-72	6.7	23
132	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2918-29	7.5	22
131	Sentinel node detection in renal cell carcinoma. A feasibility study for detection of tumour-draining lymph nodes. <i>BJU International</i> , <b>2012</b> , 109, 1134-9	5.6	22
130	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , <b>2012</b> , 48, 3267-77	7.5	22
129	N-acetyltransferase 2 phenotype, occupation, and bladder cancer risk: results from the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 2055-65	4	22



128	A population-based study of patterns of care for muscle-invasive bladder cancer in Sweden. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2009</b> , 43, 271-6		22
127	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 1203-14	5.6	20
126	Retinoblastoma protein in human renal cell carcinoma in relation to alterations in G1/S regulatory proteins. <i>International Journal of Cancer</i> , <b>2004</b> , 109, 189-93	7.5	20
125	The 19q12 bladder cancer GWAS signal: association with cyclin E function and aggressive disease. <i>Cancer Research</i> , <b>2014</b> , 74, 5808-18	10.1	19
124	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1953-66	7.5	19
123	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	19
122	Parathyroid hormone-related protein and serum calcium in patients with renal cell carcinoma. <i>Tumor Biology</i> , <b>2005</b> , 26, 201-6	2.9	19
121	Telomere length in relation to immunological parameters in patients with renal cell carcinoma. <i>PLoS ONE</i> , <b>2013</b> , 8, e55543	3.7	18
120	Long-term follow-up after radical cystectomy with emphasis on complications and reoperations: a Swedish population-based survey. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2012</b> , 46, 14-8		18
119	ErbB4 is downregulated in renal cell carcinoma--a quantitative RT-PCR and immunohistochemical analysis of the epidermal growth factor receptor family. <i>Acta Oncologica</i> , <b>2004</b> , 43, 453-9	3.2	18
118	Swedish National Registry of Urinary Bladder Cancer: No difference in relative survival over time despite more aggressive treatment. <i>Scandinavian Journal of Urology</i> , <b>2016</b> , 50, 14-20	1.6	17
117	Overall survival in Swedish patients with renal cell carcinoma treated in the period 2002 to 2012: Update of the RENCOMP study with subgroup analysis of the synchronous metastatic and elderly populations. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 541.e15-541.e22	2.8	17
116	Impact of quality indicators on adherence to National and European guidelines for renal cell carcinoma. <i>Scandinavian Journal of Urology</i> , <b>2016</b> , 50, 2-8	1.6	17
115	Explanatory models for a tactile resonance sensor system-elastic and density-related variations of prostate tissue in vitro. <i>Physiological Measurement</i> , <b>2008</b> , 29, 729-45	2.9	17
114	Gene expression pattern of the epidermal growth factor receptor family and LRIG1 in renal cell carcinoma. <i>BMC Research Notes</i> , <b>2012</b> , 5, 216	2.3	16
113	DNA methylation associates with survival in non-metastatic clear cell renal cell carcinoma. <i>BMC Cancer</i> , <b>2019</b> , 19, 65	4.8	16
112	Intensive Imaging-based Follow-up of Surgically Treated Localised Renal Cell Carcinoma Does Not Improve Post-recurrence Survival: Results from a European Multicentre Database (RECUR). <i>European Urology</i> , <b>2019</b> , 75, 261-264	10.2	16
111	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E423-31	7.5	15



110	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , <b>2019</b> , 27, 1589-1598	5.3	15
109	Practice patterns for the surgical treatment of T1 renal cell carcinoma: a nationwide population-based register study. <i>Scandinavian Journal of Urology</i> , <b>2014</b> , 48, 445-52	1.6	15
108	CpG dinucleotide-specific hypermethylation of the TNS3 gene promoter in human renal cell carcinoma. <i>Epigenetics</i> , <b>2013</b> , 8, 739-47	5.7	15
107	Expression of erythropoietin and its receptor in human renal cell carcinoma. <i>Tumor Biology</i> , <b>2009</b> , 30, 86-92	2.9	15
106	Downstaging and survival benefits of neoadjuvant radiotherapy before cystectomy for patients with invasive bladder carcinoma. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2009</b> , 43, 293-9		15
105	Cancer Characteristics and Current Treatments of Patients with Renal Cell Carcinoma in Sweden. <i>BioMed Research International</i> , <b>2015</b> , 2015, 456040	3	14
104	Expression of human chorionic gonadotropin beta-subunit type I genes predicts adverse outcome in renal cell carcinoma. <i>Journal of Molecular Diagnostics</i> , <b>2006</b> , 8, 598-603	5.1	14
103	Serum gamma-enolase and prognosis of patients with renal cell carcinoma. <i>Cancer</i> , <b>1993</b> , 72, 1324-8	6.4	14
102	The Axl-Regulating Tumor Suppressor miR-34a Is Increased in ccRCC but Does Not Correlate with Axl mRNA or Axl Protein Levels. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135991	3.7	14
101	Novel Liquid Biomarkers and Innovative Imaging for Kidney Cancer Diagnosis: What Can Be Implemented in Our Practice Today? A Systematic Review of the Literature. <i>European Urology Oncology</i> , <b>2021</b> , 4, 22-41	6.7	14
100	Evaluation of the diagnostic accuracy of UBC Rapid in bladder cancer: a Swedish multicentre study. <i>Scandinavian Journal of Urology</i> , <b>2017</b> , 51, 293-300	1.6	13
99	Imaging in Suspected Renal-Cell Carcinoma: Systematic Review. <i>Clinical Genitourinary Cancer</i> , <b>2019</b> , 17, e345-e355	3.3	13
98	Interactions between TGF- $\beta$ type I receptor and hypoxia-inducible factor-1 $\alpha$ mediates a synergistic crosstalk leading to poor prognosis for patients with clear cell renal cell carcinoma. <i>Cell Cycle</i> , <b>2019</b> , 18, 2141-2156	4.7	13
97	Alteration of gene expression signatures of cortical differentiation and wound response in lethal clear cell renal cell carcinomas. <i>PLoS ONE</i> , <b>2009</b> , 4, e6039	3.7	13
96	Adrenal metastasis in renal cell carcinoma: a recommendation for adjustment of the TNM staging system. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2005</b> , 39, 277-82		13
95	Targeted therapy for metastatic renal cell carcinoma. <i>The Cochrane Library</i> , <b>2020</b> , 10, CD012796	5.2	13
94	Nephron Sparing Surgery Associated With Better Survival Than Radical Nephrectomy in Patients Treated for Unforeseen Benign Renal Tumors. <i>Urology</i> , <b>2016</b> , 93, 117-23	1.6	13
93	DNA methylation status defines clinicopathological parameters including survival for patients with clear cell renal cell carcinoma (ccRCC). <i>Tumor Biology</i> , <b>2016</b> , 37, 10219-28	2.9	12

92	Prostate Cancer Detection with a Tactile Resonance Sensor-Measurement Considerations and Clinical Setup. <i>Sensors</i> , <b>2017</b> , 17,	3.8	12
91	Impact of hospital volume on local recurrence and distant metastasis in bladder cancer patients treated with radical cystectomy in Sweden. <i>Scandinavian Journal of Urology</i> , <b>2013</b> , 47, 483-90	1.6	12
90	Defecation disturbances after cystectomy for urinary bladder cancer. <i>BJU International</i> , <b>2011</b> , 108, 196-208	3.9	12
89	Prognostic factors in renal cell carcinoma. <i>Der Urologe</i> , <b>2004</b> , 43 Suppl 3, S119-20		12
88	Systematic Review of the Management of Local Kidney Cancer Relapse. <i>European Urology Oncology</i> , <b>2018</b> , 1, 512-523	6.7	12
87	Urinary diversion after cystectomy for bladder cancer: a population-based study in Sweden. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2010</b> , 44, 69-75		11
86	Hypoxia-inducible factor-2alpha mRNA expression in human renal cell carcinoma. <i>Acta Oncologica</i> , <b>2009</b> , 48, 909-14	3.2	11
85	Pre-diagnostic circulating insulin-like growth factor-I and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 2351-2358 <sup>5</sup>	7.5	11
84	Second-look resection for primary stage T1 bladder cancer: a population-based study. <i>Scandinavian Journal of Urology</i> , <b>2017</b> , 51, 301-307	1.6	10
83	Use of bacillus Calmette-Guérin in stage T1 bladder cancer: Long-term observation of a population-based cohort. <i>Scandinavian Journal of Urology</i> , <b>2015</b> , 49, 127-32	1.6	10
82	Specific genomic aberrations predict survival, but low mutation rate in cancer hot spots, in clear cell renal cell carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2015</b> , 23, 334-42	1.9	10
81	Indentation loading response of a resonance sensor--discriminating prostate cancer and normal tissue. <i>Journal of Medical Engineering and Technology</i> , <b>2013</b> , 37, 416-23	1.8	10
80	Prostate cancer detection with an improved resonance sensor system: parameter evaluation in a silicone model and on human prostate tissue in vitro. <i>Medical and Biological Engineering and Computing</i> , <b>2006</b> , 44, 1053-9	3.1	10
79	A comparison of radiologic methods in the diagnosis of renal mass lesions. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1988</b> , 22, 187-96		10
78	Increased use of cross-sectional imaging for follow-up does not improve post-recurrence survival of surgically treated initially localized R.C.C.: results from a European multicenter database (R.E.C.U.R.). <i>Scandinavian Journal of Urology</i> , <b>2019</b> , 53, 14-20	1.6	9
77	Sources of Frustration Among Patients Diagnosed With Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 11	5.3	9
76	Limitations of Available Studies Prevent Reliable Comparison Between Tumour Ablation and Partial Nephrectomy for Patients with Localised Renal Masses: A Systematic Review from the European Association of Urology Renal Cell Cancer Guideline Panel. <i>European Urology Oncology</i> , <b>2020</b> , 3, 433-452	6.7	9
75	Contemporary treatment of renal tumors: a questionnaire survey in the Nordic countries (the NORENCA-I study). <i>Scandinavian Journal of Urology</i> , <b>2017</b> , 51, 360-366	1.6	9

74	Hygiene and urinary tract infections after cystectomy in 452 Swedish survivors of bladder cancer. <i>BJU International</i> , <b>2010</b> , 105, 1107-17	5.6	9
73	Angiogenesis and other markers for prediction of survival in metastatic renal cell carcinoma. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2007</b> , 41, 5-9		9
72	Renal cell carcinoma in a solitary kidney: late nephrectomy after 35 years and analysis of tumor deoxyribonucleic acid content. <i>Journal of Urology</i> , <b>1988</b> , 139, 350-2	2.5	9
71	Spatial variations in prostate tissue histology as measured by a tactile resonance sensor. <i>Physiological Measurement</i> , <b>2007</b> , 28, 1267-81	2.9	8
70	Inverted papilloma with intussusception of the ureter. Case report. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1987</b> , 21, 147-9		8
69	VHL status regulates transforming growth factor- $\beta$ signaling pathways in renal cell carcinoma. <i>Oncotarget</i> , <b>2018</b> , 9, 16297-16310	3.3	8
68	Osteopontin but not parathyroid hormone-related protein predicts prognosis in human renal cell carcinoma. <i>Acta Oncologica</i> , <b>2013</b> , 52, 159-65	3.2	7
67	Proliferating cell nuclear antigen expression in renal cell carcinoma. Prognostic implications. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1996</b> , 30, 445-50		7
66	The Impact of Histological Subtype on the Incidence, Timing, and Patterns of Recurrence in Patients with Renal Cell Carcinoma After Surgery-Results from RECUR Consortium. <i>European Urology Oncology</i> , <b>2021</b> , 4, 473-482	6.7	7
65	Harnessing the Genomic Landscape of the Small Renal Mass to Guide Clinical Management. <i>European Urology Focus</i> , <b>2019</b> , 5, 949-957	5.1	6
64	Functional results after orthotopic bladder substitution: a prospective multicentre study comparing four types of neobladder. <i>Scandinavian Journal of Urology</i> , <b>2014</b> , 48, 90-8	1.6	6
63	Multidisciplinary management of metastatic renal cell carcinoma in the era of targeted therapies. <i>Cancer Treatment Reviews</i> , <b>2012</b> , 38, 127-32	14.4	6
62	Predictive value of DNA ploidy in bladder cancer treated with preoperative radiation therapy and cystectomy. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1996</b> , 30, 281-5		6
61	Proliferation of human renal cell carcinoma studied with in vivo iododeoxyuridine labelling and immunohistochemistry. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1994</b> , 28, 135-40		6
60	The renal cell cancer database Sweden (RCCBaSe) - a new register-based resource for renal cell carcinoma research. <i>Scandinavian Journal of Urology</i> , <b>2020</b> , 54, 235-240	1.6	5
59	Occurrence of abdominal bulging and hernia after open partial nephrectomy: a retrospective cohort study. <i>Scandinavian Journal of Urology</i> , <b>2018</b> , 52, 54-58	1.6	5
58	Accuracy of clinical staging in non-seminomatous testicular cancer--a single centre experience of retroperitoneal lymph node dissection. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1995</b> , 29, 501-6		5
57	Deoxyribonucleic acid content and medroxyprogesterone acetate treatment in metastatic renal cell carcinoma. <i>Journal of Urology</i> , <b>1989</b> , 141, 1308-10	2.5	5

56	Prevalence, Disease-free, and Overall Survival of Contemporary Patients With Renal Cell Carcinoma Eligible for Adjuvant Checkpoint Inhibitor Trials. <i>Clinical Genitourinary Cancer</i> , <b>2021</b> , 19, e92-e99	3.3	5
55	Progress in survival in renal cell carcinoma through 50 years evaluated in Finland and Sweden. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253236	3.7	5
54	Spinal analgesia improves surgical outcome after open nephrectomy for renal cell carcinoma: a randomized controlled study. <i>Scandinavian Journal of Urology</i> , <b>2017</b> , 51, 277-281	1.6	4
53	Targeted therapy for metastatic renal cell carcinoma. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	4
52	Single nucleotide polymorphisms in the Wilms' tumour gene 1 in clear cell renal cell carcinoma. <i>PLoS ONE</i> , <b>2013</b> , 8, e58396	3.7	4
51	Renal cell carcinoma in tissue culture secretes nondialyzable product that stimulates bone resorption in organ-cultured mouse calvaria. <i>Journal of Bone and Mineral Research</i> , <b>1989</b> , 4, 365-77	6.3	4
50	Status of pretreatment evaluation, treatment and follow-up regimens for renal cell carcinoma in the Nordic countries. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2003</b> , 37, 401-7		4
49	Clinical significance of nm23 expression in renal cell carcinoma. <i>Urological Research</i> , <b>1999</b> , 27, 103-7		4
48	DNA fingerprinting of renal cell carcinoma with special reference to tumor heterogeneity. <i>Genes Chromosomes and Cancer</i> , <b>1993</b> , 6, 86-91	5	4
47	Effects of high dose medroxyprogesterone acetate treatment on antithrombin III and other plasma proteins in males with renal cell or prostatic carcinoma. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1989</b> , 23, 11-4		4
46	2021 Updated European Association of Urology Guidelines on the Use of Adjuvant Pembrolizumab for Renal Cell Carcinoma.. <i>European Urology</i> , <b>2021</b> ,	10.2	4
45	Should patients with low-risk renal cell carcinoma be followed differently after nephron-sparing surgery vs radical nephrectomy?. <i>BJU International</i> , <b>2021</b> , 128, 386-394	5.6	4
44	Incidence trends in lung and bladder cancers in the Nordic Countries before and after the smoking epidemic. <i>European Journal of Cancer Prevention</i> , <b>2021</b> ,	2	4
43	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 2349-2359	7.5	3
42	Topographic distribution of first landing sites of lymphatic metastases from patients with renal cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 521-525	2.8	3
41	Re: comparative effectiveness for survival and renal function of partial and radical nephrectomy for localized renal tumors: a systematic review and meta-analysis: s. P. Kim, R. H. Thompson, s. A. Boorjian, C. J. Weight, L. C. Han, m. H. Murad, N. D. Shippee, p. J. Erwin, B. A. Costello, g. K. Chow <i>Urologic Oncology</i> , <b>2019</b> , 27, 111-17	2.5	3
40	Cellular changes in prostatic carcinoma after treatment with orchidectomy, estramustine phosphate and medroxyprogesterone acetate. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1997</b> , 31, 255-8		3
39	Genetic variation of haptoglobin and transferrin in relation to DNA content and stage in renal cell carcinoma. <i>Cancer</i> , <b>1989</b> , 63, 1138-42	6.4	3

38	Deoxyribonucleic acid content in metastatic renal cell carcinoma: clinical implications. <i>Journal of Surgical Oncology</i> , <b>1988</b> , 4, 165-8		3
37	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 1270-1274	4	3
36	Incidence trends in bladder and lung cancers between Denmark, Finland and Sweden may implicate oral tobacco (snuff/snus) as a possible risk factor. <i>BMC Cancer</i> , <b>2021</b> , 21, 604	4.8	3
35	Reply to E. Jason Abel Letter to the Editor re: Lorenzo Marconi, Saeed Dabestani, Thomas B. Lam, et al. Systematic Review and Meta-analysis of Diagnostic Accuracy of Percutaneous Renal Tumour Biopsy. <i>Eur Urol</i> 2016;69:660-73. <i>European Urology</i> , <b>2016</b> , 69, e119-20	10.2	3
34	Significance of PI3K signalling pathway in clear cell renal cell carcinoma in relation to VHL and HIF status. <i>Journal of Clinical Pathology</i> , <b>2021</b> , 74, 216-222	3.9	3
33	Validation of data quality in the National Swedish Kidney Cancer Register. <i>Scandinavian Journal of Urology</i> , <b>2021</b> , 55, 142-148	1.6	3
32	A Joint Statement from the European Association of Urology Renal Cell Cancer Guidelines Panel and the International Kidney Cancer Coalition: The Rejection of Ipilimumab and Nivolumab for Renal Cancer by the Committee for Medicinal Products for Human Use Does not Change Evidence-based Guideline Recommendations. <i>European Urology</i> , <b>2018</b> , 74, 849-851	10.2	3
31	Real-world cost-effectiveness of targeted therapy in metastatic renal cell carcinoma in Sweden: a population-based retrospective analysis. <i>Cancer Management and Research</i> , <b>2019</b> , 11, 1289-1297	3.6	2
30	An in-vitro assay using human spermatozoa to detect toxicity of biologically active substances. <i>Scientific Reports</i> , <b>2019</b> , 9, 14525	4.9	2
29	Contemporary status of open nephron-sparing surgery in renal cell carcinoma. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2009</b> , 81, 61-4	1.6	2
28	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 1654-1664	4.4	1
27	Nephron-Sparing Surgery Strategy: The Current Standard for the Treatment of Localised Renal Cell Carcinoma. <i>European Urology Supplements</i> , <b>2011</b> , 10, e49-e51	0.9	1
26	Guía del carcinoma de células renales. <i>Actas Urológicas Españolas</i> , <b>2009</b> , 33, 270-279	0.7	1
25	Multiple renal masses in patients with renal cell carcinoma: diagnostic pitfalls and surgical implications. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>1992</b> , 26, 367-71		1
24	Association between occurrence of urinary bladder cancer and treatment with statin medication. <i>Turkish Journal of Urology</i> , <b>2019</b> , 45, 97-102	1.3	1
23	Combining epigenetic and clinicopathological variables improves specificity in prognostic prediction in clear cell renal cell carcinoma. <i>Journal of Translational Medicine</i> , <b>2020</b> , 18, 435	8.5	1
22	Pattern, timing and predictors of recurrence after surgical resection of chromophobe renal cell carcinoma. <i>World Journal of Urology</i> , <b>2021</b> , 39, 3823-3831	4	1
21	Patient-reported outcome measures of abdominal wall morbidity after flank incision for open partial nephrectomy. <i>BJU International</i> , <b>2021</b> , 128, 497-503	5.6	1

20	A tactile resonance sensor for prostate cancer detection - evaluation on human prostate tissue. <i>Biomedical Physics and Engineering Express</i> , <b>2021</b> ,	1.5	1
19	Outcome after resection of occult and non-occult lymph node metastases at the time of nephrectomy. <i>World Journal of Urology</i> , <b>2021</b> , 39, 3377-3383	4	1
18	Use of venous-thrombotic-embolic prophylaxis in patients undergoing surgery for renal tumors: a questionnaire survey in the Nordic countries (The NORENCA-2 study). <i>Research and Reports in Urology</i> , <b>2018</b> , 10, 181-187	1.3	1
17	The blood metabolome of incident kidney cancer: A case-control study nested within the MetKid consortium. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003786	11.6	1
16	Evaluation of five glycoprotein tumour markers (CEA, CA-50, CA-19-9, CA-125, CA-15-3) for the prognosis of renal-cell carcinoma <b>1997</b> , 74, 233		1
15	Clinical T1a Renal Cell Carcinoma, Not Always a Harmless Disease-A National Register Study.. <i>European Urology Open Science</i> , <b>2022</b> , 39, 22-28	0.9	1
14	Words of wisdom: Re: Can partial nephrectomy preserve renal function and modify survival in comparison with radical nephrectomy?. <i>European Urology</i> , <b>2011</b> , 60, 595-6	10.2	0
13	Survival in bladder and upper urinary tract cancers in Finland and Sweden through 50 years.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0261124	3.7	0
12	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 507-512	4	0
11	Survival advantage of upfront cytoreductive nephrectomy in patients with primary metastatic renal cell carcinoma compared with systemic and palliative treatments in a real-world setting. <i>Scandinavian Journal of Urology</i> , <b>2020</b> , 54, 487-492	1.6	0
10	A psychometric evaluation of the Functional assessment of cancer therapy-kidney symptom index (FKSI-19) among renal cell carcinoma patients suggesting an alternative two-factor structure. <i>Quality of Life Research</i> , <b>2021</b> , 30, 2663-2670	3.7	0
9	Increased risk for renal cell carcinoma in end stage renal disease - a population-based case-control study. <i>Scandinavian Journal of Urology</i> , <b>2021</b> , 55, 209-214	1.6	0
8	Inflammatory response markers and survival prediction in patients with renal cell carcinoma. <i>Scandinavian Journal of Urology</i> , <b>2021</b> , 1-6	1.6	0
7	Ilixadencel, a Cell-based Immune Primer, plus Sunitinib Versus Sunitinib Alone in Metastatic Renal Cell Carcinoma: A Randomized Phase 2 Study. <i>European Urology Open Science</i> , <b>2022</b> , 40, 38-45	0.9	0
6	Preoperative carbohydrate drink improves postoperative quality of life after urological surgery: a randomized study. <i>International Journal of Urological Nursing</i> , <b>2009</b> , 3, 64-68	0.8	
5	Reply to Andrea Minervini, Sergio Serni, Marco Carini and Claudio Di Cristofano Letter to the Editor re: Anders Lidgren, Ylva Hedberg, Kjell Grankvist, Torgny Rasmuson, Anders Bergh and Björk Ljungberg. Hypoxia-Inducible Factor 1 Expression in Renal Cell Carcinoma Analyzed by Tissue Microarray. <i>Eur Urol</i> 2006;50:1272-5. <i>European Urology</i> , <b>2007</b> , 51, 1452-1453	10.2	
4	Overall survival (OS) in Swedish RCC patients treated 2000-2012: Update of the RENCOMP study.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 413-413	2.2	
3	Prostate cancer detection ex vivo combining Raman spectroscopy and tactile resonance technology. <i>IFMBE Proceedings</i> , <b>2018</b> , 193-196	0.2	



2	Reply to Jae Heon Kim's Letter to the Editor re: Lorenzo Marconi, Saeed Dabestani, Thomas B. Lam, et al. Systematic Review and Meta-analysis of Diagnostic Accuracy of Percutaneous Renal Tumour Biopsy. <i>Eur Urol</i> 2016;69:660-73. <i>European Urology</i> , <b>2016</b> , 70, e141-e142	10.2
1	Author Reply. <i>Urology</i> , <b>2016</b> , 93, 122-3	1.6