Preben Bendtsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/437124/publications.pdf

Version: 2024-02-01

83 papers 2,404 citations

201575 27 h-index 243529 44 g-index

97 all docs

97 docs citations

97 times ranked 2731 citing authors

#	Article	IF	CITATIONS
1	Alcohol consumption is associated with progression of hepatic fibrosis in non-alcoholic fatty liver disease. Scandinavian Journal of Gastroenterology, 2009, 44, 366-374.	0.6	183
2	A systematic review of emergency care brief alcohol interventions for injury patients. Journal of Substance Abuse Treatment, 2008, 35, 184-201.	1.5	180
3	Effectiveness of strategies to implement brief alcohol intervention in primary healthcare. Scandinavian Journal of Primary Health Care, 2006, 24, 5-15.	0.6	118
4	Comorbidity of Adult ADHD and Its Subtypes With Substance Use Disorder in a Large Population-Based Epidemiological Study. Journal of Attention Disorders, 2019, 23, 1416-1426.	1.5	96
5	Effectiveness of Short Message Service Text-Based Smoking Cessation Intervention Among University Students. JAMA Internal Medicine, 2016, 176, 321.	2.6	85
6	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. Addiction, 2016, 111, 1935-1945.	1.7	73
7	EARLY INTERVENTION FOR PROBLEM DRINKERS: READINESS TO PARTICIPATE AMONG GENERAL PRACTITIONERS AND NURSES IN SWEDISH PRIMARY HEALTH CARE. Alcohol and Alcoholism, 2002, 37, 38-42.	0.9	67
8	ATTITUDES OF SWEDISH GENERAL PRACTITIONERS AND NURSES TO WORKING WITH LIFESTYLE CHANGE, WITH SPECIAL REFERENCE TO ALCOHOL CONSUMPTION. Alcohol and Alcoholism, 2005, 40, 388-393.	0.9	67
9	Role of preexisting disease in patients' perceptions of health-related quality of life after intensive care*. Critical Care Medicine, 2005, 33, 1557-1564.	0.4	65
10	Alcohol assessment and feedback by email for university students: main findings from a randomised controlled trial. British Journal of Psychiatry, 2013, 203, 334-340.	1.7	57
11	Alcohol use among university students in Sweden measured by an electronic screening instrument. BMC Public Health, 2009, 9, 229.	1.2	51
12	Advice to patients in Swedish primary care regarding alcohol and other lifestyle habits: how patients report the actions of GPs in relation to their own expectations and satisfaction with the consultation. European Journal of Public Health, 2005, 15, 615-620.	0.1	49
13	Feasibility of an email-based electronic screening and brief intervention (e-SBI) to college students in Sweden. Addictive Behaviors, 2006, 31, 777-787.	1.7	44
14	Effectiveness of a Proactive Mail-Based Alcohol Internet Intervention for University Students: Dismantling the Assessment and Feedback Components in a Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e142.	2.1	44
15	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial. Implementation Science, 2013, 8, 11.	2.5	44
16	Alcohol use before and during pregnancy and factors influencing change among Swedish women. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 768-774.	1.3	41
17	Text messaging interventions for reducing alcohol consumption among risky drinkers: systematic review and metaâ€analysis. Addiction, 2021, 116, 1021-1033.	1.7	41
18	Routine screening for risky alcohol consumption at an emergency department using the AUDIT-C questionnaire. Drug and Alcohol Dependence, 2004, 74, 71-75.	1.6	39

#	Article	IF	Citations
19	Electronic screening and brief intervention for risky drinking in Swedish university students — A randomized controlled trial. Addictive Behaviors, 2011, 36, 654-659.	1.7	38
20	Feasibility and User Perception of a Fully Automated Push-Based Multiple-Session Alcohol Intervention for University Students: Randomized Controlled Trial. JMIR MHealth and UHealth, 2014, 2, e30.	1.8	35
21	The Use of Deception in Public Health Behavioral Intervention Trials: A Case Study of Three Online Alcohol Trials. American Journal of Bioethics, 2013, 13, 39-47.	0.5	34
22	Acceptability of a computerized alcohol screening and advice routine in an emergency department setting—a patient perspective. Addictive Behaviors, 2005, 30, 767-776.	1.7	32
23	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. Alcohol and Alcoholism, 2015, 50, 430-437.	0.9	32
24	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. Annals of Family Medicine, 2017, 15, 335-340.	0.9	31
25	Text Message-Based Intervention Targeting Alcohol Consumption Among University Students: Findings From a Formative Development Study. JMIR MHealth and UHealth, 2016, 4, e119.	1.8	31
26	Under what circumstances are nurses willing to engage in brief alcohol interventions?. Addictive Behaviors, 2005, 30, 1049-1053.	1.7	30
27	Respondent satisfaction regarding SF-36 and EQ-5D, and patients' perspectives concerning health outcome assessment within routine health care. Quality of Life Research, 2007, 16, 1647-1654.	1.5	30
28	Online Alcohol Assessment and Feedback for Hazardous and Harmful Drinkers: Findings From the AMADEUS-2 Randomized Controlled Trial of Routine Practice in Swedish Universities. Journal of Medical Internet Research, 2015, 17, e170.	2.1	28
29	Measuring health-related quality of life in patients with chronic obstructive pulmonary disease in a routine hospital setting: feasibility and perceived value. Health and Quality of Life Outcomes, 2003, 1, 5.	1.0	27
30	Implementation of computerized alcohol screening and advice in an emergency department $\hat{a} \in \hat{a}$ a nursing staff perspective. International Emergency Nursing, 2007, 15, 3-9.	0.7	27
31	Asking patients about their drinking. Addictive Behaviors, 2008, 33, 301-314.	1.7	27
32	Is there a demand for physical activity interventions provided by the health care sector? Findings from a population survey. BMC Public Health, 2010, 10, 34.	1.2	27
33	Feasibility of a computerized alcohol screening and personalized written advice in the ED: opportunities and obstacles. International Emergency Nursing, 2005, 13, 44-53.	0.7	25
34	Attitudes and Learning through Practice Are Key to Delivering Brief Interventions for Heavy Drinking in Primary Health Care: Analyses from the ODHIN Five Country Cluster Randomized Factorial Trial. International Journal of Environmental Research and Public Health, 2017, 14, 121.	1.2	25
35	Effectiveness of a Text Messaging–Based Intervention Targeting Alcohol Consumption Among University Students: Randomized Controlled Trial. JMIR MHealth and UHealth, 2018, 6, e146.	1.8	25
36	Reach and effectiveness of a computer-based alcohol intervention in a Swedish emergency room. International Emergency Nursing, 2010, 18, 138-146.	0.6	24

#	Article	IF	CITATIONS
37	Structured Risk Assessment Instruments: A Systematic Review of Implementation Determinants. Psychiatry, Psychology and Law, 2016, 23, 602-628.	0.9	24
38	Patients'and doctors' views of using the schedule for individual quality of life in clinical practice. The Journal of Supportive Oncology, 2007, 5, 281-7.	2.3	22
39	CAN SCREENING AND SIMPLE WRITTEN ADVICE REDUCE EXCESSIVE ALCOHOL CONSUMPTION AMONG EMERGENCY CARE PATIENTS?. Alcohol and Alcoholism, 2005, 40, 401-408.	0.9	21
40	User satisfaction with the structure and content of the NEXit intervention, a text messaging-based smoking cessation programme. BMC Public Health, 2016, 16, 1179.	1.2	21
41	Hazardous Drinking Concepts, Limits and Methods: Low Levels of Awareness, Knowledge and Use in the Swedish Population. Alcohol and Alcoholism, 2011, 46, 638-645.	0.9	20
42	Health Care Professionals' Experience of a Digital Tool for Patient Exchange, Anamnesis, and Triage in Primary Care: Qualitative Study. JMIR Human Factors, 2020, 7, e21698.	1.0	20
43	Alcohol email assessment and feedback study dismantling effectiveness for university students (AMADEUS-1): study protocol for a randomized controlled trial. Trials, 2012, 13, 49.	0.7	19
44	Internet Applications for Screening and Brief Interventions for Alcohol in Primary Care Settings ââ,¬â€œ Implementation and Sustainability. Frontiers in Psychiatry, 2014, 5, 151.	1.3	18
45	SMS-based smoking cessation intervention among university students: study protocol for a randomised controlled trial (NEXit trial). Trials, 2015, 16, 140.	0.7	18
46	Frequency of heavy episodic drinking among nonfatal injury patients attending an emergency room. Accident Analysis and Prevention, 2007, 39, 757-766.	3.0	16
47	Different Methods of Early Identification of Risky Drinking: A Review of Clinical Signs. Alcohol and Alcoholism, 2011, 46, 283-291.	0.9	16
48	When is it appropriate to address patients' alcohol consumption in health careâ€"national survey of views of the general population in Sweden. Addictive Behaviors, 2012, 37, 1211-1216.	1.7	16
49	Assessment of Quality of Life in Rheumatoid Arthritis. Pharmacoeconomics, 1994, 5, 286-298.	1.7	15
50	Improvement of Physical Activity by a Kiosk-based Electronic Screening and Brief Intervention in Routine Primary Health Care: Patient-Initiated Versus Staff-Referred. Journal of Medical Internet Research, 2011, 13, e99.	2.1	15
51	Alcohol assessment & Eamp; feedback by e-mail for university student hazardous and harmful drinkers: study protocol for the AMADEUS-2 randomised controlled trial. BMC Public Health, 2013, 13, 949.	1.2	14
52	What makes emergency department patients reduce their alcohol consumption? – A computer-based intervention study in Sweden. International Emergency Nursing, 2013, 21, 3-9.	0.6	14
53	Implementing referral to an electronic alcohol brief advice website in primary healthcare: results from the ODHIN implementation trial. BMJ Open, 2016, 6, e010271.	0.8	14
54	A Human, Organization, and Technology Perspective on Patients' Experiences of a Chat-Based and Automated Medical History–Taking Service in Primary Health Care: Interview Study Among Primary Care Patients. Journal of Medical Internet Research, 2021, 23, e29868.	2.1	14

#	Article	IF	CITATIONS
55	Implementation of a computerized alcohol advice concept in routine emergency care. International Emergency Nursing, 2009, 17, 113-121.	0.6	13
56	Clinician experiences of healthy lifestyle promotion and perceptions of digital interventions as complementary tools for lifestyle behavior change in primary care. BMC Family Practice, 2018, 19, 139.	2.9	13
57	The Mobile Health Multiple Lifestyle Behavior Interventions Across the Lifespan (MoBILE) Research Program: Protocol for Development, Evaluation, and Implementation. JMIR Research Protocols, 2020, 9, e14894.	0.5	12
58	Short message service (SMS)-based intervention targeting alcohol consumption among university students: study protocol of a randomized controlled trial. Trials, 2017, 18, 156.	0.7	11
59	Linking drinking to injury–Âcausal attribution of injury to alcohol intake among patients in a Swedish emergency room. International Journal of Injury Control and Safety Promotion, 2007, 14, 93-102.	1.0	10
60	Implementation of healthy lifestyle promotion in primary care: Patients as coproducers. Patient Education and Counseling, 2014, 97, 283-290.	1.0	10
61	Pharmacological Intervention in Older Patients with Rheumatoid Arthritis. Drugs and Aging, 1995, 7, 338-346.	1.3	8
62	Referral to an Electronic Screening and Brief Alcohol Intervention in Primary Health Care in Sweden: Impact of Staff Referral to the Computer. International Journal of Telemedicine and Applications, 2011, 2011, 1-10.	1.1	8
63	Comparison of Systematic Versus Targeted Screening for Detection of Risky Drinking in Primary Care. Alcohol and Alcoholism, 2013, 48, 172-179.	0.9	8
64	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. Implementation Science, 2015, 11, 96.	2.5	8
65	Implementing healthy lifestyle promotion in primary care: a quasi-experimental cross-sectional study evaluating a team initiative. BMC Health Services Research, 2015, 15, 31.	0.9	8
66	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. European Journal of General Practice, 2017, 23, 241-245.	0.9	8
67	Long-term impact of a real-world coordinated lifestyle promotion initiative in primary care: a quasi-experimental cross-sectional study. BMC Family Practice, 2014, 15, 201.	2.9	7
68	Staff Perceptions of Facilitators and Barriers to the Use of a Short-Term Risk Assessment Instrument in Forensic Psychiatry. Journal of Forensic Psychology Research and Practice, 2018, 18, 199-228.	0.4	7
69	Using Mobile Devices to Deliver Lifestyle Interventions Targeting At-Risk High School Students: Protocol for a Participatory Design Study. JMIR Research Protocols, 2020, 9, e14588.	0.5	7
70	Mobile Phone–Based Smoking-Cessation Intervention for Patients Undergoing Elective Surgery: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e12511.	0.5	6
71	Implementing Facilitated Access to a Text Messaging, Smoking Cessation Intervention Among Swedish Patients Having Elective Surgery: Qualitative Study of Patients' and Health Care Professionals' Perspectives. JMIR MHealth and UHealth, 2020, 8, e17563.	1.8	6
72	Six-Month Outcomes from the NEXit Junior Trial of a Text Messaging Smoking Cessation Intervention for High School Students: Randomized Controlled Trial With Bayesian Analysis. JMIR MHealth and UHealth, 2021, 9, e29913.	1.8	6

#	Article	IF	CITATIONS
73	Effects of a Text Messaging Smoking Cessation Intervention Among Online Help Seekers and Primary Health Care Visitors in Sweden: Protocol for a Randomized Controlled Trial Using a Bayesian Group Sequential Design. JMIR Research Protocols, 2020, 9, e23677.	0.5	5
74	Alcohol consumption and motivation to reduce drinking among emergency care patients in Sweden. International Journal of Injury Control and Safety Promotion, 2009, 16, 133-141.	1.0	4
75	Towards implementing coordinated healthy lifestyle promotion in primary care: a mixed method study. International Journal of Integrated Care, 2015, 15, e030.	0.1	4
76	Acute Alcohol Consumption and Motivation to Reduce Drinking Among Injured Patients in a Swedish Emergency Department. Journal of Addictions Nursing, 2012, 23, 152-158.	0.2	3
77	Adherence to planned risk management interventions in Swedish forensic care: What is said and done according to patient records. International Journal of Law and Psychiatry, 2019, 64, 71-82.	0.5	3
78	mHealth intervention for multiple lifestyle behaviour change among high school students in Sweden (LIFE4YOUth): protocol for a randomised controlled trial. BMC Public Health, 2021, 21, 1406.	1.2	3
79	Multiple lifestyle behaviour mHealth intervention targeting Swedish college and university students: protocol for the <i>Buddy</i> randomised factorial trial. BMJ Open, 2021, 11, e051044.	0.8	3
80	High School Students' Preferences and Design Recommendations for a Mobile Phone–Based Intervention to Improve Psychological Well-Being: Mixed Methods Study. JMIR Pediatrics and Parenting, 2020, 3, e17044.	0.8	2
81	Deception in Research Is Morally Problematic … and so too Is Not Using It Morally: Reply to Open Peer Commentaries on "The Use of Deception in Public Health Behavioral Intervention Trials: A Case Study of Three Online Alcohol Trials― American Journal of Bioethics, 2014, 14, W9-W12.	0.5	1
82	Formative content development and evaluation of a text message intervention for excessive alcohol consumption among university students Addiction Science & Emp; Clinical Practice, 2015, 10, .	1.2	0
83	The Impact of an Implementation Project on Primary Care Staff Perceptions of Delivering Brief Alcohol Advice. Journal of Addiction, 2016, 2016, 1-9.	0.9	0