Cristina Scarpazza

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4371503/cristina-scarpazza-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 2,125 26 43 g-index

106 2,819 4.6 5.34 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
91	A common neural substrate for number comparison, hand reaching and grasping: A SDM-PSI meta-analysis of neuroimaging studies <i>Cortex</i> , 2022 , 148, 31-67	3.8	1
90	Detecting deception through facial expressions in a dataset of videotaped interviews: A comparison between human judges and machine learning models. <i>Computers in Human Behavior</i> , 2022 , 127, 107063	7.7	3
89	Machine learning for brain age prediction: Introduction to methods and clinical applications. <i>EBioMedicine</i> , 2021 , 72, 103600	8.8	3
88	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 1125-11	3.4 134	1
87	Brain age prediction: A comparison between machine learning models using region- and voxel-based morphometric data. <i>Human Brain Mapping</i> , 2021 , 42, 2332-2346	5.9	15
86	Disentangling interoceptive abilities in alexithymia. <i>Psychological Research</i> , 2021 , 1	2.5	1
85	Switching to ocrelizumab in RRMS patients at risk of PML previously treated with extended interval dosing of natalizumab. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 790-794	5	12
84	A multidisciplinary approach to insanity assessment as a way to reduce cognitive biases. <i>Forensic Science International</i> , 2021 , 319, 110652	2.6	4
83	From ATOM to GradiATOM: Cortical gradients support time and space processing as revealed by a meta-analysis of neuroimaging studies. <i>NeuroImage</i> , 2021 , 224, 117407	7.9	7
82	Vaccinations in patients with multiple sclerosis: A Delphi consensus statement. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 347-359	5	24
81	The risk of infection in patients with multiple sclerosis treated with disease-modifying therapies: A Delphi consensus statement. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 331-346	5	16
80	Neuroanatomical abnormalities in first-episode psychosis across independent samples: a multi-centre mega-analysis. <i>Psychological Medicine</i> , 2021 , 51, 340-350	6.9	11
79	Idiopathic and acquired pedophilia as two distinct disorders: an insight from neuroimaging. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2681-2692	4.1	4
78	A Biopsychosocial Approach to Idiopathic Versus Acquired Paedophilia: What Do We Know and How Do We Proceed Legally and Ethically? 2021 , 145-178		2
77	Translational Application of a Neuro-Scientific Multi-Modal Approach Into Forensic Psychiatric Evaluation: Why and How?. <i>Frontiers in Psychiatry</i> , 2021 , 12, 597918	5	2
76	Sex differences in a cohort of COVID-19 Italian patients hospitalized during the first and second pandemic waves. <i>Biology of Sex Differences</i> , 2021 , 12, 45	9.3	0
75	Using normative modelling to detect disease progression in mild cognitive impairment and Alzheimer's disease in a cross-sectional multi-cohort study. <i>Scientific Reports</i> , 2021 , 11, 15746	4.9	5

(2019-2021)

74	Frozen in (e)motion: How reactive motor inhibition is influenced by the emotional content of stimuli in healthy and psychiatric populations. <i>Behaviour Research and Therapy</i> , 2021 , 146, 103963	5.2	8
73	Impact of low dose tocilizumab on mortality rate in patients with COVID-19 related pneumonia. <i>European Journal of Internal Medicine</i> , 2020 , 76, 31-35	3.9	178
72	Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. <i>NeuroImage</i> , 2020 , 220, 117127	7.9	14
71	Using Blink Rate to Detect Deception: A Study to Validate an Automatic Blink Detector and a New Dataset of Videos from Liars and Truth-Tellers. <i>Lecture Notes in Computer Science</i> , 2020 , 494-509	0.9	
70	The Methodology of Forensic Neuroscience 2020 , 453-473		1
69	Translating research findings into clinical practice: a systematic and critical review of neuroimaging-based clinical tools for brain disorders. <i>Translational Psychiatry</i> , 2020 , 10, 107	8.6	13
68	Applications of machine learning to brain disorders 2020 , 45-65		5
67	Integrating machining learning and multimodal neuroimaging to detect schizophrenia at the level of the individual. <i>Human Brain Mapping</i> , 2020 , 41, 1119-1135	5.9	23
66	Early use of low dose tocilizumab in patients with COVID-19: A retrospective cohort study with a complete follow-up. <i>EClinicalMedicine</i> , 2020 , 25, 100459	11.3	50
65	Fear-specific enhancement of tactile perception is disrupted after amygdala lesion. <i>Journal of Neuropsychology</i> , 2020 , 14, 165-182	2.6	3
64	Should frequent MRI monitoring be performed in natalizumab-treated MS patients? A contribution to a recent debate. <i>Multiple Sclerosis Journal</i> , 2020 , 26, 1227-1236	5	8
63	Psychiatric Disorders Classification with 3D Convolutional Neural Networks. <i>Proceedings of the International Neural Networks Society</i> , 2020 , 48-57	0.5	2
62	Using Machine Learning and Structural Neuroimaging to Detect First Episode Psychosis: Reconsidering the Evidence. <i>Schizophrenia Bulletin</i> , 2020 , 46, 17-26	1.3	39
61	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
60	Detecting schizophrenia at the level of the individual: relative diagnostic value of whole-brain images, connectome-wide functional connectivity and graph-based metrics. <i>Psychological Medicine</i> , 2020 , 50, 1852-1861	6.9	32
59	Simultaneous quantification of natural and inducible regulatory T-cell subsets during interferon- therapy of multiple sclerosis patients. <i>Journal of Translational Medicine</i> , 2020 , 18, 169	8.5	1
58	Systematic review and multi-modal meta-analysis of magnetic resonance imaging findings in 22q11.2 deletion syndrome: Is more evidence needed?. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 107, 143-153	9	6
57	Four cases of natalizumab-related PML: a less severe course in extended interval dosing?. <i>Neurological Sciences</i> , 2019 , 40, 2119-2124	3.5	14

Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia-related genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 9604-9609	11.5	70
A transdiagnostic neuroanatomical signature of psychiatric illness. <i>Neuropsychopharmacology</i> , 2019 , 44, 869-875	8.7	27
Profiling acquired pedophilic behavior: Retrospective analysis of 66 Italian forensic cases of pedophilia. <i>International Journal of Law and Psychiatry</i> , 2019 , 67, 101508	2.6	8
Lack of specific T- and B-cell clonal expansions in multiple sclerosis patients with progressive multifocal leukoencephalopathy. <i>Scientific Reports</i> , 2019 , 9, 16605	4.9	2
Where is the "where" in the brain? A meta-analysis of neuroimaging studies on spatial cognition. <i>Human Brain Mapping</i> , 2019 , 40, 1867-1886	5.9	39
Early diagnosis of progressive multifocal leucoencephalopathy: longitudinal lesion evolution. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 261-267	5.5	15
Do we have enough evidence for recommending therapeutic apheresis for natalizumab-related progressive multifocal leukoencephalopathy patients? Comment on "Guidelines on the use of therapeutic apheresis in clinical practice-evidence-based approach from the Writing Committee of	3.2	2
Dealing with highly active multiple sclerosis after natalizumab-associated PML: could rituximab be of help?. <i>Neurological Sciences</i> , 2018 , 39, 965-966	3.5	5
Alexithymia Is Related to the Need for More Emotional Intensity to Identify Static Fearful Facial Expressions. <i>Frontiers in Psychology</i> , 2018 , 9, 929	3.4	11
The Detection of Malingering: A New Tool to Identify Made-Up Depression. <i>Frontiers in Psychiatry</i> , 2018 , 9, 249	5	22
Mental Insanity Assessment of Pedophilia: The Importance of the Trans-Disciplinary Approach. Reflections on Two Cases. <i>Frontiers in Neuroscience</i> , 2018 , 12, 335	5.1	11
The Role of Neuroscience in the Evaluation of Mental Insanity: on the Controversies in Italy. <i>Neuroethics</i> , 2018 , 11, 83-95	1.2	14
Invisible side of emotions: somato-motor responses to affective facial displays in alexithymia. <i>Experimental Brain Research</i> , 2018 , 236, 195-206	2.3	20
O6.7. COMMON NEUROANATOMICAL ABNORMALITIES IN FIRST EPISODE PSYCHOSIS ACROSS SEVERAL INDEPENDENT SAMPLES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S92-S92	1.3	78
The charm of structural neuroimaging in insanity evaluations: guidelines to avoid misinterpretation of the findings. <i>Translational Psychiatry</i> , 2018 , 8, 227	8.6	16
S176. SYSTEMATIC REVIEW AND META-ANALYSIS OF MAGNETIC RESONANCE IMAGING FINDINGS IN 22Q11.2 DELETION SYNDROME. <i>Schizophrenia Bulletin</i> , 2018 , 44, S393-S393	1.3	78
S22. A TRANSDIAGNOSTIC NEUROANATOMICAL SIGNATURE OF PSYCHIATRIC ILLNESS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S331-S331	1.3	78
Neuropsychological profile of mild temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2018 , 85, 222-226	3.2	5
	expression of schizophrenia-related genes. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9604-9609 A transdiagnostic neuroanatomical signature of psychiatric illness. Neuropsychopharmacology, 2019, 44, 869-875 Profiling acquired pedophilic behavior: Retrospective analysis of 66 Italian forensic cases of pedophilia. International Journal of Law and Psychiatry, 2019, 67, 101508 Lack of specific T- and B-cell clonal expansions in multiple sclerosis patients with progressive multifocal leukoencephalopathy. Scientific Reports, 2019, 9, 16605 Where is the "where" in the brain? A meta-analysis of neuroimaging studies on spatial cognition. Human Brain Mapping, 2019, 40, 1867-1886 Early diagnosis of progressive multifocal leucoencephalopathy: longitudinal lesion evolution. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 261-267 Do we have enough evidence for recommending therapeutic apheresis for natalizumab-related progressive multifocal leukoencephalopathy patients? Comment on "Guidelines on the use of therapeutic apheresis in clinical practice-evidence-based approach from the Writing Committee of the American Society for aphereis: The executes special issue. Journal of Chinical Apheresis, 2016, Dealing with highly active multiple sclerosis after natalizumab-associated PML: could rituximab be of help?. Neurological Sciences, 2018, 39, 965-966 Alexithymia is Related to the Need for More Emotional Intensity to Identify Static Fearful Facial Expressions. Frontiers in Psychology, 2018, 9, 929 The Detection of Malingering: A New Tool to Identify Made-Up Depression. Frontiers in Psychiatry, 2018, 9, 249 Mental Insanity Assessment of Pedophilia: The Importance of the Trans-Disciplinary Approach. Reflections on Two Cases. Frontiers in Neuroscience, 2018, 12, 335 The Role of Neuroscience in the Evaluation of Mental Insanity: on the Controversies in Italy. Neuroethics, 2018, 11, 83-95 Invisible side of emotions: somato-motor responses to affective facial disp	expression of schizophrenia-related genes. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9604-9609 A transdiagnostic neuroanatomical signature of psychiatric illness. Neuropsychopharmacology, 2019, 44, 869-875 Profiling acquired pedophilic behavior: Retrospective analysis of 66 Italian forensic cases of pedophilia. International Journal of Law and Psychiatry, 2019, 67, 101508 Lack of specific T- and B-cell clonal expansions in multiple sclerosis patients with progressive multifocal leukoencephalopathy. Scientific Reports, 2019, 9, 16605 Where is the "where" in the brain? A meta-analysis of neuroimaging studies on spatial cognition. Human Brain Mapping, 2019, 40, 1867-1886 Early diagnosis of progressive multifocal leucoencephalopathy: longitudinal lesion evolution. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 261-267 Do we have enough evidence for recommending therapeutic apheresis for natalizumab-related progressive multifocal leukoencephalopathy patients? Comment on "Guidelines on the use of the American Society for apheresis." The seventh special issue. Journal of Other Apheresis, 2018, Dealing with highly active multiple sclerosic safter natalizumab-associated PML: could ritusimab be of help?. Neurological Sciences, 2018, 39, 965-966 Alexithymia is Related to the Need for More Emotional Intensity to Identify Static Fearful Facial Expressions. Frontiers in Psychology, 2018, 9, 229 Mental Insanity Assessment of Pedophilia: The Importance of the Trans-Disciplinary Approach. Reflections on Two Cases. Frontiers in Neuroscience, 2018, 12, 335 The Role of Neuroscience in the Evaluation of Mental Insanity: on the Controversies in Italy. Neuroethics, 2018, 11, 83-95 Invisible side of emotions: somato-motor responses to affective facial displays in alexithymia. Experimental Brain Research, 2018, 236, 195-206 06-7. COMMON NEUROANATOMICAL ABNORMALITIES IN FIRST EPISODE PSYCHOSIS ACROSS SEVERAL INDEPENDENT SAMPLES. Schizophrenia Bulletin, 2018, 44,

(2015-2017)

No evidence of beneficial effects of plasmapheresis in natalizumab-associated PML. <i>Neurology</i> , 2017 , 88, 1144-1152	6.5	43
Is maraviroc useful in multiple sclerosis patients with natalizumab-related progressive multifocal leukoencephalopathy?. <i>Journal of the Neurological Sciences</i> , 2017 , 378, 233-237	3.2	9
Subjective recollection independent from multifeatural context retrieval following damage to the posterior parietal cortex. <i>Cortex</i> , 2017 , 91, 114-125	3.8	23
Now or not-now? The influence of alexithymia on intertemporal decision-making. <i>Brain and Cognition</i> , 2017 , 114, 20-28	2.7	14
The guilty brain: the utility of neuroimaging and neurostimulation studies in forensic field. <i>Reviews in the Neurosciences</i> , 2017 , 28, 161-172	4.7	4
To do or not to do? plasma exchange and timing of steroid administration in progressive multifocal leukoencephalopathy. <i>Annals of Neurology</i> , 2017 , 82, 697-705	9.4	30
Age as a risk factor for early onset of natalizumab-related progressive multifocal leukoencephalopathy. <i>Journal of NeuroVirology</i> , 2017 , 23, 742-749	3.9	19
The still under-investigated role of cognitive deficits in PML diagnosis. <i>Multiple Sclerosis and Demyelinating Disorders</i> , 2017 , 2,	O	3
Multiple sclerosis reduces sensitivity to immediate reward during decision making. <i>Behavioral Neuroscience</i> , 2017 , 131, 325-336	2.1	3
Error monitoring is related to processing internal affective states. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016 , 16, 1050-1062	3.5	19
Effects of cue focality on the neural mechanisms of prospective memory: A meta-analysis of neuroimaging studies. <i>Scientific Reports</i> , 2016 , 6, 25983	4.9	28
An unusual case of acquired pedophilic behavior following compression of orbitofrontal cortex and hypothalamus by a Clivus Chordoma. <i>Journal of Neurology</i> , 2016 , 263, 1454-5	5.5	23
Natalizumab-Related Progressive Multifocal Leukoencephalopathy in Multiple Sclerosis: Findings from an Italian Independent Registry. <i>PLoS ONE</i> , 2016 , 11, e0168376	3.7	35
Voxel-based morphometry: current perspectives. <i>Neuroscience and Neuroeconomics</i> , 2016 , Volume 5, 19-35		19
Honesty 2016 , 305-322		3
When the Single Matters more than the Group (II): Addressing the Problem of High False Positive Rates in Single Case Voxel Based Morphometry Using Non-parametric Statistics. <i>Frontiers in Neuroscience</i> , 2016 , 10, 6	5.1	16
Neural bases of prospective memory: a meta-analysis and the "Attention to Delayed Intention" (AtoDI) model. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 52, 21-37	9	105
False positive rates in Voxel-based Morphometry studies of the human brain: should we be worried?. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 52, 49-55	9	56
	Is maraviroc useful in multiple sclerosis patients with natalizumab-related progressive multifocal leukoencephalopathy?. Journal of the Neurological Sciences, 2017, 378, 233-237 Subjective recollection independent from multifeatural context retrieval following damage to the posterior parietal cortex. Cortex, 2017, 91, 114-125 Now or not-now? The influence of alexithymia on intertemporal decision-making. Brain and Cognition, 2017, 114, 20-28 The guilty brain: the utility of neuroimaging and neurostimulation studies in forensic field. Reviews in the Neurosciences, 2017, 28, 161-172 To do or not to do? plasma exchange and timing of steroid administration in progressive multifocal leukoencephalopathy. Annals of Neurology, 2017, 82, 697-705 Age as a risk factor for early onset of natalizumab-related progressive multifocal leukoencephalopathy. Journal of Neurology, 2017, 23, 742-749 The still under-investigated role of cognitive deficits in PML diagnosis. Multiple Sclerosis and Demyelinating Disorders, 2017, 2, Multiple sclerosis reduces sensitivity to immediate reward during decision making. Behavioral Neuroscience, 2017, 131, 325-336 Error monitoring is related to processing internal affective states. Cognitive, Affective and Behavioral Neuroscience, 2016, 16, 1050-1062 Effects of cue focality on the neural mechanisms of prospective memory: A meta-analysis of neuroimaging studies. Scientific Reports, 2016, 6, 25983 An unusual case of acquired pedophilic behavior following compression of orbitofrontal cortex and hypothalamus by a Clivus Chordoma. Journal of Neurology, 2016, 263, 1454-5 Natalizumab-Related Progressive Multifocal Leukoencephalopathy in Multiple Sclerosis: Findings from an Italian Independent Registry. PLoS ONE, 2016, 11, e0168376 Voxel-based morphometry: current perspectives. Neuroscience and Neuroeconomics, 2016, Volume 5, 19-35 Honesty 2016, 305-322 When the Single Matters more than the Group (II): Addressing the Problem of High False Positive Rates in Single Case Voxel Based Morphomet	Is maraviroc useful in multiple sclerosis patients with natalizumab-related progressive multifocal leukoencephalopathy. Journal of the Neurological Sciences, 2017, 378, 233-237 Subjective recollection independent from multificatural context retrieval following damage to the posterior parietal cortex. Cortex, 2017, 91, 114-125 Now or not-now? The influence of alexithymia on intertemporal decision-making. Brain and Cognition, 2017, 114, 20-28 The guilty brain: the utility of neuroimaging and neurostimulation studies in forensic field. Reviews in the Neurosciences, 2017, 28, 161-172 To do or not to do? plasma exchange and timing of steroid administration in progressive multifocal leukoencephalopathy. Annals of Neurology, 2017, 82, 697-705 Age as a risk factor for early onset of natalizumab-related progressive multifocal leukoencephalopathy. Journal of NeuroVirology, 2017, 23, 742-749 399 The still under-investigated role of cognitive deficits in PML diagnosis. Multiple Sclerosis and Demyelinating Disorders, 2017, 2, 3, 742-749 Multiple sclerosis reduces sensitivity to immediate reward during decision making. Behavioral Neuroscience, 2017, 131, 325-336 2.1 Error monitoring is related to processing internal affective states. Cognitive, Affective and Behavioral Neuroscience, 2016, 16, 1050-1062 Effects of cue focality on the neural mechanisms of prospective memory: A meta-analysis of neuroimaging studies. Scientific Reports, 2016, 6, 25983 An unusual case of acquired pedophilic behavior following compression of orbitofrontal cortex and hypothalamus by a Clivus Chordoma. Journal of Neurology, 2016, 263, 1454-5 Natalizumab-Related Progressive Multifocal Leukoencephalopathy in Multiple Sclerosis: Findings from an Italian Independent Registry. PLoS ONE, 2016, 11, e0168376 Voxel-based morphometry: current perspectives. Neuroscience and Neuroeconomics, 2016, Volume 5, 19-35 Honesty 2016, 305-322 When the Single Matters more than the Group (II): Addressing the Problem of High False Positive Rates in Single C

20	A Neuroanatomical Signature for Schizophrenia Across Different Ethnic Groups. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1266-75	1.3	21
19	Dissociation between Emotional Remapping of Fear and Disgust in Alexithymia. <i>PLoS ONE</i> , 2015 , 10, e0140229	3.7	24
18	Natalizumab Significantly Improves Cognitive Impairment over Three Years in MS: Pattern of Disability Progression and Preliminary MRI Findings. <i>PLoS ONE</i> , 2015 , 10, e0131803	3.7	35
17	Early aphasia rehabilitation is associated with functional reactivation of the left inferior frontal gyrus: a pilot study. <i>Stroke</i> , 2014 , 45, 545-52	6.7	56
16	Emotional modulation of touch in alexithymia. <i>Emotion</i> , 2014 , 14, 602-10	4.1	25
15	Assessing executive function with the D-KEFS sorting test: normative data for a sample of the Italian adult population. <i>Neurological Sciences</i> , 2014 , 35, 1895-902	3.5	15
14	The Rao's Brief Repeatable Battery version B: normative values with age, education and gender corrections in an Italian population. <i>Neurological Sciences</i> , 2014 , 35, 79-82	3.5	22
13	Supporting evidence for using biomarkers in the diagnosis of MCI due to AD. <i>Journal of Neurology</i> , 2013 , 260, 640-50	5.5	42
12	When the single matters more than the group: very high false positive rates in single case Voxel Based Morphometry. <i>NeuroImage</i> , 2013 , 70, 175-88	7.9	43
11	Diagnostic accuracy of markers for prodromal Alzheimer's disease in independent clinical series. <i>Alzheimerp</i> s and Dementia, 2013 , 9, 677-86	1.2	43
10	Education protects against cognitive changes associated with multiple sclerosis. <i>Restorative Neurology and Neuroscience</i> , 2013 , 31, 619-31	2.8	14
9	Observed touch on a non-human face is not remapped onto the human observer's own face. <i>PLoS ONE</i> , 2013 , 8, e73681	3.7	5
8	General intellectual impairment in chronic right hemisphere damaged patients with anosognosia: a group study. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 501-15	3.1	4
7	Persistence of the effects of attention and executive functions intensive rehabilitation in relapsing remitting multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2012 , 1, 168-73	4	32
6	Prognostic prediction of therapeutic response in depression using high-field MR imaging. <i>NeuroImage</i> , 2011 , 55, 1497-503	7.9	158
5	Enrichment through biomarkers in clinical trials of Alzheimer's drugs in patients with mild cognitive impairment. <i>Neurobiology of Aging</i> , 2010 , 31, 1443-51, 1451.e1	5.6	45
4	The new Alzheimer's criteria in a naturalistic series of patients with mild cognitive impairment. <i>Journal of Neurology</i> , 2010 , 257, 2004-14	5.5	38
3	Normative modelling using deep autoencoders: a multi-cohort study on mild cognitive impairment and Alzheimer disease		1

From ATOM to GradiATOM: Cortical gradients support time and space processing as revealed by a meta-analysis of neuroimaging studies

1

Idiopathic and acquired pedophilia as two distinct disorders: an insight from neuroimaging