

Hitoshi Sugiyama

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4372115/publications.pdf>

Version: 2024-02-01

132
papers

4,017
citations

126708

33
h-index

143772

57
g-index

136
all docs

136
docs citations

136
times ranked

4379
citing authors

#	ARTICLE	IF	CITATIONS
1	Apoptosis in glomerular sclerosis. <i>Kidney International</i> , 1996, 49, 103-111.	2.6	235
2	Establishment and characterization of renal progenitor like cells from S3 segment of nephron in rat adult kidney. <i>FASEB Journal</i> , 2005, 19, 1789-1797.	0.2	178
3	Tumstatin Peptide, an Inhibitor of Angiogenesis, Prevents Glomerular Hypertrophy in the Early Stage of Diabetic Nephropathy. <i>Diabetes</i> , 2004, 53, 1831-1840.	0.3	169
4	A Decreased Level of Serum Soluble Klotho Is an Independent Biomarker Associated with Arterial Stiffness in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e56695.	1.1	167
5	Antiangiogenic Endostatin Peptide Ameliorates Renal Alterations in the Early Stage of a Type 1 Diabetic Nephropathy Model. <i>Diabetes</i> , 2005, 54, 2891-2903.	0.3	129
6	Japan Renal Biopsy Registry: the first nationwide, web-based, and prospective registry system of renal biopsies in Japan. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 493-503.	0.7	127
7	Japan Renal Biopsy Registry and Japan Kidney Disease Registry: Committee Report for 2009 and 2010. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 155-173.	0.7	111
8	Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2012, 16, 903-920.	0.7	91
9	Inhibition of mesangial cell proliferation by E2F decoy oligodeoxynucleotide in vitro and in vivo.. <i>Journal of Clinical Investigation</i> , 1998, 101, 2589-2597.	3.9	86
10	Telmisartan inhibits both oxidative stress and renal fibrosis after unilateral ureteral obstruction in acatalasemic mice. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2670-2680.	0.4	80
11	Catalase deficiency renders remnant kidneys more susceptible to oxidant tissue injury and renal fibrosis in mice. <i>Kidney International</i> , 2005, 68, 1018-1031.	2.6	77
12	Icodextrin Increases Technique Survival Rate in Peritoneal Dialysis Patients with Diabetic Nephropathy by Improving Body Fluid Management: A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1337-1344.	2.2	77
13	Endostatin peptide, an inhibitor of angiogenesis, prevents the progression of peritoneal sclerosis in a mouse experimental model. <i>Kidney International</i> , 2007, 71, 227-238.	2.6	75
14	Membranous nephropathy in Japan: analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2012, 16, 557-563.	0.7	67
15	Vasohibin-1, a Negative Feedback Regulator of Angiogenesis, Ameliorates Renal Alterations in a Mouse Model of Diabetic Nephropathy. <i>Diabetes</i> , 2009, 58, 2365-2375.	0.3	65
16	Selective Sensitization to Tumor Necrosis Factor- α -induced Apoptosis by Blockade of NF- κ B in Primary Glomerular Mesangial Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 19532-19537.	1.6	63
17	Apoptosis and extracellular matrix-cell interactions in kidney disease. <i>Kidney International</i> , 2000, 58, S67-S75.	2.6	62
18	Overexpression of angiotensin type 2 receptor ameliorates glomerular injury in a mouse remnant kidney model. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F516-F525.	1.3	62

#	ARTICLE	IF	CITATIONS
19	Acatalasemia sensitizes renal tubular epithelial cells to apoptosis and exacerbates renal fibrosis after unilateral ureteral obstruction. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F1030-F1038.	1.3	59
20	The Prevalence of Frailty and its Associated Factors in Japanese Hemodialysis Patients. , 2018, 9, 192.		55
21	ANCA-associated systemic vasculitis in Japan: clinical features and prognostic changes. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 580-588.	0.7	54
22	Novel mutations of the GLA gene in Japanese patients with Fabry disease and their functional characterization by active site specific chaperone. <i>Human Mutation</i> , 2008, 29, 331-331.	1.1	49
23	Amelioration of renal alterations in obese type 2 diabetic mice by vasohibin-1, a negative feedback regulator of angiogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F873-F886.	1.3	48
24	Pulmonary involvements of anti-neutrophil cytoplasmic autoantibody-associated renal vasculitis in Japan. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, i83-i93.	0.4	47
25	Regulation of survival and death of mesangial cells by extracellular matrix. <i>Kidney International</i> , 1998, 54, 1188-1196.	2.6	44
26	Increase of Serum Angiopoietin-2 During Pregnancy Is Suppressed in Women With Preeclampsia. <i>American Journal of Hypertension</i> , 2005, 18, 1181-1188.	1.0	44
27	Differential expression of glycogenes in tonsillar B lymphocytes in association with proteinuria and renal dysfunction in IgA nephropathy. <i>Clinical Immunology</i> , 2010, 136, 447-455.	1.4	44
28	Amelioration of Cisplatin-Induced Acute Renal Injury by Renal Progenitor-Like Cells Derived from the Adult Rat Kidney. <i>Cell Transplantation</i> , 2008, 17, 143-158.	1.2	43
29	Sensitization to alloxan-induced diabetes and pancreatic cell apoptosis in acatalasemic mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 240-246.	1.8	43
30	Regulation of Angiogenic Factors in Angiotensin II Infusion Model in Association With Tubulointerstitial Injuries. <i>American Journal of Hypertension</i> , 2006, 19, 718-727.	1.0	41
31	Comparison of severity classification in Japanese patients with antineutrophil cytoplasmic antibody-associated vasculitis in a nationwide, prospective, inception cohort study. <i>Modern Rheumatology</i> , 2016, 26, 730-737.	0.9	39
32	Clinical manifestations of Henoch-Schönlein purpura nephritis and IgA nephropathy: comparative analysis of data from the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2016, 20, 552-560.	0.7	38
33	Glomerular cell apoptosis in human lupus nephritis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 67-77.	1.4	36
34	Proposal of podocytic infolding glomerulopathy as a new disease entity: a review of 25 cases from nationwide research in Japan. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 421-431.	0.7	36
35	Pathogenesis of IgA nephropathy. <i>Seminars in Nephrology</i> , 2003, 23, 556-563.	0.6	32
36	A novel variant apolipoprotein E Okayama in a patient with lipoprotein glomerulopathy. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 751-756.	0.4	31

#	ARTICLE	IF	CITATIONS
37	Steroid pulse therapy impaired endothelial function while increasing plasma high molecule adiponectin concentration in patients with IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3475-3480.	0.4	30
38	Clinical Usefulness of a Prognostic Score in Histological Analysis of Renal Biopsy in Patients with Lupus Nephritis. <i>Journal of Rheumatology</i> , 2009, 36, 2218-2223.	1.0	30
39	Sustained-release prostacyclin analog ONO-1301 ameliorates tubulointerstitial alterations in a mouse obstructive nephropathy model. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F1616-F1629.	1.3	30
40	Estrogen-related receptor β is essential for maintaining mitochondrial integrity in cisplatin-induced acute kidney injury. <i>Biochemical and Biophysical Research Communications</i> , 2018, 498, 918-924.	1.0	30
41	Transforming Growth Factor- β 1 Induces Vascular Endothelial Growth Factor Expression in Murine Proximal Tubular Epithelial Cells. <i>Nephron Experimental Nephrology</i> , 2003, 95, e79-e86.	2.4	29
42	Elevated Serum sFlt-1/Ang-2 Ratio in Women with Preeclampsia. <i>Nephron Clinical Practice</i> , 2007, 106, c43-c50.	2.3	29
43	Phenotypic modulation of the mesangium reflected by contractile proteins in diabetes. <i>Diabetes</i> , 1996, 45, 488-495.	0.3	27
44	Mesangial cell Fas ligand: upregulation in human lupus nephritis and NF- κ B-mediated expression in cultured human mesangial cells. <i>Clinical and Experimental Nephrology</i> , 2004, 8, 196-205.	0.7	25
45	C-reactive protein is associated with cigarette smoking-induced hyperfiltration and proteinuria in an apparently healthy population. <i>Hypertension Research</i> , 2010, 33, 1129-1136.	1.5	25
46	Exacerbation of Diabetic Renal Alterations in Mice Lacking Vasohibin-1. <i>PLoS ONE</i> , 2014, 9, e107934.	1.1	25
47	Increased Susceptibility to Oxidant-Mediated Tissue Injury and Peritoneal Fibrosis in Acatalsemic Mice. <i>American Journal of Nephrology</i> , 2008, 28, 661-668.	1.4	24
48	Successful Treatment of Progressive Henoch-Schoenlein Purpura Nephritis with Tonsillectomy and Steroid Pulse Therapy. <i>Internal Medicine</i> , 2005, 44, 611-615.	0.3	23
49	Effect of vitamin E on alloxan-induced mouse diabetes. <i>Clinical Biochemistry</i> , 2013, 46, 795-798.	0.8	23
50	Outcomes of primary nephrotic syndrome in elderly Japanese: retrospective analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2015, 19, 496-505.	0.7	23
51	Phenotypic changes of the mesangium in diabetic nephropathy. <i>Journal of Diabetes and Its Complications</i> , 1995, 9, 282-284.	1.2	22
52	Minimal Change Nephrotic Syndrome Developing during Postoperative Interferon-Beta Therapy for Malignant Melanoma. <i>Nephron</i> , 2002, 90, 498-500.	0.9	22
53	Effluent Free Radicals Are Associated with Residual Renal Function and Predict Technique Failure in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2012, 32, 453-461.	1.1	22
54	Distinct characteristics and outcomes in elderly-onset IgA vasculitis (Henoch-Schönlein purpura) with nephritis: Nationwide cohort study of data from the Japan Renal Biopsy Registry (J-RBR). <i>PLoS ONE</i> , 2018, 13, e0196955.	1.1	22

#	ARTICLE	IF	CITATIONS
55	Enhanced TGF- β /Smad signaling in the early stage of diabetic nephropathy is independent of the AT1a receptor. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 77-87.	0.7	21
56	Serum High-Sensitivity Cardiac Troponin T Is a Significant Biomarker of Left-Ventricular Diastolic Dysfunction in Subjects with Non-Diabetic Chronic Kidney Disease. <i>Nephron Extra</i> , 2011, 1, 166-177.	1.1	21
57	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1266-1280.	0.7	21
58	Diabetic nephropathy is associated with frailty in patients with chronic hemodialysis. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1597-1602.	0.7	20
59	Podocyte autophagy is associated with foot process effacement and proteinuria in patients with minimal change nephrotic syndrome. <i>PLoS ONE</i> , 2020, 15, e0228337.	1.1	20
60	Clinical features and pathogenesis of membranoproliferative glomerulonephritis: a nationwide analysis of the Japan renal biopsy registry from 2007 to 2015. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 797-807.	0.7	19
61	Renal expression of trefoil factor 3 mRNA in association with tubulointerstitial fibrosis in IgA nephropathy. <i>Nephrology</i> , 2018, 23, 855-862.	0.7	19
62	Infusion of angiotensin II reduces loss of glomerular capillary area in the early phase of anti-Thy-1.1 nephritis possibly via regulating angiogenesis-associated factors. <i>Kidney International</i> , 2005, 68, 704-722.	2.6	18
63	The possible involvement of intestine-derived IgA1: a case of IgA nephropathy associated with Crohn's disease. <i>BMC Nephrology</i> , 2016, 17, 122.	0.8	18
64	Drug-induced kidney disease: a study of the Japan Renal Biopsy Registry from 2007 to 2015. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 720-730.	0.7	18
65	Cyanotic congenital heart disease associated with glomerulomegaly and focal segmental glomerulosclerosis: remission of nephrotic syndrome with angiotensin converting enzyme inhibitor. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 144-147.	0.4	17
66	Peripheral artery disease is associated with frailty in chronic hemodialysis patients. <i>Vascular</i> , 2018, 26, 425-431.	0.4	17
67	Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0240402.	1.1	17
68	Effects of icodextrin peritoneal dialysis solution on the peritoneal membrane in the STZ-induced diabetic rat model with partial nephrectomy. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1479-1488.	0.4	16
69	Sustained Tubulointerstitial Inflammation in Kidney with Severe Leptospirosis. <i>Internal Medicine</i> , 2017, 56, 1179-1184.	0.3	16
70	Deletion of pro-angiogenic factor vasohibin-2 ameliorates glomerular alterations in a mouse diabetic nephropathy model. <i>PLoS ONE</i> , 2018, 13, e0195779.	1.1	16
71	Good response of membranous lupus nephritis to tacrolimus. <i>Clinical Nephrology</i> , 2006, 65, 276-279.	0.4	16
72	Fulminant necrotising fasciitis developing during long term corticosteroid treatment of systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 848-849.	0.5	15

#	ARTICLE	IF	CITATIONS
73	Implication of Apoptosis in Progression of Renal Diseases. , 2003, 139, 156-172.		15
74	Characterization of Acatalasemic Erythrocytes Treated with Low and High Dose Hydrogen Peroxide. Journal of Biological Chemistry, 2006, 281, 21728-21734.	1.6	15
75	Downregulation of the α 1,3- Galactosyltransferase Gene in Tonsillar B Lymphocytes and Aberrant Lectin Bindings to Tonsillar IgA as a Pathogenesis of IgA Nephropathy. , 2007, 157, 120-124.		15
76	Urinary and Plasma Levels of Vasohibin-1 Can Predict Renal Functional Deterioration in Patients with Renal Disorders. PLoS ONE, 2014, 9, e96932.	1.1	15
77	Serum cystatin C is an independent biomarker associated with the renal resistive index in patients with chronic kidney disease. PLoS ONE, 2018, 13, e0193695.	1.1	15
78	Suppression of Adiponectin by Aberrantly Glycosylated IgA1 in Glomerular Mesangial Cells In Vitro and In Vivo. PLoS ONE, 2012, 7, e33965.	1.1	14
79	Urine Trefoil Factors as Prognostic Biomarkers in Chronic Kidney Disease. BioMed Research International, 2018, 2018, 1-11.	0.9	14
80	Paratubular basement membrane insudative lesions predict renal prognosis in patients with type 2 diabetes and biopsy-proven diabetic nephropathy. PLoS ONE, 2017, 12, e0183190.	1.1	14
81	Fabry Disease Exhibiting Recurrent Stroke and Persistent Inflammation. Internal Medicine, 2010, 49, 2247-2252.	0.3	13
82	Acatalasemic mice are mildly susceptible to adriamycin nephropathy and exhibit increased albuminuria and glomerulosclerosis. BMC Nephrology, 2012, 13, 14.	0.8	13
83	Abnormalities of Glycogenes in Tonsillar Lymphocytes in IgA Nephropathy. Advances in Oto-Rhino-Laryngology, 2011, 72, 71-74.	1.6	12
84	Reversible Posterior Leukoencephalopathy Syndrome in a Young Adult Patient Receiving Peritoneal Dialysis. Peritoneal Dialysis International, 2012, 32, 587-589.	1.1	12
85	Clinical and histological features of lupus nephritis in Japan: A cross-sectional analysis of the Japan Renal Biopsy Registry (J-RBR). Nephrology, 2017, 22, 885-891.	0.7	12
86	Desmin as a marker of proteinuria in early stages of membranous nephropathy in elderly patients. Clinical Nephrology, 2007, 68, 73-80.	0.4	12
87	Expression, regulation, and function of inhibitor of apoptosis family genes in rat mesangial cells. Kidney International, 2001, 60, 579-586.	2.6	11
88	An Elderly Patient with Severe Acute Renal Failure Due to Sodium Bromate Intoxication. Internal Medicine, 2006, 45, 151-154.	0.3	11
89	Unique microstructures and podocytic infolding in glomerular basement membrane associated with collagen diseases: a report of three cases. Clinical and Experimental Nephrology, 2008, 12, 450-454.	0.7	11
90	Arterial Stiffness is an Independent Risk Factor for Anemia After Percutaneous Native Kidney Biopsy. Kidney and Blood Pressure Research, 2017, 42, 284-293.	0.9	11

#	ARTICLE	IF	CITATIONS
91	Urine 5MedC, a Marker of DNA Methylation, in the Progression of Chronic Kidney Disease. <i>Disease Markers</i> , 2019, 2019, 1-10.	0.6	11
92	The frequency of Fabry disease with the E66Q variant in the β -galactosidase A gene in Japanese dialysis patients: a case report and a literature review. <i>Clinical Nephrology</i> , 2012, 78, 224-229.	0.4	11
93	Development of Angiotensin II-induced Abdominal Aortic Aneurysms Is Independent of Catalase in Mice. <i>Journal of Cardiovascular Pharmacology</i> , 2011, 58, 633-638.	0.8	10
94	Prediction of response to remission induction therapy by gene expression profiling of peripheral blood in Japanese patients with microscopic polyangiitis. <i>Arthritis Research and Therapy</i> , 2017, 19, 117.	1.6	10
95	A retrospective observational study of glucocorticoid-induced diabetes mellitus with IgA nephropathy treated with tonsillectomy plus methylprednisolone pulse therapy. <i>PLoS ONE</i> , 2017, 12, e0178018.	1.1	10
96	Role of Apoptosis in the Progression of Glomerulosclerosis. <i>Contributions To Nephrology</i> , 1996, 118, 41-47.	1.1	9
97	Mechanisms of induction of apoptosis and glomerular disease. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 52-54.	0.4	9
98	The Selection of Peritoneal Mesothelial Cells Is Important for Cell Therapy to Prevent Peritoneal Fibrosis. <i>Tissue Engineering - Part A</i> , 2013, 20, 131203154812003.	1.6	9
99	Histopathological classification of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis in a nationwide Japanese prospective 2-year follow-up cohort study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 387-394.	0.7	9
100	Methylprednisolone Accelerates the Resolution of Glomerulonephritis by Sensitizing Mesangial Cells to Apoptosis. <i>Nephron Experimental Nephrology</i> , 2001, 9, 317-326.	2.4	8
101	The influences of larger physical constitutions including obesity on the amount of urine protein excretion in primary glomerulonephritis: research of the Japan Renal Biopsy Registry. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 359-370.	0.7	8
102	Performance in adolescents of the two Japanese serum creatinine based estimated glomerular filtration rate equations, for adults and paediatric patients: A study of the Japan Renal Biopsy Registry and Japan Kidney Disease Registry from 2007 to 2013. <i>Nephrology</i> , 2017, 22, 494-497.	0.7	8
103	A case of immunotactoid glomerulopathy exhibiting nephrotic syndrome successfully treated with corticosteroids and antihypertensive therapy. <i>Clinical and Experimental Nephrology</i> , 2009, 13, 378-384.	0.7	7
104	A clinical evaluation of renal amyloidosis in the Japan renal biopsy registry: a cross-sectional study. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 624-632.	0.7	7
105	The relationship between repeated measurement of casual and 24-h urinary sodium-to-potassium ratio in patients with chronic kidney disease. <i>Journal of Human Hypertension</i> , 2019, 33, 286-297.	1.0	7
106	Intermittent administration of a sustained-release prostacyclin analog ONO-1301 ameliorates renal alterations in a rat type 1 diabetes model. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2011, 84, 99-107.	1.0	6
107	A case of monoclonal immunoglobulin light- and heavy-chain deposition disease exhibiting atypical deposition with fibrillary structures, successfully treated with chemotherapy. <i>Clinical Nephrology</i> , 2005, 64, 221-227.	0.4	6
108	Prevalence of Chronic Kidney Disease and Variation of Its Risk Factors by the Regions in Okayama Prefecture. <i>Journal of Personalized Medicine</i> , 2022, 12, 97.	1.1	6

#	ARTICLE	IF	CITATIONS
109	Clinical findings on ANCA-associated renal vasculitis from the Japan RPGN registry obtained via a questionnaire survey. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 646-649.	0.7	5
110	The urinary levels of prostanoid metabolites predict acute kidney injury in heterogeneous adult Japanese ICU patients: a prospective observational study. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1024-1036.	0.7	5
111	<p>Report of health checkup system for chronic kidney disease in general population in Okayama city: effect of health guidance intervention on chronic kidney disease outcome</p>. <i>International Journal of Nephrology and Renovascular Disease</i> , 2019, Volume 12, 143-152.	0.8	5
112	Genetic Deletion of Vasohibin-2 Exacerbates Ischemia-Reperfusion-Induced Acute Kidney Injury. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4545.	1.8	5
113	Renal distribution of Vasohibin-1 in patients with chronic kidney disease. <i>Acta Medica Okayama</i> , 2014, 68, 219-33.	0.1	5
114	Transition of Morphologic Features in Lupus Nephritis: Does Steroid Therapy Accelerate Glomerulosclerosis?. <i>Internal Medicine</i> , 1995, 34, 982-987.	0.3	4
115	Caldesmon Isoform Associated with Phenotypic Modulation of Mesangial Cells. <i>Nephron Experimental Nephrology</i> , 2000, 8, 20-27.	2.4	4
116	Peritoneovenous shunting for refractory ascites results in worsening of nephrotic syndrome. <i>Hepatology Research</i> , 2012, 42, 1048-1053.	1.8	4
117	Successful treatment by mycophenolate mofetil in a patient with focal segmental glomerulosclerosis associated with posterior reversible encephalopathy syndrome. <i>CEN Case Reports</i> , 2015, 4, 190-195.	0.5	3
118	Impaired mental health status in patients with chronic kidney disease is associated with estimated glomerular filtration rate decline. <i>Nephrology</i> , 2019, 24, 926-932.	0.7	3
119	Temporal change in life and renal prognosis of rapidly progressive glomerulonephritis in Japan via nationwide questionnaire survey. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 573-575.	0.7	3
120	Age-dependent survival in rapidly progressive glomerulonephritis: A nationwide questionnaire survey from children to the elderly. <i>PLoS ONE</i> , 2020, 15, e0236017.	1.1	3
121	Blood concentrations of tacrolimus upon conversion from rabeprazole to vonoprazan in renal transplant recipients: Correlation with cytochrome P450 gene polymorphisms. <i>Drug Metabolism and Pharmacokinetics</i> , 2021, 40, 100407.	1.1	3
122	ONO-1301, a sustained-release prostacyclin analog, ameliorates the renal alterations in a mouse type 2 diabetes model possibly through its protective effects on mesangial cells. <i>Acta Medica Okayama</i> , 2015, 69, 1-15.	0.1	3
123	A case of focal segmental glomerulosclerosis in an adult patient with hypogammaglobulinemia superimposed on membranoproliferative glomerulonephritis in childhood. <i>BMC Nephrology</i> , 2012, 13, 46.	0.8	2
124	The therapeutic potential of synthetic human atrial natriuretic peptide in nephrotic syndrome: a randomized controlled trial. <i>International Journal of Nephrology and Renovascular Disease</i> , 2012, 5, 91.	0.8	2
125	Autoimmune pancreatitis and minimal change nephrotic syndrome: an unusual association?. <i>Nephrology</i> , 2015, 20, 225-226.	0.7	2
126	Plasma Globotriaosylsphingosine and β -Galactosidase A Activity as a Combined Screening Biomarker for Fabry Disease in a Large Japanese Cohort. <i>Current Issues in Molecular Biology</i> , 2021, 43, 389-404.	1.0	2

#	ARTICLE	IF	CITATIONS
127	Treatment of Severe Thrombocytopenia with Intravenous Immunoglobulins and Corticosteroids in a Patient Receiving Continuous Ambulatory Peritoneal Dialysis. <i>Nephron</i> , 1997, 77, 371-372.	0.6	1
128	Right hypoplastic kidney. <i>Kidney International</i> , 2012, 82, 1037.	2.6	1
129	IgA Nephropathy Complicated with X-linked Thrombocytopenia. <i>Acta Medica Okayama</i> , 2018, 72, 301-307.	0.1	1
130	Lewis ^y Expression and Renal Tubular Atrophy in IgA Nephritis. <i>Nephron</i> , 2000, 84, 274-275.	0.9	0
131	Primary peritoneal carcinosarcoma in a dialysis patient. <i>Nephrology</i> , 2017, 22, 925-925.	0.7	0
132	The Efficacy of Rituximab in High-risk Renal Transplant Recipients. <i>Acta Medica Okayama</i> , 2016, 70, 295-7.	0.1	0