William J Griffiths

List of Publications by Citations

Source: https://exaly.com/author-pdf/4373071/william-j-griffiths-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

254 9,075 49 84 g-index

277 10,313 5.3 6.22 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|---|-------------------|-----------|
| 254 | Docosahexaenoic acid, a ligand for the retinoid X receptor in mouse brain. <i>Science</i> , 2000 , 290, 2140-4 | 33.3 | 644 |
| 253 | Shorthand notation for lipid structures derived from mass spectrometry. <i>Journal of Lipid Research</i> , 2013 , 54, 1523-1530 | 6.3 | 531 |
| 252 | The transcription factor STAT-1 couples macrophage synthesis of 25-hydroxycholesterol to the interferon antiviral response. <i>Immunity</i> , 2013 , 38, 106-18 | 32.3 | 258 |
| 251 | Tandem mass spectrometry in the study of fatty acids, bile acids, and steroids. <i>Mass Spectrometry Reviews</i> , 2003 , 22, 81-152 | 11 | 253 |
| 250 | Targeted metabolomics for biomarker discovery. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 5426-45 | 16.4 | 248 |
| 249 | Polyunsaturated fatty acids including docosahexaenoic and arachidonic acid bind to the retinoid X receptor alpha ligand-binding domain. <i>Molecular and Cellular Proteomics</i> , 2004 , 3, 692-703 | 7.6 | 223 |
| 248 | Mass spectrometry: from proteomics to metabolomics and lipidomics. <i>Chemical Society Reviews</i> , 2009 , 38, 1882-96 | 58.5 | 179 |
| 247 | Electrospray and tandem mass spectrometry in biochemistry. <i>Biochemical Journal</i> , 2001 , 355, 545-61 | 3.8 | 144 |
| 246 | Release of metabolic enzymes by Giardia in response to interaction with intestinal epithelial cells. <i>Molecular and Biochemical Parasitology</i> , 2008 , 159, 85-91 | 1.9 | 135 |
| 245 | Neurosteroids in rat brain: extraction, isolation, and analysis by nanoscale liquid chromatography-electrospray mass spectrometry. <i>Analytical Chemistry</i> , 2003 , 75, 5835-46 | 7.8 | 123 |
| 244 | Eoxins are proinflammatory arachidonic acid metabolites produced via the 15-lipoxygenase-1 pathway in human eosinophils and mast cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 680-5 | 11.5 | 121 |
| 243 | Update on LIPID MAPS classification, nomenclature, and shorthand notation for MS-derived lipid structures. <i>Journal of Lipid Research</i> , 2020 , 61, 1539-1555 | 6.3 | 119 |
| 242 | DMSO-related effects in protein characterization. <i>Journal of Biomolecular Screening</i> , 2006 , 11, 131-7 | | 110 |
| 241 | Bile acids: analysis in biological fluids and tissues. <i>Journal of Lipid Research</i> , 2010 , 51, 23-41 | 6.3 | 102 |
| 240 | Derivatisation for the characterisation of neutral oxosteroids by electrospray and matrix-assisted laser desorption/ionisation tandem mass spectrometry: the Girard P derivative. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 924-35 | 2.2 | 96 |
| 239 | Cholesterol 25-hydroxylase suppresses SARS-CoV-2 replication by blocking membrane fusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 32105-3211 | 3 ^{11.5} | 96 |
| 238 | Cerebrospinal fluid steroidomics: are bioactive bile acids present in brain?. <i>Journal of Biological Chemistry</i> , 2010 , 285, 4666-79 | 5.4 | 94 |

| 237 | Bile acids: analysis in biological fluids and tissues. <i>Journal of Lipid Research</i> , 2010 , 51, 23-41 | 6.3 | 94 |
|-----|---|------|----|
| 236 | Liquid chromatography-mass spectrometry utilizing multi-stage fragmentation for the identification of oxysterols. <i>Journal of Lipid Research</i> , 2007 , 48, 976-87 | 6.3 | 93 |
| 235 | Analysis of oxysterols by electrospray tandem mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2006 , 17, 341-62 | 3.5 | 92 |
| 234 | Novel lipoidal derivatives of pregnenolone and dehydroepiandrosterone and absence of their sulfated counterparts in rodent brain. <i>Journal of Lipid Research</i> , 2004 , 45, 2287-302 | 6.3 | 91 |
| 233 | Brain endogenous liver X receptor ligands selectively promote midbrain neurogenesis. <i>Nature Chemical Biology</i> , 2013 , 9, 126-33 | 11.7 | 88 |
| 232 | Identification of immunoreactive proteins during acute human giardiasis. <i>Journal of Infectious Diseases</i> , 2003 , 187, 1849-59 | 7 | 87 |
| 231 | Pregnenolone sulfate in the brain: a controversial neurosteroid. <i>Neurochemistry International</i> , 2008 , 52, 522-40 | 4.4 | 86 |
| 230 | Vernix caseosa as a multi-component defence system based on polypeptides, lipids and their interactions. <i>Cellular and Molecular Life Sciences</i> , 2005 , 62, 2390-9 | 10.3 | 85 |
| 229 | Synthetic peptide-containing surfactantsevaluation of transmembrane versus amphipathic helices and surfactant protein C poly-valyl to poly-leucyl substitution. <i>FEBS Journal</i> , 1998 , 255, 116-24 | | 77 |
| 228 | Determination of dissociation constants for protein-ligand complexes by electrospray ionization mass spectrometry. <i>Analytical Chemistry</i> , 2004 , 76, 4325-31 | 7.8 | 76 |
| 227 | Lipidomics needs more standardization. <i>Nature Metabolism</i> , 2019 , 1, 745-747 | 14.6 | 74 |
| 226 | Defective cholesterol metabolism in amyotrophic lateral sclerosis. <i>Journal of Lipid Research</i> , 2017 , 58, 267-278 | 6.3 | 73 |
| 225 | Targeted metabolomics and mass spectrometry. <i>Advances in Protein Chemistry and Structural Biology</i> , 2010 , 80, 45-83 | 5.3 | 73 |
| 224 | Characterisation of alpha-1 giardin: an immunodominant Giardia lamblia annexin with glycosaminoglycan-binding activity. <i>International Journal for Parasitology</i> , 2003 , 33, 1341-51 | 4.3 | 73 |
| 223 | Cholestenoic acids regulate motor neuron survival via liver X receptors. <i>Journal of Clinical Investigation</i> , 2014 , 124, 4829-42 | 15.9 | 69 |
| 222 | Apolipoprotein CIII promotes Ca2+-dependent beta cell death in type 1 diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 10090-4 | 11.5 | 69 |
| 221 | Methods for oxysterol analysis: past, present and future. <i>Biochemical Pharmacology</i> , 2013 , 86, 3-14 | 6 | 68 |
| 220 | Quantitative charge-tags for sterol and oxysterol analysis. <i>Clinical Chemistry</i> , 2015 , 61, 400-11 | 5.5 | 68 |

| 219 | Analysis of oxosteroids by nano-electrospray mass spectrometry of their oximes. <i>Rapid Communications in Mass Spectrometry</i> , 2000 , 14, 390-400 | 2.2 | 67 |
|-----|--|-----|----|
| 218 | Cholesterol metabolites exported from human brain. <i>Steroids</i> , 2015 , 99, 189-93 | 2.8 | 64 |
| 217 | Analysis of neurosterols by GC-MS and LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2778-805 | 3.2 | 63 |
| 216 | Discovering oxysterols in plasma: a window on the metabolome. <i>Journal of Proteome Research</i> , 2008 , 7, 3602-12 | 5.6 | 63 |
| 215 | Characterization of troponin responses in isoproterenol-induced cardiac injury in the Hanover Wistar rat. <i>Toxicologic Pathology</i> , 2007 , 35, 606-17 | 2.1 | 61 |
| 214 | The effect of 24S-hydroxycholesterol on cholesterol homeostasis in neurons: quantitative changes to the cortical neuron proteome. <i>Journal of Proteome Research</i> , 2008 , 7, 1606-14 | 5.6 | 60 |
| 213 | Effects of a disrupted blood-brain barrier on cholesterol homeostasis in the brain. <i>Journal of Biological Chemistry</i> , 2014 , 289, 23712-22 | 5.4 | 59 |
| 212 | Reduction of S-nitrosoglutathione by human alcohol dehydrogenase 3 is an irreversible reaction as analysed by electrospray mass spectrometry. <i>FEBS Journal</i> , 2003 , 270, 1249-56 | | 57 |
| 211 | Identification of unusual 7-oxygenated bile acid sulfates in a patient with Niemann-Pick disease, type C. <i>Journal of Lipid Research</i> , 2001 , 42, 1571-1577 | 6.3 | 57 |
| 210 | Peptide repertoire of human cerebrospinal fluid: novel proteolytic fragments of neuroendocrine proteins. <i>Biomedical Applications</i> , 2001 , 754, 357-67 | | 55 |
| 209 | Alkaline hydrolysis of oxaliplatinisolation and identification of the oxalato monodentate intermediate. <i>Journal of Pharmaceutical Sciences</i> , 2002 , 91, 2116-21 | 3.9 | 53 |
| 208 | Prothioconazole and prothioconazole-desthio activities against Candida albicans sterol 14-Edemethylase. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 1639-45 | 4.8 | 52 |
| 207 | A comprehensive machine-readable view of the mammalian cholesterol biosynthesis pathway. <i>Biochemical Pharmacology</i> , 2013 , 86, 56-66 | 6 | 49 |
| 206 | Analytical strategies for characterization of oxysterol lipidomes: liver X receptor ligands in plasma. <i>Free Radical Biology and Medicine</i> , 2013 , 59, 69-84 | 7.8 | 49 |
| 205 | Multiple-approaches to the identification and quantification of cytochromes P450 in human liver tissue by mass spectrometry. <i>Journal of Proteome Research</i> , 2009 , 8, 1672-81 | 5.6 | 48 |
| 204 | Potential of sterol analysis by liquid chromatography-tandem mass spectrometry for the prenatal diagnosis of Smith-Lemli-Opitz syndrome. <i>Clinical Chemistry</i> , 2008 , 54, 1317-24 | 5.5 | 48 |
| 203 | Analysis of bile acids and bile alcohols in urine by capillary column liquid chromatography-mass spectrometry using fast atom bombardment or electrospray ionization and collision-induced dissociation. <i>Biomedical Chromatography</i> , 1997 , 11, 240-55 | 1.7 | 47 |
| 202 | Liver disease in infancy caused by oxysterol 7 Hydroxylase deficiency: successful treatment with chenodeoxycholic acid. <i>Journal of Inherited Metabolic Disease</i> , 2014 , 37, 851-61 | 5.4 | 46 |

(2007-2007)

| 201 | Deletion of a xenobiotic metabolizing gene in mice affects folate metabolism. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 364, 556-60 | 3.4 | 46 | |
|-----|---|------|----|--|
| 200 | Accurate mass measurement by electrospray ionization quadrupole mass spectrometry: detection of variants differing by . <i>Analytical Chemistry</i> , 2003 , 75, 1978-82 | 7.8 | 46 | |
| 199 | Nano-electrospray tandem mass spectrometry for the analysis of neurosteroid sulphates. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 1595-610 | 2.2 | 46 | |
| 198 | New methods for analysis of oxysterols and related compounds by LC-MS. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 162, 4-26 | 5.1 | 45 | |
| 197 | Oxysterol research: a brief review. <i>Biochemical Society Transactions</i> , 2019 , 47, 517-526 | 5.1 | 44 | |
| 196 | Matrix-assisted laser desorption/ionization high-energy collision-induced dissociation of steroids: analysis of oxysterols in rat brain. <i>Analytical Chemistry</i> , 2006 , 78, 164-73 | 7.8 | 44 | |
| 195 | The energies of triplet states of CO2+2 and OCS2+ ions. An experimental investigation by double-charge-transfer spectroscopy. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989 , 87, 349-357 | | 44 | |
| 194 | The role of microRNA-155/liver X receptor pathway in experimental and idiopathic pulmonary fibrosis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1946-1956 | 11.5 | 42 | |
| 193 | Comparative cytochrome P450 proteomics in the livers of immunodeficient mice using 18O stable isotope labeling. <i>Molecular and Cellular Proteomics</i> , 2007 , 6, 953-62 | 7.6 | 42 | |
| 192 | The palmitoyl groups of lung surfactant protein C reduce unfolding into a fibrillogenic intermediate. <i>Journal of Molecular Biology</i> , 2001 , 310, 937-50 | 6.5 | 42 | |
| 191 | On the formation of 7-ketocholesterol from 7-dehydrocholesterol in patients with CTX and SLO. <i>Journal of Lipid Research</i> , 2014 , 55, 1165-72 | 6.3 | 41 | |
| 190 | Analysis of bioactive oxysterols in newborn mouse brain by LC/MS. <i>Journal of Lipid Research</i> , 2012 , 53, 2469-83 | 6.3 | 41 | |
| 189 | Oxysterols in the brain of the cholesterol 24-hydroxylase knockout mouse. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 446, 768-74 | 3.4 | 38 | |
| 188 | The major metabolites of ursodeoxycholic acid in human urine are conjugated with N-acetylglucosamine. <i>Hepatology</i> , 1994 , 20, 845-53 | 11.2 | 38 | |
| 187 | Analysis of pregnenolone and dehydroepiandrosterone in rodent brain: cholesterol autoxidation is the key. <i>Journal of Lipid Research</i> , 2009 , 50, 2430-44 | 6.3 | 37 | |
| 186 | The mammalian alcohol dehydrogenases interact in several metabolic pathways. <i>Chemico-Biological Interactions</i> , 2003 , 143-144, 175-81 | 5 | 37 | |
| 185 | Current trends in oxysterol research. <i>Biochemical Society Transactions</i> , 2016 , 44, 652-8 | 5.1 | 37 | |
| 184 | Metabolomics and metabolite profiling: past heroes and future developments. <i>European Journal of Mass Spectrometry</i> , 2007 , 13, 45-50 | 1.1 | 36 | |

| 183 | Charge Remote Fragmentation of Fatty Acid Anions in 400 eV Collisions with Xenon Atoms. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 21-28 | 2.2 | 36 |
|-----|---|-----|----|
| 182 | Cholesterolomics: An update. <i>Analytical Biochemistry</i> , 2017 , 524, 56-67 | 3.1 | 35 |
| 181 | Observation of an intact noncovalent homotrimer of detergent-solubilized rat microsomal glutathione transferase-1 by electrospray mass spectrometry. <i>Journal of Biological Chemistry</i> , 2004 , 279, 13311-6 | 5.4 | 35 |
| 180 | Metabolic Network Analysis Reveals Altered Bile Acid Synthesis and Metabolism in Alzheimer's Disease. <i>Cell Reports Medicine</i> , 2020 , 1, 100138 | 18 | 34 |
| 179 | Analysis of neurosterols and neurosteroids by mass spectrometry. <i>Biochimie</i> , 2007 , 89, 182-91 | 4.6 | 33 |
| 178 | Analysis of derivatised steroids by matrix-assisted laser desorption/ionisation and post-source decay mass spectrometry. <i>Steroids</i> , 2006 , 71, 42-53 | 2.8 | 33 |
| 177 | An Interferon Regulated MicroRNA Provides Broad Cell-Intrinsic Antiviral Immunity through Multihit Host-Directed Targeting of the Sterol Pathway. <i>PLoS Biology</i> , 2016 , 14, e1002364 | 9.7 | 33 |
| 176 | Nano-liquid chromatography-tandem mass spectrometry analysis of oxysterols in brain: monitoring of cholesterol autoxidation. <i>Chemistry and Physics of Lipids</i> , 2011 , 164, 411-24 | 3.7 | 32 |
| 175 | Antibacterial peptides in stimulated human granulocytes: characterization of ubiquitinated histone H1A. <i>FEBS Journal</i> , 2002 , 269, 512-8 | | 32 |
| 174 | A Comparison of Fast-atom Bombardment and Electrospray as Methods of Ionization in the Study of Sulphated- and Sulphonated-lipids by Tandem Mass Spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 1169-1174 | 2.2 | 31 |
| 173 | Targeted lipidomic analysis of oxysterols in the embryonic central nervous system. <i>Molecular BioSystems</i> , 2009 , 5, 529-41 | | 30 |
| 172 | The identification of novel steroid N-acetylglucosaminides in the urine of pregnant women. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1996 , 58, 585-98 | 5.1 | 30 |
| 171 | Isolation and structure of a new galactolipid from oat seeds. <i>Lipids</i> , 1998 , 33, 355-63 | 1.6 | 29 |
| 170 | Capillary liquid chromatography/electrospray mass spectrometry for analysis of steroid sulfates in biological samples. <i>Analytical Chemistry</i> , 2003 , 75, 791-7 | 7.8 | 29 |
| 169 | Double ionization energies of fluoromethanes measured using a double electron-capture technique. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1988 , 85, 69-79 | | 28 |
| 168 | Oxysterols as lipid mediators: Their biosynthetic genes, enzymes and metabolites. <i>Prostaglandins and Other Lipid Mediators</i> , 2020 , 147, 106381 | 3.7 | 28 |
| 167 | Analysis of oxysterol metabolomes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011 , 1811, 784-99 | 5 | 27 |
| 166 | On the future of "omics": lipidomics. <i>Journal of Inherited Metabolic Disease</i> , 2011 , 34, 583-92 | 5.4 | 27 |

| 165 | Analytical strategies for characterization of bile acid and oxysterol metabolomes. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 396, 80-4 | 3.4 | 27 | |
|-----|--|------|----|--|
| 164 | A proteomic approach to the identification of cytochrome P450 isoforms in male and female rat liver by nanoscale liquid chromatography-electrospray ionization-tandem mass spectrometry. <i>Drug Metabolism and Disposition</i> , 2004 , 32, 382-6 | 4 | 27 | |
| 163 | Sterols and oxysterols in plasma from Smith-Lemli-Opitz syndrome patients. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 169, 77-87 | 5.1 | 26 | |
| 162 | Reduced Plasma Levels of 25-Hydroxycholesterol and Increased Cerebrospinal Fluid Levels of Bile Acid Precursors in Multiple Sclerosis Patients. <i>Molecular Neurobiology</i> , 2017 , 54, 8009-8020 | 6.2 | 26 | |
| 161 | Microsomal glutathione transferase 1 exhibits one-third-of-the-sites-reactivity towards glutathione. <i>Archives of Biochemistry and Biophysics</i> , 2009 , 487, 42-8 | 4.1 | 26 | |
| 160 | Characterization of carrot pectin methylesterase. Cellular and Molecular Life Sciences, 2002, 59, 513-8 | 10.3 | 26 | |
| 159 | Gln-Gly cleavage: correlation between collision-induced dissociation and biological degradation. <i>Journal of the American Society for Mass Spectrometry</i> , 2001 , 12, 337-42 | 3.5 | 26 | |
| 158 | Possible release of an ArgGlyArgProGln pentapeptide with innate immunity properties from acidic proline-rich proteins by proteolytic activity in commensal streptococcus and actinomyces species. <i>Infection and Immunity</i> , 2000 , 68, 5425-9 | 3.7 | 26 | |
| 157 | Localization of sterols and oxysterols in mouse brain reveals distinct spatial cholesterol metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 5749-5760 | 11.5 | 26 | |
| 156 | Identification of cytochrome P450 enzymes in human colorectal metastases and the surrounding liver: a proteomic approach. <i>European Journal of Cancer</i> , 2004 , 40, 2127-34 | 7.5 | 25 | |
| 155 | Characterisation of variant forms of prophenin: mechanistic aspects of the fragmentation of proline-rich peptides. <i>Rapid Communications in Mass Spectrometry</i> , 2000 , 14, 2182-202 | 2.2 | 25 | |
| 154 | The Biosynthesis of Enzymatically Oxidized Lipids. <i>Frontiers in Endocrinology</i> , 2020 , 11, 591819 | 5.7 | 25 | |
| 153 | Hydrogen/deuterium exchange and aggregation of a polyvaline and a polyleucine alpha-helix investigated by matrix-assisted laser desorption ionization mass spectrometry. <i>Molecular and Cellular Proteomics</i> , 2002 , 1, 592-7 | 7.6 | 24 | |
| 152 | Additional pathways of sterol metabolism: Evidence from analysis of Cyp27a1-/- mouse brain and plasma. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 191-211 | 5 | 24 | |
| 151 | Proteomic analysis of cytochromes P450: a mass spectrometry approach. <i>Biochemical Society Transactions</i> , 2006 , 34, 1246-51 | 5.1 | 23 | |
| 150 | High-energy collision-induced dissociation of oxosteroids derivatised to Girard hydrazones. <i>European Journal of Mass Spectrometry</i> , 2004 , 10, 63-88 | 1.1 | 23 | |
| 149 | Experimental evidence for the stability of the NH4., H3O., H3S., and H3. radicals by neutralization-reionization spectroscopy. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1987 , 77, 233-239 | | 23 | |
| 148 | Elevated oxysterol levels in human and mouse livers reflect nonalcoholic steatohepatitis. <i>Journal of Lipid Research</i> , 2019 , 60, 1270-1283 | 6.3 | 22 | |

| 147 | Sterol lipidomics in health and disease: Methodologies and applications. <i>European Journal of Lipid Science and Technology</i> , 2009 , 111, 14-38 | 3 | 22 |
|-----|--|-----|----|
| 146 | De novo sequencing of proteolytic peptides by a combination of C-terminal derivatization and nano-electrospray/collision-induced dissociation mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2000 , 11, 673-86 | 3.5 | 22 |
| 145 | Evidence for protein dolichylation. FEBS Letters, 1997, 416, 235-8 | 3.8 | 21 |
| 144 | Demonstration of leukotriene-C4 synthase in platelets and species distribution of the enzyme activity. <i>FEBS Journal</i> , 1998 , 251, 227-35 | | 21 |
| 143 | The antimicrobial peptide LL-37 binds to the human plasma protein apolipoprotein A-I. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 588-9 | 2.2 | 21 |
| 142 | Electrospray tandem mass spectrometry of intact beta-chain hemoglobin variants. <i>Analytical Chemistry</i> , 2002 , 74, 2097-102 | 7.8 | 21 |
| 141 | Double ionisation energy of methane measured using a double electron capture technique. <i>Journal of Physics B: Atomic and Molecular Physics</i> , 1987 , 20, L493-L497 | | 21 |
| 140 | 24(),25-Epoxycholesterol and () overexpression promote midbrain dopaminergic neurogenesis. <i>Journal of Biological Chemistry</i> , 2019 , 294, 4169-4176 | 5.4 | 20 |
| 139 | Identification of unusual oxysterols and bile acids with 7-oxo or 3压低吐rihydroxy functions in human plasma by charge-tagging mass spectrometry with multistage fragmentation. <i>Journal of Lipid Research</i> , 2018 , 59, 1058-1070 | 6.3 | 20 |
| 138 | An update on oxysterol biochemistry: New discoveries in lipidomics. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 504, 617-622 | 3.4 | 20 |
| 137 | An assay combining high-performance liquid chromatography and mass spectrometry to measure DNA interstrand cross-linking efficiency in oligonucleotides of varying sequences. <i>Analytical Biochemistry</i> , 2008 , 374, 173-81 | 3.1 | 20 |
| 136 | On-column electrochemical reactions accompanying the electrospray process. <i>Analytical Chemistry</i> , 2003 , 75, 1022-30 | 7.8 | 20 |
| 135 | Characterization of conjugated metabolites of benzo[a]pyrene in germ-free rat urine by liquid chromatography/electrospray tandem mass spectrometry. <i>Chemical Research in Toxicology</i> , 1999 , 12, 1182-9 | 4 | 20 |
| 134 | Analysis of Dolichols and Polyprenols and Their Derivatives by Electron Impact, Fast Atom Bombardment and Electrospray Ionization Tandem Mass Spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 663-675 | 2.2 | 20 |
| 133 | Metabolism of Non-Enzymatically Derived Oxysterols: Clues from sterol metabolic disorders. <i>Free Radical Biology and Medicine</i> , 2019 , 144, 124-133 | 7.8 | 19 |
| 132 | Analysis by liquid chromatography-mass spectrometry of sterols and oxysterols in brain of the newborn Dhcr7(B-5/T93M) mouse: a model of Smith-Lemli-Opitz syndrome. <i>Biochemical Pharmacology</i> , 2013 , 86, 43-55 | 6 | 19 |
| 131 | Capillary liquid chromatography combined with tandem mass spectrometry for the study of neurosteroids and oxysterols in brain. <i>Neurochemistry International</i> , 2008 , 52, 506-21 | 4.4 | 19 |
| 130 | Hodgkin Reed-Sternberg cells express 15-lipoxygenase-1 and are putative producers of eoxins in vivo: novel insight into the inflammatory features of classical Hodgkin lymphoma. <i>FEBS Journal</i> , 2008 , 275, 4222-34 | 5.7 | 19 |

| 129 | Porcine pulmonary surfactant preparations contain the antibacterial peptide prophenin and a C-terminal 18-residue fragment thereof. <i>FEBS Letters</i> , 1999 , 460, 257-62 | 3.8 | 19 |
|-----|--|------|----|
| 128 | The oxysterol and cholestenoic acid profile of mouse cerebrospinal fluid. <i>Steroids</i> , 2015 , 99, 172-7 | 2.8 | 18 |
| 127 | Spectroscopic Methods of Steroid Analysis 2010 , 27-161 | | 18 |
| 126 | Quantitative proteomics characterization of a mouse embryonic stem cell model of Down syndrome. <i>Molecular and Cellular Proteomics</i> , 2009 , 8, 585-95 | 7.6 | 18 |
| 125 | Electrospray-collision-induced dissociation mass spectrometry of mono-, di- and tri-hydroxylated lipoxygenase products, including leukotrienes of the B-series and lipoxins. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 183-96 | 2.2 | 18 |
| 124 | Comparison of the composition of bile acids in bile of patients with adenocarcinoma of the pancreas and benign disease. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 174, 290-295 | 5.1 | 17 |
| 123 | Components derived from Pelargonium stimulate macrophage killing of Mycobacterium species. Journal of Applied Microbiology, 2009 , 106, 1184-93 | 4.7 | 17 |
| 122 | Electrospray tandem mass spectrometry in the rapid identification of alpha-chain haemoglobin variants. <i>Rapid Communications in Mass Spectrometry</i> , 2000 , 14, 1184-94 | 2.2 | 17 |
| 121 | Charge-remote fragmentation of sulphated and glucuronidated bile acids and their 2-aminoethanesulphonic acid derivatives. <i>Rapid Communications in Mass Spectrometry</i> , 1994 , 8, 227-236 | 2.2 | 17 |
| 120 | The benzene dication: Energies of excited states determined by double-charge-transfer spectroscopy using OH+ and F+ projectile ions. <i>Chemical Physics</i> , 1991 , 157, 299-304 | 2.3 | 17 |
| 119 | Concentrations of bile acid precursors in cerebrospinal fluid of Alzheimer's disease patients. <i>Free Radical Biology and Medicine</i> , 2019 , 134, 42-52 | 7.8 | 17 |
| 118 | Dolichol-like lipids with stimulatory effect on DNA synthesis: Substrates for protein dolichylation? 1998, 71, 502-514 | | 16 |
| 117 | Ring opening of benzo[a]pyrene in the germ-free rat is a novel pathway for formation of potentially genotoxic metabolites. <i>Biochemistry</i> , 2000 , 39, 15585-91 | 3.2 | 16 |
| 116 | An experimental investigation of a reaction window in cross-sections for double-charge-transfer reactions. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989 , 87, R1-R6 | | 16 |
| 115 | Double ionization energies of the chlorofluoromethanes CF3Cl, CF2Cl2 and CFCl3 determined using double-charge-transfer spectroscopy. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1988 , 86, 341-350 | | 16 |
| 114 | Analysis of Bile Acids 2010 , 837-966 | | 16 |
| 113 | Quality control requirements for the correct annotation of lipidomics data. <i>Nature Communications</i> , 2021 , 12, 4771 | 17.4 | 16 |
| 112 | 24S,25-Epoxycholesterol in mouse and rat brain. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 449, 229-34 | 3.4 | 15 |

| 111 | Role of AMACR (Emethylacyl-CoA racemase) and MFE-1 (peroxisomal multifunctional enzyme-1) in bile acid synthesis in mice. <i>Biochemical Journal</i> , 2014 , 461, 125-35 | 3.8 | 15 |
|-----|---|-----|----|
| 110 | Proteomic investigation of urinary markers of carbon-tetrachloride-induced hepatic fibrosis in the Hanover Wistar rat. <i>Cell Biology and Toxicology</i> , 2009 , 25, 499-512 | 7.4 | 15 |
| 109 | Charge-remote fragmentation of peptides derivatized with 4-aminonaphthalenesulphonic acid. <i>Rapid Communications in Mass Spectrometry</i> , 1994 , 8, 797-803 | 2.2 | 15 |
| 108 | Unravelling new pathways of sterol metabolism: lessons learned from in-born errors and cancer. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018 , 21, 90-96 | 3.8 | 14 |
| 107 | Characterisation of polyacetylenes isolated from carrot (Daucus carota) extracts by negative ion tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 2231-9 | 2.2 | 14 |
| 106 | Membrane activity of (Cys48Ser) lung surfactant protein B increases with dimerisation. <i>Biological Chemistry</i> , 2001 , 382, 933-9 | 4.5 | 14 |
| 105 | Doubly ionized states of carbon tetrafluoride. <i>Chemical Physics</i> , 1993 , 173, 109-121 | 2.3 | 14 |
| 104 | First international descriptive and interventional survey for cholesterol and non-cholesterol sterol determination by gas- and liquid-chromatography-Urgent need for harmonisation of analytical methods. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019 , 190, 115-125 | 5.1 | 13 |
| 103 | General Methods for the Extraction, Purification, and Measurement of Steroids by Chromatography and Mass Spectrometry 2010 , 163-282 | | 13 |
| 102 | Cardiac troponin I in isoproterenol-induced cardiac injury in the Hanover Wistar rat: studies on low dose levels and routes of administration. <i>Toxicologic Pathology</i> , 2010 , 38, 287-91 | 2.1 | 13 |
| 101 | Electrospray Mass Spectrometry: An Efficient Method to Detect Silent Hemoglobin Variants Causing Erythrocytosis. <i>Clinical Chemistry</i> , 2001 , 47, 1308-1311 | 5.5 | 13 |
| 100 | Neuro-oxysterols and neuro-sterols as ligands to nuclear receptors, GPCRs, ligand-gated ion channels and other protein receptors. <i>British Journal of Pharmacology</i> , 2021 , 178, 3176-3193 | 8.6 | 12 |
| 99 | Identification of 7⊉4-dihydroxy-3-oxocholest-4-en-26-oic and 7⊉5-dihydroxy-3-oxocholest-4-en-26-oic acids in human cerebrospinal fluid and plasma. <i>Biochimie</i> , 2018 , 153, 86-98 | 4.6 | 12 |
| 98 | Evaluation of novel derivatisation reagents for the analysis of oxysterols. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 446, 756-61 | 3.4 | 12 |
| 97 | Biosynthesis of 14,15-hepoxilins in human l1236 Hodgkin lymphoma cells and eosinophils. <i>Lipids</i> , 2011 , 46, 69-79 | 1.6 | 12 |
| 96 | Negative-ion electrospray tandem mass spectrometry of peptides derivatized with 4-aminonaphthalenesulphonic acid. <i>Journal of Mass Spectrometry</i> , 1998 , 33, 988-993 | 2.2 | 12 |
| 95 | Liquid chromatography/mass spectrometry with collision-induced dissociation of arachidonic acid metabolites derivatized with aminobenzenesulphonic acid. <i>Rapid Communications in Mass Spectrometry</i> , 1995 , 9, 289-99 | 2.2 | 12 |
| 94 | Doubly ionized states of N2O studied by photon-induced Auger electron and double charge transfer spectroscopies. <i>Journal of Physics B: Atomic, Molecular and Optical Physics,</i> 1991 , 24, 4187-4201 | 1.3 | 12 |

| 93 | Experimental determination of the ionization energy of the CH5Eradical. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1986 , 74, 317-321 | | 12 |
|----|---|------|----|
| 92 | Charge-tagging liquid chromatography-mass spectrometry methodology targeting oxysterol diastereoisomers. <i>Chemistry and Physics of Lipids</i> , 2017 , 207, 69-80 | 3.7 | 11 |
| 91 | Studies on the analysis of 25-hydroxyvitamin D(3) by isotope-dilution liquid chromatography-tandem mass spectrometry using enzyme-assisted derivatisation. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 446, 745-50 | 3.4 | 11 |
| 90 | Analysis of variant forms of porcine surfactant polypeptide-C by nano-electrospray mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1998 , 12, 1104-14 | 2.2 | 11 |
| 89 | Accurate mass measurement and tandem mass spectrometry of intact globin chains identify the low proportion variant hemoglobin Lepore-Boston-Washington from the blood of a heterozygote. Journal of Mass Spectrometry, 2004, 39, 289-94 | 2.2 | 11 |
| 88 | Distinct but parallel evolutionary patterns between alcohol and aldehyde dehydrogenases: addition of fish/human betaine aldehyde dehydrogenase divergence. <i>Cellular and Molecular Life Sciences</i> , 2003 , 60, 2009-16 | 10.3 | 11 |
| 87 | Auger and double-charge-transfer spectra of polyconjugated hydrocarbons: Butadiene, hexatriene, and polyacetylene. <i>Physical Review B</i> , 1992 , 46, 11295-11309 | 3.3 | 11 |
| 86 | Double-ionization energies of the chloroethane molecules CH3CH2Cl, CH3CHCl2, CH3CCl3, CH2ClCH2Cl, CH2ClCHCl2, CH2ClCCl3, CHCl2CHCl2, CHCl2CCl3 and CCl3CCl3. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1992 , 112, 45-61 | | 11 |
| 85 | Single and double ionization energies of sulphur hexafluoride measured by double charge transfer spectroscopy. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1988 , 85, 259-264 | | 11 |
| 84 | Revised sample preparation for the analysis of oxysterols by enzyme-assisted derivatisation for sterol analysis (EADSA). <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 5235-9 | 4.4 | 10 |
| 83 | A novel Ser O-glucuronidation in acidic proline-rich proteins identified by tandem mass spectrometry. <i>FEBS Letters</i> , 2000 , 475, 131-4 | 3.8 | 10 |
| 82 | Negative-ion electrospray mass spectra of peptides derivatized with 4-aminonaphthalenesulphonic acid. <i>Rapid Communications in Mass Spectrometry</i> , 1995 , 9, 667-676 | 2.2 | 10 |
| 81 | Experimental determination of the energies required to form CH3NH2+2 and CH3SH2+ ions from their neutral counterparts. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989 , 89, 125-1 | 31 | 10 |
| 80 | Double ionization energies of the fluoroethane molecules C2H5F, CH3CHF2, CH2FCHF2, CH3CF3, CHF2CF3 and C2F6 measured by double-charge-transfer spectroscopy. <i>Journal of the Chemical Society, Faraday Transactions 2</i> , 1989 , 85, 1575 | | 10 |
| 79 | Electronically excited states of the CH3I2+ ion. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1990 , 86, 2801 | | 10 |
| 78 | Modern Methods of Bile Acid Analysis by Mass Spectrometry: A View into the Metabolome. <i>Current Analytical Chemistry</i> , 2007 , 3, 103-126 | 1.7 | 10 |
| 77 | Gene expression identifies metabolic and functional differences between intramuscular and subcutaneous adipocytes in cattle. <i>BMC Genomics</i> , 2020 , 21, 77 | 4.5 | 9 |
| 76 | Detecting oxysterols in the human circulation. <i>Nature Immunology</i> , 2011 , 12, 577; author reply 577-8 | 19.1 | 9 |

| 75 | Structural analysis of the thyroid hormone receptor ligand binding domain: studies using a quadrupole time-of-flight tandem mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 1782-91 | 2.2 | 9 |
|----|---|------|---|
| 74 | Lutein associated with a transthyretin indicates carotenoid derivation and novel multiplicity of transthyretin ligands. <i>FEBS Letters</i> , 1995 , 365, 23-6 | 3.8 | 9 |
| 73 | Double-ionization energies of fluorinated benzene molecules. <i>Journal of the American Society for Mass Spectrometry</i> , 1993 , 4, 513-8 | 3.5 | 9 |
| 72 | Modulation of Kv3.1b potassium channel level and intracellular potassium concentration in 158N murine oligodendrocytes and BV-2 murine microglial cells treated with 7-ketocholesterol, 24S-hydroxycholesterol or tetracosanoic acid (C24:0). <i>Biochimie</i> , 2018 , 153, 56-69 | 4.6 | 8 |
| 71 | International descriptive and interventional survey for oxycholesterol determination by gas- and liquid-chromatographic methods. <i>Biochimie</i> , 2018 , 153, 26-32 | 4.6 | 8 |
| 70 | A new derivative for oxosteroid analysis by mass spectrometry. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 446, 762-7 | 3.4 | 8 |
| 69 | Liquid chromatography-mass spectrometry with collision-induced dissociation of conjugated metabolites of benzol[a]pyrene. <i>Journal of the American Society for Mass Spectrometry</i> , 1997 , 8, 50-61 | 3.5 | 8 |
| 68 | The synthesis of taurine-conjugated bile acids and bile acid sulfates labeled with 14C or 3H in the taurine moiety. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1997 , 39, 159-164 | 1.9 | 8 |
| 67 | A cytotoxic, apoptotic, low-molecular weight factor from pineal gland. <i>Life Sciences</i> , 1999 , 65, 1047-57 | 6.8 | 8 |
| 66 | Ionization energies of CH3Oland CH3Sladicals measured by charge-inversion energy-loss spectrometry. <i>Chemical Physics Letters</i> , 1987 , 142, 7-9 | 2.5 | 8 |
| 65 | Energetics of charge-inversion reactions of H3O+ and H3Ollons. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1987 , 77, R7-R12 | | 8 |
| 64 | Bile acid biosynthesis in Smith-Lemli-Opitz syndrome bypassing cholesterol: Potential importance of pathway intermediates. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2021 , 206, 105794 | 5.1 | 8 |
| 63 | Mining for Oxysterols in Mouse Brain and Plasma: Relevance to Spastic Paraplegia Type 5. <i>Biomolecules</i> , 2019 , 9, | 5.9 | 7 |
| 62 | Hydrolysis of the amyloid beta-peptide (A beta) 1-40 between Asp23-Val24 produces non-aggregating fragments. An electrospray mass spectrometric study. <i>Journal of Mass Spectrometry</i> , 2005 , 40, 142-5 | 2.2 | 7 |
| 61 | Electrospray Tandem Mass Spectrometry of Cysteinyl Leukotrienes. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 1054-1070 | 2.2 | 7 |
| 60 | Electronic-state energies of the CH2I2+2, CHI2+3 and CI2+4 dications. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993 , 89, 2945 | | 7 |
| 59 | Sterolomics in biology, biochemistry, medicine. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 120, 115280 | 14.6 | 7 |
| 58 | Sterolomics: State of the art, developments, limitations and challenges. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017 , 1862, 771-773 | 5 | 6 |

(2011-1997)

| 57 | Electrospray/collision-induced dissociation of derivatised peptides: studies on a hybrid magnetic sector of those of time-of-flight mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997 , 164, 71-79 | | 6 |
|----|---|-----|---|
| 56 | Characterization of the elusive disulfide bridge forming human Hb variant: Hb Ta-Li beta83 (EF7)Gly> Cys by electrospray mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2002 , 13, 187-91 | 3.5 | 6 |
| 55 | Gln-Gly cleavage: a dominant dissociation site in the fragmentation of protonated peptides. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 713-20 | 2.2 | 6 |
| 54 | Doubly ionized states of hexafluorobenzene studied by high-resolution Auger electron and double-charge-transfer spectroscopies. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993 , 89, 1637-1643 | | 6 |
| 53 | Nanospray mass spectrometry in protein and peptide chemistry. Exs, 2000, 88, 69-79 | | 6 |
| 52 | Visualizing Cholesterol in the Brain by On-Tissue Derivatization and Quantitative Mass Spectrometry Imaging. <i>Analytical Chemistry</i> , 2021 , 93, 4932-4943 | 7.8 | 6 |
| 51 | Cholesterol metabolism pathways - are the intermediates more important than the products?. <i>FEBS Journal</i> , 2021 , 288, 3727-3745 | 5.7 | 6 |
| 50 | Regulation and feedback of cholesterol metabolism. <i>Nature Precedings</i> , 2011 , | | 5 |
| 49 | The importance of steroidomics in the study of neurodegenerative disease and ageing. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2009 , 12, 212-28 | 1.3 | 5 |
| 48 | Identification of N-terminal acetylation in Hb Raleigh (beta1Val>Ac-Ala) by electrospray tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2002 , 16, 1793-6 | 2.2 | 5 |
| 47 | Detection of a receptor-ligand non-covalent complex using a triple quadrupole mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2002 , 16, 2003-6 | 2.2 | 5 |
| 46 | Electrospray mass spectrometry for the direct accurate mass measurement of ligands in complex with the retinoid X receptor alpha ligand binding domain. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 1631-40 | 3.5 | 5 |
| 45 | Gas phase conformation can have an influence on peptide fragmentation. <i>Proteomics</i> , 2001 , 1, 934-45 | 4.8 | 5 |
| 44 | Double ionization energies to form the C2H2+6 ion in triplet ground and electronically excited states. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1991 , 110, 135-143 | | 5 |
| 43 | Triplet electronic states of the ethene dication. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1992 , 122, 321-329 | | 5 |
| 42 | Formation and metabolism of oxysterols and cholestenoic acids found in the mouse circulation: Lessons learnt from deuterium-enrichment experiments and the CYP46A1 transgenic mouse. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019 , 195, 105475 | 5.1 | 4 |
| 41 | Shotgun cholanomics of ileal fluid. <i>Biochimie</i> , 2013 , 95, 461-3 | 4.6 | 4 |
| 40 | Are 15-oxygenated sterols present in the human circulation?. <i>Journal of Lipid Research</i> , 2011 , 52, 4-5 | 6.3 | 4 |

| 39 | Identification of variant forms of the neuroendocrine peptide galanin. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 1583-91 | 2.2 | 4 |
|------------|---|-----|---|
| 38 | Specificity of receptor-ligand interactions and their effect on dimerisation as observed by electrospray mass spectrometry: bile acids form stable adducts to the RXRalpha. <i>Journal of Mass Spectrometry</i> , 2005 , 40, 1448-61 | 2.2 | 4 |
| 37 | A Reaction Window in Cross-sections for Double-electron-capture Reactions. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 997-1000 | 2.2 | 4 |
| 36 | Triplet electronic states of the doubly charged ion of acetone: a combined theoretical and experimental study. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1994 , 134, 197-201 | | 4 |
| 35 | Charge-remote fragmentation of taurine-conjugated bile acids. <i>Rapid Communications in Mass Spectrometry</i> , 1991 , 5, 391-4 | 2.2 | 4 |
| 34 | Sterols, Oxysterols, and Accessible Cholesterol: Signalling for Homeostasis, in Immunity and During Development. <i>Frontiers in Physiology</i> , 2021 , 12, 723224 | 4.6 | 4 |
| 33 | Oxysterols protect bovine endometrial cells against pore-forming toxins from pathogenic bacteria. <i>FASEB Journal</i> , 2021 , 35, e21889 | 0.9 | 4 |
| 32 | Synthesis and biological activity of (24E)- and (24Z)-26-hydroxydesmosterol. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 5794-8 | 3.4 | 3 |
| 31 | Double ionization of the n-alkyl iodides C2H5I, C3H7I and C4H9I. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1996 , 92, 3293 | | 3 |
| 3 0 | Experimental evidence for two different structures of the H3OIIon and two different structures of the H3O+ ion. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1988 , 85, 339-355 | | 3 |
| 29 | Analytical approaches to alcohol dehydrogenase structures. <i>Advances in Experimental Medicine and Biology</i> , 1995 , 372, 417-26 | 3.6 | 3 |
| 28 | The SARS-CoV2 envelope differs from host cells, exposes pro-coagulant lipids, and is disrupted in vivo by oral rinses <i>Journal of Lipid Research</i> , 2022 , 100208 | 6.3 | 3 |
| 27 | Introduction and Overview of Lipidomic Strategies. <i>Neuromethods</i> , 2017 , 1-11 | 0.4 | 2 |
| 26 | Analysis of the major mercapturic acid pathway metabolites of benzo[a]pyrene found in rat urine by nano-electrospray mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1998 , 12, 465-71 | 2.2 | 2 |
| 25 | Measured and calculated double-ionization energies of the chlorofluoroethane molecules CF3CF2Cl, CF3CFCl2, CF3CCl3, CF2ClCF2Cl, CF2ClCFCl2, CF2ClCCl3, CFCl2CFCl2 and CFCl2CCl3. International Journal of Mass Spectrometry and Ion Processes, 1993, 124, 251-257 | | 2 |
| 24 | Cholesterol metabolism: from lipidomics to immunology Journal of Lipid Research, 2021, 100165 | 6.3 | 2 |
| 23 | Chemical Genomics and Proteomics | | 2 |
| 22 | Metabolic Network Analysis Reveals Altered Bile Acid Synthesis and Cholesterol Metabolism in Alzheimer Disease. SSRN Electronic Journal, | 1 | 2 |

| 21 | Identifying differences in bile acid pathways for cholesterol clearance in Alzheimer disease using metabolic networks of human brain regions | | 2 |
|----|---|-------------------|---|
| 20 | Imaging Sterols and Oxysterols in Mouse Brain Reveals Distinct Spatial Cholesterol Metabolism | | 2 |
| 19 | Deep mining of oxysterols and cholestenoic acids in human plasma and cerebrospinal fluid: Quantification using isotope dilution mass spectrometry. <i>Analytica Chimica Acta</i> , 2021 , 1154, 338259 | 6.6 | 2 |
| 18 | Metabolic profiling in serum, cerebrospinal fluid, and brain of patients with cerebrotendinous xanthomatosis. <i>Journal of Lipid Research</i> , 2021 , 62, 100078 | 6.3 | 2 |
| 17 | Developing an Enzyme-Assisted Derivatization Method for Analysis of C Bile Alcohols and Acids by Electrospray Ionization-Mass Spectrometry. <i>Molecules</i> , 2019 , 24, | 4.8 | 1 |
| 16 | Haemoglobin Stlertte (beta118 Phe>Val): a new mutation in human haemoglobin identified by electrospray ionisation mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 3481 | - 2 .2 | 1 |
| 15 | Identification of a potent antibacterial factor isolated from bronchoalveolar lavage fluid: guanidine, N-[3-[(aminoiminomethyl)amino]propyl]-N-dodecyl-, a potential source of error in the analysis of antibacterial agents. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 183-91 | 2.2 | 1 |
| 14 | Gas-Phase Conformation Can Have an Influence on Peptide Fragmentation. <i>European Journal of Mass Spectrometry</i> , 2001 , 7, 89-99 | 1.1 | 1 |
| 13 | Sex-dependent effects of CYP46A1 overexpression on cognitive function during aging | | 1 |
| 12 | Electrospray/Collision-induced Dissociation Mass Spectrometry of Mono-, Di- and Tri-hydroxylated Lipoxygenase Products, Including Leukotrienes of the B-Series and Lipoxins 1996 , 10, 183 | | 1 |
| 11 | Mass Spectrometry in Metabolomics 2011 , 271-298 | | О |
| 10 | Double-ionization energies to singlet and triplet electronic states of the acetaldehyde dication measured by double-charge-transfer spectroscopy. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1994 , 139, 163-168 | | Ο |
| 9 | Standardizing and increasing the utility of lipidomics: a look to the next decade. <i>Expert Review of Proteomics</i> , 2020 , 17, 699-717 | 4.2 | 0 |
| 8 | The Cerebrospinal Fluid Profile of Cholesterol Metabolites in Parkinson's Disease and Their Association With Disease State and Clinical Features. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 685594 | 5.3 | Ο |
| 7 | Mass Spectrometry for Steroid Analysis 2012 , 297-337 | | |
| 6 | Chapter 3:Steroids, Sterols and the Nervous System. <i>RSC Biomolecular Sciences</i> , 2007 , 71-115 | | |
| 5 | 30 Antimicrobial Components of Vernix Caseosa. <i>Pediatric Research</i> , 2004 , 56, 469-469 | 3.2 | |
| 4 | Amended interpretation of the results obtained in an experimental investigation of the structure of the H3Olion. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989 , 87, R25 | | |

Tandem mass spectrometry of alcohol dehydrogenase and related biomolecules. *Advances in Experimental Medicine and Biology*, **1999**, 463, 305-10

3.6

- Development and application of novel analytical methods in lipidomics **2013**, 49-80
- Lipidomics in Metabolomics **2014**, 157-164