## **Eva Prescott**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4375201/publications.pdf

Version: 2024-02-01

249 papers 52,032 citations

63 h-index 220 g-index

272 all docs

272 docs citations

times ranked

272

44494 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. European Heart Journal, 2018, 39, 119-177.   | 1.0 | 7,100     |
| 2  | 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Heart Journal, 2021, 42, 3599-3726.   | 1.0 | 5,558     |
| 3  | 2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Heart<br>Journal, 2016, 37, 2315-2381.  | 1.0 | 5,370     |
| 4  | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): The Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts) * Developed with the special contribution of the European Association for Cardiovascular Prevention & Amp; Rehabilitation (EACPR). European Heart Journal, 2012, 33, 1635-1701. | 1.0 | 5,247     |
| 5  | 2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. European Heart Journal, 2020, 41, 407-477.   | 1.0 | 4,210     |
| 6  | 2013 ESC guidelines on the management of stable coronary artery disease. European Heart Journal, 2013, 34, 2949-3003.  | 1.0 | 3,915     |
| 7  | ESC/EAS Guidelines for the management of dyslipidaemias: The Task Force for the management of dyslipidaemias of the European Society of Cardiology (ESC) and the European Atherosclerosis Society (EAS). European Heart Journal, 2011, 32, 1769-1818.  | 1.0 | 2,767     |
| 8  | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. European Heart Journal, 2021, 42, 3427-3520.  | 1.0 | 899       |
| 9  | Prognostic Value of Nutritional Status in Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1856-1861.   | 2.5 | 867       |
| 10 | 2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. European Heart Journal, 2021, 42, 17-96.  | 1.0 | 830       |
| 11 | 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European<br>Journal of Heart Failure, 2022, 24, 4-131.   | 2.9 | 820       |
| 12 | Stable angina pectoris with no obstructive coronary artery disease is associated with increased risks of major adverse cardiovascular events. European Heart Journal, 2012, 33, 734-744.   | 1.0 | 686       |
| 13 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Journal of Preventive Cardiology, 2016, 23, NP1-NP96.   | 0.8 | 683       |
| 14 | Gender in cardiovascular diseases: impact on clinical manifestations, management, and outcomes. European Heart Journal, 2016, 37, 24-34.   | 1.0 | 512       |
| 15 | Body Mass, Fat-Free Body Mass, and Prognosis in Patients with Chronic Obstructive Pulmonary Disease from a Random Population Sample. American Journal of Respiratory and Critical Care Medicine, 2006, 173, 79-83.   | 2.5 | 487       |
| 16 | Smoking and risk of myocardial infarction in women and men: longitudinal population study. BMJ: British Medical Journal, 1998, 316, 1043-1047.   | 2.4 | 445       |
| 17 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice. Atherosclerosis, 2016, 252, 207-274.   | 0.4 | 415       |
| 18 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). Atherosclerosis, 2012, 223, 1-68.  | 0.4 | 414       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | An EAPCI Expert Consensus Document on Ischaemia with Non-Obstructive Coronary Arteries in Collaboration with European Society of Cardiology Working Group on Coronary Pathophysiology & Samp; Microcirculation Endorsed by Coronary Vasomotor Disorders International Study Group. European Heart Journal, 2020, 41, 3504-3520. | 1.0 | 385       |
| 20 | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. Europace, 2022, 24, 71-164.  | 0.7 | 370       |
| 21 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012).<br>European Journal of Preventive Cardiology, 2012, 19, 585-667.  | 0.8 | 359       |
| 22 | Validity of Stroke Diagnoses in a National Register of Patients. Neuroepidemiology, 2007, 28, 150-154.  | 1.1 | 324       |
| 23 | Risk Factors for Venous Thromboembolism. Circulation, 2010, 121, 1896-1903.   | 1.6 | 318       |
| 24 | High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction. Circulation, 2017, 135, 839-849.  | 1.6 | 297       |
| 25 | Effect of Smoking Reduction on Lung Cancer Risk. JAMA - Journal of the American Medical Association, 2005, 294, 1505.   | 3.8 | 229       |
| 26 | Right bundle branch block: prevalence, risk factors, and outcome in the general population: results from the Copenhagen City Heart Study. European Heart Journal, 2013, 34, 138-146.  | 1.0 | 201       |
| 27 | Incidence and etiology of sports-related sudden cardiac death in Denmarkâ€"Implications for preparticipation screening. Heart Rhythm, 2010, 7, 1365-1371.   | 0.3 | 193       |
| 28 | Socioeconomic status and chronic obstructive pulmonary disease. Thorax, 1999, 54, 737-741.  | 2.7 | 168       |
| 29 | Smoking Reduction, Smoking Cessation, and Mortality: A 16-year Follow-up of 19,732 Men and Women from the Copenhagen Centre for Prospective Population Studies. American Journal of Epidemiology, 2002, 156, 994-1001.  | 1.6 | 165       |
| 30 | Gender and Determinants of Smoking Cessation: A Longitudinal Study. Preventive Medicine, 1999, 29, 57-62.   | 1.6 | 149       |
| 31 | Prediction of obstructive coronary artery disease and prognosis in patients with suspected stable angina. European Heart Journal, 2019, 40, 1426-1435.  | 1.0 | 149       |
| 32 | The Copenhagen Sarcopenia Study: lean mass, strength, power, and physical function in a Danish cohort aged 20–93 years. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 1316-1329.  | 2.9 | 142       |
| 33 | Sex-Related Differences in Vasomotor Function in Patients With Angina andÂUnobstructed Coronary Arteries. Journal of the American College of Cardiology, 2017, 70, 2349-2358.   | 1.2 | 141       |
| 34 | Incidence of Depression After Stroke, and Associated Risk Factors and Mortality Outcomes, in a Large Cohort of Danish Patients. JAMA Psychiatry, 2016, 73, 1032.  | 6.0 | 137       |
| 35 | Mortality in women and men in relation to smoking. International Journal of Epidemiology, 1998, 27, 27-32.  | 0.9 | 132       |
| 36 | Social Network Diversity and Risks of Ischemic Heart Disease and Total Mortality: Findings from the Copenhagen City Heart Study. American Journal of Epidemiology, 2005, 161, 960-967.  | 1.6 | 132       |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Coronary Microvascular Function and Cardiovascular Risk Factors in Women With Angina Pectoris and No Obstructive Coronary Artery Disease: The iPOWER Study. Journal of the American Heart Association, 2016, 5, e003064.                                  | 1.6 | 131       |
| 38 | Income inequality, individual income, and mortality in Danish adults: analysis of pooled data from two cohort studies. BMJ: British Medical Journal, 2002, 324, 13-13.  | 2.4 | 128       |
| 39 | Vital exhaustion as a risk factor for ischaemic heart disease and all-cause mortality in a community sample. A prospective study of 4084 men and 5479 women in the Copenhagen City Heart Study. International Journal of Epidemiology, 2003, 32, 990-997. | 0.9 | 125       |
| 40 | Cardiac Rehabilitation Availability and Density around the Globe. EClinicalMedicine, 2019, 13, 31-45.   | 3.2 | 124       |
| 41 | Challenges in secondary prevention after acute myocardial infarction: A call for action. European Journal of Preventive Cardiology, 2016, 23, 1994-2006.  | 0.8 | 117       |
| 42 | Tobacco smoking and risk of hip fracture in men and women. International Journal of Epidemiology, 2000, 29, 253-259.  | 0.9 | 116       |
| 43 | Association of Traditional Cardiovascular Risk Factors With Venous Thromboembolism. Circulation, 2017, 135, 7-16.   | 1.6 | 114       |
| 44 | Seasonality of cardiovascular risk factors: an analysis including over 230â€000 participants in 15 countries. Heart, 2014, 100, 1517-1523.  | 1.2 | 113       |
| 45 | Lung function and risk of fatal and non-fatal stroke. The Copenhagen City Heart Study. International Journal of Epidemiology, 2001, 30, 145-151.  | 0.9 | 112       |
| 46 | ESC guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 2â€"care pathways, treatment, and follow-up. European Heart Journal, 2022, 43, 1059-1103.  | 1.0 | 111       |
| 47 | Persistent angina: highly prevalent and associated with long-term anxiety, depression, low physical functioning, and quality of life in stable angina pectoris. Clinical Research in Cardiology, 2013, 102, 571-581.                                      | 1.5 | 106       |
| 48 | Population-level changes to promote cardiovascular health. European Journal of Preventive Cardiology, 2013, 20, 409-421.  | 0.8 | 106       |
| 49 | Occupational and leisure time physical activity: risk of all-cause mortality and myocardial infarction in the Copenhagen City Heart Study. A prospective cohort study. BMJ Open, 2012, 2, e000556.  | 0.8 | 104       |
| 50 | Tobacco smoking as a risk factor for depression. A 26-year population-based follow-up study. Journal of Psychiatric Research, 2011, 45, 143-149.  | 1.5 | 102       |
| 51 | The prognostic value of coronary endothelial and microvascular dysfunction in subjects with normal or non-obstructive coronary artery disease: A systematic review and meta-analysis. International Journal of Cardiology, 2018, 254, 1-9.                | 0.8 | 102       |
| 52 | Gender and Smoking-Related Risk of Lung Cancer. Epidemiology, 1998, 9, 79-83.   | 1.2 | 100       |
| 53 | Nature of Cardiac Rehabilitation Around the Globe. EClinicalMedicine, 2019, 13, 46-56.  | 3.2 | 98        |
| 54 | Aortic Augmentation Index: Reference Values in a Large Unselected Population by Means of the SphygmoCor Device. American Journal of Hypertension, 2010, 23, 180-185.  | 1.0 | 95        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | A prospective study linked both alcohol and tobacco to Dupuytren's disease. Journal of Clinical Epidemiology, 2004, 57, 858-863.  | 2.4 | 89        |
| 56 | European Society of Cardiology guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part $1\hat{a}\in$ epidemiology, pathophysiology, and diagnosis. European Heart Journal, 2022, 43, 1033-1058.                                | 1.0 | 80        |
| 57 | Home-based cardiac rehabilitation is as effective as centre-based cardiac rehabilitation among elderly with coronary heart disease: results from a randomised clinical trial. Age and Ageing, 2011, 40, 78-85.  | 0.7 | 77        |
| 58 | Predictors of Smoking Reduction and Cessation in a Cohort of Danish Moderate and Heavy Smokers. Preventive Medicine, 2001, 33, 46-52.   | 1.6 | 73        |
| 59 | Symptoms of Sleep Disordered Breathing and Risk of Cancer: A Prospective Cohort Study. Sleep, 2013, 36, 1429-1435.  | 0.6 | 73        |
| 60 | Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: the Copenhagen City Heart Study. European Heart Journal, 2015, 36, 1385-1393.  | 1.0 | 71        |
| 61 | Burden of Hospital Admission and Repeat Angiography in Angina Pectoris Patients with and without Coronary Artery Disease: A Registry-Based Cohort Study. PLoS ONE, 2014, 9, e93170.   | 1.1 | 71        |
| 62 | Education and Cause-specific Mortality. Epidemiology, 2014, 25, 389-396.  | 1.2 | 69        |
| 63 | Imaging in ESC clinical guidelines: chronic coronary syndromes. European Heart Journal<br>Cardiovascular Imaging, 2019, 20, 1187-1197.  | 0.5 | 67        |
| 64 | Vital Exhaustion and Coronary Heart Disease Risk: A Systematic Review and Meta-Analysis. Psychosomatic Medicine, 2017, 79, 260-272.   | 1.3 | 66        |
| 65 | Diagnosis of coronary microvascular dysfunction in the clinic. Cardiovascular Research, 2020, 116, 841-855.   | 1.8 | 66        |
| 66 | Controlled study of myocardial recovery after interval training in heart failure: SMARTEX-HF – rationale and design. European Journal of Preventive Cardiology, 2012, 19, 813-821.  | 0.8 | 65        |
| 67 | The total lifetime health cost savings of smoking cessation to society. European Journal of Public Health, 2005, 15, 601-606.   | 0.1 | 59        |
| 68 | Effects of $1\text{Å}$ year of exercise training versus combined exercise training and weight loss on body composition, low-grade inflammation and lipids in overweight patients with coronary artery disease: a randomized trial. Cardiovascular Diabetology, 2019, 18, 127. | 2.7 | 59        |
| 69 | Trends in smoking prevalence in Danish adults, 1964—1994. Scandinavian Journal of Public Health, 1998, 26, 293-298.   | 0.6 | 57        |
| 70 | Level of education and risk of heart failure: a prospective cohort study with echocardiography evaluation. European Heart Journal, 2011, 32, 450-458.   | 1.0 | 56        |
| 71 | Home-based cardiac rehabilitation is an attractive alternative to no cardiac rehabilitation for elderly patients with coronary heart disease: results from a randomised clinical trial. BMJ Open, 2012, 2, e001820.   | 0.8 | 55        |
| 72 | Smoking and subsequent risk of early retirement due to permanent disability. European Journal of Public Health, 2004, 14, 86-92.  | 0.1 | 53        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Risk Factors for Myocardial Infarction in Women and Men: A Review of the Current Literature. Current Pharmaceutical Design, 2016, 22, 3835-3852.  | 0.9 | 53        |
| 74 | Major life events increase the risk of stroke but not of myocardial infarction: results from the Copenhagen City Heart Study. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 113-118.                        | 3.1 | 52        |
| 75 | Effect of moderate- versus high-intensity exercise on vascular function, biomarkers and quality of life in heart transplant recipients: A randomized, crossover trial. Journal of Heart and Lung Transplantation, 2015, 34, 1033-1041.    | 0.3 | 52        |
| 76 | Cardiac rehabilitation availability and delivery in Europe: How does it differ by region and compare with other high-income countries?. European Journal of Preventive Cardiology, 2019, 26, 1131-1146.                                   | 0.8 | 52        |
| 77 | Coronary Flow Velocity Reserve Assessed by Transthoracic Doppler: The iPOWER Study: FactorsAInfluencing Feasibility and Quality. Journal of the American Society of Echocardiography, 2016, 29, 709-716.                                  | 1.2 | 50        |
| 78 | Coronary flow velocity reserve predicts adverse prognosis in women with angina and no obstructive coronary artery disease: results from the iPOWER study. European Heart Journal, 2021, 42, 228-239.                                      | 1.0 | 50        |
| 79 | Influence of genes and family environment on adult smoking behavior assessed in an adoption study.<br>Genetic Epidemiology, 2001, 21, 193-200.  | 0.6 | 47        |
| 80 | A high-intensity exercise program improves exercise capacity, self-perceived health, anxiety and depression in heart transplant recipients: A randomized, controlled trial. Journal of Heart and Lung Transplantation, 2012, 31, 106-107. | 0.3 | 47        |
| 81 | High aortic augmentation index predicts mortality and cardiovascular events in men from a general population, but not in women. European Journal of Preventive Cardiology, 2013, 20, 1005-1012.   | 0.8 | 47        |
| 82 | Combined Effects of Socioeconomic Position, Smoking, and Hypertension on Risk of Ischemic and Hemorrhagic Stroke. Stroke, 2014, 45, 2582-2587.  | 1.0 | 47        |
| 83 | Does the Benefit on Survival from Leisure Time Physical Activity Depend on Physical Activity at Work? A Prospective Cohort Study. PLoS ONE, 2013, 8, e54548.  | 1.1 | 47        |
| 84 | Ankle brachial index, C-reactive protein, and central augmentation index to identify individuals with severe atherosclerosis. European Heart Journal, 2006, 27, 316-322.  | 1.0 | 46        |
| 85 | The total lifetime costs of smoking. European Journal of Public Health, 2004, 14, 95-100.   | 0.1 | 45        |
| 86 | Symptoms of angina pectoris increase the probability of disability pension and premature exit from the workforce even in the absence of obstructive coronary artery disease. European Heart Journal, 2013, 34, 3294-3303.                 | 1.0 | 45        |
| 87 | Chronic bronchitis in an elderly population. Age and Ageing, 2003, 32, 636-642.   | 0.7 | 44        |
| 88 | Intensity versus duration of physical activity: implications for the metabolic syndrome. A prospective cohort study. BMJ Open, 2012, 2, e001711.  | 0.8 | 44        |
| 89 | Improving diagnosis and treatment of women with angina pectoris and microvascular disease: The iPOWER study design and rationale. American Heart Journal, 2014, 167, 452-458.   | 1.2 | 44        |
| 90 | Structural and Functional Coronary Artery Abnormalities in Patients With Vasospastic Angina Pectoris. Circulation Journal, 2015, 79, 1431-1438.   | 0.7 | 44        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Improvement in VO <sub>2peak</sub> predicts readmissions for cardiovascular disease and mortality in patients undergoing cardiac rehabilitation. European Journal of Preventive Cardiology, 2020, 27, 811-819.   | 0.8 | 44        |
| 92  | Effect of the glucagon-like peptide-1 analogue liraglutide on coronary microvascular function in patients with type 2 diabetes $\hat{a} \in \hat{a}$ a randomized, single-blinded, cross-over pilot study. Cardiovascular Diabetology, 2015, 14, 41.           | 2.7 | 43        |
| 93  | Transthoracic Doppler echocardiography compared with positron emission tomography for assessment of coronary microvascular dysfunction: The iPOWER study. International Journal of Cardiology, 2017, 228, 435-443.   | 0.8 | 43        |
| 94  | Long-Term Exposure to Air Pollution and Incidence of Myocardial Infarction: A Danish Nurse Cohort Study. Environmental Health Perspectives, 2020, 128, 57003.  | 2.8 | 43        |
| 95  | Simplifying the audit of risk factor recording and control: A report from an international study in 11 countries. European Journal of Preventive Cardiology, 2016, 23, 1202-1210.  | 0.8 | 42        |
| 96  | Income inequality and ischaemic heart disease in Danish men and women. International Journal of Epidemiology, 2003, 32, 375-380.   | 0.9 | 41        |
| 97  | Perceived Stress and Risk of Ischemic Heart Disease. Epidemiology, 2006, 17, 391-397.  | 1.2 | 41        |
| 98  | Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology. European Journal of Heart Failure, 2022, 24, 143-168.   | 2.9 | 41        |
| 99  | Coronary flow velocity reserve by echocardiography: feasibility, reproducibility and agreement with PET in overweight and obese patients with stable and revascularized coronary artery disease. Cardiovascular Ultrasound, 2015, 14, 22.                      | 0.5 | 40        |
| 100 | Peripheral Reactive Hyperemia Index andÂCoronary Microvascular Function in Women With no Obstructive CAD. JACC: Cardiovascular Imaging, 2016, 9, 411-417.  | 2.3 | 40        |
| 101 | Social gradient in the metabolic syndrome not explained by psychosocial and behavioural factors: evidence from the Copenhagen City Heart Studyâ´—. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 405-412.                        | 3.1 | 39        |
| 102 | Benefits of smoking cessation with focus on cardiovascular and respiratory comorbidities. Clinical Respiratory Journal, 2011, 5, 187-194.  | 0.6 | 38        |
| 103 | Impact of Gender, Co-Morbidity and Social Factors on Labour Market Affiliation after First Admission for Acute Coronary Syndrome. A Cohort Study of Danish Patients 2001–2009. PLoS ONE, 2014, 9, e86758.  | 1.1 | 38        |
| 104 | Selfâ€Reported Cardiorespiratory Fitness: Prediction and Classification of Risk of Cardiovascular Disease Mortality and Longevity—A Prospective Investigation in the Copenhagen City Heart Study. Journal of the American Heart Association, 2015, 4, e001495. | 1.6 | 37        |
| 105 | Cardiovascular risk prediction: Can Systematic Coronary Risk Evaluation (SCORE) be improved by adding simple risk markers? Results from the Copenhagen City Heart Study. European Journal of Preventive Cardiology, 2016, 23, 1546-1556.                       | 0.8 | 37        |
| 106 | A randomised trial comparing the effect of exercise training and weight loss on microvascular function in coronary artery disease. International Journal of Cardiology, 2015, 185, 229-235.  | 0.8 | 36        |
| 107 | Childhood social circumstances and health behaviour in midlife: the Metropolit 1953 Danish male birth cohort. International Journal of Epidemiology, 2008, 37, 1367-1374.  | 0.9 | 35        |
| 108 | Education and risk of coronary heart disease: assessment of mediation by behavioral risk factors using the additive hazards model. European Journal of Epidemiology, 2013, 28, 149-157.  | 2.5 | 35        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | A randomised trial comparing weight loss with aerobic exercise in overweight individuals with coronary artery disease: The CUT-IT trial. European Journal of Preventive Cardiology, 2015, 22, 1009-1017.                               | 0.8 | 34        |
| 110 | The Danish Cardiac Rehabilitation Database. Clinical Epidemiology, 2016, Volume 8, 451-456.  | 1.5 | 34        |
| 111 | Depression After First Hospital Admission for Acute Coronary Syndrome: A Study of Time of Onset and Impact on Survival. American Journal of Epidemiology, 2016, 183, 218-226.  | 1.6 | 33        |
| 112 | Coronary microvascular dysfunction and myocardial contractile reserve in women with angina and no obstructive coronary artery disease. Echocardiography, 2018, 35, 196-203.  | 0.3 | 33        |
| 113 | ESC guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 2â€"care pathways, treatment, and follow-up. Cardiovascular Research, 2022, 118, 1618-1666.                                 | 1.8 | 32        |
| 114 | Prognosis and treatment in patients admitted with acute myocardial infarction on weekends and weekdays from 1997 to 2009. International Journal of Cardiology, 2013, 168, 1167-1173.   | 0.8 | 31        |
| 115 | A EUropean study on effectiveness and sustainability of current Cardiac Rehabilitation programmes in the Elderly: Design of the EU-CaRE randomised controlled trial. European Journal of Preventive Cardiology, 2016, 23, 27-40.       | 0.8 | 30        |
| 116 | Coronary microvascular function and myocardial fibrosis in women with angina pectoris and no obstructive coronary artery disease: the iPOWER study. Journal of Cardiovascular Magnetic Resonance, 2016, 18, 76.                        | 1.6 | 30        |
| 117 | Cardiac rehabilitation in the elderly patient in eight rehabilitation units in Western Europe: Baseline data from the EU-CaRE multicentre observational study. European Journal of Preventive Cardiology, 2019, 26, 1052-1063.         | 0.8 | 30        |
| 118 | Effects of a 14-month low-cost maintenance training program in patients with chronic systolic heart failure: a randomized study. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 430-437.                  | 3.1 | 29        |
| 119 | Psychosocial risk factors, weight changes and risk of obesity: the Copenhagen City Heart Study. European Journal of Epidemiology, 2012, 27, 119-130.   | 2.5 | 29        |
| 120 | Smoking reduction and biomarkers in two longitudinal studies. Addiction, 2006, 101, 1516-1522.   | 1.7 | 28        |
| 121 | Weight loss is superior to exercise in improving the atherogenic lipid profile in a sedentary, overweight population with stable coronary artery disease: A randomized trial. Atherosclerosis, 2016, 246, 221-228.                     | 0.4 | 28        |
| 122 | Psychosocial Risk Factors and Heart Failure Hospitalization: A Prospective Cohort Study. American Journal of Epidemiology, 2011, 174, 672-680.   | 1.6 | 27        |
| 123 | Speed and Duration of Walking and Other Leisure Time Physical Activity and the Risk of Heart Failure: A Prospective Cohort Study from the Copenhagen City Heart Study. PLoS ONE, 2014, 9, e89909.                                      | 1.1 | 27        |
| 124 | European Society of Cardiology guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 1â€"epidemiology, pathophysiology, and diagnosis. Cardiovascular Research, 2022, 118, 1385-1412. | 1.8 | 27        |
| 125 | Prognostic impact of physical activity prior to myocardial infarction: Case fatality and subsequent risk of heart failure and death. European Journal of Preventive Cardiology, 2017, 24, 1112-1119.                                   | 0.8 | 26        |
| 126 | Pro-inflammatory biomarkers in women with non-obstructive angina pectoris and coronary microvascular dysfunction. IJC Heart and Vasculature, 2019, 24, 100370.   | 0.6 | 26        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Cardiac rehabilitation of elderly patients in eight rehabilitation units in western Europe: Outcome data from the EU-CaRE multi-centre observational study. European Journal of Preventive Cardiology, 2020, 27, 1716-1729.   | 0.8 | 26        |
| 128 | Psychosocial risk factors for the metabolic syndrome: A prospective cohort study. International Journal of Cardiology, 2016, 215, 41-46.  | 0.8 | 25        |
| 129 | Challenges in secondary prevention after acute myocardial infarction: A call for action. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 299-310.   | 0.4 | 25        |
| 130 | Income and risk of ischaemic heart disease in men and women in a Nordic welfare country. International Journal of Epidemiology, 2003, 32, 367-374.  | 0.9 | 24        |
| 131 | Job Loss and Broken Partnerships: Do the Number of Stressful Life Events Influence the Risk of Ischemic Heart Disease in Men?. Annals of Epidemiology, 2008, 18, 743-745.   | 0.9 | 24        |
| 132 | Coronary flow reserve as a link between diastolic and systolic function and exercise capacity in heart failure. European Heart Journal Cardiovascular Imaging, 2013, 14, 677-683.   | 0.5 | 24        |
| 133 | Insulin resistance and exercise tolerance in heart failure patients: linkage to coronary flow reserve and peripheral vascular function. Cardiovascular Diabetology, 2012, 11, 97.   | 2.7 | 23        |
| 134 | Genetic and environmental influences on the relation between parental social class and mortality. International Journal of Epidemiology, 2006, 35, 1272-1277.   | 0.9 | 22        |
| 135 | Major life events and the risk of ischaemic heart disease: does accumulation increase the risk?. International Journal of Epidemiology, 2011, 40, 904-913.  | 0.9 | 22        |
| 136 | Design and rationale of the Danish trial of beta-blocker treatment after myocardial infarction without reduced ejection fraction: study protocol for a randomized controlled trial. Trials, 2020, 21, 415.  | 0.7 | 21        |
| 137 | BEtablocker Treatment After acute Myocardial Infarction in revascularized patients without reduced left ventricular ejection fraction (BETAMI): Rationale and design of a prospective, randomized, open, blinded end point study. American Heart Journal, 2019, 208, 37-46. | 1.2 | 20        |
| 138 | Treatment strategies in coronary microvascular dysfunction: A systematic review of interventional studies. Microcirculation, 2019, 26, e12430.  | 1.0 | 20        |
| 139 | Perceived stress and dementia: Results from the Copenhagen city heart study. Aging and Mental<br>Health, 2020, 24, 1828-1836.   | 1.5 | 20        |
| 140 | Vital exhaustion increases the risk of ischemic stroke in women but not in men: Results from the Copenhagen City Heart Study. Journal of Psychosomatic Research, 2010, 68, 131-137.   | 1.2 | 19        |
| 141 | Trends in time to invasive examination and treatment from 2001 to 2009 in patients admitted first time with non-ST elevation myocardial infarction or unstable angina in Denmark. BMJ Open, 2014, 4, e004052.   | 0.8 | 19        |
| 142 | Accelerated collagen turnover in women with angina pectoris without obstructive coronary artery disease: An iPOWER substudy. European Journal of Preventive Cardiology, 2018, 25, 719-727.  | 0.8 | 19        |
| 143 | Women with coronary microvascular dysfunction and no obstructive coronary artery disease have reduced exercise capacity. International Journal of Cardiology, 2019, 293, 1-9.   | 0.8 | 19        |
| 144 | Inflammation, non-endothelial dependent coronary microvascular function and diastolic function—Are they linked?. PLoS ONE, 2020, 15, e0236035.  | 1.1 | 19        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Challenges in secondary prevention after acute myocardial infarction: A call for action. European Journal of Cardiovascular Nursing, 2017, 16, 369-380.  | 0.4 | 18        |
| 146 | Predictors of pre-rehabilitation exercise capacity in elderly European cardiac patients – The EU-CaRE study. European Journal of Preventive Cardiology, 2020, 27, 1702-1712.   | 0.8 | 18        |
| 147 | Role of the polypill for secondary prevention in ischaemic heart disease. European Journal of Preventive Cardiology, 2017, 24, 44-51.  | 0.8 | 17        |
| 148 | Temporal trends and sex differences in sudden cardiac death in the Copenhagen City Heart Study. Heart, 2021, 107, 1303-1309.   | 1.2 | 17        |
| 149 | Doppler Echocardiography Assessment of Coronary Microvascular Function in Patients With Angina and No Obstructive Coronary Artery Disease. Frontiers in Cardiovascular Medicine, 2021, 8, 723542.  | 1.1 | 17        |
| 150 | Interval training does not modulate diastolic function in heart transplant recipients. Scandinavian Cardiovascular Journal, 2014, 48, 91-98.   | 0.4 | 16        |
| 151 | Is chronic obstructive pulmonary disease associated with increased arterial stiffness?. Respiratory Medicine, 2012, 106, 397-405.  | 1.3 | 15        |
| 152 | Copenhagen study of overweight patients with coronary artery disease undergoing low energy diet or interval training: the randomized CUT-IT trial protocol. BMC Cardiovascular Disorders, 2013, 13, 106.   | 0.7 | 15        |
| 153 | Protein biomarkers and coronary microvascular dilatation assessed by rubidium-82 PET in women with angina pectoris and no obstructive coronary artery disease. Atherosclerosis, 2018, 275, 319-327.  | 0.4 | 15        |
| 154 | Effect of ACE-inhibition on coronary microvascular function and symptoms in normotensive women with microvascular angina: A randomized placebo-controlled trial. PLoS ONE, 2018, 13, e0196962.   | 1.1 | 15        |
| 155 | Vital exhaustion and risk for cancer. Cancer, 2005, 104, 1288-1295.  | 2.0 | 14        |
| 156 | Income as mediator of the effect of occupation on the risk of myocardial infarction: does the income measurement matter?. Journal of Epidemiology and Community Health, 2005, 59, 1080-1085.   | 2.0 | 14        |
| 157 | Depression following acute coronary syndrome: a Danish nationwide study of potential risk factors. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1509-1523.  | 1.6 | 14        |
| 158 | Social inequality in tooth loss, the mediating role of smoking and alcohol consumption. Community Dentistry and Oral Epidemiology, 2019, 47, 416-423.  | 0.9 | 14        |
| 159 | Myocardial first pass perfusion assessed by cardiac magnetic resonance and coronary microvascular dysfunction in women with angina and no obstructive coronary artery disease. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 238-246. | 0.6 | 14        |
| 160 | Secondary prevention and cardiovascular care across Europe: A survey of European Society of Cardiology members' views. European Journal of Cardiovascular Nursing, 2020, 19, 201-211.  | 0.4 | 14        |
| 161 | The effect of occupational physical activity on dementia: Results from the Copenhagen Male Study. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 446-455.   | 1.3 | 14        |
| 162 | No association between anxiety and depression and adverse clinical outcome among patients with cardiovascular disease: Findings from the DANREHAB trial. Journal of Psychosomatic Research, 2011, 71, 207-214.   | 1.2 | 13        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Cohort Profile: The Social Inequality in Cancer (SIC) cohort study. International Journal of Epidemiology, 2014, 43, 1750-1758.   | 0.9 | 13        |
| 164 | Women with Stable Angina Pectoris and No Obstructive Coronary Artery Disease: Closer to a Diagnosis. European Cardiology Review, 2017, 12, 14.  | 0.7 | 13        |
| 165 | Prognostic Impact of Mild Hypokalemia in Terms of Death and Stroke in the General Population—A Prospective Population Study. American Journal of Medicine, 2018, 131, 318.e9-318.e19.   | 0.6 | 13        |
| 166 | Ischemic heart failure as a complication of incident acute myocardial infarction: Timing and time trends: A national analysis including 78,814 Danish patients during 2000–2009. Scandinavian Journal of Public Health, 2020, 48, 294-302.  | 1,2 | 13        |
| 167 | Evaluation of computed tomography myocardial perfusion in women with angina and no obstructive coronary artery disease. International Journal of Cardiovascular Imaging, 2020, 36, 367-382.   | 0.7 | 13        |
| 168 | Baseline and Exercise Predictors of V˙O2peak in Systolic Heart Failure Patients: Results from SMARTEX-HF. Medicine and Science in Sports and Exercise, 2020, 52, 810-819.   | 0.2 | 13        |
| 169 | Peripheral Endothelial Function and Coronary Flow Velocity Reserve Are Not Associated in Women with Angina and No Obstructive Coronary Artery Disease: The iPOWER Study. Journal of Vascular Research, 2017, 54, 309-319.   | 0.6 | 12        |
| 170 | Low diagnostic yield of non-invasive testing in patients with suspected coronary artery disease: results from a large unselected hospital-based sample. European Heart Journal Quality of Care & Clinical Outcomes, 2018, 4, 301-308.   | 1.8 | 12        |
| 171 | Level of Physical Activity, Left Ventricular Mass, Hypertension, and Prognosis. Hypertension, 2020, 75, 693-701.  | 1.3 | 12        |
| 172 | Assessment of functional sit-to-stand muscle power: Cross-sectional trajectories across the lifespan. Experimental Gerontology, 2021, 152, 111448.  | 1.2 | 12        |
| 173 | The physical activity health paradox and risk factors for cardiovascular disease: A cross-sectional compositional data analysis in the Copenhagen City Heart Study. PLoS ONE, 2022, 17, e0267427.   | 1.1 | 12        |
| 174 | Social ties and risk for cancer – a prospective cohort study. Acta Oncológica, 2009, 48, 1010-1018.   | 0.8 | 11        |
| 175 | Accumulation of Major Life Events in Childhood and Adult Life and Risk of Type 2 Diabetes Mellitus. PLoS ONE, 2015, 10, e0138654.   | 1.1 | 11        |
| 176 | A randomized trial comparing the effect of weight loss and exercise training on insulin sensitivity and glucose metabolism in coronary artery disease. Metabolism: Clinical and Experimental, 2015, 64, 1298-1307.  | 1.5 | 11        |
| 177 | Effect of liraglutide on body weight and microvascular function in non-diabetic overweight women with coronary microvascular dysfunction. International Journal of Cardiology, 2019, 283, 28-34.  | 0.8 | 11        |
| 178 | Can we walk away from cardiovascular disease risk or do we have to â€huff and puff'? A cross-sectional compositional accelerometer data analysis among adults and older adults in the Copenhagen City Heart Study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 84. | 2.0 | 11        |
| 179 | Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology. European Journal of Preventive Cardiology, 2022, 29, 275-300.  | 0.8 | 11        |
| 180 | Training intensity and improvements in exercise capacity in elderly patients undergoing European cardiac rehabilitation $\hat{a} \in \text{``the EU-CaRE multicenter cohort study. PLoS ONE, 2020, 15, e0242503.}$  | 1.1 | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Cortisol, estrogens and risk of ischaemic heart disease, cancer and all-cause mortality in postmenopausal women: a prospective cohort study. International Journal of Epidemiology, 2010, 39, 530-538.                                | 0.9 | 10        |
| 182 | Coronary Flow Reserve Predicts Cardiopulmonary Fitness in Patients with Coronary Artery Disease Independently of Systolic and Diastolic Function. Echocardiography, 2014, 31, 654-662.  | 0.3 | 10        |
| 183 | A Sensitivity Analysis of Secular Trends in Risk Factors and Mortality Based on Cohort Studies.<br>Epidemiology, 1999, 10, 176-180.   | 1.2 | 9         |
| 184 | Exercise training in older patients with systolic heart failure: Adherence, exercise capacity, inflammation and glycemic control. Scandinavian Cardiovascular Journal, 2009, 43, 249-255.   | 0.4 | 9         |
| 185 | No gender differences in prognosis and preventive treatment in patients with AMI without significant stenoses. European Journal of Preventive Cardiology, 2012, 19, 746-754.  | 0.8 | 9         |
| 186 | Psychosocial Risk Factors for Hospitalisation and Death from Chronic Obstructive Pulmonary Disease: A Prospective Cohort Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2015, 12, 190-198.                            | 0.7 | 9         |
| 187 | Comprehensive treatment of microvascular angina in overweight women – a randomized controlled pilot trial. PLoS ONE, 2020, 15, e0240722.  | 1.1 | 9         |
| 188 | Age-related decline in mitral peak diastolic velocities is unaffected in well-trained runners. Scandinavian Cardiovascular Journal, 2015, 49, 183-192.  | 0.4 | 8         |
| 189 | Skin autofluorescence is associated with arterial stiffness and insulin level in endurance runners and healthy controls - Effects of aging and endurance exercise. Experimental Gerontology, 2017, 91, 9-14.                          | 1.2 | 8         |
| 190 | Coronary microvascular dysfunction is not associated with a history of reproductive risk factors in women with angina pectoris—An iPOWER substudy. Maturitas, 2018, 107, 110-115.   | 1.0 | 8         |
| 191 | Impact of a Graded Exercise Program on V˙O2peak and Survival in Heart Failure Patients. Medicine and Science in Sports and Exercise, 2018, 50, 2185-2191.   | 0.2 | 8         |
| 192 | Overlap between angina without obstructive coronary artery disease and left ventricular diastolic dysfunction with preserved ejection fraction. PLoS ONE, 2019, 14, e0216240.   | 1.1 | 8         |
| 193 | Design and rationale of FLAVOUR: A phase Ila efficacy study of the 5-lipoxygenase activating protein antagonist AZD5718 in patients with recent myocardial infarction. Contemporary Clinical Trials Communications, 2020, 19, 100629. | 0.5 | 8         |
| 194 | Time trend in depression diagnoses among acute coronary syndrome patients and a reference population from 2001 to 2009 in Denmark. Nordic Journal of Psychiatry, 2016, 70, 335-341.   | 0.7 | 7         |
| 195 | Influence of type of sport on cardiac repolarization assessed by electrocardiographic T-wave morphology combination score. Journal of Electrocardiology, 2018, 51, 296-302.   | 0.4 | 7         |
| 196 | Exercise training and highâ€sensitivity cardiac troponin T in patients with heart failure with reduced ejection fraction. ESC Heart Failure, 2021, 8, 2183-2192.  | 1.4 | 7         |
| 197 | <scp>Layerâ€specific</scp> global longitudinal strain and the risk of heart failure and cardiovascular mortality in the general population: the Copenhagen City Heart Study. European Journal of Heart Failure, 2021, 23, 1819-1827.  | 2.9 | 7         |
| 198 | Educational Differences in Postmenopausal Breast Cancer – Quantifying Indirect Effects through Health Behaviors, Body Mass Index and Reproductive Patterns. PLoS ONE, 2013, 8, e78690.  | 1.1 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Socio-economic position and time trends in invasive management and case fatality after acute myocardial infarction in Denmark. European Journal of Public Health, 2016, 26, 146-152.   | 0.1 | 6         |
| 200 | Physical activity and risk of instant and 28-day case-fatality in myocardial infarction. PLoS ONE, 2019, 14, e0217398.   | 1.1 | 6         |
| 201 | Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. European Journal of Preventive Cardiology, 2021, 28, 1590-1598.  | 0.8 | 6         |
| 202 | Offering, participation and adherence to cardiac rehabilitation programmes in the elderly: a European comparison based on the EU-CaRE multicentre observational study. European Journal of Preventive Cardiology, 2021, 28, 558-568. | 0.8 | 6         |
| 203 | Commentary: Tobacco-related diseases: a gender differential?. International Journal of Epidemiology, 2001, 30, 793-794.  | 0.9 | 5         |
| 204 | Predictive value of the corrected TIMI frame count in patients with suspected angina pectoris but no obstructive coronary artery disease at angiography. Clinical Research in Cardiology, 2014, 103, 381-387.                        | 1.5 | 5         |
| 205 | Coronary microvascular function, insulin sensitivity and body composition in predicting exercise capacity in overweight patients with coronary artery disease. BMC Cardiovascular Disorders, 2015, 15, 159.                          | 0.7 | 5         |
| 206 | Social Relations at Work and Incident Dementia. Journal of Occupational and Environmental Medicine, 2018, 60, 12-18.   | 0.9 | 5         |
| 207 | Coronary microvascular dysfunction is associated with cardiac time intervals in women with angina and no obstructive coronary artery disease: An iPOWER substudy. Echocardiography, 2019, 36, 1110-1117.                             | 0.3 | 5         |
| 208 | The effect of DPP-4-protected GLP-1 ( $7\hat{a}\in$ "36) on coronary microvascular function in obese adults. IJC Heart and Vasculature, 2019, 22, 139-144.   | 0.6 | 5         |
| 209 | Myocardial perfusion assessed with cardiac computed tomography in women without coronary heart disease. Clinical Physiology and Functional Imaging, 2019, 39, 65-77.   | 0.5 | 5         |
| 210 | The need for long-term personalized management of frail CVD patients by rehabilitation and telemonitoring: A framework. Trends in Cardiovascular Medicine, 2022, , .   | 2.3 | 5         |
| 211 | Effect of empagliflozin on coronary microvascular function in patients with type 2 diabetes mellitus–A randomized, placebo-controlled cross-over study. PLoS ONE, 2022, 17, e0263481.  | 1.1 | 5         |
| 212 | Global and regional wall motion abnormalities and incident heart failure in the general population. International Journal of Cardiology, 2022, 357, 146-151.   | 0.8 | 5         |
| 213 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). Revista Portuguesa De Cardiologia (English Edition), 2013, 32, 553-554.  | 0.2 | 4         |
| 214 | Response by Ellingsen et al to Letters Regarding Article, "High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction― Circulation, 2017, 136, 611-612.  | 1.6 | 4         |
| 215 | Ventricular repolarization alterations in women with angina pectoris and suspected coronary microvascular dysfunction. Journal of Electrocardiology, 2018, 51, 15-20.  | 0.4 | 4         |
| 216 | Drug-eluting stents in large coronary vessels improve both safety and efficacy compared with bare-metal stents in women: a pooled analysis of the BASKET-PROVE I and II trials. Open Heart, 2019, 6, e000986.                        | 0.9 | 4         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 217 | Impaired coronary flow velocity reserve is associated with cardiovascular risk factors but not with angina symptoms. Open Heart, 2021, 8, e001486.  | 0.9 | 4         |
| 218 | Coronary Microvascular Dysfunction: A Practical Approach to Diagnosis and Management. Current Atherosclerosis Reports, 2021, 23, 54.  | 2.0 | 4         |
| 219 | The Effect of Occupational Lifting on Hypertension Risk: Protocol for a Project Using Data From the Copenhagen City Heart Study. JMIR Research Protocols, 2018, 7, e93.   | 0.5 | 4         |
| 220 | Screening for potential familial hypercholesterolaemia in general practice: an observational study on prevalence and management. BJGP Open, 2021, 5, bjgpopen20X101142.   | 0.9 | 4         |
| 221 | Poor predictive ability of the risk chart SCORE in a Danish population. Danish Medical Journal, 2013, 60, A4609.  | 0.5 | 4         |
| 222 | Midlife Forgetfulness and Risk of Dementia in Old Age: Results from the Danish Working Environment Cohort Study. Dementia and Geriatric Cognitive Disorders, 2019, 47, 264-273.                                     | 0.7 | 3         |
| 223 | Prolonged or serious conflicts at work and incident dementia: a 23-year follow-up of the Copenhagen City Heart Study. International Archives of Occupational and Environmental Health, 2019, 92, 165-173.           | 1.1 | 3         |
| 224 | Smoking and heart failure: A call for action. European Journal of Preventive Cardiology, 2019, 26, 277-278.   | 0.8 | 3         |
| 225 | Predictors for one-year outcomes of cardiorespiratory fitness and cardiovascular risk factor control after cardiac rehabilitation in elderly patients: The EU-CaRE study. PLoS ONE, 2021, 16, e0255472.             | 1.1 | 3         |
| 226 | Changes and prognostic value of cardiopulmonary exercise testing parameters in elderly patients undergoing cardiac rehabilitation: The EU-CaRE observational study. PLoS ONE, 2021, 16, e0255477.                   | 1.1 | 3         |
| 227 | Vital exhaustion in women with chest pain and no obstructive coronary artery disease: the iPOWER study. Evidence-Based Mental Health, 2021, 24, 49-55.  | 2.2 | 3         |
| 228 | The Impact of Comorbid Depression on Educational Inequality in Survival after Acute Coronary Syndrome in a Cohort of 83 062 Patients and a Matched Reference Population. PLoS ONE, 2015, 10, e0141598.              | 1.1 | 3         |
| 229 | Safety and efficacy of the 5-lipoxygenase-activating protein inhibitor AZD5718 in patients with recent myocardial infarction: The phase 2a FLAVOUR study. International Journal of Cardiology, 2022, 365, 34-40.    | 0.8 | 3         |
| 230 | Myocardial CT perfusion compared with transthoracic Doppler echocardiography in evaluation of the coronary microvascular function: An iPOWER substudy. Clinical Physiology and Functional Imaging, 2021, 41, 85-94. | 0.5 | 2         |
| 231 | Coronary flow velocity reserve adds prognostic information beyond presence or absence of non-obstructive coronary atherosclerosis. European Heart Journal, 2021, 42, 1442-1443.                                     | 1.0 | 2         |
| 232 | Prediction models as gatekeepers for diagnostic testing in angina patients with suspected chronic coronary syndrome. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 630-639.                  | 1.8 | 2         |
| 233 | Atrial cardiomyopathy in patients with ischaemic stroke: a cross-sectional and prospective cohort studyâ $\in$ "the COAST study. BMJ Open, 2022, 12, e061018.   | 0.8 | 2         |
| 234 | Socioeconomic disparity in cardiovascular disease: Possible biological pathways based on a proteomic approach. Atherosclerosis, 2022, 352, 62-68.   | 0.4 | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Preliminary Results of a 4-Year Follow-Up Study in Fibromyalgia. Journal of Musculoskeletal Pain, 1993, 1, 159-163.  | 0.3 | 1         |
| 236 | Reply to the Editorâ€"Incidence of Sports-Related Sudden Cardiac Death: The Danish Paradox. Heart Rhythm, 2010, 7, 1918-1919.  | 0.3 | 1         |
| 237 | OP XI $\hat{a}$ $\in$ 1 $\hat{a}$ Long-term exposure to road traffic noise and incidence of myocardial infarction. a danish nurse cohort study. , 2018, , .  |     | 1         |
| 238 | Transthoracic Assessment of Coronary Flow Velocity Reserve: A Practical Approach to Diagnostic Testing in Patients with Angina and No Obstructive Coronary Artery Disease. Journal of Interventional Cardiology, 2021, 2021, 1-8.                              | 0.5 | 1         |
| 239 | Diastolic function assessed with speckle tracking over a decade and its prognostic value: The Copenhagen City Heart Study. Echocardiography, 2021, 38, 964-973.  | 0.3 | 1         |
| 240 | Intensive group-based cognitive therapy in patients with cardiac disease and psychological distress—a randomized controlled trial protocol. Trials, 2021, 22, 455.   | 0.7 | 1         |
| 241 | Preliminary Communication on the Prevalence of Fibromyalgia in the Adult Danish Population. Journal of Musculoskeletal Pain, 1993, 1, 153-157.   | 0.3 | O         |
| 242 | CORONARY FLOW RESERVE IS AN INDEPENDENT PREDICTOR OF EXERCISE CAPACITY IN NON-DIABETIC OVERWEIGHT PATIENTS WITH ISCHEMIC HEART DISEASE. Journal of the American College of Cardiology, 2014, 63, A1282.  | 1.2 | 0         |
| 243 | WEIGHT LOSS BUT NOT EXERCISE LOWERS GLUCAGON RESPONSE AND IMPROVES GLUCAGON-LIKE PEPTIDE-1 TO INSULIN RATIO IN PREDIABETIC PATIENTS WITH CORONARY ARTERY DISEASE: THE RANDOMIZED CUT-IT TRIAL. Journal of the American College of Cardiology, 2015, 65, A1511. | 1.2 | O         |
| 244 | Vital Exhaustion and Depression: A Reply to Bianchi and Colleagues. Psychosomatic Medicine, 2017, 79, 836-837.   | 1.3 | 0         |
| 245 | The Reply. American Journal of Medicine, 2018, 131, e169.  | 0.6 | O         |
| 246 | Lifestyle Interventions. , 2018, , 250-269.  |     | 0         |
| 247 | Proteoglycan Remodeling Is Accelerated in Females with Angina Pectoris and Diffuse Myocardial Fibrosis: the iPOWER Study. Journal of Cardiovascular Translational Research, 2021, 14, 921-929.   | 1.1 | O         |
| 248 | Cardiac Rehabilitation and Secondary Prevention in Women. , 2017, , 167-181.   |     | 0         |
| 249 | OUP accepted manuscript. European Journal of Preventive Cardiology, 2022, , .  | 0.8 | 0         |