

# Eva Prescott

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4375201/eva-prescott-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242  
papers

29,706  
citations

57  
h-index

171  
g-index

272  
ext. papers

40,157  
ext. citations

5  
avg, IF

6.32  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 242 | 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC).  | 9.5  | 4237      |
| 241 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts). Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Heart Journal</i> , 2016, 37, 231-283                     | 9.5  | 3919      |
| 240 | 2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. <i>European Heart Journal</i> , 2013, 34, 2949-3003  | 9.5  | 3076      |
| 239 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). The Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts). <i>European Heart Journal</i> , 2012, 33, 1635-701  | 9.5  | 2797      |
| 238 | ESC/EAS Guidelines for the management of dyslipidaemias: the Task Force for the management of dyslipidaemias of the European Society of Cardiology (ESC) and the European Atherosclerosis Society (EAS). <i>European Heart Journal</i> , 2011, 32, 1769-818   | 9.5  | 2020      |
| 237 | 2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020, 41, 407-477   | 9.5  | 1835      |
| 236 | 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. <i>European Heart Journal</i> , 2021, 42, 3599-3726   | 9.5  | 875       |
| 235 | Prognostic value of nutritional status in chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 1856-61   | 10.2 | 726       |
| 234 | Stable angina pectoris with no obstructive coronary artery disease is associated with increased risks of major adverse cardiovascular events. <i>European Heart Journal</i> , 2012, 33, 734-44  | 9.5  | 467       |
| 233 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts). Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Journal of Preventive Cardiology</i> , 2016, 23, NP1-NP96 | 3.9  | 445       |
| 232 | Body mass, fat-free body mass, and prognosis in patients with chronic obstructive pulmonary disease from a random population sample: findings from the Copenhagen City Heart Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 173, 79-83  | 10.2 | 386       |
| 231 | Smoking and risk of myocardial infarction in women and men: longitudinal population study. <i>BMJ: British Medical Journal</i> , 1998, 316, 1043-7  |      | 345       |
| 230 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts). Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Journal of Preventive Cardiology</i> , 2016, 23, NP1-NP96 | 3.1  | 341       |
| 229 | Gender in cardiovascular diseases: impact on clinical manifestations, management, and outcomes. <i>European Heart Journal</i> , 2016, 37, 24-34   | 9.5  | 333       |
| 228 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): The Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts). <i>Atherosclerosis</i> , 2012, 223, 1-68  | 3.1  | 286       |
| 227 | Validity of stroke diagnoses in a National Register of Patients. <i>Neuroepidemiology</i> , 2007, 28, 150-4   | 5.4  | 284       |
| 226 | Risk factors for venous thromboembolism: results from the Copenhagen City Heart Study. <i>Circulation</i> , 2010, 121, 1896-903   | 16.7 | 269       |

|     |  |      |     |
|-----|--|------|-----|
| 225 | 2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. <i>European Heart Journal</i> , <b>2021</b> , 42, 17-96   | 9.5  | 264 |
| 224 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): the Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts). <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 585-667 | 3.9  | 233 |
| 223 | High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation</i> , <b>2017</b> , 135, 839-849  | 16.7 | 205 |
| 222 | Effect of smoking reduction on lung cancer risk. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 294, 1505-10  | 27.4 | 176 |
| 221 | Incidence and etiology of sports-related sudden cardiac death in Denmark--implications for preparticipation screening. <i>Heart Rhythm</i> , <b>2010</b> , 7, 1365-71  | 6.7  | 153 |
| 220 | Right bundle branch block: prevalence, risk factors, and outcome in the general population: results from the Copenhagen City Heart Study. <i>European Heart Journal</i> , <b>2013</b> , 34, 138-46   | 9.5  | 143 |
| 219 | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , <b>2021</b> , 42, 3427-3520   | 9.5  | 134 |
| 218 | Gender and determinants of smoking cessation: a longitudinal study. <i>Preventive Medicine</i> , <b>1999</b> , 29, 57-62   | 6.3  | 133 |
| 217 | Smoking reduction, smoking cessation, and mortality: a 16-year follow-up of 19,732 men and women from The Copenhagen Centre for Prospective Population Studies. <i>American Journal of Epidemiology</i> , <b>2002</b> , 156, 994-1001  | 3.8  | 125 |
| 216 | Socioeconomic status and chronic obstructive pulmonary disease. <i>Thorax</i> , <b>1999</b> , 54, 737-41   | 7.3  | 125 |
| 215 | Social network diversity and risks of ischemic heart disease and total mortality: findings from the Copenhagen City Heart Study. <i>American Journal of Epidemiology</i> , <b>2005</b> , 161, 960-7  | 3.8  | 115 |
| 214 | Mortality in women and men in relation to smoking. <i>International Journal of Epidemiology</i> , <b>1998</b> , 27, 27-32  | 3.8  | 111 |
| 213 | Vital exhaustion as a risk factor for ischaemic heart disease and all-cause mortality in a community sample. A prospective study of 4084 men and 5479 women in the Copenhagen City Heart Study. <i>International Journal of Epidemiology</i> , <b>2003</b> , 32, 990-7   | 7.8  | 109 |
| 212 | An EAPCI Expert Consensus Document on Ischaemia with Non-Obstructive Coronary Arteries in Collaboration with European Society of Cardiology Working Group on Coronary Pathophysiology & Microcirculation Endorsed by Coronary Vasomotor Disorders International Study Group. <i>European Heart Journal</i> , <b>2020</b> , 41, 3504-3520   | 9.5  | 106 |
| 211 | Income inequality, individual income, and mortality in Danish adults: analysis of pooled data from two cohort studies. <i>BMJ: British Medical Journal</i> , <b>2002</b> , 324, 13-6   |      | 105 |
| 210 | Lung function and risk of fatal and non-fatal stroke. The Copenhagen City Heart Study. <i>International Journal of Epidemiology</i> , <b>2001</b> , 30, 145-51   | 7.8  | 101 |
| 209 | Tobacco smoking and risk of hip fracture in men and women. <i>International Journal of Epidemiology</i> , <b>2000</b> , 29, 253-9  | 7.8  | 98  |
| 208 | Coronary Microvascular Function and Cardiovascular Risk Factors in Women With Angina Pectoris and No Obstructive Coronary Artery Disease: The iPOWER Study. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5, e003064  | 6    | 93  |

|     |   |      |    |
|-----|---|------|----|
| 207 | Sex-Related Differences in Vasomotor Function in Patients With Angina and Unobstructed Coronary Arteries. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 70, 2349-2358  | 15.1 | 91 |
| 206 | Gender and Smoking-Related Risk of Lung Cancer. <i>Epidemiology</i> , <b>1998</b> , 9, 79-83  | 3.1  | 90 |
| 205 | Seasonality of cardiovascular risk factors: an analysis including over 230 000 participants in 15 countries. <i>Heart</i> , <b>2014</b> , 100, 1517-23  | 5.1  | 88 |
| 204 | Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 1994-2006   | 3.9  | 88 |
| 203 | Incidence of Depression After Stroke, and Associated Risk Factors and Mortality Outcomes, in a Large Cohort of Danish Patients. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 1032-1040  | 14.5 | 83 |
| 202 | Tobacco smoking as a risk factor for depression. A 26-year population-based follow-up study. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 143-9   | 5.2  | 82 |
| 201 | Occupational and leisure time physical activity: risk of all-cause mortality and myocardial infarction in the Copenhagen City Heart Study. A prospective cohort study. <i>BMJ Open</i> , <b>2012</b> , 2, e000556   | 3    | 79 |
| 200 | Aortic augmentation index: reference values in a large unselected population by means of the SphygmoCor device. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 180-5   | 2.3  | 77 |
| 199 | Prediction of obstructive coronary artery disease and prognosis in patients with suspected stable angina. <i>European Heart Journal</i> , <b>2019</b> , 40, 1426-1435   | 9.5  | 77 |
| 198 | Population-level changes to promote cardiovascular health. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 409-21  | 3.9  | 76 |
| 197 | A prospective study linked both alcohol and tobacco to Dupuytren's disease. <i>Journal of Clinical Epidemiology</i> , <b>2004</b> , 57, 858-63  | 5.7  | 76 |
| 196 | Persistent angina: highly prevalent and associated with long-term anxiety, depression, low physical functioning, and quality of life in stable angina pectoris. <i>Clinical Research in Cardiology</i> , <b>2013</b> , 102, 571-81                        | 6.1  | 72 |
| 195 | Predictors of smoking reduction and cessation in a cohort of danish moderate and heavy smokers. <i>Preventive Medicine</i> , <b>2001</b> , 33, 46-52  | 4.3  | 68 |
| 194 | The Copenhagen Sarcopenia Study: lean mass, strength, power, and physical function in a Danish cohort aged 20-93 years. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2019</b> , 10, 1316-1329   | 10.3 | 67 |
| 193 | Association of Traditional Cardiovascular Risk Factors With Venous Thromboembolism: An Individual Participant Data Meta-Analysis of Prospective Studies. <i>Circulation</i> , <b>2017</b> , 135, 7-16   | 16.7 | 66 |
| 192 | The prognostic value of coronary endothelial and microvascular dysfunction in subjects with normal or non-obstructive coronary artery disease: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , <b>2018</b> , 254, 1-9 | 3.2  | 64 |
| 191 | Cardiac Rehabilitation Availability and Density around the Globe. <i>EClinicalMedicine</i> , <b>2019</b> , 13, 31-45  | 11.3 | 63 |
| 190 | Symptoms of sleep disordered breathing and risk of cancer: a prospective cohort study. <i>Sleep</i> , <b>2013</b> , 36, 1429-35   | 1.1  | 63 |

|     |  |      |    |
|-----|--|------|----|
| 189 | Home-based cardiac rehabilitation is as effective as centre-based cardiac rehabilitation among elderly with coronary heart disease: results from a randomised clinical trial. <i>Age and Ageing</i> , <b>2011</b> , 40, 78-85  | 3    | 62 |
| 188 | Nature of Cardiac Rehabilitation Around the Globe. <i>EclinicalMedicine</i> , <b>2019</b> , 13, 46-56  | 11.3 | 57 |
| 187 | Education and cause-specific mortality: the mediating role of differential exposure and vulnerability to behavioral risk factors. <i>Epidemiology</i> , <b>2014</b> , 25, 389-96   | 3.1  | 57 |
| 186 | Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: the Copenhagen City Heart Study. <i>European Heart Journal</i> , <b>2015</b> , 36, 1385-93  | 9.5  | 51 |
| 185 | 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: Developed by the Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). With the special contribution of the Heart Failure Association (HFA) of the ESC.. <i>European Journal of Heart Failure</i> , <b>2022</b> , 24, 4-131 | 12.3 | 50 |
| 184 | Controlled study of myocardial recovery after interval training in heart failure: SMARTEX-HF--rationale and design. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 813-21  | 3.9  | 48 |
| 183 | The total lifetime health cost savings of smoking cessation to society. <i>European Journal of Public Health</i> , <b>2005</b> , 15, 601-6   | 2.1  | 48 |
| 182 | Trends in smoking prevalence in Danish adults, 1964-1994. The influence of gender, age, and education. <i>Scandinavian Journal of Public Health</i> , <b>1998</b> , 26, 293-8  |      | 47 |
| 181 | Burden of hospital admission and repeat angiography in angina pectoris patients with and without coronary artery disease: a registry-based cohort study. <i>PLoS ONE</i> , <b>2014</b> , 9, e93170   | 3.7  | 47 |
| 180 | Smoking and subsequent risk of early retirement due to permanent disability. <i>European Journal of Public Health</i> , <b>2004</b> , 14, 86-92  | 2.1  | 46 |
| 179 | Home-based cardiac rehabilitation is an attractive alternative to no cardiac rehabilitation for elderly patients with coronary heart disease: results from a randomised clinical trial. <i>BMJ Open</i> , <b>2012</b> , 2,   | 3    | 43 |
| 178 | Major life events increase the risk of stroke but not of myocardial infarction: results from the Copenhagen City Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 113-8  |      | 42 |
| 177 | Improving diagnosis and treatment of women with angina pectoris and microvascular disease: the iPOWER study design and rationale. <i>American Heart Journal</i> , <b>2014</b> , 167, 452-8   | 4.9  | 41 |
| 176 | Coronary Flow Velocity Reserve Assessed by Transthoracic Doppler: The iPOWER Study: Factors Influencing Feasibility and Quality. <i>Journal of the American Society of Echocardiography</i> , <b>2016</b> , 29, 709-16   | 5.8  | 41 |
| 175 | Vital Exhaustion and Coronary Heart Disease Risk: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , <b>2017</b> , 79, 260-272   | 3.7  | 40 |
| 174 | Combined effects of socioeconomic position, smoking, and hypertension on risk of ischemic and hemorrhagic stroke. <i>Stroke</i> , <b>2014</b> , 45, 2582-7   | 6.7  | 40 |
| 173 | High aortic augmentation index predicts mortality and cardiovascular events in men from a general population, but not in women. <i>European Journal of Preventive Cardiology</i> , <b>2013</b> , 20, 1005-12   | 3.9  | 40 |
| 172 | Influence of genes and family environment on adult smoking behavior assessed in an adoption study. <i>Genetic Epidemiology</i> , <b>2001</b> , 21, 193-200   | 2.6  | 40 |

|     |  |     |    |
|-----|--|-----|----|
| 171 | Level of education and risk of heart failure: a prospective cohort study with echocardiography evaluation. <i>European Heart Journal</i> , <b>2011</b> , 32, 450-8   | 9.5 | 39 |
| 170 | Effect of the glucagon-like peptide-1 analogue liraglutide on coronary microvascular function in patients with type 2 diabetes - a randomized, single-blinded, cross-over pilot study. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 41        | 8.7 | 38 |
| 169 | A high-intensity exercise program improves exercise capacity, self-perceived health, anxiety and depression in heart transplant recipients: a randomized, controlled trial. <i>Journal of Heart and Lung Transplantation</i> , <b>2012</b> , 31, 106-7 | 5.8 | 38 |
| 168 | Effect of moderate- versus high-intensity exercise on vascular function, biomarkers and quality of life in heart transplant recipients: A randomized, crossover trial. <i>Journal of Heart and Lung Transplantation</i> , <b>2015</b> , 34, 1033-41    | 5.8 | 37 |
| 167 | Ankle brachial index, C-reactive protein, and central augmentation index to identify individuals with severe atherosclerosis. <i>European Heart Journal</i> , <b>2006</b> , 27, 316-22   | 9.5 | 37 |
| 166 | Chronic bronchitis in an elderly population. <i>Age and Ageing</i> , <b>2003</b> , 32, 636-42  | 3   | 37 |
| 165 | Perceived stress and risk of ischemic heart disease: causation or bias?. <i>Epidemiology</i> , <b>2006</b> , 17, 391-7   | 3.1 | 36 |
| 164 | Guía ESC 2017 sobre el tratamiento del infarto agudo de miocardio en pacientes con elevaci3n del segmento ST. <i>Revista Espanola De Cardiologia</i> , <b>2017</b> , 70, 1082.e1-1082.e61  | 1.5 | 35 |
| 163 | Structural and Functional Coronary Artery Abnormalities in Patients With Vasospastic Angina Pectoris. <i>Circulation Journal</i> , <b>2015</b> , 79, 1431-8  | 2.9 | 35 |
| 162 | Social gradient in the metabolic syndrome not explained by psychosocial and behavioural factors: evidence from the Copenhagen City Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 405-12     |     | 35 |
| 161 | The total lifetime costs of smoking. <i>European Journal of Public Health</i> , <b>2004</b> , 14, 95-100   | 2.1 | 35 |
| 160 | Does the benefit on survival from leisure time physical activity depend on physical activity at work? A prospective cohort study. <i>PLoS ONE</i> , <b>2013</b> , 8, e54548  | 3.7 | 35 |
| 159 | Impact of gender, co-morbidity and social factors on labour market affiliation after first admission for acute coronary syndrome. A cohort study of Danish patients 2001-2009. <i>PLoS ONE</i> , <b>2014</b> , 9, e86758                               | 3.7 | 34 |
| 158 | Transthoracic Doppler echocardiography compared with positron emission tomography for assessment of coronary microvascular dysfunction: The iPOWER study. <i>International Journal of Cardiology</i> , <b>2017</b> , 228, 435-443                      | 3.2 | 33 |
| 157 | Childhood social circumstances and health behaviour in midlife: the Metropolit 1953 Danish male birth cohort. <i>International Journal of Epidemiology</i> , <b>2008</b> , 37, 1367-74   | 7.8 | 33 |
| 156 | Income inequality and ischaemic heart disease in Danish men and women. <i>International Journal of Epidemiology</i> , <b>2003</b> , 32, 375-80   | 7.8 | 33 |
| 155 | Risk Factors for Myocardial Infarction in Women and Men: A Review of the Current Literature. <i>Current Pharmaceutical Design</i> , <b>2016</b> , 22, 3835-52  | 3.3 | 33 |
| 154 | Peripheral Reactive Hyperemia Index and Coronary Microvascular Function in Women With no Obstructive CAD: The iPOWER Study. <i>JACC: Cardiovascular Imaging</i> , <b>2016</b> , 9, 411-7   | 8.4 | 32 |

|     |   |      |    |
|-----|---|------|----|
| 153 | Simplifying the audit of risk factor recording and control: A report from an international study in 11 countries. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 1202-10  | 3.9  | 32 |
| 152 | Cardiac rehabilitation availability and delivery in Europe: How does it differ by region and compare with other high-income countries?: Endorsed by the European Association of Preventive Cardiology. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 26, 1131-1146 | 3.9  | 31 |
| 151 | Prognosis and treatment in patients admitted with acute myocardial infarction on weekends and weekdays from 1997 to 2009. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 1167-73   | 3.2  | 30 |
| 150 | A randomised trial comparing weight loss with aerobic exercise in overweight individuals with coronary artery disease: The CUT-IT trial. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 1009-17   | 3.9  | 30 |
| 149 | Benefits of smoking cessation with focus on cardiovascular and respiratory comorbidities. <i>Clinical Respiratory Journal</i> , <b>2011</b> , 5, 187-94   | 1.7  | 30 |
| 148 | Coronary flow velocity reserve by echocardiography: feasibility, reproducibility and agreement with PET in overweight and obese patients with stable and revascularized coronary artery disease. <i>Cardiovascular Ultrasound</i> , <b>2016</b> , 14, 22                              | 2.4  | 29 |
| 147 | Depression After First Hospital Admission for Acute Coronary Syndrome: A Study of Time of Onset and Impact on Survival. <i>American Journal of Epidemiology</i> , <b>2016</b> , 183, 218-26   | 3.8  | 28 |
| 146 | Education and risk of coronary heart disease: assessment of mediation by behavioral risk factors using the additive hazards model. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 149-57   | 12.1 | 28 |
| 145 | Symptoms of angina pectoris increase the probability of disability pension and premature exit from the workforce even in the absence of obstructive coronary artery disease. <i>European Heart Journal</i> , <b>2013</b> , 34, 3294-303   | 9.5  | 28 |
| 144 | Intensity versus duration of physical activity: implications for the metabolic syndrome. A prospective cohort study. <i>BMJ Open</i> , <b>2012</b> , 2,   | 3    | 28 |
| 143 | The Danish Cardiac Rehabilitation Database. <i>Clinical Epidemiology</i> , <b>2016</b> , 8, 451-456   | 5.9  | 28 |
| 142 | ESC guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 2-care pathways, treatment, and follow-up. <i>European Heart Journal</i> , <b>2021</b> ,   | 9.5  | 28 |
| 141 | Self-reported cardiorespiratory fitness: prediction and classification of risk of cardiovascular disease mortality and longevity—a prospective investigation in the Copenhagen City Heart Study. <i>Journal of the American Heart Association</i> , <b>2015</b> , 4, e001495          | 6    | 27 |
| 140 | A randomised trial comparing the effect of exercise training and weight loss on microvascular function in coronary artery disease. <i>International Journal of Cardiology</i> , <b>2015</b> , 185, 229-35   | 3.2  | 26 |
| 139 | Imaging in ESC clinical guidelines: chronic coronary syndromes. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 1187-1197  | 4.1  | 26 |
| 138 | Smoking reduction and biomarkers in two longitudinal studies. <i>Addiction</i> , <b>2006</b> , 101, 1516-22   | 4.6  | 26 |
| 137 | Cardiovascular risk prediction: Can Systematic Coronary Risk Evaluation (SCORE) be improved by adding simple risk markers? Results from the Copenhagen City Heart Study. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 1546-56                                 | 3.9  | 25 |
| 136 | Psychosocial risk factors, weight changes and risk of obesity: the Copenhagen City Heart Study. <i>European Journal of Epidemiology</i> , <b>2012</b> , 27, 119-30  | 12.1 | 25 |

|     |  |        |
|-----|--|--------|
| 135 | Diagnosis of coronary microvascular dysfunction in the clinic. <i>Cardiovascular Research</i> , <b>2020</b> , 116, 841-855.9   | 25     |
| 134 | Effects of 1 year of exercise training versus combined exercise training and weight loss on body composition, low-grade inflammation and lipids in overweight patients with coronary artery disease: a randomized trial. <i>Cardiovascular Diabetology</i> , <b>2019</b> , 18, 127 | 8.7 24 |
| 133 | Coronary microvascular function and myocardial fibrosis in women with angina pectoris and no obstructive coronary artery disease: the iPOWER study. <i>Journal of Cardiovascular Magnetic Resonance</i> , <b>2016</b> , 18, 76   | 6.9 24 |
| 132 | Effects of a 14-month low-cost maintenance training program in patients with chronic systolic heart failure: a randomized study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2009</b> , 16, 430-7   | 23     |
| 131 | Weight loss is superior to exercise in improving the atherogenic lipid profile in a sedentary, overweight population with stable coronary artery disease: A randomized trial. <i>Atherosclerosis</i> , <b>2016</b> , 246, 221-8  | 3.1 22 |
| 130 | Psychosocial risk factors and heart failure hospitalization: a prospective cohort study. <i>American Journal of Epidemiology</i> , <b>2011</b> , 174, 672-80   | 3.8 22 |
| 129 | A European study on effectiveness and sustainability of current Cardiac Rehabilitation programmes in the Elderly: Design of the EU-CaRE randomised controlled trial. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 27-40                                    | 3.9 21 |
| 128 | Major life events and the risk of ischaemic heart disease: does accumulation increase the risk?. <i>International Journal of Epidemiology</i> , <b>2011</b> , 40, 904-13   | 7.8 21 |
| 127 | Income and risk of ischaemic heart disease in men and women in a Nordic welfare country. <i>International Journal of Epidemiology</i> , <b>2003</b> , 32, 367-74   | 7.8 21 |
| 126 | Insulin resistance and exercise tolerance in heart failure patients: linkage to coronary flow reserve and peripheral vascular function. <i>Cardiovascular Diabetology</i> , <b>2012</b> , 11, 97   | 8.7 20 |
| 125 | Job loss and broken partnerships: do the number of stressful life events influence the risk of ischemic heart disease in men?. <i>Annals of Epidemiology</i> , <b>2008</b> , 18, 743-5   | 6.4 20 |
| 124 | Improvement in VO predicts readmissions for cardiovascular disease and mortality in patients undergoing cardiac rehabilitation. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 811-819   | 3.9 20 |
| 123 | Pro-inflammatory biomarkers in women with non-obstructive angina pectoris and coronary microvascular dysfunction. <i>IJC Heart and Vasculature</i> , <b>2019</b> , 24, 100370  | 2.4 19 |
| 122 | Coronary flow reserve as a link between diastolic and systolic function and exercise capacity in heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2013</b> , 14, 677-83  | 4.1 19 |
| 121 | Genetic and environmental influences on the relation between parental social class and mortality. <i>International Journal of Epidemiology</i> , <b>2006</b> , 35, 1272-7  | 7.8 19 |
| 120 | Speed and duration of walking and other leisure time physical activity and the risk of heart failure: a prospective cohort study from the Copenhagen City Heart Study. <i>PLoS ONE</i> , <b>2014</b> , 9, e89909   | 3.7 19 |
| 119 | Psychosocial risk factors for the metabolic syndrome: A prospective cohort study. <i>International Journal of Cardiology</i> , <b>2016</b> , 215, 41-6   | 3.2 19 |
| 118 | European Society of Cardiology guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 1-epidemiology, pathophysiology, and diagnosis. <i>European Heart Journal</i> , <b>2021</b> ,  | 9.5 18 |



|     |   |     |    |
|-----|---|-----|----|
| 117 | Prognostic impact of physical activity prior to myocardial infarction: Case fatality and subsequent risk of heart failure and death. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 1112-1119                           | 3.9 | 17 |
| 116 | Coronary microvascular dysfunction and myocardial contractile reserve in women with angina and no obstructive coronary artery disease. <i>Echocardiography</i> , <b>2018</b> , 35, 196-203  | 1.5 | 17 |
| 115 | Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2017</b> , 6, 299-310  | 4.3 | 16 |
| 114 | Long-Term Exposure to Air Pollution and Incidence of Myocardial Infarction: A Danish Nurse Cohort Study. <i>Environmental Health Perspectives</i> , <b>2020</b> , 128, 57003  | 8.4 | 15 |
| 113 | Interval training does not modulate diastolic function in heart transplant recipients. <i>Scandinavian Cardiovascular Journal</i> , <b>2014</b> , 48, 91-8  | 2   | 15 |
| 112 | Trends in time to invasive examination and treatment from 2001 to 2009 in patients admitted first time with non-ST elevation myocardial infarction or unstable angina in Denmark. <i>BMJ Open</i> , <b>2014</b> , 4, e004052                  | 3   | 15 |
| 111 | Cardiac rehabilitation in the elderly patient in eight rehabilitation units in Western Europe: Baseline data from the EU-CaRE multicentre observational study. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 26, 1052-1063 | 3.9 | 14 |
| 110 | Is chronic obstructive pulmonary disease associated with increased arterial stiffness?. <i>Respiratory Medicine</i> , <b>2012</b> , 106, 397-405  | 4.6 | 14 |
| 109 | Vital exhaustion increases the risk of ischemic stroke in women but not in men: results from the Copenhagen City Heart Study. <i>Journal of Psychosomatic Research</i> , <b>2010</b> , 68, 131-7  | 4.1 | 14 |
| 108 | Cardiac rehabilitation of elderly patients in eight rehabilitation units in western Europe: Outcome data from the EU-CaRE multi-centre observational study. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 1716-1729    | 3.9 | 13 |
| 107 | Copenhagen study of overweight patients with coronary artery disease undergoing low energy diet or interval training: the randomized CUT-IT trial protocol. <i>BMC Cardiovascular Disorders</i> , <b>2013</b> , 13, 106                       | 2.3 | 13 |
| 106 | Cohort profile: the Social Inequality in Cancer (SIC) cohort study. <i>International Journal of Epidemiology</i> , <b>2014</b> , 43, 1750-8   | 7.8 | 12 |
| 105 | No association between anxiety and depression and adverse clinical outcome among patients with cardiovascular disease: findings from the DANREHAB trial. <i>Journal of Psychosomatic Research</i> , <b>2011</b> , 71, 207-14                  | 4.1 | 12 |
| 104 | Vital exhaustion and risk for cancer: a prospective cohort study on the association between depressive feelings, fatigue, and risk of cancer. <i>Cancer</i> , <b>2005</b> , 104, 1288-95  | 6.4 | 12 |
| 103 | Income as mediator of the effect of occupation on the risk of myocardial infarction: does the income measurement matter?. <i>Journal of Epidemiology and Community Health</i> , <b>2005</b> , 59, 1080-5                                      | 5.1 | 12 |
| 102 | Depression following acute coronary syndrome: a Danish nationwide study of potential risk factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 1509-1523  | 4.5 | 12 |
| 101 | Treatment strategies in coronary microvascular dysfunction: A systematic review of interventional studies. <i>Microcirculation</i> , <b>2019</b> , 26, e12430   | 2.9 | 12 |
| 100 | Coronary flow velocity reserve predicts adverse prognosis in women with angina and no obstructive coronary artery disease: results from the iPOWER study. <i>European Heart Journal</i> , <b>2021</b> , 42, 228-239                           | 9.5 | 12 |

|    |  |      |    |
|----|--|------|----|
| 99 | Accelerated collagen turnover in women with angina pectoris without obstructive coronary artery disease: An iPOWER substudy. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 719-727  | 3.9  | 10 |
| 98 | Accumulation of Major Life Events in Childhood and Adult Life and Risk of Type 2 Diabetes Mellitus. <i>PLoS ONE</i> , <b>2015</b> , 10, e0138654   | 3.7  | 10 |
| 97 | Evaluation of computed tomography myocardial perfusion in women with angina and no obstructive coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , <b>2020</b> , 36, 367-382   | 2.5  | 10 |
| 96 | Guía ESC 2016 sobre prevención de la enfermedad cardiovascular en la práctica clínica. <i>Revista Española De Cardiología</i> , <b>2016</b> , 69, 939.e1-939.e87   | 1.5  | 10 |
| 95 | BETablocker Treatment After acute Myocardial Infarction in revascularized patients without reduced left ventricular ejection fraction (BETAMI): Rationale and design of a prospective, randomized, open, blinded end point study. <i>American Heart Journal</i> , <b>2019</b> , 208, 37-46 | 4.9  | 10 |
| 94 | Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , <b>2017</b> , 16, 369-380   | 3.3  | 9  |
| 93 | A randomized trial comparing the effect of weight loss and exercise training on insulin sensitivity and glucose metabolism in coronary artery disease. <i>Metabolism: Clinical and Experimental</i> , <b>2015</b> , 64, 1298-307   | 12.7 | 9  |
| 92 | Effect of ACE-inhibition on coronary microvascular function and symptoms in normotensive women with microvascular angina: A randomized placebo-controlled trial. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196962  | 3.7  | 9  |
| 91 | Coronary flow reserve predicts cardiopulmonary fitness in patients with coronary artery disease independently of systolic and diastolic function. <i>Echocardiography</i> , <b>2014</b> , 31, 654-62   | 1.5  | 9  |
| 90 | Guía de Práctica Clínica de la ESC 2013 sobre diagnóstico y tratamiento de la cardiopatía isquémica estable. <i>Revista Española De Cardiología</i> , <b>2014</b> , 67, 135.e1-135.e81   | 1.5  | 9  |
| 89 | Cortisol, estrogens and risk of ischaemic heart disease, cancer and all-cause mortality in postmenopausal women: a prospective cohort study. <i>International Journal of Epidemiology</i> , <b>2010</b> , 39, 530-8  | 7.8  | 9  |
| 88 | Exercise training in older patients with systolic heart failure: adherence, exercise capacity, inflammation and glycemic control. <i>Scandinavian Cardiovascular Journal</i> , <b>2009</b> , 43, 249-55  | 2    | 9  |
| 87 | Social ties and risk for cancer--a prospective cohort study. <i>Acta Oncologica</i> , <b>2009</b> , 48, 1010-8   | 3.2  | 9  |
| 86 | Perceived stress and dementia: Results from the Copenhagen city heart study. <i>Aging and Mental Health</i> , <b>2020</b> , 24, 1828-1836  | 3.5  | 9  |
| 85 | Skin autofluorescence is associated with arterial stiffness and insulin level in endurance runners and healthy controls - Effects of aging and endurance exercise. <i>Experimental Gerontology</i> , <b>2017</b> , 91, 9-14  | 4.5  | 8  |
| 84 | Low diagnostic yield of non-invasive testing in patients with suspected coronary artery disease: results from a large unselected hospital-based sample. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2018</b> , 4, 301-308                                   | 4.6  | 8  |
| 83 | Prognostic Impact of Mild Hypokalemia in Terms of Death and Stroke in the General Population-A Prospective Population Study. <i>American Journal of Medicine</i> , <b>2018</b> , 131, 318.e9-318.e19   | 2.4  | 8  |
| 82 | Role of the polypill for secondary prevention in ischaemic heart disease. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 44-51   | 3.9  | 8  |

|    |   |      |   |
|----|---|------|---|
| 81 | Women with Stable Angina Pectoris and No Obstructive Coronary Artery Disease: Closer to a Diagnosis. <i>European Cardiology Review</i> , <b>2017</b> , 12, 14-19  | 3.9  | 8 |
| 80 | A Sensitivity Analysis of Secular Trends in Risk Factors and Mortality Based on Cohort Studies. <i>Epidemiology</i> , <b>1999</b> , 10, 176-180   | 3.1  | 8 |
| 79 | Baseline and Exercise Predictors of $\dot{V}O_2$ peak in Systolic Heart Failure Patients: Results from SMARTEX-HF. <i>Medicine and Science in Sports and Exercise</i> , <b>2020</b> , 52, 810-819   | 1.2  | 8 |
| 78 | Inflammation, non-endothelial dependent coronary microvascular function and diastolic function-Are they linked?. <i>PLoS ONE</i> , <b>2020</b> , 15, e0236035   | 3.7  | 8 |
| 77 | Ischemic heart failure as a complication of incident acute myocardial infarction: Timing and time trends: A national analysis including 78,814 Danish patients during 2000-2009. <i>Scandinavian Journal of Public Health</i> , <b>2020</b> , 48, 294-302                       | 3    | 8 |
| 76 | Protein biomarkers and coronary microvascular dilatation assessed by rubidium-82 PET in women with angina pectoris and no obstructive coronary artery disease. <i>Atherosclerosis</i> , <b>2018</b> , 275, 319-327  | 3.1  | 8 |
| 75 | Myocardial first pass perfusion assessed by cardiac magnetic resonance and coronary microvascular dysfunction in women with angina and no obstructive coronary artery disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2019</b> , 79, 238-246 | 2    | 7 |
| 74 | Psychosocial risk factors for hospitalisation and death from chronic obstructive pulmonary disease: a prospective cohort study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2015</b> , 12, 190-8   | 2    | 7 |
| 73 | Age-related decline in mitral peak diastolic velocities is unaffected in well-trained runners. <i>Scandinavian Cardiovascular Journal</i> , <b>2015</b> , 49, 183-92  | 2    | 7 |
| 72 | Women with coronary microvascular dysfunction and no obstructive coronary artery disease have reduced exercise capacity. <i>International Journal of Cardiology</i> , <b>2019</b> , 293, 1-9  | 3.2  | 7 |
| 71 | No gender differences in prognosis and preventive treatment in patients with AMI without significant stenoses. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 746-54  | 3.9  | 7 |
| 70 | Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology.. <i>European Journal of Heart Failure</i> , <b>2022</b> , 24, 143-168  | 12.3 | 7 |
| 69 | Effect of liraglutide on body weight and microvascular function in non-diabetic overweight women with coronary microvascular dysfunction. <i>International Journal of Cardiology</i> , <b>2019</b> , 283, 28-34   | 3.2  | 7 |
| 68 | Peripheral Endothelial Function and Coronary Flow Velocity Reserve Are Not Associated in Women with Angina and No Obstructive Coronary Artery Disease: The iPOWER Study. <i>Journal of Vascular Research</i> , <b>2017</b> , 54, 309-319  | 1.9  | 6 |
| 67 | Predictors of pre-rehabilitation exercise capacity in elderly European cardiac patients - The EU-CaRE study. <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 1702-1712   | 3.9  | 6 |
| 66 | 2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , <b>2021</b> ,  | 3.9  | 6 |
| 65 | Time trend in depression diagnoses among acute coronary syndrome patients and a reference population from 2001 to 2009 in Denmark. <i>Nordic Journal of Psychiatry</i> , <b>2016</b> , 70, 335-41   | 2.3  | 5 |
| 64 | Coronary microvascular function, insulin sensitivity and body composition in predicting exercise capacity in overweight patients with coronary artery disease. <i>BMC Cardiovascular Disorders</i> , <b>2015</b> , 15, 159  | 2.3  | 5 |

|    |  |     |   |
|----|--|-----|---|
| 63 | Design and rationale of the Danish trial of beta-blocker treatment after myocardial infarction without reduced ejection fraction: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2020</b> , 21, 415  | 2.8 | 5 |
| 62 | Training intensity and improvements in exercise capacity in elderly patients undergoing European cardiac rehabilitation - the EU-CaRE multicenter cohort study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0242503   | 3.7 | 5 |
| 61 | Social Relations at Work and Incident Dementia: 29-Years Follow-Up of the Copenhagen Male Study. <i>Journal of Occupational and Environmental Medicine</i> , <b>2018</b> , 60, 12-18   | 2   | 5 |
| 60 | Impact of a Graded Exercise Program on VO <sub>2</sub> peak and Survival in Heart Failure Patients. <i>Medicine and Science in Sports and Exercise</i> , <b>2018</b> , 50, 2185-2191   | 1.2 | 5 |
| 59 | Overlap between angina without obstructive coronary artery disease and left ventricular diastolic dysfunction with preserved ejection fraction. <i>PLoS ONE</i> , <b>2019</b> , 14, e0216240   | 3.7 | 4 |
| 58 | Social inequality in tooth loss, the mediating role of smoking and alcohol consumption. <i>Community Dentistry and Oral Epidemiology</i> , <b>2019</b> , 47, 416-423   | 2.8 | 4 |
| 57 | Can we walk away from cardiovascular disease risk or do we have to Quff and puffQA cross-sectional compositional accelerometer data analysis among adults and older adults in the Copenhagen City Heart Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2020</b> , 17, 84 | 8.4 | 4 |
| 56 | Influence of type of sport on cardiac repolarization assessed by electrocardiographic T-wave morphology combination score. <i>Journal of Electrocardiology</i> , <b>2018</b> , 51, 296-302   | 1.4 | 4 |
| 55 | Coronary microvascular dysfunction is not associated with a history of reproductive risk factors in women with angina pectoris-An iPOWER substudy. <i>Maturitas</i> , <b>2018</b> , 107, 110-115   | 5   | 4 |
| 54 | Predictive value of the corrected TIMI frame count in patients with suspected angina pectoris but no obstructive coronary artery disease at angiography. <i>Clinical Research in Cardiology</i> , <b>2014</b> , 103, 381-7   | 6.1 | 4 |
| 53 | Commentary: tobacco-related diseases: a gender differential?. <i>International Journal of Epidemiology</i> , <b>2001</b> , 30, 793-4   | 7.8 | 4 |
| 52 | Comprehensive treatment of microvascular angina in overweight women - a randomized controlled pilot trial. <i>PLoS ONE</i> , <b>2020</b> , 15, e0240722  | 3.7 | 4 |
| 51 | Design and rationale of FLAVOUR: A phase IIa efficacy study of the 5-lipoxygenase activating protein antagonist AZD5718 in patients with recent myocardial infarction. <i>Contemporary Clinical Trials Communications</i> , <b>2020</b> , 19, 100629   | 1.8 | 4 |
| 50 | Secondary prevention and cardiovascular care across Europe: A survey of European Society of Cardiology membersQviews. <i>European Journal of Cardiovascular Nursing</i> , <b>2020</b> , 19, 201-211  | 3.3 | 4 |
| 49 | Poor predictive ability of the risk chart SCORE in a Danish population. <i>Danish Medical Journal</i> , <b>2013</b> , 60, A4609  | 3.8 | 4 |
| 48 | Socio-economic position and time trends in invasive management and case fatality after acute myocardial infarction in Denmark. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 146-52   | 2.1 | 3 |
| 47 | Physical activity and risk of instant and 28-day case-fatality in myocardial infarction. <i>PLoS ONE</i> , <b>2019</b> , 14, e0217398  | 3.7 | 3 |
| 46 | The effect of DPP-4-protected GLP-1 (7-36) on coronary microvascular function in obese adults. <i>IJC Heart and Vasculature</i> , <b>2019</b> , 22, 139-144  | 2.4 | 3 |

|    |   |      |   |
|----|---|------|---|
| 45 | Response by Ellingsen et al to Letters Regarding Article, "High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction". <i>Circulation</i> , <b>2017</b> , 136, 611-612                             | 16.7 | 3 |
| 44 | Educational differences in postmenopausal breast cancer--quantifying indirect effects through health behaviors, body mass index and reproductive patterns. <i>PLoS ONE</i> , <b>2013</b> , 8, e78690                                    | 3.7  | 3 |
| 43 | European Society of Cardiology guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 1-epidemiology, pathophysiology, and diagnosis. <i>Cardiovascular Research</i> , <b>2021</b> ,    | 9.9  | 3 |
| 42 | Myocardial perfusion assessed with cardiac computed tomography in women without coronary heart disease. <i>Clinical Physiology and Functional Imaging</i> , <b>2019</b> , 39, 65-77   | 2.4  | 3 |
| 41 | Layer-specific global longitudinal strain and the risk of heart failure and cardiovascular mortality in the general population: the Copenhagen City Heart Study. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1819-1827 | 12.3 | 3 |
| 40 | ESC guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 2-care pathways, treatment, and follow-up. <i>Cardiovascular Research</i> , <b>2021</b> ,                                    | 9.9  | 3 |
| 39 | Prolonged or serious conflicts at work and incident dementia: a 23-year follow-up of the Copenhagen City Heart Study. <i>International Archives of Occupational and Environmental Health</i> , <b>2019</b> , 92, 165-173                | 3.2  | 2 |
| 38 | Coronary microvascular dysfunction is associated with cardiac time intervals in women with angina and no obstructive coronary artery disease: An iPOWER substudy. <i>Echocardiography</i> , <b>2019</b> , 36, 1110-1117                 | 7.5  | 2 |
| 37 | Midlife Forgetfulness and Risk of Dementia in Old Age: Results from the Danish Working Environment Cohort Study. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2019</b> , 47, 264-273  | 2.6  | 2 |
| 36 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). <i>Revista Portuguesa De Cardiologia (English Edition)</i> , <b>2013</b> , 32, 553-554  | 0    | 2 |
| 35 | Vital exhaustion in women with chest pain and no obstructive coronary artery disease: the iPOWER study. <i>Evidence-Based Mental Health</i> , <b>2021</b> , 24, 49-55   | 11.1 | 2 |
| 34 | The Impact of Comorbid Depression on Educational Inequality in Survival after Acute Coronary Syndrome in a Cohort of 83 062 Patients and a Matched Reference Population. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141598                   | 2.7  | 2 |
| 33 | The Effect of Occupational Lifting on Hypertension Risk: Protocol for a Project Using Data From the Copenhagen City Heart Study. <i>JMIR Research Protocols</i> , <b>2018</b> , 7, e93  | 2    | 2 |
| 32 | Doppler Echocardiography Assessment of Coronary Microvascular Function in Patients With Angina and No Obstructive Coronary Artery Disease. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 723542                        | 5.4  | 2 |
| 31 | Level of Physical Activity, Left Ventricular Mass, Hypertension, and Prognosis. <i>Hypertension</i> , <b>2020</b> , 75, 693-701   | 8.5  | 2 |
| 30 | Guía ESC 2020 sobre cardiología del deporte y el ejercicio en pacientes con enfermedad cardiovascular. <i>Revista Espanola De Cardiologia</i> , <b>2021</b> , 74, 545.e1-545.e73  | 1.5  | 2 |
| 29 | Drug-eluting stents in large coronary vessels improve both safety and efficacy compared with bare-metal stents in women: a pooled analysis of the BASKET-PROVE I and II trials. <i>Open Heart</i> , <b>2019</b> , 6, e000986            | 3    | 2 |
| 28 | Smoking and heart failure: A call for action. <i>European Journal of Preventive Cardiology</i> , <b>2019</b> , 26, 277-278  | 3.9  | 2 |

|    |   |     |   |
|----|---|-----|---|
| 27 | Impaired coronary flow velocity reserve is associated with cardiovascular risk factors but not with angina symptoms. <i>Open Heart</i> , <b>2021</b> , 8,   | 3   | 2 |
| 26 | Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> ,  | 3.9 | 2 |
| 25 | Offering, participation and adherence to cardiac rehabilitation programmes in the elderly: a European comparison based on the EU-CaRE multicentre observational study. <i>European Journal of Preventive Cardiology</i> , <b>2021</b> , 28, 558-568 | 3.9 | 2 |
| 24 | Assessment of functional sit-to-stand muscle power: Cross-sectional trajectories across the lifespan. <i>Experimental Gerontology</i> , <b>2021</b> , 152, 111448   | 4.5 | 2 |
| 23 | Reply to the EditorIncidence of Sports-Related Sudden Cardiac Death: The Danish Paradox. <i>Heart Rhythm</i> , <b>2010</b> , 7, 1918-1919   | 6.7 | 1 |
| 22 | Preliminary Results of a 4-Year Follow-Up Study in Fibromyalgia. <i>Journal of Musculoskeletal Pain</i> , <b>1993</b> , 1, 159-163  |     | 1 |
| 21 | Transthoracic Assessment of Coronary Flow Velocity Reserve: A Practical Approach to Diagnostic Testing in Patients with Angina and No Obstructive Coronary Artery Disease. <i>Journal of Interventional Cardiology</i> , <b>2021</b> , 2021, 1-8    | 1.8 | 1 |
| 20 | Myocardial CT perfusion compared with transthoracic Doppler echocardiography in evaluation of the coronary microvascular function: An iPOWER substudy. <i>Clinical Physiology and Functional Imaging</i> , <b>2021</b> , 41, 85-94                  | 2.4 | 1 |
| 19 | The effect of occupational physical activity on dementia: Results from the Copenhagen Male Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2021</b> , 31, 446-455   | 4.6 | 1 |
| 18 | Coronary flow velocity reserve adds prognostic information beyond presence or absence of non-obstructive coronary atherosclerosis. <i>European Heart Journal</i> , <b>2021</b> , 42, 1442-1443  | 9.5 | 1 |
| 17 | Exercise training and high-sensitivity cardiac troponin T in patients with heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 2183-2192  | 3.7 | 1 |
| 16 | The physical activity health paradox and risk factors for cardiovascular disease: A cross-sectional compositional data analysis in the Copenhagen City Heart Study.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0267427                                   | 3.7 | 1 |
| 15 | Atrial cardiomyopathy in patients with ischaemic stroke: a cross-sectional and prospective cohort study-the COAST study.. <i>BMJ Open</i> , <b>2022</b> , 12, e061018   | 3   | 1 |
| 14 | Effect of empagliflozin on coronary microvascular function in patients with type 2 diabetes mellitus-A randomized, placebo-controlled cross-over study.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0263481   | 3.7 | 0 |
| 13 | Temporal trends and sex differences in sudden cardiac death in the Copenhagen City Heart Study. <i>Heart</i> , <b>2021</b> , 107, 1303-1309   | 5.1 | 0 |
| 12 | Intensive group-based cognitive therapy in patients with cardiac disease and psychological distress-a randomized controlled trial protocol. <i>Trials</i> , <b>2021</b> , 22, 455   | 2.8 | 0 |
| 11 | Coronary Microvascular Dysfunction: A Practical Approach to Diagnosis and Management. <i>Current Atherosclerosis Reports</i> , <b>2021</b> , 23, 54   | 6   | 0 |
| 10 | Predictors for one-year outcomes of cardiorespiratory fitness and cardiovascular risk factor control after cardiac rehabilitation in elderly patients: The EU-CaRE study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255472                              | 3.7 | 0 |

- |   |  |     |   |
|---|--|-----|---|
| 9 | Changes and prognostic value of cardiopulmonary exercise testing parameters in elderly patients undergoing cardiac rehabilitation: The EU-CaRE observational study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255477 | 3.7 | o |
| 8 | The Reply. <i>American Journal of Medicine</i> , <b>2018</b> , 131, e169   | 2.4 |   |
| 7 | Ventricular repolarization alterations in women with angina pectoris and suspected coronary microvascular dysfunction. <i>Journal of Electrocardiology</i> , <b>2018</b> , 51, 15-20                             | 1.4 |   |
| 6 | Lifestyle Interventions <b>2018</b> , 250-269  |     |   |
| 5 | Vital Exhaustion and Depression: A Reply to Bianchi and Colleagues. <i>Psychosomatic Medicine</i> , <b>2017</b> , 79, 836-837  | 3.7 |   |
| 4 | Preliminary Communication on the Prevalence of Fibromyalgia in the Adult Danish Population. <i>Journal of Musculoskeletal Pain</i> , <b>1993</b> , 1, 153-157  |     |   |
| 3 | Cardiac Rehabilitation and Secondary Prevention in Women <b>2017</b> , 167-181   |     |   |
| 2 | Proteoglycan Remodeling Is Accelerated in Females with Angina Pectoris and Diffuse Myocardial Fibrosis: the iPOWER Study. <i>Journal of Cardiovascular Translational Research</i> , <b>2021</b> , 14, 921-929    | 3.3 |   |
| 1 | Diastolic function assessed with speckle tracking over a decade and its prognostic value: The Copenhagen City Heart Study. <i>Echocardiography</i> , <b>2021</b> , 38, 964-973                                   | 1.5 |   |