

Eva Prescott

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4375201/eva-prescott-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242
papers

29,706
citations

57
h-index

171
g-index

272
ext. papers

40,157
ext. citations

5
avg, IF

6.32
L-index

#	Paper	IF	Citations
242	Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology.. <i>European Journal of Heart Failure</i> , 2022 , 24, 143-168	12.3	7
241	2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: Developed by the Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). With the special contribution of the Heart Failure Association (HFA) of the ESC.. <i>European Journal of Heart Failure</i> , 2022 , 24, 4-131	12.3	50
240	Effect of empagliflozin on coronary microvascular function in patients with type 2 diabetes mellitus-A randomized, placebo-controlled cross-over study.. <i>PLoS ONE</i> , 2022 , 17, e0263481	3.7	0
239	The physical activity health paradox and risk factors for cardiovascular disease: A cross-sectional compositional data analysis in the Copenhagen City Heart Study.. <i>PLoS ONE</i> , 2022 , 17, e0267427	3.7	1
238	Atrial cardiomyopathy in patients with ischaemic stroke: a cross-sectional and prospective cohort study-the COAST study.. <i>BMJ Open</i> , 2022 , 12, e061018	3	1
237	European Society of Cardiology guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 1-epidemiology, pathophysiology, and diagnosis. <i>Cardiovascular Research</i> , 2021 ,	9.9	3
236	Vital exhaustion in women with chest pain and no obstructive coronary artery disease: the iPOWER study. <i>Evidence-Based Mental Health</i> , 2021 , 24, 49-55	11.1	2
235	Doppler Echocardiography Assessment of Coronary Microvascular Function in Patients With Angina and No Obstructive Coronary Artery Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 723542	5.4	2
234	Transthoracic Assessment of Coronary Flow Velocity Reserve: A Practical Approach to Diagnostic Testing in Patients with Angina and No Obstructive Coronary Artery Disease. <i>Journal of Interventional Cardiology</i> , 2021 , 2021, 1-8	1.8	1
233	Proteoglycan Remodeling Is Accelerated in Females with Angina Pectoris and Diffuse Myocardial Fibrosis: the iPOWER Study. <i>Journal of Cardiovascular Translational Research</i> , 2021 , 14, 921-929	3.3	
232	Diastolic function assessed with speckle tracking over a decade and its prognostic value: The Copenhagen City Heart Study. <i>Echocardiography</i> , 2021 , 38, 964-973	1.5	
231	Temporal trends and sex differences in sudden cardiac death in the Copenhagen City Heart Study. <i>Heart</i> , 2021 , 107, 1303-1309	5.1	0
230	Guī ESC 2020 sobre cardiologī del deporte y el ejercicio en pacientes con enfermedad cardiovascular. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 545.e1-545.e73	1.5	2
229	Intensive group-based cognitive therapy in patients with cardiac disease and psychological distress-a randomized controlled trial protocol. <i>Trials</i> , 2021 , 22, 455	2.8	0
228	Coronary Microvascular Dysfunction: A Practical Approach to Diagnosis and Management. <i>Current Atherosclerosis Reports</i> , 2021 , 23, 54	6	0
227	Coronary flow velocity reserve predicts adverse prognosis in women with angina and no obstructive coronary artery disease: results from the iPOWER study. <i>European Heart Journal</i> , 2021 , 42, 228-239	9.5	12
226	Myocardial CT perfusion compared with transthoracic Doppler echocardiography in evaluation of the coronary microvascular function: An iPOWER substudy. <i>Clinical Physiology and Functional Imaging</i> , 2021 , 41, 85-94	2.4	1

225	The effect of occupational physical activity on dementia: Results from the Copenhagen Male Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 446-455	4.6	1
224	2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. <i>European Heart Journal</i> , 2021 , 42, 17-96	9.5	264
223	Impaired coronary flow velocity reserve is associated with cardiovascular risk factors but not with angina symptoms. <i>Open Heart</i> , 2021 , 8,	3	2
222	ESC guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 2-care pathways, treatment, and follow-up. <i>European Heart Journal</i> , 2021 ,	9.5	28
221	Coronary flow velocity reserve adds prognostic information beyond presence or absence of non-obstructive coronary atherosclerosis. <i>European Heart Journal</i> , 2021 , 42, 1442-1443	9.5	1
220	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	2
219	Offering, participation and adherence to cardiac rehabilitation programmes in the elderly: a European comparison based on the EU-CaRE multicentre observational study. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 558-568	3.9	2
218	Exercise training and high-sensitivity cardiac troponin T in patients with heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2021 , 8, 2183-2192	3.7	1
217	Predictors for one-year outcomes of cardiorespiratory fitness and cardiovascular risk factor control after cardiac rehabilitation in elderly patients: The EU-CaRE study. <i>PLoS ONE</i> , 2021 , 16, e0255472	3.7	0
216	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , 2021 , 42, 3427-3520	9.5	134
215	Changes and prognostic value of cardiopulmonary exercise testing parameters in elderly patients undergoing cardiac rehabilitation: The EU-CaRE observational study. <i>PLoS ONE</i> , 2021 , 16, e0255477	3.7	0
214	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , 2021 ,	3.9	6
213	Layer-specific global longitudinal strain and the risk of heart failure and cardiovascular mortality in the general population: the Copenhagen City Heart Study. <i>European Journal of Heart Failure</i> , 2021 , 23, 1819-1827	12.3	3
212	2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. <i>European Heart Journal</i> , 2021 , 42, 3599-3726	9.5	875
211	Assessment of functional sit-to-stand muscle power: Cross-sectional trajectories across the lifespan. <i>Experimental Gerontology</i> , 2021 , 152, 111448	4.5	2
210	European Society of Cardiology guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 1-epidemiology, pathophysiology, and diagnosis. <i>European Heart Journal</i> , 2021 ,	9.5	18
209	ESC guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 2-care pathways, treatment, and follow-up. <i>Cardiovascular Research</i> , 2021 ,	9.9	3
208	Long-Term Exposure to Air Pollution and Incidence of Myocardial Infarction: A Danish Nurse Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 57003	8.4	15

207	Can we walk away from cardiovascular disease risk or do we have to Quff and puffQA cross-sectional compositional accelerometer data analysis among adults and older adults in the Copenhagen City Heart Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , <i>17</i> , 21	8.4	4
206	An EAPCI Expert Consensus Document on Ischaemia with Non-Obstructive Coronary Arteries in Collaboration with European Society of Cardiology Working Group on Coronary Pathophysiology & Microcirculation Endorsed by Coronary Vasomotor Disorders International Study Group. <i>European Heart Journal</i> , 2020 , <i>41</i> , 2524-2532	9.5	106
205	Cardiac rehabilitation of elderly patients in eight rehabilitation units in western Europe: Outcome data from the EU-CaRE multi-centre observational study. <i>European Journal of Preventive Cardiology</i> , 2020 , <i>27</i> , 1716-1729	3.9	13
204	Design and rationale of the Danish trial of beta-blocker treatment after myocardial infarction without reduced ejection fraction: study protocol for a randomized controlled trial. <i>Trials</i> , 2020 , <i>21</i> , 415	2.8	5
203	Comprehensive treatment of microvascular angina in overweight women - a randomized controlled pilot trial. <i>PLoS ONE</i> , 2020 , <i>15</i> , e0240722	3.7	4
202	Training intensity and improvements in exercise capacity in elderly patients undergoing European cardiac rehabilitation - the EU-CaRE multicenter cohort study. <i>PLoS ONE</i> , 2020 , <i>15</i> , e0242503	3.7	5
201	Evaluation of computed tomography myocardial perfusion in women with angina and no obstructive coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2020 , <i>36</i> , 367-382	2.5	10
200	Predictors of pre-rehabilitation exercise capacity in elderly European cardiac patients - The EU-CaRE study. <i>European Journal of Preventive Cardiology</i> , 2020 , <i>27</i> , 1702-1712	3.9	6
199	Improvement in VO predicts readmissions for cardiovascular disease and mortality in patients undergoing cardiac rehabilitation. <i>European Journal of Preventive Cardiology</i> , 2020 , <i>27</i> , 811-819	3.9	20
198	Diagnosis of coronary microvascular dysfunction in the clinic. <i>Cardiovascular Research</i> , 2020 , <i>116</i> , 841-855	5.9	25
197	Baseline and Exercise Predictors of V _{O2} peak in Systolic Heart Failure Patients: Results from SMARTEX-HF. <i>Medicine and Science in Sports and Exercise</i> , 2020 , <i>52</i> , 810-819	1.2	8
196	Level of Physical Activity, Left Ventricular Mass, Hypertension, and Prognosis. <i>Hypertension</i> , 2020 , <i>75</i> , 693-701	8.5	2
195	Design and rationale of FLAVOUR: A phase IIa efficacy study of the 5-lipoxygenase activating protein antagonist AZD5718 in patients with recent myocardial infarction. <i>Contemporary Clinical Trials Communications</i> , 2020 , <i>19</i> , 100629	1.8	4
194	Inflammation, non-endothelial dependent coronary microvascular function and diastolic function-Are they linked?. <i>PLoS ONE</i> , 2020 , <i>15</i> , e0236035	3.7	8
193	Perceived stress and dementia: Results from the Copenhagen city heart study. <i>Aging and Mental Health</i> , 2020 , <i>24</i> , 1828-1836	3.5	9
192	Ischemic heart failure as a complication of incident acute myocardial infarction: Timing and time trends: A national analysis including 78,814 Danish patients during 2000-2009. <i>Scandinavian Journal of Public Health</i> , 2020 , <i>48</i> , 294-302	3	8
191	Secondary prevention and cardiovascular care across Europe: A survey of European Society of Cardiology membersQviews. <i>European Journal of Cardiovascular Nursing</i> , 2020 , <i>19</i> , 201-211	3.3	4
190	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , <i>41</i> , 407-477	9.5	1835

189	Effects of 1 year of exercise training versus combined exercise training and weight loss on body composition, low-grade inflammation and lipids in overweight patients with coronary artery disease: a randomized trial. <i>Cardiovascular Diabetology</i> , 2019 , 18, 127	8.7	24
188	Prolonged or serious conflicts at work and incident dementia: a 23-year follow-up of the Copenhagen City Heart Study. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 165-173	3.2	2
187	Overlap between angina without obstructive coronary artery disease and left ventricular diastolic dysfunction with preserved ejection fraction. <i>PLoS ONE</i> , 2019 , 14, e0216240	3.7	4
186	Physical activity and risk of instant and 28-day case-fatality in myocardial infarction. <i>PLoS ONE</i> , 2019 , 14, e0217398	3.7	3
185	Pro-inflammatory biomarkers in women with non-obstructive angina pectoris and coronary microvascular dysfunction. <i>IJC Heart and Vasculature</i> , 2019 , 24, 100370	2.4	19
184	Social inequality in tooth loss, the mediating role of smoking and alcohol consumption. <i>Community Dentistry and Oral Epidemiology</i> , 2019 , 47, 416-423	2.8	4
183	Coronary microvascular dysfunction is associated with cardiac time intervals in women with angina and no obstructive coronary artery disease: An iPOWER substudy. <i>Echocardiography</i> , 2019 , 36, 1110-1117	1.5	2
182	Myocardial first pass perfusion assessed by cardiac magnetic resonance and coronary microvascular dysfunction in women with angina and no obstructive coronary artery disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019 , 79, 238-246	2	7
181	Cardiac rehabilitation in the elderly patient in eight rehabilitation units in Western Europe: Baseline data from the EU-CaRE multicentre observational study. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1052-1063	3.9	14
180	Cardiac rehabilitation availability and delivery in Europe: How does it differ by region and compare with other high-income countries?: Endorsed by the European Association of Preventive Cardiology. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1131-1146	3.9	31
179	The effect of DPP-4-protected GLP-1 (7-36) on coronary microvascular function in obese adults. <i>IJC Heart and Vasculature</i> , 2019 , 22, 139-144	2.4	3
178	Midlife Forgetfulness and Risk of Dementia in Old Age: Results from the Danish Working Environment Cohort Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019 , 47, 264-273	2.6	2
177	The Copenhagen Sarcopenia Study: lean mass, strength, power, and physical function in a Danish cohort aged 20-93 years. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 1316-1329	10.3	67
176	Nature of Cardiac Rehabilitation Around the Globe. <i>EClinicalMedicine</i> , 2019 , 13, 46-56	11.3	57
175	Cardiac Rehabilitation Availability and Density around the Globe. <i>EClinicalMedicine</i> , 2019 , 13, 31-45	11.3	63
174	Women with coronary microvascular dysfunction and no obstructive coronary artery disease have reduced exercise capacity. <i>International Journal of Cardiology</i> , 2019 , 293, 1-9	3.2	7
173	Imaging in ESC clinical guidelines: chronic coronary syndromes. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 1187-1197	4.1	26
172	Drug-eluting stents in large coronary vessels improve both safety and efficacy compared with bare-metal stents in women: a pooled analysis of the BASKET-PROVE I and II trials. <i>Open Heart</i> , 2019 , 6, e000986	3	2

171	Prediction of obstructive coronary artery disease and prognosis in patients with suspected stable angina. <i>European Heart Journal</i> , 2019 , 40, 1426-1435	9.5	77
170	Effect of liraglutide on body weight and microvascular function in non-diabetic overweight women with coronary microvascular dysfunction. <i>International Journal of Cardiology</i> , 2019 , 283, 28-34	3.2	7
169	BETablocker Treatment After acute Myocardial Infarction in revascularized patients without reduced left ventricular ejection fraction (BETAMI): Rationale and design of a prospective, randomized, open, blinded end point study. <i>American Heart Journal</i> , 2019 , 208, 37-46	4.9	10
168	Smoking and heart failure: A call for action. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 277-278	3.9	2
167	Myocardial perfusion assessed with cardiac computed tomography in women without coronary heart disease. <i>Clinical Physiology and Functional Imaging</i> , 2019 , 39, 65-77	2.4	3
166	Treatment strategies in coronary microvascular dysfunction: A systematic review of interventional studies. <i>Microcirculation</i> , 2019 , 26, e12430	2.9	12
165	The prognostic value of coronary endothelial and microvascular dysfunction in subjects with normal or non-obstructive coronary artery disease: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2018 , 254, 1-9	3.2	64
164	Accelerated collagen turnover in women with angina pectoris without obstructive coronary artery disease: An iPOWER substudy. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 719-727	3.9	10
163	Low diagnostic yield of non-invasive testing in patients with suspected coronary artery disease: results from a large unselected hospital-based sample. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018 , 4, 301-308	4.6	8
162	The Reply. <i>American Journal of Medicine</i> , 2018 , 131, e169	2.4	
161	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2018 , 39, 119-177	9.5	4237
160	Influence of type of sport on cardiac repolarization assessed by electrocardiographic T-wave morphology combination score. <i>Journal of Electrocardiology</i> , 2018 , 51, 296-302	1.4	4
159	Prognostic Impact of Mild Hypokalemia in Terms of Death and Stroke in the General Population-A Prospective Population Study. <i>American Journal of Medicine</i> , 2018 , 131, 318.e9-318.e19	2.4	8
158	Ventricular repolarization alterations in women with angina pectoris and suspected coronary microvascular dysfunction. <i>Journal of Electrocardiology</i> , 2018 , 51, 15-20	1.4	
157	Coronary microvascular dysfunction is not associated with a history of reproductive risk factors in women with angina pectoris-An iPOWER substudy. <i>Maturitas</i> , 2018 , 107, 110-115	5	4
156	Lifestyle Interventions 2018 , 250-269		
155	Effect of ACE-inhibition on coronary microvascular function and symptoms in normotensive women with microvascular angina: A randomized placebo-controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0196962	3.7	9
154	The Effect of Occupational Lifting on Hypertension Risk: Protocol for a Project Using Data From the Copenhagen City Heart Study. <i>JMIR Research Protocols</i> , 2018 , 7, e93	2	2

153	Coronary microvascular dysfunction and myocardial contractile reserve in women with angina and no obstructive coronary artery disease. <i>Echocardiography</i> , 2018 , 35, 196-203	1.5	17
152	Social Relations at Work and Incident Dementia: 29-Years Follow-Up of the Copenhagen Male Study. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, 12-18	2	5
151	Impact of a Graded Exercise Program on VO ₂ peak and Survival in Heart Failure Patients. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 2185-2191	1.2	5
150	Protein biomarkers and coronary microvascular dilatation assessed by rubidium-82 PET in women with angina pectoris and no obstructive coronary artery disease. <i>Atherosclerosis</i> , 2018 , 275, 319-327	3.1	8
149	High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation</i> , 2017 , 135, 839-849	16.7	205
148	Skin autofluorescence is associated with arterial stiffness and insulin level in endurance runners and healthy controls - Effects of aging and endurance exercise. <i>Experimental Gerontology</i> , 2017 , 91, 9-14	4.5	8
147	Vital Exhaustion and Coronary Heart Disease Risk: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2017 , 79, 260-272	3.7	40
146	Prognostic impact of physical activity prior to myocardial infarction: Case fatality and subsequent risk of heart failure and death. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1112-1119	3.9	17
145	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 299-310	4.3	16
144	Transthoracic Doppler echocardiography compared with positron emission tomography for assessment of coronary microvascular dysfunction: The iPOWER study. <i>International Journal of Cardiology</i> , 2017 , 228, 435-443	3.2	33
143	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 369-380	3.3	9
142	Sex-Related Differences in Vasomotor Function in Patients With Angina and Unobstructed Coronary Arteries. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 2349-2358	15.1	91
141	Peripheral Endothelial Function and Coronary Flow Velocity Reserve Are Not Associated in Women with Angina and No Obstructive Coronary Artery Disease: The iPOWER Study. <i>Journal of Vascular Research</i> , 2017 , 54, 309-319	1.9	6
140	Vital Exhaustion and Depression: A Reply to Bianchi and Colleagues. <i>Psychosomatic Medicine</i> , 2017 , 79, 836-837	3.7	
139	Response by Ellingsen et al to Letters Regarding Article, "High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction". <i>Circulation</i> , 2017 , 136, 611-612	16.7	3
138	Guñ ESC 2017 sobre el tratamiento del infarto agudo de miocardio en pacientes con elevaciñ del segmento ST. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 1082.e1-1082.e61	1.5	35
137	Role of the polypill for secondary prevention in ischaemic heart disease. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 44-51	3.9	8
136	Association of Traditional Cardiovascular Risk Factors With Venous Thromboembolism: An Individual Participant Data Meta-Analysis of Prospective Studies. <i>Circulation</i> , 2017 , 135, 7-16	16.7	66

135	Women with Stable Angina Pectoris and No Obstructive Coronary Artery Disease: Closer to a Diagnosis. <i>European Cardiology Review</i> , 2017 , 12, 14-19	3.9	8
134	Cardiac Rehabilitation and Secondary Prevention in Women 2017 , 167-181		
133	Socio-economic position and time trends in invasive management and case fatality after acute myocardial infarction in Denmark. <i>European Journal of Public Health</i> , 2016 , 26, 146-52	2.1	3
132	Time trend in depression diagnoses among acute coronary syndrome patients and a reference population from 2001 to 2009 in Denmark. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 335-41	2.3	5
131	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts) Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Journal of Preventive Cardiology</i> , 2016 , 23, NP1-NP96	3.1	341
130	A European study on effectiveness and sustainability of current Cardiac Rehabilitation programmes in the Elderly: Design of the EU-CaRE randomised controlled trial. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 27-40	3.9	21
129	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts) Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Journal of Preventive Cardiology</i> , 2016 , 23, NP1-NP96	3.9	445
128	Weight loss is superior to exercise in improving the atherogenic lipid profile in a sedentary, overweight population with stable coronary artery disease: A randomized trial. <i>Atherosclerosis</i> , 2016 , 246, 221-8	3.1	22
127	Depression After First Hospital Admission for Acute Coronary Syndrome: A Study of Time of Onset and Impact on Survival. <i>American Journal of Epidemiology</i> , 2016 , 183, 218-26	3.8	28
126	Cardiovascular risk prediction: Can Systematic Coronary Risk Evaluation (SCORE) be improved by adding simple risk markers? Results from the Copenhagen City Heart Study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1546-56	3.9	25
125	Gender in cardiovascular diseases: impact on clinical manifestations, management, and outcomes. <i>European Heart Journal</i> , 2016 , 37, 24-34	9.5	333
124	Coronary microvascular function and myocardial fibrosis in women with angina pectoris and no obstructive coronary artery disease: the iPOWER study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 76	6.9	24
123	Coronary flow velocity reserve by echocardiography: feasibility, reproducibility and agreement with PET in overweight and obese patients with stable and revascularized coronary artery disease. <i>Cardiovascular Ultrasound</i> , 2016 , 14, 22	2.4	29
122	Risk Factors for Myocardial Infarction in Women and Men: A Review of the Current Literature. <i>Current Pharmaceutical Design</i> , 2016 , 22, 3835-52	3.3	33
121	The Danish Cardiac Rehabilitation Database. <i>Clinical Epidemiology</i> , 2016 , 8, 451-456	5.9	28
120	Coronary Flow Velocity Reserve Assessed by Transthoracic Doppler: The iPOWER Study: Factors Influencing Feasibility and Quality. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 709-16	5.8	41
119	Peripheral Reactive Hyperemia Index and Coronary Microvascular Function in Women With no Obstructive CAD: The iPOWER Study. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 411-7	8.4	32
118	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts) Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Heart Journal</i> , 2016 , 37, 2315-2381	9.5	3919

117	Coronary Microvascular Function and Cardiovascular Risk Factors in Women With Angina Pectoris and No Obstructive Coronary Artery Disease: The iPOWER Study. <i>Journal of the American Heart Association</i> , 2016 , 5, e003064	6	93
116	Psychosocial risk factors for the metabolic syndrome: A prospective cohort study. <i>International Journal of Cardiology</i> , 2016 , 215, 41-6	3.2	19
115	Simplifying the audit of risk factor recording and control: A report from an international study in 11 countries. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1202-10	3.9	32
114	Incidence of Depression After Stroke, and Associated Risk Factors and Mortality Outcomes, in a Large Cohort of Danish Patients. <i>JAMA Psychiatry</i> , 2016 , 73, 1032-1040	14.5	83
113	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1994-2006	3.9	88
112	Guía ESC 2016 sobre prevención de la enfermedad cardiovascular en la práctica clínica. <i>Revista Española De Cardiología</i> , 2016 , 69, 939.e1-939.e87	1.5	10
111	Depression following acute coronary syndrome: a Danish nationwide study of potential risk factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1509-1523	4.5	12
110	Effect of moderate- versus high-intensity exercise on vascular function, biomarkers and quality of life in heart transplant recipients: A randomized, crossover trial. <i>Journal of Heart and Lung Transplantation</i> , 2015 , 34, 1033-41	5.8	37
109	Self-reported cardiorespiratory fitness: prediction and classification of risk of cardiovascular disease mortality and longevity--a prospective investigation in the Copenhagen City Heart Study. <i>Journal of the American Heart Association</i> , 2015 , 4, e001495	6	27
108	Psychosocial risk factors for hospitalisation and death from chronic obstructive pulmonary disease: a prospective cohort study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015 , 12, 190-8	2	7
107	A randomised trial comparing the effect of exercise training and weight loss on microvascular function in coronary artery disease. <i>International Journal of Cardiology</i> , 2015 , 185, 229-35	3.2	26
106	Effect of the glucagon-like peptide-1 analogue liraglutide on coronary microvascular function in patients with type 2 diabetes - a randomized, single-blinded, cross-over pilot study. <i>Cardiovascular Diabetology</i> , 2015 , 14, 41	8.7	38
105	Age-related decline in mitral peak diastolic velocities is unaffected in well-trained runners. <i>Scandinavian Cardiovascular Journal</i> , 2015 , 49, 183-92	2	7
104	A randomized trial comparing the effect of weight loss and exercise training on insulin sensitivity and glucose metabolism in coronary artery disease. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 1298-307	12.7	9
103	Structural and Functional Coronary Artery Abnormalities in Patients With Vasospastic Angina Pectoris. <i>Circulation Journal</i> , 2015 , 79, 1431-8	2.9	35
102	Coronary microvascular function, insulin sensitivity and body composition in predicting exercise capacity in overweight patients with coronary artery disease. <i>BMC Cardiovascular Disorders</i> , 2015 , 15, 159	2.3	5
101	Accumulation of Major Life Events in Childhood and Adult Life and Risk of Type 2 Diabetes Mellitus. <i>PLoS ONE</i> , 2015 , 10, e0138654	3.7	10
100	Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: the Copenhagen City Heart Study. <i>European Heart Journal</i> , 2015 , 36, 1385-93	9.5	51

99	A randomised trial comparing weight loss with aerobic exercise in overweight individuals with coronary artery disease: The CUT-IT trial. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1009-17	3.9	30
98	The Impact of Comorbid Depression on Educational Inequality in Survival after Acute Coronary Syndrome in a Cohort of 83 062 Patients and a Matched Reference Population. <i>PLoS ONE</i> , 2015 , 10, e0141598	2.7	2
97	Improving diagnosis and treatment of women with angina pectoris and microvascular disease: the iPOWER study design and rationale. <i>American Heart Journal</i> , 2014 , 167, 452-8	4.9	41
96	Coronary flow reserve predicts cardiopulmonary fitness in patients with coronary artery disease independently of systolic and diastolic function. <i>Echocardiography</i> , 2014 , 31, 654-62	1.5	9
95	Seasonality of cardiovascular risk factors: an analysis including over 230 000 participants in 15 countries. <i>Heart</i> , 2014 , 100, 1517-23	5.1	88
94	Guía de Práctica Clínica de la ESC 2013 sobre diagnóstico y tratamiento de la cardiopatía isquémica estable. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 135.e1-135.e81	1.5	9
93	Impact of gender, co-morbidity and social factors on labour market affiliation after first admission for acute coronary syndrome. A cohort study of Danish patients 2001-2009. <i>PLoS ONE</i> , 2014 , 9, e86758	3.7	34
92	Cohort profile: the Social Inequality in Cancer (SIC) cohort study. <i>International Journal of Epidemiology</i> , 2014 , 43, 1750-8	7.8	12
91	Interval training does not modulate diastolic function in heart transplant recipients. <i>Scandinavian Cardiovascular Journal</i> , 2014 , 48, 91-8	2	15
90	Trends in time to invasive examination and treatment from 2001 to 2009 in patients admitted first time with non-ST elevation myocardial infarction or unstable angina in Denmark. <i>BMJ Open</i> , 2014 , 4, e004052	3	15
89	Education and cause-specific mortality: the mediating role of differential exposure and vulnerability to behavioral risk factors. <i>Epidemiology</i> , 2014 , 25, 389-96	3.1	57
88	Combined effects of socioeconomic position, smoking, and hypertension on risk of ischemic and hemorrhagic stroke. <i>Stroke</i> , 2014 , 45, 2582-7	6.7	40
87	Predictive value of the corrected TIMI frame count in patients with suspected angina pectoris but no obstructive coronary artery disease at angiography. <i>Clinical Research in Cardiology</i> , 2014 , 103, 381-7	6.1	4
86	Speed and duration of walking and other leisure time physical activity and the risk of heart failure: a prospective cohort study from the Copenhagen City Heart Study. <i>PLoS ONE</i> , 2014 , 9, e89909	3.7	19
85	Burden of hospital admission and repeat angiography in angina pectoris patients with and without coronary artery disease: a registry-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e93170	3.7	47
84	Persistent angina: highly prevalent and associated with long-term anxiety, depression, low physical functioning, and quality of life in stable angina pectoris. <i>Clinical Research in Cardiology</i> , 2013 , 102, 571-81	6.1	72
83	Copenhagen study of overweight patients with coronary artery disease undergoing low energy diet or interval training: the randomized CUT-IT trial protocol. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 106	2.3	13
82	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2013 , 32, 553-554	0	2

81	Prognosis and treatment in patients admitted with acute myocardial infarction on weekends and weekdays from 1997 to 2009. <i>International Journal of Cardiology</i> , 2013 , 168, 1167-73	3.2	30
80	Education and risk of coronary heart disease: assessment of mediation by behavioral risk factors using the additive hazards model. <i>European Journal of Epidemiology</i> , 2013 , 28, 149-57	12.1	28
79	2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. <i>European Heart Journal</i> , 2013 , 34, 2949-3003	9.5	3076
78	Symptoms of angina pectoris increase the probability of disability pension and premature exit from the workforce even in the absence of obstructive coronary artery disease. <i>European Heart Journal</i> , 2013 , 34, 3294-303	9.5	28
77	Population-level changes to promote cardiovascular health. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 409-21	3.9	76
76	Right bundle branch block: prevalence, risk factors, and outcome in the general population: results from the Copenhagen City Heart Study. <i>European Heart Journal</i> , 2013 , 34, 138-46	9.5	143
75	High aortic augmentation index predicts mortality and cardiovascular events in men from a general population, but not in women. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 1005-12	3.9	40
74	Coronary flow reserve as a link between diastolic and systolic function and exercise capacity in heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 677-83	4.1	19
73	Symptoms of sleep disordered breathing and risk of cancer: a prospective cohort study. <i>Sleep</i> , 2013 , 36, 1429-35	1.1	63
72	Educational differences in postmenopausal breast cancer--quantifying indirect effects through health behaviors, body mass index and reproductive patterns. <i>PLoS ONE</i> , 2013 , 8, e78690	3.7	3
71	Does the benefit on survival from leisure time physical activity depend on physical activity at work? A prospective cohort study. <i>PLoS ONE</i> , 2013 , 8, e54548	3.7	35
70	Poor predictive ability of the risk chart SCORE in a Danish population. <i>Danish Medical Journal</i> , 2013 , 60, A4609	3.8	4
69	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): The Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts). <i>Atherosclerosis</i> , 2012 , 223, 1-68	3.1	286
68	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). The Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts). <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 585-667	9.5	2797
67	European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): the Fifth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts). <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 585-667	3.9	233
66	Is chronic obstructive pulmonary disease associated with increased arterial stiffness?. <i>Respiratory Medicine</i> , 2012 , 106, 397-405	4.6	14
65	A high-intensity exercise program improves exercise capacity, self-perceived health, anxiety and depression in heart transplant recipients: a randomized, controlled trial. <i>Journal of Heart and Lung Transplantation</i> , 2012 , 31, 106-7	5.8	38
64	Insulin resistance and exercise tolerance in heart failure patients: linkage to coronary flow reserve and peripheral vascular function. <i>Cardiovascular Diabetology</i> , 2012 , 11, 97	8.7	20

63	Controlled study of myocardial recovery after interval training in heart failure: SMARTEX-HF--rationale and design. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 813-21	3.9	48
62	Stable angina pectoris with no obstructive coronary artery disease is associated with increased risks of major adverse cardiovascular events. <i>European Heart Journal</i> , 2012 , 33, 734-44	9.5	467
61	Psychosocial risk factors, weight changes and risk of obesity: the Copenhagen City Heart Study. <i>European Journal of Epidemiology</i> , 2012 , 27, 119-30	12.1	25
60	Intensity versus duration of physical activity: implications for the metabolic syndrome. A prospective cohort study. <i>BMJ Open</i> , 2012 , 2,	3	28
59	No gender differences in prognosis and preventive treatment in patients with AMI without significant stenoses. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 746-54	3.9	7
58	Occupational and leisure time physical activity: risk of all-cause mortality and myocardial infarction in the Copenhagen City Heart Study. A prospective cohort study. <i>BMJ Open</i> , 2012 , 2, e000556	3	79
57	Home-based cardiac rehabilitation is an attractive alternative to no cardiac rehabilitation for elderly patients with coronary heart disease: results from a randomised clinical trial. <i>BMJ Open</i> , 2012 , 2,	3	43
56	No association between anxiety and depression and adverse clinical outcome among patients with cardiovascular disease: findings from the DANREHAB trial. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 207-14	4.1	12
55	ESC/EAS Guidelines for the management of dyslipidaemias: the Task Force for the management of dyslipidaemias of the European Society of Cardiology (ESC) and the European Atherosclerosis Society (EAS). <i>European Heart Journal</i> , 2011 , 32, 1769-818	9.5	2020
54	Benefits of smoking cessation with focus on cardiovascular and respiratory comorbidities. <i>Clinical Respiratory Journal</i> , 2011 , 5, 187-94	1.7	30
53	Tobacco smoking as a risk factor for depression. A 26-year population-based follow-up study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 143-9	5.2	82
52	Psychosocial risk factors and heart failure hospitalization: a prospective cohort study. <i>American Journal of Epidemiology</i> , 2011 , 174, 672-80	3.8	22
51	Level of education and risk of heart failure: a prospective cohort study with echocardiography evaluation. <i>European Heart Journal</i> , 2011 , 32, 450-8	9.5	39
50	Major life events and the risk of ischaemic heart disease: does accumulation increase the risk?. <i>International Journal of Epidemiology</i> , 2011 , 40, 904-13	7.8	21
49	Home-based cardiac rehabilitation is as effective as centre-based cardiac rehabilitation among elderly with coronary heart disease: results from a randomised clinical trial. <i>Age and Ageing</i> , 2011 , 40, 78-85	3	62
48	Major life events increase the risk of stroke but not of myocardial infarction: results from the Copenhagen City Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 113-8		42
47	Aortic augmentation index: reference values in a large unselected population by means of the SphygmoCor device. <i>American Journal of Hypertension</i> , 2010 , 23, 180-5	2.3	77
46	Cortisol, estrogens and risk of ischaemic heart disease, cancer and all-cause mortality in postmenopausal women: a prospective cohort study. <i>International Journal of Epidemiology</i> , 2010 , 39, 530-8	7.8	9

45	Incidence and etiology of sports-related sudden cardiac death in Denmark--implications for preparticipation screening. <i>Heart Rhythm</i> , 2010 , 7, 1365-71	6.7	153
44	Reply to the Editor: Incidence of Sports-Related Sudden Cardiac Death: The Danish Paradox. <i>Heart Rhythm</i> , 2010 , 7, 1918-1919	6.7	1
43	Risk factors for venous thromboembolism: results from the Copenhagen City Heart Study. <i>Circulation</i> , 2010 , 121, 1896-903	16.7	269
42	Vital exhaustion increases the risk of ischemic stroke in women but not in men: results from the Copenhagen City Heart Study. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 131-7	4.1	14
41	Effects of a 14-month low-cost maintenance training program in patients with chronic systolic heart failure: a randomized study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 430-7		23
40	Exercise training in older patients with systolic heart failure: adherence, exercise capacity, inflammation and glycemic control. <i>Scandinavian Cardiovascular Journal</i> , 2009 , 43, 249-55	2	9
39	Social ties and risk for cancer--a prospective cohort study. <i>Acta Oncologica</i> , 2009 , 48, 1010-8	3.2	9
38	Job loss and broken partnerships: do the number of stressful life events influence the risk of ischemic heart disease in men?. <i>Annals of Epidemiology</i> , 2008 , 18, 743-5	6.4	20
37	Childhood social circumstances and health behaviour in midlife: the Metropolit 1953 Danish male birth cohort. <i>International Journal of Epidemiology</i> , 2008 , 37, 1367-74	7.8	33
36	Validity of stroke diagnoses in a National Register of Patients. <i>Neuroepidemiology</i> , 2007 , 28, 150-4	5.4	284
35	Social gradient in the metabolic syndrome not explained by psychosocial and behavioural factors: evidence from the Copenhagen City Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 405-12		35
34	Perceived stress and risk of ischemic heart disease: causation or bias?. <i>Epidemiology</i> , 2006 , 17, 391-7	3.1	36
33	Ankle brachial index, C-reactive protein, and central augmentation index to identify individuals with severe atherosclerosis. <i>European Heart Journal</i> , 2006 , 27, 316-22	9.5	37
32	Body mass, fat-free body mass, and prognosis in patients with chronic obstructive pulmonary disease from a random population sample: findings from the Copenhagen City Heart Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 173, 79-83	10.2	386
31	Genetic and environmental influences on the relation between parental social class and mortality. <i>International Journal of Epidemiology</i> , 2006 , 35, 1272-7	7.8	19
30	Smoking reduction and biomarkers in two longitudinal studies. <i>Addiction</i> , 2006 , 101, 1516-22	4.6	26
29	Vital exhaustion and risk for cancer: a prospective cohort study on the association between depressive feelings, fatigue, and risk of cancer. <i>Cancer</i> , 2005 , 104, 1288-95	6.4	12
28	The total lifetime health cost savings of smoking cessation to society. <i>European Journal of Public Health</i> , 2005 , 15, 601-6	2.1	48

27	Income as mediator of the effect of occupation on the risk of myocardial infarction: does the income measurement matter?. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 1080-5	5.1	12
26	Social network diversity and risks of ischemic heart disease and total mortality: findings from the Copenhagen City Heart Study. <i>American Journal of Epidemiology</i> , 2005 , 161, 960-7	3.8	115
25	Effect of smoking reduction on lung cancer risk. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 1505-10	27.4	176
24	Smoking and subsequent risk of early retirement due to permanent disability. <i>European Journal of Public Health</i> , 2004 , 14, 86-92	2.1	46
23	A prospective study linked both alcohol and tobacco to Dupuytren's disease. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 858-63	5.7	76
22	The total lifetime costs of smoking. <i>European Journal of Public Health</i> , 2004 , 14, 95-100	2.1	35
21	Chronic bronchitis in an elderly population. <i>Age and Ageing</i> , 2003 , 32, 636-42	3	37
20	Vital exhaustion as a risk factor for ischaemic heart disease and all-cause mortality in a community sample. A prospective study of 4084 men and 5479 women in the Copenhagen City Heart Study. <i>International Journal of Epidemiology</i> , 2003 , 32, 990-7	7.8	109
19	Income and risk of ischaemic heart disease in men and women in a Nordic welfare country. <i>International Journal of Epidemiology</i> , 2003 , 32, 367-74	7.8	21
18	Income inequality and ischaemic heart disease in Danish men and women. <i>International Journal of Epidemiology</i> , 2003 , 32, 375-80	7.8	33
17	Smoking reduction, smoking cessation, and mortality: a 16-year follow-up of 19,732 men and women from The Copenhagen Centre for Prospective Population Studies. <i>American Journal of Epidemiology</i> , 2002 , 156, 994-1001	3.8	125
16	Income inequality, individual income, and mortality in Danish adults: analysis of pooled data from two cohort studies. <i>BMJ: British Medical Journal</i> , 2002 , 324, 13-6		105
15	Influence of genes and family environment on adult smoking behavior assessed in an adoption study. <i>Genetic Epidemiology</i> , 2001 , 21, 193-200	2.6	40
14	Commentary: tobacco-related diseases: a gender differential?. <i>International Journal of Epidemiology</i> , 2001 , 30, 793-4	7.8	4
13	Lung function and risk of fatal and non-fatal stroke. The Copenhagen City Heart Study. <i>International Journal of Epidemiology</i> , 2001 , 30, 145-51	7.8	101
12	Predictors of smoking reduction and cessation in a cohort of danish moderate and heavy smokers. <i>Preventive Medicine</i> , 2001 , 33, 46-52	4.3	68
11	Tobacco smoking and risk of hip fracture in men and women. <i>International Journal of Epidemiology</i> , 2000 , 29, 253-9	7.8	98
10	Socioeconomic status and chronic obstructive pulmonary disease. <i>Thorax</i> , 1999 , 54, 737-41	7.3	125

9	Prognostic value of nutritional status in chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 1856-61	10.2	726
8	Gender and determinants of smoking cessation: a longitudinal study. <i>Preventive Medicine</i> , 1999 , 29, 57-62	4.3	133
7	A Sensitivity Analysis of Secular Trends in Risk Factors and Mortality Based on Cohort Studies. <i>Epidemiology</i> , 1999 , 10, 176-180	3.1	8
6	Mortality in women and men in relation to smoking. <i>International Journal of Epidemiology</i> , 1998 , 27, 27-32	2.8	111
5	Smoking and risk of myocardial infarction in women and men: longitudinal population study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 1043-7		345
4	Trends in smoking prevalence in Danish adults, 1964-1994. The influence of gender, age, and education. <i>Scandinavian Journal of Public Health</i> , 1998 , 26, 293-8		47
3	Gender and Smoking-Related Risk of Lung Cancer. <i>Epidemiology</i> , 1998 , 9, 79-83	3.1	90
2	Preliminary Results of a 4-Year Follow-Up Study in Fibromyalgia. <i>Journal of Musculoskeletal Pain</i> , 1993 , 1, 159-163		1
1	Preliminary Communication on the Prevalence of Fibromyalgia in the Adult Danish Population. <i>Journal of Musculoskeletal Pain</i> , 1993 , 1, 153-157		