

# Zhi-mei Huang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4376399/publications.pdf>

Version: 2024-02-01

28  
papers

450  
citations

687363

13  
h-index

752698

20  
g-index

30  
all docs

30  
docs citations

30  
times ranked

688  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytokine-induced Killer Cells in Combination With Transcatheter Arterial Chemoembolization and Radiofrequency Ablation for Hepatocellular Carcinoma Patients. <i>Journal of Immunotherapy</i> , 2013, 36, 287-293.	2.4	61
2	The utility of breast cone-beam computed tomography, ultrasound, and digital mammography for detecting malignant breast tumors: A prospective study with 212 patients. <i>European Journal of Radiology</i> , 2016, 85, 392-403.	2.6	59
3	Subdivision of M category for nasopharyngeal carcinoma with synchronous metastasis: time to expand the M categorization system. <i>Chinese Journal of Cancer</i> , 2015, 34, 450-8.	4.9	42
4	Transcatheter arterial chemoembolization combined with CT-guided percutaneous thermal ablation versus hepatectomy in the treatment of hepatocellular carcinoma. <i>Chinese Journal of Cancer</i> , 2015, 34, 254-63.	4.9	29
5	Small single perivascular hepatocellular carcinoma: comparisons of radiofrequency ablation and microwave ablation by using propensity score analysis. <i>European Radiology</i> , 2021, 31, 4764-4773.	4.5	29
6	Radiofrequency Ablation Following Downstaging of Hepatocellular Carcinoma by Using Transarterial Chemoembolization: Long-term Outcomes. <i>Radiology</i> , 2019, 293, 707-715.	7.3	25
7	A nomogram to predict survival of patients with intermediate-stage hepatocellular carcinoma after transarterial chemoembolization combined with microwave ablation. <i>European Radiology</i> , 2020, 30, 2377-2390.	4.5	21
8	Internal jugular vein versus subclavian vein as the percutaneous insertion site for totally implantable venous access devices: a meta-analysis of comparative studies. <i>BMC Cancer</i> , 2016, 16, 747.	2.6	19
9	Does the Site of the Primary Affect Outcomes When Ablating Colorectal Liver Metastases with Radiofrequency Ablation?. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 912-919.	2.0	18
10	Comparison of albumin-bilirubin grade, platelet-albumin-bilirubin grade and Child-Turcotte-Pugh class for prediction of survival in patients with large hepatocellular carcinoma after transarterial chemoembolization combined with microwave ablation. <i>International Journal of Hyperthermia</i> , 2019, 36, 840-852.	2.5	18
11	Predictive value of the albumin-bilirubin grade on long-term outcomes of CT-guided percutaneous microwave ablation in intrahepatic cholangiocarcinoma. <i>International Journal of Hyperthermia</i> , 2019, 36, 327-335.	2.5	18
12	Bronchobiliary fistula after ablation of hepatocellular carcinoma adjacent to the diaphragm: Case report and literature review. <i>Thoracic Cancer</i> , 2020, 11, 1233-1238.	1.9	16
13	Assessment of Ablative Margin After Microwave Ablation for Hepatocellular Carcinoma Using Deep Learning-Based Deformable Image Registration. <i>Frontiers in Oncology</i> , 2020, 10, 573316.	2.8	15
14	Efficacy of minimally invasive therapies on unresectable pancreatic cancer. <i>Chinese Journal of Cancer</i> , 2013, 32, 334-341.	4.9	13
15	Safety and effectiveness of multi-antenna microwave ablation-oriented combined therapy for large hepatocellular carcinoma. <i>Therapeutic Advances in Gastroenterology</i> , 2019, 12, 175628481986296.	3.2	12
16	Computed tomography-guided radiofrequency ablation combined with transarterial embolization assisted by a three-dimensional visualization ablation planning system for hepatocellular carcinoma in challenging locations: a preliminary study. <i>Abdominal Radiology</i> , 2020, 45, 1181-1192.	2.1	8
17	A novel nomogram to predict the local tumor progression after microwave ablation in patients with early-stage hepatocellular carcinoma: A tool in prediction of successful ablation. <i>Cancer Medicine</i> , 2020, 9, 104-115.	2.8	7
18	Prognostic role of multiparameter MRI and radiomics in progression of advanced unresectable hepatocellular carcinoma following combined transcatheter arterial chemoembolization and lenvatinib therapy. <i>BMC Gastroenterology</i> , 2022, 22, 108.	2.0	7

#	ARTICLE	IF	CITATIONS
19	Sequential and Simultaneous 4-Antenna Microwave Ablation in an Ex Vivo Bovine Liver Model. CardioVascular and Interventional Radiology, 2019, 42, 1466-1474.	2.0	6
20	Nomograms to predict survival outcomes after microwave ablation in elderly patients (>65 years) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 808-818.	2.5	5
21	Safety and effect on ablation size of hydrochloric acid-perfused radiofrequency ablation in animal livers. International Journal of Hyperthermia, 2018, 34, 925-933.	2.5	4
22	Assessment in the Survival Outcome After Transarterial Chemoembolization Combined with Cryoablation for Hepatocellular Carcinoma (Diameter > 4cm) Based on the Albumin-Bilirubin Grade and Platelet-Albumin-Bilirubin Grade: A Preliminary Study. Cancer Management and Research, 2020, Volume 12, 1373-1385.	1.9	4
23	Consensus of Minimally Invasive and Multidisciplinary Comprehensive Treatment for Hepatocellular Carcinoma – 2020 Guangzhou Recommendations. Frontiers in Oncology, 2021, 11, 621834.	2.8	4
24	Radiofrequency versus microwave ablation for hepatocellular carcinoma within the Milan criteria in challenging locations: a retrospective controlled study. Abdominal Radiology, 2021, 46, 3758-3771.	2.1	3
25	Adjuvant cytokine-induced killer cells with minimally invasive therapies augmented therapeutic efficacy of unresectable hepatocellular carcinoma. Journal of Cancer Research and Therapeutics, 2020, 16, 1603.	0.9	3
26	Ganglioside-monosialic acid (GM1) for prevention of chemotherapy-induced peripheral neuropathy: a meta-analysis with trial sequential analysis. BMC Cancer, 2021, 21, 1173.	2.6	2
27	Transcatheter arterial chemoembolization combined with simultaneous cone beam computed tomography-guided multipolar microwave ablation for massive hepatocellular carcinoma (≤10cm): Safety and primary clinical results. Journal of Interventional Medicine, 2019, 2, 65-68.	0.5	1
28	Computed tomography-guided radiofrequency ablation of the retained iodized oil after simultaneous combination with transarterial embolization in small recurrent or residual hepatocellular carcinoma. Journal of Interventional Medicine, 2020, 3, 49-54.	0.5	0