

Federico J Daz-Gonzlez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4378013/federico-j-diaz-gonzalez-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

3,654
citations

34
h-index

58
g-index

123
ext. papers

4,170
ext. citations

3.7
avg, IF

4.89
L-index

#	Paper	IF	Citations
111	The reality of Rheumatology in Spain and its autonomous communities before the pandemic.. <i>Reumatología Clínica (English Edition)</i> , 2022 ,	0.1	0
110	Association of Gender, Diagnosis, and Obesity With Retention Rate of Secukinumab in Spondyloarthropathies: Results Form a Multicenter Real-World Study.. <i>Frontiers in Medicine</i> , 2021 , 8, 815881	4.9	0
109	Comment on: Prevalence of systemic lupus erythematosus in Spain: higher than previously reported in other countries? Reply. <i>Rheumatology</i> , 2021 , 60, e120-e121	3.9	1
108	Prevalence of symptomatic axial osteoarthritis phenotypes in Spain and associated socio-demographic, anthropometric, and lifestyle variables. <i>Rheumatology International</i> , 2021 , 1	3.6	0
107	Realidad de la Reumatología en España y sus comunidades autónomas antes de la pandemia. <i>Reumatología Clínica</i> , 2021 ,	0.9	3
106	Prevalence of symptomatic osteoarthritis in Spain: EPISER2016 study. <i>Reumatología Clínica (English Edition)</i> , 2021 , 17, 461-470	0.1	5
105	Differences in Capacity of High-Density Lipoprotein Cholesterol Efflux Between Patients With Systemic Lupus Erythematosus and Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2021 , 73, 1590-1596	4.7	5
104	Impact of Disease Activity on Physical Activity in Patients With Psoriatic Arthritis. <i>Arthritis Care and Research</i> , 2021 , 73, 1834-1844	4.7	1
103	Factors associated with long-term retention of treatment with golimumab in rheumatoid arthritis, axial spondyloarthritis, and psoriatic arthritis: an analysis of the Spanish BIOBADASER registry. <i>Clinical Rheumatology</i> , 2021 , 40, 3979-3988	3.9	1
102	Baseline Levels of Vitamin D in a Healthy Population from a Region with High Solar Irradiation. <i>Nutrients</i> , 2021 , 13,	6.7	1
101	Update of the position paper of the Spanish Society of Rheumatology on biosimilar drugs. <i>Reumatología Clínica (English Edition)</i> , 2021 , 17, 160-169	0.1	0
100	Update of the Position Paper of the Spanish Society of Rheumatology on Biosimilar Drugs. <i>Reumatología Clínica</i> , 2021 , 17, 160-169	0.9	2
99	HDL cholesterol efflux capacity and lipid profile in patients with systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2021 , 23, 62	5.7	3
98	Changes in the use patterns of bDMARDs in patients with rheumatic diseases over the past 13 years. <i>Scientific Reports</i> , 2021 , 11, 15051	4.9	4
97	Prevalence of gout in the adult general population in Spain: Estimating the proportion of undiagnosed cases. <i>Joint Bone Spine</i> , 2021 , 89, 105257	2.9	1
96	Role of targeted therapies in rheumatic patients on COVID-19 outcomes: results from the COVIDSER study. <i>RMD Open</i> , 2021 , 7,	5.9	3
95	Biosimilars, a new era in rheumatology in Spain. <i>Reumatología Clínica (English Edition)</i> , 2020 , 16, 131-132	0.1	0

94	Influence of age on the occurrence of adverse events in rheumatic patients at the onset of biological treatment: data from the BIOBADASER III register. <i>Arthritis Research and Therapy</i> , 2020 , 22, 143	5.7	4
93	Impaired HDL cholesterol efflux capacity in systemic lupus erythematosus patients is related to subclinical carotid atherosclerosis. <i>Rheumatology</i> , 2020 , 59, 2847-2856	3.9	15
92	Fracture risk assessment in the general population in Spain by FRAX [®] algorithm. EPISER2016 study. <i>Medicina Clínica (English Edition)</i> , 2020 , 154, 163-170	0.3	
91	Association between periodontitis and anti-citrullinated protein antibodies in rheumatoid arthritis patients: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2020 , 22, 27	5.7	8
90	HDL cholesterol efflux capacity is related to disease activity in psoriatic arthritis patients. <i>Clinical Rheumatology</i> , 2020 , 39, 1871-1880	3.9	7
89	Prevalence of systemic lupus erythematosus in Spain: higher than previously reported in other countries?. <i>Rheumatology</i> , 2020 , 59, 2556-2562	3.9	14
88	Fracture risk assessment in the general population in Spain by FRAX [®] algorithm. EPISER2016 study. <i>Medicina Clínica</i> , 2020 , 154, 163-170	1	1
87	Prevalence of ankylosing spondylitis in Spain: EPISER2016 Study. <i>Scandinavian Journal of Rheumatology</i> , 2020 , 49, 210-213	1.9	1
86	Prevalence of Sjögren's syndrome in the general adult population in Spain: estimating the proportion of undiagnosed cases. <i>Scientific Reports</i> , 2020 , 10, 10627	4.9	9
85	Higher prevalence of psoriatic arthritis in the adult population in Spain? A population-based cross-sectional study. <i>PLoS ONE</i> , 2020 , 15, e0234556	3.7	5
84	The prevalence of rheumatoid arthritis in Spain. <i>Scientific Reports</i> , 2020 , 10, 21551	4.9	8
83	Prevalence of symptomatic osteoarthritis in Spain: EPISER2016 study. <i>Reumatología Clínica</i> , 2020 ,	0.9	8
82	Prevalence of fibromyalgia and associated factors in Spain. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 123, 47-52	2.2	6
81	Proprotein convertase subtilisin/kexin type 9 in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 125, 18-24	2.2	3
80	Association between severity of periodontitis and clinical activity in rheumatoid arthritis patients: a case-control study. <i>Arthritis Research and Therapy</i> , 2019 , 21, 27	5.7	50
79	Effect of IL-6 Receptor Blockade on Proprotein Convertase Subtilisin/Kexin Type-9 and Cholesterol Efflux Capacity in Rheumatoid Arthritis Patients. <i>Hormone and Metabolic Research</i> , 2019 , 51, 200-209	3.1	18
78	Objectives and methodology of BIOBADASER phase III. <i>Reumatología Clínica (English Edition)</i> , 2019 , 15, 229-236	0.1	0
77	A randomized, controlled double-blind study comparing the efficacy and safety of dose-ranging voclosporin with placebo in achieving remission in patients with active lupus nephritis. <i>Kidney International</i> , 2019 , 95, 219-231	9.9	116

76	L-selectin expression is regulated by CXCL8-induced reactive oxygen species produced during human neutrophil rolling. <i>European Journal of Immunology</i> , 2019 , 49, 386-397	6.1	6
75	Efficacy and safety of biological therapy compared to synthetic immunomodulatory drugs or placebo in the treatment of Behçet's disease associated uveitis: a systematic review. <i>Rheumatology International</i> , 2019 , 39, 47-58	3.6	14
74	Factors associated with long-term retention of treatment with golimumab in a real-world setting: an analysis of the Spanish BIOBADASER registry. <i>Rheumatology International</i> , 2019 , 39, 509-515	3.6	19
73	Prevalence of Rheumatic Diseases in Adult Population in Spain (EPISER 2016 Study): Aims and Methodology. <i>Reumatología Clínica (English Edition)</i> , 2019 , 15, 90-96	0.1	0
72	Prevalence of rheumatic diseases in adult population in Spain (EPISER 2016 study): Aims and methodology. <i>Reumatología Clínica</i> , 2019 , 15, 90-96	0.9	36
71	Objectives and methodology of BIOBADASER phase iii. <i>Reumatología Clínica</i> , 2019 , 15, 229-236	0.9	9
70	Early and sustained efficacy with apremilast monotherapy in biological-naïve patients with psoriatic arthritis: a phase IIIB, randomised controlled trial (ACTIVE). <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 690-698	2.4	46
69	Status of Rheumatology in Spain in 2017: 2.0 Rheumatologists per 100,000 Population. <i>Reumatología Clínica</i> , 2018 , 14, 311-312	0.9	4
68	Role of CXCL13 and CCL20 in the recruitment of B cells to inflammatory foci in chronic arthritis. <i>Arthritis Research and Therapy</i> , 2018 , 20, 114	5.7	29
67	Status of Rheumatology in Spain in 2017: 2.0 Rheumatologists per 100 000 Population. <i>Reumatología Clínica (English Edition)</i> , 2018 , 14, 311-312	0.1	
66	Persistence and adverse events of biological treatment in adult patients with juvenile idiopathic arthritis: results from BIOBADASER. <i>Arthritis Research and Therapy</i> , 2018 , 20, 227	5.7	3
65	Intravenous administration of expanded allogeneic adipose-derived mesenchymal stem cells in refractory rheumatoid arthritis (Cx611): results of a multicentre, dose escalation, randomised, single-blind, placebo-controlled phase Ib/IIa clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 196-202	2.4	137
64	HDL cholesterol efflux capacity in rheumatoid arthritis patients: contributing factors and relationship with subclinical atherosclerosis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 113	5.7	23
63	Lipoprotein(a) concentrations in rheumatoid arthritis on biologic therapy: Results from the CARdiovascular in rheuMATology study project. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 749-756.e3	4.9	23
62	Functional effects of proinflammatory factors present in Sjögren's syndrome salivary microenvironment in an in vitro model of human salivary gland. <i>Scientific Reports</i> , 2017 , 7, 11897	4.9	5
61	Role of physical activity in the management and assessment of rheumatoid arthritis patients. <i>Reumatología Clínica (English Edition)</i> , 2017 , 13, 214-220	0.1	2
60	Role of physical activity in the management and assessment of rheumatoid arthritis patients. <i>Reumatología Clínica</i> , 2017 , 13, 214-220	0.9	12
59	Recommendations for infectious disease screening in migrants to Western Europe with inflammatory arthropathies before starting biologic agents. Results from a multidisciplinary task force of four European societies (SIR, SER, SIMET, SEMTSI) facing the largest impact of the flow of migrants today. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 752-765	2.2	13

58	A Phase III, Randomized, Controlled Trial of Apremilast in Patients with Psoriatic Arthritis: Results of the PALACE 2 Trial. <i>Journal of Rheumatology</i> , 2016 , 43, 1724-34	4.1	125
57	Cardiovascular risk assessment in rheumatoid arthritis: What goals should be achieved?. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, e20-1	5.3	
56	Cardiovascular morbidity and associated risk factors in Spanish patients with chronic inflammatory rheumatic diseases attending rheumatology clinics: Baseline data of the CARMA Project. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 618-26	5.3	80
55	Differential Antigen-presenting B Cell Phenotypes from Synovial Microenvironment of Patients with Rheumatoid and Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 1825-34	4.1	10
54	Erratum to Cardiovascular morbidity and associated risk factors in Spanish patients with chronic inflammatory rheumatic diseases attending rheumatology clinics: Baseline data of the CARMA Project [Semin Arthritis Rheum 44 (2015) 618-26]. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, e7-e8	5.3	2
53	Vitamin D deficiency in chronic inflammatory rheumatic diseases: results of the cardiovascular in rheumatology [CARMA] study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 211	5.7	17
52	Position paper from the Spanish Society of Rheumatology on biosimilar drugs. <i>Reumatología Clínica</i> , 2015 , 11, 269-78	0.9	19
51	Position Paper From the Spanish Society of Rheumatology on Biosimilar Drugs. <i>Reumatología Clínica (English Edition)</i> , 2015 , 11, 269-278	0.1	2
50	NSAIDs: learning new tricks from old drugs. <i>European Journal of Immunology</i> , 2015 , 45, 679-86	6.1	62
49	Relationship between endothelial dysfunction and osteoprotegerin, vitamin D, and bone mineral density in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 241-9	2.2	6
48	Relationship of abdominal adiposity and body composition with endothelial dysfunction in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 516-23	2.2	7
47	Recommendations for the management of cardiovascular risk in patients with rheumatoid arthritis: scientific evidence and expert opinion. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 44, 1-8	5.3	55
46	Influence of disease activity on the physical activity of rheumatoid arthritis patients. <i>Rheumatology</i> , 2014 , 53, 722-31	3.9	52
45	Prevention of neutrophil extravasation by β -adrenoceptor-mediated endothelial stabilization. <i>Journal of Immunology</i> , 2014 , 193, 3023-35	5.3	18
44	Retinol-binding protein 4 in rheumatoid arthritis-related insulin resistance and β cell function. <i>Journal of Rheumatology</i> , 2014 , 41, 658-65	4.1	10
43	Impaired beta cell function is present in nondiabetic rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2013 , 15, R17	5.7	12
42	Superoxide anion mediates the L-selectin down-regulation induced by non-steroidal anti-inflammatory drugs in human neutrophils. <i>Biochemical Pharmacology</i> , 2013 , 85, 245-56	6	11
41	In vivo modulation of the inflammatory response by nonsteroidal antiinflammatory drug-related compounds that trigger L-selectin shedding. <i>European Journal of Immunology</i> , 2013 , 43, 55-64	6.1	9

40	A systemic sclerosis and systemic lupus erythematosus pan-meta-GWAS reveals new shared susceptibility loci. <i>Human Molecular Genetics</i> , 2013 , 22, 4021-9	5.6	81
39	Cholesteryl ester transfer protein in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2013 , 40, 1040-7	4.1	13
38	No evidence of association between functional polymorphisms located within IL6R and IL6ST genes and systemic sclerosis. <i>Tissue Antigens</i> , 2012 , 80, 254-8		3
37	The autoimmune disease-associated IL2RA locus is involved in the clinical manifestations of systemic sclerosis. <i>Genes and Immunity</i> , 2012 , 13, 191-6	4.4	20
36	Identification of CSK as a systemic sclerosis genetic risk factor through Genome Wide Association Study follow-up. <i>Human Molecular Genetics</i> , 2012 , 21, 2825-35	5.6	79
35	The metalloprotease ADAM8 is associated with and regulates the function of the adhesion receptor PSGL-1 through ERM proteins. <i>European Journal of Immunology</i> , 2011 , 41, 3436-42	6.1	28
34	Efficacy and Safety of Abatacept in Patients With Rheumatoid Arthritis and No Prior Treatment With Biologics. <i>Reumatología Clínica (English Edition)</i> , 2011 , 7, 392-396	0.1	
33	Thematic stream: co-morbidityBPP7. Effect of Anti Tnf-Alpha Therapies on Insulin Resistance, Body Composition and Adipokines in Rheumatoid Arthritis Patients. <i>Rheumatology</i> , 2011 , 50, ii4-ii5	3.9	
32	Systemic blockade of TNF- α does not improve insulin resistance in humans. <i>Hormone and Metabolic Research</i> , 2011 , 43, 801-8	3.1	48
31	Association of a non-synonymous functional variant of the ITGAM gene with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2050-2	2.4	14
30	Identification of novel genetic markers associated with clinical phenotypes of systemic sclerosis through a genome-wide association strategy. <i>PLoS Genetics</i> , 2011 , 7, e1002178	6	164
29	An open-label pilot study of infliximab therapy in diffuse cutaneous systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 1433-9	2.4	95
28	Pattern of use and safety of non-steroidal anti-inflammatory drugs in rheumatoid arthritis patients. A prospective analysis from clinical practice. <i>Reumatología Clínica</i> , 2009 , 5, 252-8	0.9	11
27	Chemical modulation of VLA integrin affinity in human breast cancer cells. <i>Experimental Cell Research</i> , 2007 , 313, 1121-34	4.2	12
26	Expression and regulation of the metalloproteinase ADAM-8 during human neutrophil pathophysiological activation and its catalytic activity on L-selectin shedding. <i>Journal of Immunology</i> , 2007 , 178, 8053-63	5.3	95
25	Modified Le Fort I osteotomy with preservation of the anterior nasal spine position: preliminary report. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 104, 616-7		4
24	Clinical trial of a leucotriene B4 receptor antagonist, BIIL 284, in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 628-32	2.4	36
23	The role of CD69 in acute neutrophil-mediated inflammation. <i>European Journal of Immunology</i> , 2006 , 36, 2632-8	6.1	16

22	Matrix metalloproteinase-9 modulates intestinal injury in rats with transmural colitis. <i>Journal of Leukocyte Biology</i> , 2006 , 79, 954-62	6.5	49
21	The CCR2 receptor as a therapeutic target. <i>Expert Opinion on Therapeutic Patents</i> , 2006 , 16, 49-57	6.8	54
20	Up-regulation of gelatinases in the colorectal adenoma-carcinoma sequence. <i>European Journal of Cancer</i> , 2006 , 42, 3246-52	7.5	28
19	Attenuation of dextran sodium sulphate induced colitis in matrix metalloproteinase-9 deficient mice. <i>World Journal of Gastroenterology</i> , 2006 , 12, 6464-72	5.6	70
18	CC and CXC chemokine receptors mediate migration, proliferation, and matrix metalloproteinase production by fibroblast-like synoviocytes from rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3866-77		135
17	Dual positivity for cytoplasmic and perinuclear anti-neutrophil antibodies in a patient with Henoch-Schönlein purpura. <i>Clinical and Experimental Rheumatology</i> , 2004 , 22, 233-4	2.2	8
16	Induction of apoptosis in estrogen dependent and independent breast cancer cells by the marine terpenoid dehydrothysiferol. <i>Biochemical Pharmacology</i> , 2003 , 65, 1451-61	6	43
15	Structure-function relationship and role of tumor necrosis factor-alpha-converting enzyme in the down-regulation of L-selectin by non-steroidal anti-inflammatory drugs. <i>Journal of Biological Chemistry</i> , 2002 , 277, 38212-21	5.4	38
14	Prevention of alphaIIb(beta3) activation by non-steroidal antiinflammatory drugs. <i>FEBS Letters</i> , 1999 , 446, 318-22	3.8	19
13	Inhibition of leukocyte adhesion: an alternative mechanism of action for anti-inflammatory drugs. <i>Trends in Immunology</i> , 1998 , 19, 169-72		70
12	Adhesion molecules in inflammatory diseases. <i>Drugs</i> , 1998 , 56, 977-88	12.1	64
11	Analysis of the tetraspanin CD9-integrin alphaIIb beta3 (GPIIb-IIIa) complex in platelet membranes and transfected cells. <i>Biochemical Journal</i> , 1997 , 327 (Pt 1), 291-8	3.8	72
10	Prevention of cytokine-induced changes in leukocyte adhesion receptors by nonsteroidal antiinflammatory drugs from the oxicam family. <i>Arthritis and Rheumatism</i> , 1997 , 40, 143-53		56
9	Trans-dominant inhibition of integrin function. <i>Molecular Biology of the Cell</i> , 1996 , 7, 1939-51	3.5	156
8	Breaking the integrin hinge. A defined structural constraint regulates integrin signaling. <i>Journal of Biological Chemistry</i> , 1996 , 271, 6571-4	5.4	470
7	Prevention of in vitro neutrophil-endothelial attachment through shedding of L-selectin by nonsteroidal antiinflammatory drugs. <i>Journal of Clinical Investigation</i> , 1995 , 95, 1756-65	15.9	128
6	Adhesion molecules from the LFA-1/ICAM-1,3 and VLA-4/VCAM-1 pathways on T lymphocytes and vascular endothelium in Graves' and Hashimoto's thyroid glands. <i>European Journal of Immunology</i> , 1994 , 24, 2483-90	6.1	59
5	Expression of L-selectin, CD43, and CD44 in synovial fluid neutrophils from patients with inflammatory joint diseases. Evidence for a soluble form of L-selectin in synovial fluid. <i>Arthritis and Rheumatism</i> , 1994 , 37, 342-8		42

4	Nontropical pyomyositis in adults. <i>Seminars in Arthritis and Rheumatism</i> , 1994 , 23, 396-405	5.3	77
3	Lung fibrosis in a patient with polyarteritis nodosa receiving cyclophosphamide therapy. <i>Journal of Rheumatology</i> , 1992 , 19, 325-7	4.1	8
2	Increased binding of synovial T lymphocytes from rheumatoid arthritis to endothelial-leukocyte adhesion molecule-1 (ELAM-1) and vascular cell adhesion molecule-1 (VCAM-1). <i>Journal of Clinical Investigation</i> , 1992 , 89, 1445-52	15.9	80
1	Rheumatoid disease resembling lung neoplasia. <i>Journal of Rheumatology</i> , 1990 , 17, 1686-8	4.1	3