

Nikolaos Konstantinidis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4378343/publications.pdf>

Version: 2024-02-01

629
papers

28,952
citations

6592

79
h-index

13338

130
g-index

653
all docs

653
docs citations

653
times ranked

10224
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
3	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	1.4	453
4	Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
5	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
6	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
7	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
8	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
9	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
10	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	1.4	259
11	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
12	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238

13

#	ARTICLE	IF	CITATIONS
19	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	1.4	197
20	Studies of Quantum Chromodynamics with the ALEPH detector. Physics Reports, 1998, 294, 1-165.	10.3	184
21	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
22	Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	179
23	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	175
24	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
25	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
26	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
27	Measurement of the transverse momentum and ϕ_{η}^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
28	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	146
29	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
30	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
31	Precision measurement and interpretation of inclusive W^+W^- production. European Physical Journal C, 2017, 77, 367.	1.4	145
32	Measurement of the $t\bar{t}$ production cross-section using $e\bar{\nu}_e$ events with b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
33	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
34	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
35	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
36	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132

#	ARTICLE	IF	CITATIONS
37	Measurement of the $Z/\tilde{\nu}^*$ boson transverse momentum distribution in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
38	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	1.4	130
39	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
40	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^- \nu_\tau$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	126
41	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
42	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
43	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
44	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	1.4	121
45			

#	ARTICLE	IF	CITATIONS
55	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	108
56	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \mu^+\mu^- \gamma^* \rightarrow W^+W^-$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	1.4	108
57	Measurement of λ polarization from Z decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996, 374, 319-330.	1.5	106
58	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509.	1.4	105
59	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	102
60	The FP420 R&D project: Higgs and New Physics with forward protons at the LHC. <i>Journal of Instrumentation</i> , 2009, 4, T10001-T10001.	0.5	101
61	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2056.	1.4	101
62	Search for heavy ZZ resonances in the $e^+e^- \rightarrow \mu^+\mu^- \gamma^* \rightarrow Z^*Z^* \rightarrow \mu^+\mu^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	1.4	101
63	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	100
64	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010, 70, 787-821.	1.4	95
65	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335.	1.4	95
66	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	1.4	95
67	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	93
68	Measurements of the WW production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	1.4	92
69	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412.	1.4	90
70	Search for the $b\bar{b} \rightarrow \text{H}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	89
71	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	88
72	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	88

#	ARTICLE	IF	CITATIONS
73	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017, 77, 195.	1.4	87
74	Inclusive $\tau_i^{1/2}$, $K_i^{1/2}$ and $\sigma(p, \text{ar } p)$ differential cross-sections at the Z resonance. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995, 66, 355-365.	1.5	86
75	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 428.	1.4	86
76	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	84
77	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	82
78	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	82
79	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	81
80	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	1.4	81
81	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	1.4	80
82	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	1.4	79
83	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	1.4	79
84	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565.	1.4	79
85	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	1.6	78
86	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	1.4	77
87	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 92.	1.4	77
88	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	77
89	Angular analysis of $B_0 \rightarrow \tau^+ \tau^-$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	76
90	An upper limit for the $\bar{\nu}_e$ neutrino mass from $\bar{\nu}_e \rightarrow \nu_e \gamma$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995, 349, 585-596.	1.5	75

#	ARTICLE	IF	CITATIONS
91	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
92	Measurement of quarkonium production in proton–lead and proton–proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
93	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
94	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
95	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
96	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
97	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
98	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
99	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
100	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
101	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
102	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
103	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
104	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
105	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \bar{\nu}_\tau$, $H \rightarrow b\bar{c}$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
106	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
107	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
108	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67

#	ARTICLE	IF	CITATIONS
109	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
110	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
111	Measurements of $ V_{cb} $, form factors and branching fractions in the decays and. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 395, 373-387.	1.5	66
112	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
113	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
114	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
115	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
116	Measurement of the $W \rightarrow \tau \nu_\tau$ and $Z \rightarrow \tau \tau$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
117	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64
118	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
119	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
120	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
121	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
122	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
123	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
124	Measurement of the branching ratio and an upper limit on. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 343, 444-452.	1.5	61
125	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	1.4	61
126	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and $ZZ\gamma$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61

#	ARTICLE	IF	CITATIONS
127	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	61
128	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
129	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
130	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
131	Search for charged Higgs bosons in e^+e^- collisions at energies up to $\sqrt{s} = 13$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 543, 1-13.	1.5	60
132	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
133	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
134	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
135	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
136	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
137	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
138	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
139	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	59
140	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
141	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
142	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0 TeV. European Physical Journal C, 2018, 78, 142.	1.4	59
143	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$, in the τ^+, jets and τ^-, lepton final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
144	Search for supersymmetric particles in e^+e^- collisions at centre-of-mass energies of 130 and 136 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 373, 246-260.	1.5	58

#	ARTICLE	IF	CITATIONS
145	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
146	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	57
147	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
148	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
149	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
150	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
151	Measurement of $\hat{\pm}s$ from scaling violations in fragmentation functions in e^+e^- annihilation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 357, 487-499.	1.5	55
152	Search for scalar quarks in e^+e^- collisions at up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 5-20.	1.5	55
153	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
154	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
155	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
156	A study of τ decays involving η and ω mesons. Zeitschrift für Physik C-Particles and Fields, 1997, 74, 263-273.	1.5	54
157	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
158	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
159	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
160	Heavy flavour production and decay with prompt leptons in the ALEPH detector. Zeitschrift für Physik C-Particles and Fields, 1994, 62, 179-198.	1.5	53
161	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb $^{-1}$ of $\sqrt{s}=7$ TeV proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
162	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53

#	ARTICLE	IF	CITATIONS
163	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
164	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
165	Search for lepton-flavour-violating $H \rightarrow \tau \mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
166	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
167	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
168	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	1.4	51
169	Measurement of the top quark mass with the template method in the $t \rightarrow \text{lepton} + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	1.4	51
170	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z^{\prime} boson in the Au Au , final state produced in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
171	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
172	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
173	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
174	Search for direct top squark pair production in final states with two leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
175	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
176	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
177	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
178	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s}=13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
179	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
180	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48

#	ARTICLE	IF	CITATIONS
181	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
182	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
183	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
184	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
185	Measurement of the top quark mass in the $t \rightarrow t \bar{t} \hat{t}'$. European Physical Journal C, 2019, 79, 1.	1.4	47
186	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
187	Study of the rare decays of $B^0 \rightarrow B^0 \mu \mu$ and $B^0 \rightarrow B^0 \mu \mu$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
188	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
189	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
190	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
191	Production of τ and $\bar{\tau}$ in hadronic Z decays. Zeitschrift für Physik C-Particles and Fields, 1994, 64, 361-373.	1.5	45
192	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
193	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	45
194	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
195	Measurement of the τ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
196	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
197	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
198	Search for supersymmetry at $\sqrt{s}=8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
199	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
200	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
201	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
202	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$, $H \rightarrow \tau \nu$ decay mode in $\sqrt{s} = 7, 8$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
203	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
204	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
205	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
206	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
207	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
208	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
209	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
210	Measurement of the \hat{b} polarization in Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 365, 437-447.	1.5	41
211	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
212	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
213	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
214	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
215	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
216	Higgs boson production cross-section measurements and their EFT interpretation in the $H \rightarrow \tau\tau$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41

#	ARTICLE	IF	CITATIONS
217	Measurement of the effective b quark fragmentation function at the Z resonance. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 357, 699-714.	1.5	40
218	A measurement of $ V_{cb} $ from. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 359, 236-248.	1.5	40
219	Quark and gluon jet properties in symmetric three-jet events. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 353-364.	1.5	40
220	Search for single top production in e^+e^- collisions at s up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 543, 173-182.	1.5	40
221	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
222	A search for $\overline{t}t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
223	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7, \text{TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
224	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
225	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
226	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \rightarrow \hat{t} J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \rightarrow \hat{t} J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
227	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
228	Measurements of b-jet tagging efficiency with the ATLAS detector using $\overline{t}t$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
229	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- Z Z$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13, \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
230	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{-mbox{TeV}}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
231	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
232	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8, \text{TeV}$ $s = 8$ Te. European Physical Journal C, 2016, 76, 87.	1.4	39
233	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
234	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38

#	ARTICLE	IF	CITATIONS
235	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
236	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
237	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
238	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
239	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
240	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
241	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
242	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
243	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
244	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
245	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	36
246	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	36
247	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
248	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
249	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
250	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
251	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
252	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36

#	ARTICLE	IF	CITATIONS
253	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
254	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
255	Mass limit for the standard model Higgs boson with the full LEP I ALEPH data sample. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 427-438.	1.5	35
256	A measurement of R_b using a lifetime-mass tag. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 401, 150-162.	1.5	35
257	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
258	Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
259	Search for $W' \rightarrow t\bar{t} \rightarrow q\bar{q}bb$ $W \rightarrow \tau^+ \tau^- t \bar{t} \rightarrow q \bar{q} b \bar{b}$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
260	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \sqrt{s}=7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
261	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
262	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
263	Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
264	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
265	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
266	Absolute lower limits on the masses of selectrons and sneutrinos in the MSSM. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 73-88.	1.5	33
267	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
268	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	1.4	33
269	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
270	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33

#	ARTICLE	IF	CITATIONS
271	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
272	Measurements of $\tilde{\chi}(2S)$ and $\tilde{\chi}(3872) \rightarrow J/\psi + \tilde{\chi}^0$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
273	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
274	Z production cross sections and lepton pair forward-backward asymmetries. Zeitschrift für Physik C-Particles and Fields, 1994, 62, 539-550.	1.5	32
275	Study of the $B_s \rightarrow 0$ oscillation frequency using $D_s^{\pm} \rightarrow \tilde{\chi}^0$, $\tilde{\chi}^{\pm}$ combinations in Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 377, 205-221.	1.5	32
276	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
277	Measurement of $\tilde{t} \rightarrow c1$ and $\tilde{t} \rightarrow c2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
278	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
279	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
280	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900$ GeV and $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
281	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
282	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
283	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
284	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
285	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
286	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
287	Search for W/W Z resonance production in $\tilde{\chi}^0 \rightarrow 1/2 qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
288	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31

#	ARTICLE	IF	CITATIONS
289	Study of the subjet structure of quark and gluon jets. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 346, 389-398.	1.5	30
290	Measurement of the B_s^0 lifetime and production rate with D_s^{\pm} combinations in Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 361, 221-233.	1.5	30
291	Strange b baryon production and lifetime in Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 449-460.	1.5	30
292	A measurement of R_b using mutually exclusive tags. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 401, 163-175.	1.5	30
293	Study of muon-pair production at centre-of-mass energies from 20 to 136 GeV with the ALEPH detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 399, 329-341.	1.5	30
294	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
295	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
296	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
297	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
298	Searches for the $Z\bar{\nu}\nu$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
299	Study of $WW\gamma$ and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646.	1.4	30
300	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
301	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
302	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
303	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
304	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
305	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
306	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29

#	ARTICLE	IF	CITATIONS
307	Searches for heavy ZZ and ZW resonances in the $\hat{e}^+e^- \rightarrow q\bar{q}$ and $\hat{e}^+e^- \rightarrow \frac{1}{2}q\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
308	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
309	Search for the neutral Higgs bosons of the MSSM in e^+e^- collisions at from 130 to 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 412, 173-188.	1.5	28
310	Measurement of the W mass in e^+e^- collisions at production threshold. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 401, 347-362.	1.5	28
311	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
312	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	1.4	28
313	Measurement of $WW/WZ \rightarrow \ell u q^{\prime} W W / W Z \hat{e}^+e^- \rightarrow \frac{1}{2} q\bar{q} \hat{e}^2$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
314	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
315	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \hat{e}^+e^- \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
316	Search for long-lived neutral particles in pp collisions at $\sqrt{s}=13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
317	In situ calibration of large-radius jet energy and mass in $\sqrt{s}=13$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
318	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
319	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
320	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
321	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
322	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
323	Measurements of top-quark pair differential cross-sections in the $e^+e^- \rightarrow \frac{1}{4}$ channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
324	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27

#	ARTICLE	IF	CITATIONS
325	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
326	Measurement of the top-quark mass in $t + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
327	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\bar{l}, -\text{lepton}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
328	Measurement of the $D\bar{s} \rightarrow \bar{s} \gamma$ cross section in two photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 355, 595-605.	1.5	26
329	Measurements of electroweak Wj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
330	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ell\bar{b}\bar{b}$ and $ell\bar{b}WW$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
331	Limit on B_s oscillation using a jet charge method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 356, 409-422.	1.5	25
332	A search for t resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2083.	1.4	25
333	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
334	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
335	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
336	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
337	Search for triboson $W^+W^-W^0$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
338	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
339	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
340	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions. European Physical Journal C, 2016, 76, 517.	1.4	24
341	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
342	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24

#	ARTICLE	IF	CITATIONS
343	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
344	Search for pair-production of long-lived heavy charged particles in $e+e^{\prime}$ annihilation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 405, 379-388.	1.5	23
345	Search for $\tau^3\tau^3$ decays of a Higgs boson in $e+e^{\prime}$ collisions at s up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 16-24.	1.5	23
346	The ATLAS Data Acquisition and Trigger: concept, design and status. Nuclear Physics, Section B, Proceedings Supplements, 2007, 172, 178-182.	0.5	23
347	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.	1.4	23
348	A measurement of the ratio of the production cross sections for W^+W^- and ZZ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
349	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
350	A search for high-mass resonances decaying to $\tau^+\tau^-$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
351	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
352	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
353	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
354	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
355	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
356	Search for CP violation in the decay $Z \rightarrow \tau^+\tau^-$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 346, 371-378.	1.5	22
357	Search for excited leptons at 130-140 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 385, 445-453.	1.5	22
358	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	22
359	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
360	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22

#	ARTICLE	IF	CITATIONS
361	Measurement of the $t\bar{t} \rightarrow W^+W^-$ and $t\bar{t} \rightarrow Z^0Z^0$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
362	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W^+W^-$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
363	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	22
364	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	22
365	Measurements of top-quark pair spin correlations in the $t\bar{t} \rightarrow e^+e^-$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	22
366	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	22
367	Measurement of \tilde{t}_1 polarization in $W \rightarrow \tilde{t}_1 \tilde{t}_1^*$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7-13$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2062.	1.4	21
368	Measurement of the production cross-section of $\tilde{t}_1(2S) \rightarrow J/\psi(\psi' + \psi) + \tilde{t}_1^* \tilde{t}_1$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	21
369	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+e^- \mu^+\mu^-$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	1.4	21
370	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	1.4	21
371	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	21
372	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	21
373	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, .	1.4	21
374	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	21
375	A study of production in semileptonic B decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995, 345, 103-114.	1.5	20
376	Measurements of the b baryon lifetime. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1995, 357, 685-698.	1.5	20
377	Measurement of hadron and lepton-pair production from e^+e^- annihilation at centre-of-mass energies of 130 and 136 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996, 378, 373-384.	1.5	20
378	Search for the Bc meson in hadronic Z decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997, 402, 213-226.	1.5	20

#	ARTICLE	IF	CITATIONS
379	Updated measurement of the \tilde{l} , lepton lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 414, 362-372.	1.5	20
380	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
381	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
382	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
383	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
384	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
385	One-prong \tilde{l} , decays into charged kaons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 332, 209-218.	1.5	19
386	Searches for scalar top and scalar bottom quarks at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 413, 431-446.	1.5	19
387	Leptonic decays of the Ds meson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 528, 1-18.	1.5	19
388	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
389	Measurement of k_T splitting scales in $W\hat{t}\bar{t}$, $t\bar{t}$ events at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
390	Search for flavour-changing neutral current top quark decays $t\bar{t}\bar{H}q$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
391	Addendum to "Measurement of the $t\bar{t}\bar{t}$ production cross-section using e^+e^- events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and $8\sqrt{s}=8$ TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
392	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
393	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu}\rightarrow 3\mu$, $\nu\bar{\nu}\rightarrow 3e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
394	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
395	Search for top-quark decays $t\bar{t}\bar{H}q$ with 36 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
396	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19

#	ARTICLE	IF	CITATIONS
397	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	19
398	A study of single and multi-photon production in e+e ⁻ collisions at centre-of-mass energies of 130 and 136 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996, 384, 333-342.	1.5	18
399	The new ALEPH Silicon Vertex Detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1998, 409, 157-160.	0.7	18
400	Search for supersymmetry in the photon(s) plus missing energy channels at GeV and 172 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998, 420, 127-139.	1.5	18
401	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	1.6	18
402	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton ⁻ proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	18
403	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tau\tau$, in $s = 13 \sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	18
404	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	18
405	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton ⁻ proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	18
406	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	18
407	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	17
408	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	17
409	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	17
410	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	17
411	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 158.	1.4	17
412	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	17
413	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
414	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
415	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s}=13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
416	Direct top-quark decay width measurement in the $\mathbf{\bar{t}} \rightarrow \ell + \text{jets}$ channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
417	Search for flavour-changing neutral current top-quark decays $\bar{t} \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
418	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
419	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
420	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
421	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
422	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
423	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
424	K_0 production in one-prong \bar{L}_ν decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 332, 219-227.	1.5	16
425	Michel parameters and \bar{L}_ν neutrino helicity from decay correlations in $Z \rightarrow \bar{L}_\nu + L_\nu$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 346, 379-388.	1.5	16
426	Search for supersymmetric particles with R-parity violation in Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 349, 238-252.	1.5	16
427	Charm counting in b decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 388, 648-658.	1.5	16
428	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
429	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
430	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
431	Top-quark mass measurement in the all-hadronic $\bar{t} \rightarrow \text{jets}$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
432	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16

#	ARTICLE	IF	CITATIONS
433	Search for exclusive Higgs and Z boson decays to $\tilde{l}^{\pm}\tilde{l}^{\pm}$ and $\tilde{l}^{\pm}\tilde{l}^{\mp}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
434	Measurement of differential cross sections and W^{+}/W^{\pm} cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
435	Three-prong. European Physical Journal C, 1998, 1, 65.	1.4	16
436	Test of the flavour independence of $\hat{\Gamma}_{\pm s}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 355, 381-393.	1.5	15
437	Study of the four-fermion final state at the Z resonance. Zeitschrift für Physik C-Particles and Fields, 1995, 66, 3-18.	1.5	15
438	Search for heavy lepton pair production in $e^{+}e^{-}$ collisions at centre-of-mass energies of 130 and 136 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 439-448.	1.5	15
439	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
440	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
441	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
442	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
443	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	1.4	15
444	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
445	Measurement of event-shape observables in $Z \rightarrow e^{+}e^{-}Z \rightarrow \nu\bar{\nu}$ events in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
446	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow \tau^{+}\tau^{-}\gamma$ with the ATLAS detector at $s = 8\text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
447	Search for strong gravity in multijet final states produced in pp collisions at $s = 13\text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
448	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
449	Search for scalar resonances decaying into $\tilde{l}^{\pm}\tilde{l}^{\pm}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
450	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15

#	ARTICLE	IF	CITATIONS
451	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{-TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
452	Improved measurement of the B^0 and B^+ meson lifetimes. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 31-44.	1.5	14
453	Observation of charmless hadronic B decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 471-480.	1.5	14
454	Search for the Standard Model Higgs boson in e^+e^- collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 412, 155-172.	1.5	14
455	Production of $D_s^* \rightarrow \hat{A}$ mesons in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 526, 34-49.	1.5	14
456	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
457	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
458	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
459	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13\text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
460	Studies of $Z\bar{\chi}^0$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
461	Measurement of VH , $\text{H} \rightarrow \text{b}\bar{\text{b}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
462	Measurements of inclusive and differential fiducial cross-sections of $\text{t}\bar{\text{t}}\gamma$ production in leptonic final states at $\sqrt{s} = 13\text{-ext TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
463	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
464	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
465	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13, \text{ext TeV}$. European Physical Journal C, 2021, 81, 1.	1.4	14
466	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
467	Search for $\text{t}\bar{\text{t}}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
468	Measurement of the c-jet mistagging efficiency in $\text{t}\bar{\text{t}}$ events using pp collision data at $\sqrt{s} = 13\text{-ext TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14

#	ARTICLE	IF	CITATIONS
469	Studies for a common selection software environment in ATLAS: from the level-2 trigger to the offline reconstruction. IEEE Transactions on Nuclear Science, 2004, 51, 915-920.	1.2	13
470	Integration of the trigger and data acquisition systems in ATLAS. Journal of Physics: Conference Series, 2008, 119, 022001.	0.3	13
471	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
472	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	13
473	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
474	Search for lepton flavour violation in the $e\tau$ continuum with the ATLAS detector in $\sqrt{s} = 7\text{TeV}$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	1.4	13
475	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7\text{TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
476	Measurement of the CP-violating phase γ_s and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \mu^+\mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
477	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
478	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
479	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
480	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2018, 78, 102.	1.4	13
481	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
482	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
483	Measurement of the mass of the Λ_b baryon. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 380, 442-452.	1.5	12
484	A flavour-independent Higgs boson search in e^+e^- collisions at s up to 209GeV . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 25-34.	1.5	12
485	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
486	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20fb^{-1} of $\sqrt{s} = 8\text{TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12

#	ARTICLE	IF	CITATIONS
487	Measurement of the $\overline{b}b$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
488	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
489	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
490	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
491	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
492	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
493	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
494	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
495	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
496	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
497	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
498	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
499	A precise measurement of the average b hadron lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 369, 151-162.	1.5	11
500	Measurement of $W^{\pm}Z$ and $Z^{\pm}Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
501	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
502	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
503	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
504	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11

#	ARTICLE	IF	CITATIONS
505	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
506	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
507	Measurement of the b forward-backward asymmetry and mixing using high-p _T leptons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 414-426.	1.5	10
508	Search for CP violation in the decay. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 365-376.	1.5	10
509	Inclusive production of the \tilde{A} and \tilde{H}^0 mesons in Z decays, and the muonic branching ratio of the \tilde{A} . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 528, 19-33.	1.5	10
510	A measurement of the gluon splitting rate into $c\bar{c}$ pairs in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 213-224.	1.5	10
511	The second level trigger of the ATLAS experiment at CERN's LHC. IEEE Transactions on Nuclear Science, 2004, 51, 909-914.	1.2	10
512	Combined performance studies for electrons at the 2004 ATLAS combined test-beam. Journal of Instrumentation, 2010, 5, P11006-P11006.	0.5	10
513	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
514	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
515	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
516	Measurement of the $Z \rightarrow u\bar{u}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
517	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
518	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^{\pm} and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
519	Measurement of J/ψ production in association with a W^{\pm} boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
520	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
521	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
522	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10

#	ARTICLE	IF	CITATIONS
523	The forward-backward asymmetry for charm quarks at the Z pole. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 352, 479-486.	1.5	9
524	Search for sleptons in e^+e^- collisions at centre-of-mass energies of 161 GeV and 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 407, 377-388.	1.5	9
525	Search for charged Higgs bosons in e^+e^- collisions at centre-of-mass energies from 130 to 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 418, 419-429.	1.5	9
526	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
527	Measurement of the $\gamma\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
528	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
529	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ $\rightarrow \tau^+\tau^-$, $\tau^+\tau^- + \mu^+\mu^-$, $\tau^+\tau^- + e^+e^-$ and ZZ $\rightarrow \tau^+\tau^- + \mu^+\mu^- + \tau^+\tau^-$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
530	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
531	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
532	Measurement of the $Z(\tau^+\tau^- + \mu^+\mu^- + e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
533	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
534	Production of excited beauty states in Z decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 393-404.	1.5	8
535	Measurement of the transverse spin correlations in the decay $Z \rightarrow \tau^+ \tau^- + \mu^+ \mu^-$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 405, 191-201.	1.5	8
536	Algorithms for the ATLAS high-level trigger. IEEE Transactions on Nuclear Science, 2004, 51, 367-374.	1.2	8
537	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
538	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
539	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
540	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8

#	ARTICLE	IF	CITATIONS
541	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
542	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
543	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
544	Measurements of $W+W^{\pm} + \geq 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
545	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
546	Reconstruction and identification of boosted $d\bar{t}$, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
547	Improved measurement of the B^0 and B^+ meson lifetimes. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 31-44.	1.5	8
548	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
549	Search for charginos and neutralinos with R-parity violation at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 461-470.	1.5	7
550	Measurement of the W-pair cross section in e^+e^- collisions at 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 415, 435-444.	1.5	7
551	Deployment of the ATLAS High-Level Trigger. IEEE Transactions on Nuclear Science, 2006, 53, 2144-2149.	1.2	7
552	Measurement of σ_{pol} , polarisation in $Z/\gamma^* \rightarrow \mu\mu$. European Physical Journal C, 2018, 78, 163.	1.4	7
553	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
554	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
555	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
556	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
557	Observation of monojet events and tentative interpretation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 334, 244-252.	1.5	6
558	Mass limit for the lightest neutralino. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 549-559.	1.5	6

#	ARTICLE	IF	CITATIONS
559	Four-jet final state production in e^+e^- collisions at centre-of-mass energies of 130 and 136 GeV. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 179-197.	1.5	6
560	Determination of $\sin^2 \hat{\theta}_w$ using jet charge measurements in hadronic Z decays. Zeitschrift für Physik C-Particles and Fields, 1996, 71, 357-378.	1.5	6
561	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
562	Measurement of ZZ production in the $\gamma, \gamma, \gamma\gamma$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
563	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
564	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
565	First measurement of the quark-to-photon fragmentation function. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 365-377.	1.5	5
566	Construction and performance of the new ALEPH vertex detector. Nuclear Physics, Section B, Proceedings Supplements, 1998, 61, 201-206.	0.5	5
567	Design, deployment and functional tests of the online event filter for the ATLAS experiment at LHC. IEEE Transactions on Nuclear Science, 2005, 52, 2846-2852.	1.2	5
568	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
569	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
570	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
571	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
572	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
573	Measurements of the charged particle multiplicity distribution in restricted rapidity intervals. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 15-25.	1.5	4
574	Improved tau polarisation measurement. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 183-193.	1.5	4
575	Alignment of the Pixel and SCT Modules for the 2004 ATLAS Combined Test Beam. Journal of Instrumentation, 2008, 3, P09004-P09004.	0.5	4
576	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4

#	ARTICLE	IF	CITATIONS
577	Measurement of jet activity in top quark events using the $e\bar{\nu}_e$ final state with two b-tagged jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
578	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
579	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
580	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
581	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
582	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
583	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \mu^{\pm} \nu_{\mu} (\rightarrow \pi^{\pm} \nu_{\pi}) \nu_{\tau}$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
584	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
585	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s}=13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
586	Four-fermion production in e^+e^- collisions at centre-of-mass energies of 130 and 136 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 388, 419-430.	1.5	3
587	Architecture of the ATLAS High Level Trigger Event Selection Software. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 518, 537-541.	0.7	3
588	Deployment of the ATLAS high level trigger. , 2005, , .		3
589	A fast tracking algorithm for the ATLAS level 2 trigger. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 566, 166-169.	0.7	3
590	Overview of the High-Level Trigger Electron and Photon Selection for the ATLAS Experiment at the LHC. IEEE Transactions on Nuclear Science, 2006, 53, 2839-2843.	1.2	3
591	Measurement of the k_t splitting scales in $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
592	Event visualization in ATLAS. Journal of Physics: Conference Series, 2017, 898, 072014.	0.3	3
593	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
594	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^{\pm} production in the $e\bar{\nu}_e$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3

#	ARTICLE	IF	CITATIONS
595	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
596	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, \sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
597	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.		3
598	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
599	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
600	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
601	Inclusive production of neutral vector mesons in hadronic Z decays. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 379-392.	1.5	2
602	Monitoring the stability of the ALEPH vertex detector. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 301-306.	0.5	2
603	Implementation and performance of the seeded reconstruction for the ATLAS event filter selection software. , 2005, , .		2
604	Implementation and performance of the seeded reconstruction for the ATLAS event filter. IEEE Transactions on Nuclear Science, 2006, 53, 864-869.	1.2	2
605	Photon reconstruction in the ATLAS Inner Detector and Liquid Argon Barrel Calorimeter at the 2004 Combined Test Beam. Journal of Instrumentation, 2011, 6, P04001-P04001.	0.5	2
606	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8, \sqrt{s} = 13$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
607	Measurement of the (\overline{t}) production cross-section using $(e\mu)$ events with (b)-tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
608	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8-13)$ TeV with the ATLAS detector. , 2015, 75, 1.		2
609	MUON RECONSTRUCTION AND IDENTIFICATION FOR THE EVENT FILTER OF THE ATLAS EXPERIMENT. , 2006, , .		2
610	Search for exotic decays of the Higgs boson into $b\overline{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
611	Measurement of the energy asymmetry in $t\overline{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
612	Measurement of D^0 + meson production in Z decays and of the B^0 lifetime. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 585-595.	1.5	1

#	ARTICLE	IF	CITATIONS
613	The second level trigger of the ATLAS experiment at CERN's LHC. , 2003, , .		1
614	Overview of the high-level trigger electron and photon selection for the ATLAS experiment at the LHC. , 2005, , .		1
615	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
616	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. , 2015, 75, 1.		1
617	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8, \text{ TeV}$) with the ATLAS detector. , 2016, 76, 1.		1
618	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7, \text{ TeV}$) with the ATLAS detector. , 2018, 78, 1.		1
619	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13, \text{ TeV}$). , 2018, 78, 1.		1
620	Performance of the Aleph upgraded silicon vertex detector. Nuclear Physics, Section B, Proceedings Supplements, 1997, 54, 317-322.	0.5	0
621	Implementation and performance of the event filter muon selection for the ATLAS experiment at LHC. , 0, , .		0
622	Overview of the High-Level Trigger Electron and Photon Selection for the ATLAS Experiment at the LHC. , 0, , .		0
623	Implementation and performance of the third level muon trigger of the ATLAS experiment at LHC. IEEE Transactions on Nuclear Science, 2006, 53, 500-505.	1.2	0
624	Modelling decoherence in quantum spin systems. Journal of Physics Condensed Matter, 2007, 19, 199001.	0.7	0
625	Erratum to "Design, Deployment and Functional Tests of the Online Event Filter for the ATLAS Experiment at LHC". IEEE Transactions on Nuclear Science, 2007, 54, 758-758.	1.2	0
626	Event reconstruction algorithms for the ATLAS trigger. Journal of Physics: Conference Series, 2008, 119, 022022.	0.3	0
627	A layer correlation technique for pion energy calibration at the 2004 ATLAS Combined Beam Test. Journal of Instrumentation, 2011, 6, P06001-P06001.	0.5	0
628	IMPLEMENTATION AND PERFORMANCE OF A TAU LEPTON SELECTION WITHIN THE ATLAS TRIGGER SYSTEM AT THE LHC. , 2006, , .		0
629	Implementation and Performance of the High-Level Trigger electron and photon selection for the ATLAS experiment at the LHC. , 2008, , .		0