Shin-ichi Kawaguchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4378508/publications.pdf

Version: 2024-02-01

54 papers 1,606 citations

304743 22 h-index 315739 38 g-index

75 all docs

75 docs citations

75 times ranked 1700 citing authors

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Prolyl Hydroxylase Domain Protein Inhibitor Not Harboring a 2-Oxoglutarate Scaffold Protects against Hypoxic Stress. ACS Pharmacology and Translational Science, 2022, 5, 362-372. | 4.9 | 2 |
| 2 | Photoinduced selective hydrophosphinylation of allylic compounds with diphenylphosphine oxide leading to \hat{I}^3 -functionalized P-ligand precursors. Research on Chemical Intermediates, 2021, 47, 3067-3078. | 2.7 | 6 |
| 3 | Highly regio- and stereoselective phosphinylphosphination of terminal alkynes with tetraphenyldiphosphine monoxide under radical conditions. Beilstein Journal of Organic Chemistry, 2021, 17, 866-872. | 2.2 | 5 |
| 4 | Transition-Metal-Catalyzed Diarylation of Isocyanides with Triarylbismuthines for the Selective Synthesis of Imine Derivatives. Materials, 2021, 14, 4271. | 2.9 | 2 |
| 5 | Photoinduced Syntheses and Reactivities of Phosphorus-Containing Interelement Compounds. Journal of Organic Chemistry, 2020, 85, 14708-14719. | 3.2 | 8 |
| 6 | Phosphorus-Recycling Wittig Reaction: Design and Facile Synthesis of a Fluorous Phosphine and Its Reusable Process in the Wittig Reaction. Journal of Organic Chemistry, 2020, 85, 14684-14696. | 3.2 | 8 |
| 7 | Photoinduced Cyclizations of <i>o</i> -Diisocyanoarenes with Organic Diselenides and Thiols that Afford Chalcogenated Quinoxalines. Journal of Organic Chemistry, 2020, 85, 7258-7266. | 3.2 | 32 |
| 8 | Catalytic synthesis of sulfur and phosphorus compounds via atom-economic reactions. Mendeleev Communications, 2020, 30, 129-138. | 1.6 | 16 |
| 9 | Highly Selective Hydroiodination of Carbon-Carbon Double or Triple Bonds. Current Organic Chemistry, 2020, 24, 2153-2168. | 1.6 | 1 |
| 10 | Palladium-Catalyzed Diarylation of Isocyanides with Tetraarylleads for the Selective Synthesis of Imines and α-Diimines. Journal of Organic Chemistry, 2019, 84, 11741-11751. | 3.2 | 7 |
| 11 | Molecular Mechanism of Cellular Oxidative Stress Sensing by Keap1. Cell Reports, 2019, 28, 746-758.e4. | 6.4 | 179 |
| 12 | Applications of Diphosphines in Radical Reactions. Asian Journal of Organic Chemistry, 2019, 8, 1164-1173. | 2.7 | 14 |
| 13 | Reductive Rearrangement of Tetraphenyldiphosphine Disulfide To Trigger the Bisthiophosphinylation of Alkenes and Alkynes. Chemistry - A European Journal, 2019, 25, 6797-6806. | 3.3 | 25 |
| 14 | Synthesis of Bis(phosphanyl)alkane Monosulfides by the Addition of Diphosphane Monosulfides to Alkenes under Light. Chemistry - A European Journal, 2019, 25, 2295-2302. | 3.3 | 26 |
| 15 | Palladium-Catalyzed Cyanothiolation of Internal Alkynes Using Organic Disulfides and <i>tert</i> -Butyl Isocyanide. Journal of Organic Chemistry, 2018, 83, 5267-5273. | 3.2 | 22 |
| 16 | Furan- and Thiophene-2-Carbonyl Amino Acid Derivatives Activate Hypoxia-Inducible Factor via Inhibition of Factor Inhibiting Hypoxia-Inducible Factor-1. Molecules, 2018, 23, 885. | 3.8 | 5 |
| 17 | Synthesis of Aryl lodides from Arylhydrazines and lodine. ACS Omega, 2018, 3, 9814-9821. | 3.5 | 18 |
| 18 | The PMe3-catalyzed addition of enantiomerically pure (â^')-MenthylO(Ph)P(O)H to electron-deficient alkenes: an efficient way for the preparation of P-stereogenic compounds. Tetrahedron: Asymmetry, 2017, 28, 84-89. | 1.8 | 15 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Front Cover: Hydroiodination-Triggered Cascade Reaction with I2 /PPh3 /H2 O: Metal-Free Access to 3-Substituted Phthalides from 2-Alkynylbenzoates (Eur. J. Org. Chem. 36/2017). European Journal of Organic Chemistry, 2017, 2017, 5315-5315. | 2.4 | 0 |
| 20 | Copper-catalyzed tandem reaction directed toward synthesis of 2,2-disubstituted quinazolinones from vinyl halides and 2-aminobenzamides. Tetrahedron Letters, 2017, 58, 4043-4047. | 1.4 | 9 |
| 21 | A Benzoyl Peroxide/Diphenyl Diselenide Binary System for Functionalization of Alkynes Leading to Alkenyl and Alkynyl Selenides. Journal of Organic Chemistry, 2017, 82, 12477-12484. | 3.2 | 47 |
| 22 | Hydroiodinationâ€Triggered Cascade Reaction with I ₂ /PPh ₃ /H ₂ O: Metalâ€Free Access to 3â€Substituted Phthalides from 2â€Alkynylbenzoates. European Journal of Organic Chemistry, 2017, 2017, 5343-5346. | 2.4 | 7 |
| 23 | Photoinduced Coupling Reaction of Diphenyl(2,4,6-trimethylbenzoyl)phosphine Oxide with Interelement Compounds: Application to the Synthesis of Thio- or Selenophosphinates. Synthesis, 2017, 49, 3558-3567. | 2.3 | 10 |
| 24 | P-Fluorous Phosphines as Electron-Poor/Fluorous Hybrid Functional Ligands for Precious Metal Catalysts: Synthesis of Rh(I), Ir(I), Pt(II), and Au(I) Complexes Bearing P-Fluorous Phosphine Ligands. Inorganics, 2017, 5, 5. | 2.7 | 3 |
| 25 | Highly Selective Phosphinylphosphination of Alkenes with Tetraphenyldiphosphine Monoxide. Angewandte Chemie, 2016, 128, 9852-9855. | 2.0 | 46 |
| 26 | Photoinduced metal-free diboration of alkynes in the presence of organophosphine catalysts. Tetrahedron, 2016, 72, 7832-7838. | 1.9 | 37 |
| 27 | Highly Selective Phosphinylphosphination of Alkenes with Tetraphenyldiphosphine Monoxide. Angewandte Chemie - International Edition, 2016, 55, 9700-9703. | 13.8 | 60 |
| 28 | Discovery of an <scp>NRF</scp> 1â€specific inducer from a largeâ€scale chemical library using a direct <scp>NRF</scp> 1â€protein monitoring system. Genes To Cells, 2015, 20, 563-577. | 1.2 | 7 |
| 29 | Hypoxia-Sensitive Reporter System for High-Throughput Screening. Tohoku Journal of Experimental Medicine, 2015, 235, 151-159. | 1.2 | 4 |
| 30 | Photoinduced Synthesis of <i>P</i> â€Perfluoroalkylated Phosphines from Triarylphosphines and Their Application in the Copperâ€Free Crossâ€Coupling of Acid Chlorides and Terminal Alkynes. Advanced Synthesis and Catalysis, 2015, 357, 2509-2519. | 4.3 | 20 |
| 31 | DNA methyltransferase 3a regulates osteoclast differentiation by coupling to an S-adenosylmethionine–producing metabolic pathway. Nature Medicine, 2015, 21, 281-287. | 30.7 | 190 |
| 32 | Palladium-Catalyzed Synthesis of \hat{l}_{\pm} -Diimines from Triarylbismuthines and Isocyanides. Organic Letters, 2015, 17, 3490-3493. | 4.6 | 45 |
| 33 | Photoinduced reductive perfluoroalkylation of phosphine oxides: synthesis of P-perfluoroalkylated phosphines using TMDPO and perfluoroalkyl iodides. Chemical Communications, 2015, 51, 10385-10388. | 4.1 | 15 |
| 34 | A salt-free synthesis of 1,2-bisphosphorylethanes via an efficient PMe3-catalyzed addition of >P(O)H to vinylphosphoryl compounds. Tetrahedron Letters, 2015, 56, 5303-5305. | 1.4 | 21 |
| 35 | Hypoxia Signaling Cascade for Erythropoietin Production in Hepatocytes. Molecular and Cellular Biology, 2015, 35, 2658-2672. | 2.3 | 54 |
| 36 | A convenient hydroiodination of alkynes using I2/PPh3/H2O and its application to the one-pot synthesis of trisubstituted alkenes via iodoalkenes using Pd-catalyzed cross-coupling reactions. Tetrahedron Letters, 2014, 55, 6779-6783. | 1.4 | 23 |

| # | Article | lF | Citations |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Highly regioselective hydroselenation of inactivated terminal alkynes using diselenide–Ph2P(O)H mixed systems under visible-light irradiation. Tetrahedron Letters, 2013, 54, 5453-5456. | 1.4 | 19 |
| 38 | Synthesis and Properties of Perfluoroalkyl Phosphine Ligands: Photoinduced Reaction of Diphosphines with Perfluoroalkyl Iodides. Angewandte Chemie - International Edition, 2013, 52, 1748-1752. | 13.8 | 39 |
| 39 | Highly Selective Addition of Phosphorus-Containing Interelement Compounds to Alkynes. Synlett, 2013, 24, 2199-2215. | 1.8 | 10 |
| 40 | Photoinduced synthesis of unsymmetrical diaryl selenides from triarylbismuthines and diaryl diselenides. Beilstein Journal of Organic Chemistry, 2013, 9, 1141-1147. | 2.2 | 27 |
| 41 | Highly regioselective hydroiodination of terminal alkynes and silylalkynes with iodine and phosphorus reagents leading to internal iodoalkenes. Tetrahedron, 2012, 68, 9818-9825. | 1.9 | 16 |
| 42 | Rhodium-Catalyzed Highly Stereoselective Hydroselenation of Internal Alkynes Bearing an Electron-withdrawing Group. Organometallics, 2011, 30, 6766-6769. | 2.3 | 22 |
| 43 | Palladium-catalyzed Sonogashira cross-coupling of organic tellurides with alkynes. Tetrahedron Letters, 2011, 52, 4120-4122. | 1.4 | 12 |
| 44 | Highly Selective Hydroiodation of Alkynes Using an Iodineâ^Hydrophosphine Binary System. Organic Letters, 2010, 12, 1893-1895. | 4.6 | 66 |
| 45 | Highly Selective Phosphinotelluration of Terminal Alkynes Using a (Ph ₂ P) ₂ \$\alpha^*(PhTe) ₂ Mixed System upon Visible Light Irradiation: Straightforward Access to 1-Phosphino-2-telluro-alkenes. Organometallics, 2010, 29, 312-316. | 2.3 | 34 |
| 46 | Rhodium-Catalyzed Anti-Markovnikov–Type Hydrophosphination of Terminal Alkynes with Diphosphines and Hydrosilanes in the Presence of Oxygen. Phosphorus, Sulfur and Silicon and the Related Elements, 2010, 185, 1090-1097. | 1.6 | 11 |
| 47 | The Development of Highly Selective Addition Reactions of Tetraphenyldiphosphine to Carbon-Carbon Unsaturated Bonds. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2010, 68, 705-717. | 0.1 | 6 |
| 48 | Photoinduced hydrophosphinylation of alkenes with diphenylphosphine oxide. Tetrahedron Letters, 2009, 50, 624-626. | 1.4 | 46 |
| 49 | Highly Regioselective Simultaneous Introduction of Phosphino and Seleno Groups into Unsaturated Bonds by the Novel Combination of (Ph ₂ P) ₂ and (PhSe) ₂ upon Photoirradiation. Journal of Organic Chemistry, 2009, 74, 1751-1754. | 3.2 | 63 |
| 50 | Photoinduced highly selective thiophosphination of alkynes using a (PhS)2/(Ph2P)2 binary system. Tetrahedron Letters, 2008, 49, 4043-4046. | 1.4 | 41 |
| 51 | A Highly Regioselective Palladium-Catalyzed Hydrophosphination of Alkynes Using a Diphosphineâ [^] Hydrosilane Binary System. Journal of Organic Chemistry, 2008, 73, 7928-7933. | 3.2 | 30 |
| 52 | Highly Selective Double Chalcogenation of Isocyanides with Disulfideâ^'Diselenide Mixed Systems. Journal of Organic Chemistry, 2007, 72, 415-423. | 3.2 | 59 |
| 53 | A highly regioselective hydrophosphination of terminal alkynes with tetraphenyldiphosphine in the presence of palladium catalyst. Tetrahedron Letters, 2007, 48, 6637-6640. | 1.4 | 31 |
| 54 | Photochemical behaviors of tetraphenyldiphosphine in the presence of alkynes. Tetrahedron Letters, 2006, 47, 3919-3922. | 1.4 | 76 |