List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/438032/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Assessment of the antioxidative response and culturable micro-organisms of <i>Lygeum spartum</i> Loefl. ex L. for prospective phytoremediation applications. International Journal of Phytoremediation, 2023, 25, 293-304.	1.7	2
2	Oxidative effects on Ri T-DNA-transformed root of Daucus carota exposed to anthracene. Theoretical and Experimental Plant Physiology, 2022, 34, 83-93.	1.1	0
3	Pharmaceutical Pollution in Aquatic Environments: A Concise Review of Environmental Impacts and Bioremediation Systems. Frontiers in Microbiology, 2022, 13, 869332.	1.5	58
4	High-Throughput Microbial Community Analyses to Establish a Natural Fungal and Bacterial Consortium from Sewage Sludge Enriched with Three Pharmaceutical Compounds. Journal of Fungi (Basel, Switzerland), 2022, 8, 668.	1.5	5
5	Transcriptomic analysis of polyaromatic hydrocarbon degradation by the halophilic fungus <i>Aspergillus sydowii</i> at hypersaline conditions. Environmental Microbiology, 2021, 23, 3435-3459.	1.8	41
6	Tracking gene expression, metabolic profiles, and biochemical analysis in the halotolerant basidiomycetous yeast Rhodotorula mucilaginosa EXF-1630 during benzo[a]pyrene and phenanthrene biodegradation under hypersaline conditions. Environmental Pollution, 2021, 271, 116358.	3.7	19
7	Penicillium oxalicum XD-3.1 removes pharmaceutical compounds from hospital wastewater and outcompetes native bacterial and fungal communities in fluidised batch bioreactors. International Biodeterioration and Biodegradation, 2021, 158, 105179.	1.9	14
8	The Contribution of Fungi and Their Lifestyle in the Nitrogen Cycle. , 2021, , 82-101.		2
9	Evaluation of the Potential of Sewage Sludge Mycobiome to Degrade High Diclofenac and Bisphenol-A Concentrations. Toxics, 2021, 9, 115.	1.6	11
10	ROS-Scavenging Enzymes as an Antioxidant Response to High Concentration of Anthracene in the Liverwort Marchantia polymorpha L. Plants, 2021, 10, 1478.	1.6	8
11	Design of Bio-Absorbent Systems for the Removal of Hydrocarbons from Industrial Wastewater: Pilot-Plant Scale. Toxics, 2021, 9, 162.	1.6	1
12	Involvement of the metabolically active bacteria in the organic matter degradation during olive mill waste composting. Science of the Total Environment, 2021, 789, 147975.	3.9	18
13	Respuesta fisiológica de Lunularia cruciata (phylum Marchantiophyta) a la presencia del hidrocarburo aromático policÃclico antraceno Boletin De La Sociedad Argentina De Botanica, 2021, 56, .	0.1	0
14	Assessment of the diversity and abundance of the total and active fungal population and its correlation with humification during two-phase olive mill waste ('â€`alperujoâ€) composting. Bioresource Technology, 2020, 295, 122267.	4.8	19
15	Biodegradation and toxicity reduction of nonylphenol, 4-tert-octylphenol and 2,4-dichlorophenol by the ascomycetous fungus Thielavia sp HJ22: Identification of fungal metabolites and proposal of a putative pathway. Science of the Total Environment, 2020, 708, 135129.	3.9	47
16	Assessment of bacterial and fungal communities in a full-scale thermophilic sewage sludge composting pile under a semipermeable cover. Bioresource Technology, 2020, 298, 122550.	4.8	46
17	Enzymatic Potential of Bacteria and Fungi Isolates from the Sewage Sludge Composting Process. Applied Sciences (Switzerland), 2020, 10, 7763.	1.3	16
18	Metabolic Capability of Penicillium oxalicum to Transform High Concentrations of Anti-Inflammatory and Analgesic Drugs. Applied Sciences (Switzerland), 2020, 10, 2479.	1.3	9

#	Article	IF	CITATIONS
19	Evaluation of the Abundance of Fungi in Wastewater Treatment Plants Using Quantitative PCR (qPCR). Methods in Molecular Biology, 2020, 2065, 79-94.	0.4	4
20	Sewage sludge composting under semi-permeable film at full-scale: Evaluation of odour emissions and relationships between microbiological activities and physico-chemical variables. Environmental Research, 2019, 177, 108624.	3.7	33
21	New Insights of Ustilago maydis as Yeast Model for Genetic and Biotechnological Research: A Review. Current Microbiology, 2019, 76, 917-926.	1.0	18
22	Evaluation of diclofenac biodegradation by the ascomycete fungus Penicillium oxalicum at flask and bench bioreactor scales. Science of the Total Environment, 2019, 662, 607-614.	3.9	45
23	First demonstration that ascomycetous halophilic fungi (Aspergillus sydowii and Aspergillus) Tj ETQq1 1 0.7843 Technology, 2019, 279, 287-296.	14 rgBT /C 4.8	overlock 10 Tf 53
24	Effect of Composting Under Semipermeable Film on the Sewage Sludge Virome. Microbial Ecology, 2019, 78, 895-903.	1.4	6
25	Genome and secretome of Chondrostereum purpureum correspond to saprotrophic and phytopathogenic life styles. PLoS ONE, 2019, 14, e0212769.	1.1	11
26	Biostimulation of crude oil-polluted soils: influence of initial physicochemical and biological characteristics of soil. International Journal of Environmental Science and Technology, 2019, 16, 4925-4934.	1.8	13
27	Exploring the response of Marchantia polymorpha: Growth, morphology and chlorophyll content in the presence of anthracene. Plant Physiology and Biochemistry, 2019, 135, 570-574.	2.8	6
28	Bioremediation of Polycyclic Aromatic Hydrocarbons (PAHs) Contaminated Soil Through Fungal Communities. Fungal Biology, 2019, , 217-236.	0.3	2
29	Effect of semi-permeable cover system on the bacterial diversity during sewage sludge composting. Journal of Environmental Management, 2018, 215, 57-67.	3.8	30
30	Degradation of bisphenol A and acute toxicity reduction by different thermo-tolerant ascomycete strains isolated from arid soils. Ecotoxicology and Environmental Safety, 2018, 156, 87-96.	2.9	47
31	A comparative study to evaluate natural attenuation, mycoaugmentation, phytoremediation, and microbial-assisted phytoremediation strategies for the bioremediation of an aged PAH-polluted soil. Ecotoxicology and Environmental Safety, 2018, 147, 165-174.	2.9	97
32	Potential for CRISPR Genetic Engineering to Increase Xenobiotic Degradation Capacities in Model Fungi. Nanotechnology in the Life Sciences, 2018, , 61-78.	0.4	25
33	Approaches in Bioremediation. Nanotechnology in the Life Sciences, 2018, , .	0.4	38
34	Purification and characterization of a fungal laccase from the ascomycete Thielavia sp. and its role in the decolorization of a recalcitrant dye. International Journal of Biological Macromolecules, 2018, 120, 1744-1751.	3.6	52
35	Anthracene drives sub-cellular proteome-wide alterations in the degradative system of Penicillium oxalicum. Ecotoxicology and Environmental Safety, 2018, 159, 127-135.	2.9	14
36	<i>Schizophyllum commune</i> : An unexploited source for lignocellulose degrading enzymes. MicrobiologyOpen, 2018, 7, e00637.	1.2	16

#	Article	IF	CITATIONS
37	An Overview of Fungal Applications in the Valorization of Lignocellulosic Agricultural By-Products: The Case of Two-Phase Olive Mill Wastes. Fungal Biology, 2018, , 213-238.	0.3	1
38	Biodegradation of Polycyclic Aromatic Hydrocarbons Using FungiNew Prospects toward Cytochrome P450 Engineering. , 2018, , 417-445.		0
39	Performance and bacterial community structure of a granular autotrophic nitrogen removal bioreactor amended with high antibiotic concentrations. Chemical Engineering Journal, 2017, 325, 257-269.	6.6	52
40	Interactions between phenolic compounds present in dry olive residues and the arbuscular mycorrhizal symbiosis. Mycological Progress, 2017, 16, 567-575.	0.5	0
41	Isolation of Ascomycota fungi with capability to transform PAHs: Insights into the biodegradation mechanisms of Penicillium oxalicum. International Biodeterioration and Biodegradation, 2017, 122, 141-150.	1.9	64
42	Enzymatic mechanisms and detoxification of dry olive-mill residue by Cyclocybe aegerita, Mycetinis alliaceus and Chondrostereum purpureum. International Biodeterioration and Biodegradation, 2017, 117, 89-96.	1.9	7
43	Overview on the Biochemical Potential of Filamentous Fungi to Degrade Pharmaceutical Compounds. Frontiers in Microbiology, 2017, 8, 1792.	1.5	129
44	Community structure, population dynamics and diversity of fungi in a full-scale membrane bioreactor (MBR) for urban wastewater treatment. Water Research, 2016, 105, 507-519.	5.3	60
45	Exploring the potential of fungi isolated from PAH-polluted soil as a source of xenobiotics-degrading fungi. Environmental Science and Pollution Research, 2016, 23, 20985-20996.	2.7	37
46	Promising approaches towards biotransformation of polycyclic aromatic hydrocarbons with Ascomycota fungi. Current Opinion in Biotechnology, 2016, 38, 1-8.	3.3	110
47	Integrated biovalorization of wine and olive mill by-products to produce enzymes of industrial interest and soil amendments. Spanish Journal of Agricultural Research, 2016, 14, e0205.	0.3	7
48	Potential of non-ligninolytic fungi in bioremediation of chlorinated and polycyclic aromatic hydrocarbons. New Biotechnology, 2015, 32, 620-628.	2.4	138
49	Bioremediation of dry olive-mill residue removes inhibition of growth induced by this waste in tomato plants. International Journal of Environmental Science and Technology, 2014, 11, 21-32.	1.8	8
50	Differences in the secretion pattern of oxidoreductases from Bjerkandera adusta induced by a phenolic olive mill extract. Fungal Genetics and Biology, 2014, 72, 99-105.	0.9	15
51	Phenol oxidation by DyP-type peroxidases in comparison to fungal and plant peroxidases. Journal of Molecular Catalysis B: Enzymatic, 2014, 103, 41-46.	1.8	51
52	Arbuscular mycorrhizal fungi alleviate oxidative stress induced by ADOR and enhance antioxidant responses of tomato plants. Journal of Plant Physiology, 2014, 171, 421-428.	1.6	32
53	Purification and characteristics of an inducible by polycyclic aromatic hydrocarbons NADP+-dependent naphthalenediol dehydrogenase (NDD) in Mucor circinelloides YR-1. Protein Expression and Purification, 2014, 97, 1-8.	0.6	4
54	Role of arbuscular mycorrhizal fungus Rhizophagus custos in the dissipation of PAHs under root-organ culture conditions. Environmental Pollution, 2013, 181, 182-189.	3.7	72

#	Article	IF	CITATIONS
55	Solid state fermentation of olive mill residues by wood- and dung-dwelling Agaricomycetes: Effects on peroxidase production, biomass development and phenol phytotoxicity. Chemosphere, 2013, 93, 1406-1412.	4.2	29
56	Defence response of tomato seedlings to oxidative stress induced by phenolic compounds from dry olive mill residue. Chemosphere, 2012, 89, 708-716.	4.2	49
57	Suppressive effect of olive residue and saprophytic fungi on the growth of Verticillium dahliae and its effect on the dry weight of tomato (Solanum lycopersicum L.). Journal of Soil Science and Plant Nutrition, 2012, 12, 303-313.	1.7	6
58	Effect of a New Thermal Treatment in Combination with Saprobic Fungal Incubation on the Phytotoxicity Level of Alperujo. Journal of Agricultural and Food Chemistry, 2011, 59, 3239-3245.	2.4	9
59	Conversion of polycyclic aromatic hydrocarbons, methyl naphthalenes and dibenzofuran by two fungal peroxygenases. Biodegradation, 2010, 21, 267-281.	1.5	73
60	Advanced oxidation of benzene, toluene, ethylbenzene and xylene isomers (BTEX) by Trametes versicolor. Journal of Hazardous Materials, 2010, 181, 181-186.	6.5	48
61	Dry matter and root colonization of plants by indigenous arbuscular mycorrhizal fungi with physical fractions of dry olive mill residue inoculated with saprophytic fungi. Spanish Journal of Agricultural Research, 2010, 8, 79.	0.3	3
62	The effects of the arbuscular mycorrhizal fungusGlomus deserticola on growth of tomato plants grown in the presence of olive mill residues modified by treatment with saprophytic fungi. Symbiosis, 2009, 47, 133-140.	1.2	15
63	Conversion of dibenzothiophene by the mushrooms Agrocybe aegerita and Coprinellus radians and their extracellular peroxygenases. Applied Microbiology and Biotechnology, 2009, 82, 1057-1066.	1.7	77
64	Induction of hydroxyl radical production in Trametes versicolor to degrade recalcitrant chlorinated hydrocarbons. Bioresource Technology, 2009, 100, 5757-5762.	4.8	25
65	Contribution of the saprobic fungi Trametes versicolor and Trichoderma harzianum and the arbuscular mycorrhizal fungi Glomus deserticola and G. claroideum to arsenic tolerance of Eucalyptus globulus. Bioresource Technology, 2009, 100, 6250-6257.	4.8	50
66	Regioselective preparation of 5-hydroxypropranolol and 4′-hydroxydiclofenac with a fungal peroxygenase. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 3085-3087.	1.0	59
67	Interactions of Trametes versicolor, Coriolopsis rigida and the arbuscular mycorrhizal fungus Glomus deserticola on the copper tolerance of Eucalyptus globulus. Chemosphere, 2009, 77, 273-278.	4.2	17
68	Saprobe fungi decreased the sensitivity to the toxic effect of dry olive mill residue on arbuscular mycorrhizal plants. Chemosphere, 2008, 70, 1383-1389.	4.2	18
69	Reusing ethyl acetate and aqueous exhausted fractions of dry olive mill residue by saprobe fungi. Chemosphere, 2007, 66, 67-74.	4.2	11
70	Chemical characterization and effects on Lepidium sativum of the native and bioremediated components of dry olive mill residue. Chemosphere, 2007, 69, 229-239.	4.2	31
71	Xyloglucanases in the interaction between saprobe fungi and the arbuscular mycorrhizal fungus Glomus mosseae. Journal of Plant Physiology, 2007, 164, 1019-1027.	1.6	2
72	Phenolic removal of olive-mill dry residues by laccase activity of white-rot fungi and its impact on tomato plant growth. International Biodeterioration and Biodegradation, 2006, 58, 176-179.	1.9	57

#	Article	IF	CITATIONS
73	Improvement by soil yeasts of arbuscular mycorrhizal symbiosis of soybean (Glycine max) colonized by Glomus mosseae. Mycorrhiza, 2004, 14, 229-234.	1.3	40
74	Contribution of hydrolytic enzymes produced by saprophytic fungi to the decrease in plant toxicity caused by water-soluble substances in olive mill dry residue. Applied Microbiology and Biotechnology, 2004, 64, 132-135.	1.7	18
75	Saprobic fungi decrease plant toxicity caused by olive mill residues. Applied Soil Ecology, 2004, 26, 149-156.	2.1	38