

Hao Xue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/438145/publications.pdf>

Version: 2024-02-01

35
papers

658
citations

686830

13
h-index

642321

23
g-index

40
all docs

40
docs citations

40
times ranked

956
citing authors

#	ARTICLE	IF	CITATIONS
1	Elevated levels of body mass index and waist circumference, but not high variability, are associated with an increased risk of atrial fibrillation. <i>BMC Medicine</i> , 2022, 20, .	2.3	12
2	Early onset of hyperuricemia is associated with increased cardiovascular disease and mortality risk. <i>Clinical Research in Cardiology</i> , 2021, 110, 1096-1105.	1.5	19
3	Associations of Type 2 Diabetes Onset Age With Cardiovascular Disease and Mortality: The Kailuan Study. <i>Diabetes Care</i> , 2021, 44, 1426-1432.	4.3	60
4	Combined effect of visit-to-visit variations in heart rate and systolic blood pressure on all-cause mortality in hypertensive patients. <i>Hypertension Research</i> , 2021, 44, 1291-1299.	1.5	5
5	Effect of Brachial-Ankle Pulse Wave Velocity Combined with Waist-to-Hip Ratio on Cardiac and Cerebrovascular Events. <i>American Journal of the Medical Sciences</i> , 2021, 362, 135-142.	0.4	2
6	Frequency of Visit-to-Visit Variability of Resting Heart Rate and the Risk of New-Onset Atrial Fibrillation in the General Population. <i>American Journal of Cardiology</i> , 2021, 155, 45-51.	0.7	6
7	The miR-182/Myadm axis regulates hypoxia-induced pulmonary hypertension by balancing the BMP- and TGF- β ² -signalling pathways in an SMC/EC-crossstalk-associated manner. <i>Basic Research in Cardiology</i> , 2021, 116, 53.	2.5	14
8	Uric Acid Variability and All-Cause Mortality: A Prospective Cohort Study in Northern China. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 1235-1240.	1.5	3
9	2019 Chinese Hypertension League guidelines on home blood pressure monitoring. <i>Journal of Clinical Hypertension</i> , 2020, 22, 378-383.	1.0	30
10	The effects of hypertension and diabetes on new-onset chronic kidney disease: A prospective cohort study. <i>Journal of Clinical Hypertension</i> , 2020, 22, 39-46.	1.0	13
11	Relationship between resting heart rate and incident heart failure in patients with hypertension: The Kailuan Cohort Study in China. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2325-2331.	1.0	5
12	Reply. <i>Journal of the American College of Cardiology</i> , 2020, 76, 1813-1814.	1.2	1
13	Association between dietary sodium intake and blood pressure variability in Chinese patients with hypertension. <i>Chinese Medical Journal</i> , 2020, 133, 1066-1072.	0.9	8
14	Association of Age of Onset of Hypertension With Cardiovascular Diseases and Mortality. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2921-2930.	1.2	207
15	Effect of resting heart rate on the risk of all-cause death in Chinese patients with hypertension: analysis of the Kailuan follow-up study. <i>BMJ Open</i> , 2020, 10, e032699.	0.8	15
16	MicroRNA-29a attenuates angiotensin-II induced-left ventricular remodeling by inhibiting collagen, TGF- β ² and SMAD2/3 expression. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 96-104.	0.2	3
17	Increased expression of ryanodine receptor type-2 during atrial fibrillation by miR-106-25 cluster independent mechanism. <i>Experimental Cell Research</i> , 2019, 375, 113-117.	1.2	6
18	Changes in pulse pressure – heart rate, hs-CRP, and arterial stiffness progression in the Chinese general population: a cohort study involving 3978 employees of the Kailuan Company. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 710-716.	0.2	3

#	ARTICLE	IF	CITATIONS
19	Prognostic ability of cystatin C and homocysteine plasma levels for long-term outcomes in very old acute myocardial infarction patients. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 1201-1209.	1.3	11
20	<i>MiR-138</i> protects cardiac cells against hypoxia through modulation of glucose metabolism by targetting pyruvate dehydrogenase kinase 1. <i>Bioscience Reports</i> , 2017, 37, .	1.1	16
21	Hyperhomocysteinemia is an independent predictor of long-term clinical outcomes in Chinese octogenarians with acute coronary syndrome. <i>Clinical Interventions in Aging</i> , 2015, 10, 1467.	1.3	21
22	Prehypertension and Chronic Kidney Disease in Chinese Population: Four-Year Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0144438.	1.1	19
23	The association of metabolic syndrome with left ventricular mass and geometry in community-based hypertensive patients among Han Chinese. <i>Journal of Research in Medical Sciences</i> , 2015, 20, 963.	0.4	7
24	Risk stratification and prognostic value of grace and timi risk scores for female patients with non-st segment elevation acute coronary syndrome. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 4038-44.	1.3	2
25	Varying Correlation Between ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography and Dynamic Contrast-Enhanced MRI in Carotid Atherosclerosis. <i>Stroke</i> , 2014, 45, 1842-1845.	1.0	27
26	Left ventricular hypertrophy, abnormal ventricular geometry and relative wall thickness are associated with increased risk of stroke in hypertensive patients among the Han Chinese. <i>Hypertension Research</i> , 2014, 37, 870-874.	1.5	29
27	Correlation between Comprehensive Evaluation of Coronary Artery Lesion Severity and Long-term Clinical Outcomes in Chinese Octogenarians with Acute Coronary Syndrome. <i>Heart Lung and Circulation</i> , 2014, 23, 1125-1131.	0.2	7
28	High-density lipoprotein cholesterol and risk of cardiovascular events in octogenarian patients with acute coronary syndrome: Long-term follow-up study. <i>International Journal of Cardiology</i> , 2014, 174, 133-134.	0.8	3
29	Relationship between hyporesponsiveness to clopidogrel measured by thrombelastography and in stent restenosis in patients undergoing percutaneous coronary intervention. <i>Clinical Biochemistry</i> , 2014, 47, 197-202.	0.8	9
30	Association of Ideal Cardiovascular Metrics and Serum High-Sensitivity C-Reactive Protein in Hypertensive Population. <i>PLoS ONE</i> , 2013, 8, e81597.	1.1	27
31	The Association of Growth Differentiation Factor-15 with Left Ventricular Hypertrophy in Hypertensive Patients. <i>PLoS ONE</i> , 2012, 7, e46534.	1.1	27
32	Variants of tumor necrosis factor-induced protein 3 gene are associated with left ventricular hypertrophy in hypertensive patients. <i>Chinese Medical Journal</i> , 2011, 124, 1498-503.	0.9	2
33	Atrial natriuretic peptide gene polymorphism is not associated with hypertrophic cardiomyopathy. <i>Chinese Medical Journal</i> , 2010, 123, 188-92.	0.9	2
34	Phosphodiesterase 4D gene polymorphism is associated with ischaemic and haemorrhagic stroke. <i>Clinical Science</i> , 2009, 116, 335-340.	1.8	35
35	Transition of Metabolic Phenotypes and Risk of Atrial Fibrillation According to BMI: Kailuan Study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	2