

Hao-Ping Liu, Dvm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/438163/publications.pdf>

Version: 2024-02-01

33
papers

1,107
citations

430874

18
h-index

434195

31
g-index

33
all docs

33
docs citations

33
times ranked

2103
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Interactome Profiling of N-Terminus-Truncated NS1 Protein of Influenza A Virus Reveals Role of 14-3-3 ^β in Virus Replication. <i>Pathogens</i> , 2022, 11, 733. | 2.8 | 0 |
| 2 | Significant association of serum autoantibodies to <sc>TYMS</sc>, <sc>HAPLN1</sc> and <sc>IGFBP5</sc> with early stage canine malignant mammary tumours. <i>Veterinary and Comparative Oncology</i> , 2021, 19, 172-182. | 1.8 | 1 |
| 3 | K160 in the RNA-binding domain of the orf virus virulence factor OV20.0 is critical for its functions in counteracting host antiviral defense. <i>FEBS Letters</i> , 2021, 595, 1721-1733. | 2.8 | 2 |
| 4 | Serum Level of Tumor-Overexpressed AGR2 Is Significantly Associated with Unfavorable Prognosis of Canine Malignant Mammary Tumors. <i>Animals</i> , 2021, 11, 2923. | 2.3 | 3 |
| 5 | Proteomic Profiling of Paired Interstitial Fluids Reveals Dysregulated Pathways and Salivary NID1 as a Biomarker of Oral Cavity Squamous Cell Carcinoma*[S]. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1939-1949. | 3.8 | 22 |
| 6 | Identification of Salivary Biomarkers for Oral Cancer Detection with Untargeted and Targeted Quantitative Proteomics Approaches. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 1796-1806. | 3.8 | 61 |
| 7 | Proteome Analyses Reveal Positive Association of COL2A1, MPO, TYMS, and IGFBP5 with Canine Mammary Gland Malignancy. <i>Proteomics - Clinical Applications</i> , 2019, 13, e1800151. | 1.6 | 9 |
| 8 | Adenosine Deaminase Acting on RNA 1 Associates with Orf Virus OV20.0 and Enhances Viral Replication. <i>Journal of Virology</i> , 2019, 93, . | 3.4 | 13 |
| 9 | Abstract 2643: TNFAIP2 interacts with EGFR to modulate EGF-induced EGFR auto-phosphorylation and internalization and sequential ERK1/2 activation in nasopharyngeal carcinoma cells. , 2019, , . | | 0 |
| 10 | Interactome Analysis of NS1 Protein Encoded by Influenza A H7N9 Virus Reveals an Inhibitory Role of NS1 in Host mRNA Maturation. <i>Journal of Proteome Research</i> , 2018, 17, 1474-1484. | 3.7 | 17 |
| 11 | Detection, sequence analysis, and antibody prevalence of porcine deltacoronavirus in Taiwan. <i>Archives of Virology</i> , 2018, 163, 3113-3117. | 2.1 | 18 |
| 12 | The role of SET/I2PP2A in canine mammary tumors. <i>Scientific Reports</i> , 2017, 7, 4279. | 3.3 | 10 |
| 13 | Multipoint <i>Kras</i> oncogene mutations potentially indicate mucinous carcinoma on the entire spectrum of mucinous ovarian neoplasms. <i>Oncotarget</i> , 2016, 7, 82097-82103. | 1.8 | 35 |
| 14 | Interactome analysis of the EV71 5' untranslated region in differentiated neuronal cells SH-SY5Y and regulatory role of FBP3 in viral replication. <i>Proteomics</i> , 2016, 16, 2351-2362. | 2.2 | 15 |
| 15 | Interactome Analysis of the NS1 Protein Encoded by Influenza A H1N1 Virus Reveals a Positive Regulatory Role of Host Protein PRP19 in Viral Replication. <i>Journal of Proteome Research</i> , 2016, 15, 1639-1648. | 3.7 | 31 |
| 16 | Proteomics Analysis Reveals Involvement of Krt17 in Areca Nut-Induced Oral Carcinogenesis. <i>Journal of Proteome Research</i> , 2016, 15, 2981-2997. | 3.7 | 30 |
| 17 | Dual ATPase and GTPase activity of the replication-associated protein (Rep) of beak and feather disease virus. <i>Virus Research</i> , 2016, 213, 149-161. | 2.2 | 7 |
| 18 | Saliva proteome profiling reveals potential salivary biomarkers for detection of oral cavity squamous cell carcinoma. <i>Proteomics</i> , 2015, 15, 3394-3404. | 2.2 | 86 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | EBV Oncogene N-LMP1 Induces CD4 T Cell-Mediated Angiogenic Blockade in the Murine Tumor Model. <i>Journal of Immunology</i> , 2015, 194, 4577-4587. | 0.8 | 4 |
| 20 | NF- κ B-mediated transcriptional upregulation of TNFAIP2 by the Epstein-Barr virus oncoprotein, LMP1, promotes cell motility in nasopharyngeal carcinoma. <i>Oncogene</i> , 2014, 33, 3648-3659. | 5.9 | 48 |
| 21 | Salivary Auto-Antibodies as Noninvasive Diagnostic Markers of Oral Cavity Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1569-1578. | 2.5 | 22 |
| 22 | Epstein-Barr Virus-Encoded LMP1 Interacts with FGD4 to Activate Cdc42 and Thereby Promote Migration of Nasopharyngeal Carcinoma Cells. <i>PLoS Pathogens</i> , 2012, 8, e1002690. | 4.7 | 43 |
| 23 | Quantitative Proteomics Reveals Regulation of Karyopherin Subunit Alpha-2 (KPNA2) and Its Potential Novel Cargo Proteins in Non-small Cell Lung Cancer. <i>Molecular and Cellular Proteomics</i> , 2012, 11, 1105-1122. | 3.8 | 72 |
| 24 | The MYND domain-containing protein BRAM1 inhibits lymphotoxin beta receptor-mediated signaling through affecting receptor oligomerization. <i>Cellular Signalling</i> , 2011, 23, 80-88. | 3.6 | 10 |
| 25 | Secretome-Based Identification of ULBP2 as a Novel Serum Marker for Pancreatic Cancer Detection. <i>PLoS ONE</i> , 2011, 6, e20029. | 2.5 | 48 |
| 26 | Aberrant methylation impairs low density lipoprotein receptor-related protein 1B tumor suppressor function in gastric cancer. <i>Genes Chromosomes and Cancer</i> , 2010, 49, 412-424. | 2.8 | 46 |
| 27 | Glutamate receptor, ionotropic, kainate 2 silencing by DNA hypermethylation possesses tumor suppressor function in gastric cancer. <i>International Journal of Cancer</i> , 2010, 126, 2542-2552. | 5.1 | 51 |
| 28 | Candidate Serological Biomarkers for Cancer Identified from the Secretomes of 23 Cancer Cell Lines and the Human Protein Atlas. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1100-1117. | 3.8 | 177 |
| 29 | Thymidine phosphorylase mRNA stability and protein levels are increased through ERK-mediated cytoplasmic accumulation of hnRNP K in nasopharyngeal carcinoma cells. <i>Oncogene</i> , 2009, 28, 1904-1915. | 5.9 | 50 |
| 30 | Identification of collapsin response mediator protein-2 as a potential marker of colorectal carcinoma by comparative analysis of cancer cell secretomes. <i>Proteomics</i> , 2008, 8, 316-332. | 2.2 | 128 |
| 31 | PRA1 promotes the intracellular trafficking and NF- κ B signaling of EBV latent membrane protein 1. <i>EMBO Journal</i> , 2006, 25, 4120-4130. | 7.8 | 45 |
| 32 | Tumor regression by expression of high physiological levels of EBV latent membrane protein 1. <i>Cancer Biology and Therapy</i> , 2006, 5, 310-317. | 3.4 | 1 |
| 33 | Induction of chemosensitivity in nasopharyngeal carcinoma cells using a human papillomavirus regulatory sequence and the thymidine kinase gene. <i>Journal of Biomedical Science</i> , 2002, 9, 41-46. | 7.0 | 2 |