

Eckardt Treuter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4381837/publications.pdf>

Version: 2024-02-01

68

papers

7,891

citations

61984

43

h-index

95266

68

g-index

69

all docs

69

docs citations

69

times ranked

9494

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Plaque Evaluation by Ultrasound and Transcriptomics Reveals BCLAF1 as a Regulator of Smooth Muscle Cell Lipid Transdifferentiation in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022, 42, 659-676. | 2.4 | 12 |
| 2 | An optimized 4C-seq protocol based on cistrome and epigenome data in the mouse RAW264.7 macrophage cell line. <i>STAR Protocols</i> , 2022, 3, 101338. | 1.2 | 1 |
| 3 | The corepressors GPS2 and SMRT control enhancer and silencer remodeling via eRNA transcription during inflammatory activation of macrophages. <i>Molecular Cell</i> , 2021, 81, 953-968.e9. | 9.7 | 27 |
| 4 | Transcriptional and epigenetic control of adipocyte remodeling during obesity. <i>Obesity</i> , 2021, 29, 2013-2025. | 3.0 | 6 |
| 5 | Adipocyte Reprogramming by the Transcriptional Coregulator GPS2 Impacts Beta Cell Insulin Secretion. <i>Cell Reports</i> , 2020, 32, 108141. | 6.4 | 9 |
| 6 | Loss of G protein pathway suppressor 2 in human adipocytes triggers lipid remodeling by upregulating ATP binding cassette subfamily G member 1. <i>Molecular Metabolism</i> , 2020, 42, 101066. | 6.5 | 7 |
| 7 | The Nuclear Receptorâ€”Co-repressor Complex in Control of Liver Metabolism and Disease. <i>Frontiers in Endocrinology</i> , 2019, 10, 411. | 3.5 | 30 |
| 8 | Impaired LXRâ€”Phosphorylation Attenuates Progression of Fatty Liver Disease. <i>Cell Reports</i> , 2019, 26, 984-995.e6. | 6.4 | 46 |
| 9 | Preparation of Frozen Liver Tissues for Integrated Omics Analysis. <i>Methods in Molecular Biology</i> , 2019, 1951, 167-178. | 0.9 | 2 |
| 10 | Hepatocyte-specific loss of GPS2 in mice reduces non-alcoholic steatohepatitis via activation of PPARâ€”. <i>Nature Communications</i> , 2019, 10, 1684. | 12.8 | 48 |
| 11 | G protein pathway suppressor 2 (GPS2) links inflammation and cholesterol efflux by controlling lipopolysaccharideâ€”induced ATPâ€”binding cassette transporter A1 expression in macrophages. <i>FASEB Journal</i> , 2019, 33, 1631-1643. | 0.5 | 12 |
| 12 | GPS2 Deficiency Triggers Maladaptive White Adipose Tissue Expansion in Obesity via HIF1A Activation. <i>Cell Reports</i> , 2018, 24, 2957-2971.e6. | 6.4 | 48 |
| 13 | Transcriptional repression in macrophagesâ€”basic mechanisms and alterations in metabolic inflammatory diseases. <i>FEBS Letters</i> , 2017, 591, 2959-2977. | 2.8 | 28 |
| 14 | Loss of the co-repressor GPS2 sensitizes macrophage activation upon metabolic stress induced by obesity and type 2 diabetes. <i>Nature Medicine</i> , 2016, 22, 780-791. | 30.7 | 91 |
| 15 | Nuclear Receptor Coregulators in Metabolism and Disease. <i>Handbook of Experimental Pharmacology</i> , 2015, 233, 95-135. | 1.8 | 24 |
| 16 | Genomic and epigenomic regulation of adipose tissue inflammation in obesity. <i>Trends in Endocrinology and Metabolism</i> , 2013, 24, 625-634. | 7.1 | 40 |
| 17 | SMRT-GPS2 corepressor pathway dysregulation coincides with obesity-linked adipocyte inflammation. <i>Journal of Clinical Investigation</i> , 2013, 123, 362-379. | 8.2 | 83 |
| 18 | Liver X receptor biology and pharmacology: new pathways, challenges and opportunities. <i>Trends in Pharmacological Sciences</i> , 2012, 33, 394-404. | 8.7 | 264 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Ligand-independent actions of the orphan receptors/corepressors DAX-1 and SHP in metabolism, reproduction and disease. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2012, 130, 169-179. | 2.5 | 29 |
| 20 | Genome-wide landscape of liver X receptor chromatin binding and gene regulation in human macrophages. <i>BMC Genomics</i> , 2012, 13, 50. | 2.8 | 69 |
| 21 | Knockdown of SF-1 and RNF31 Affects Components of Steroidogenesis, TGF β ² , and Wnt/ β -catenin Signaling in Adrenocortical Carcinoma Cells. <i>PLoS ONE</i> , 2012, 7, e32080. | 2.5 | 24 |
| 22 | Reporter Zebrafish: Endocrine Disruption Meets Estrogen Signaling. <i>Endocrinology</i> , 2011, 152, 2542-2545. | 2.8 | 5 |
| 23 | Transcriptional control of metabolic and inflammatory pathways by nuclear receptor SUMOylation. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 909-918. | 3.8 | 83 |
| 24 | Metabolic nuclear receptor signaling and the inflammatory acute phase response. <i>Trends in Endocrinology and Metabolism</i> , 2011, 22, 333-343. | 7.1 | 80 |
| 25 | New wrestling rules of anti-inflammatory transrepression by oxysterol receptor LXR revealed. <i>Cell Research</i> , 2011, 21, 711-714. | 12.0 | 10 |
| 26 | GPS2-dependent corepressor/SUMO pathways govern anti-inflammatory actions of LRH-1 and LXR β in the hepatic acute phase response. <i>Genes and Development</i> , 2010, 24, 381-395. | 5.9 | 162 |
| 27 | Functional interaction of DYX1C1 with estrogen receptors suggests involvement of hormonal pathways in dyslexia. <i>Human Molecular Genetics</i> , 2009, 18, 2802-2812. | 2.9 | 56 |
| 28 | E3 Ubiquitin Ligase RNF31 Cooperates with DAX-1 in Transcriptional Repression of Steroidogenesis. <i>Molecular and Cellular Biology</i> , 2009, 29, 2230-2242. | 2.3 | 43 |
| 29 | GPS2 Is Required for Cholesterol Efflux by Triggering Histone Demethylation, LXR Recruitment, and Coregulator Assembly at the ABCG1 Locus. <i>Molecular Cell</i> , 2009, 34, 510-518. | 9.7 | 107 |
| 30 | Molecular Dynamics Simulations of Human LRH-1: The Impact of Ligand Binding in a Constitutively Active Nuclear Receptor. <i>Biochemistry</i> , 2008, 47, 5205-5215. | 2.5 | 12 |
| 31 | Involvement of corepressor complex subunit GPS2 in transcriptional pathways governing human bile acid biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 15665-15670. | 7.1 | 76 |
| 32 | Structural Insights into Corepressor Recognition by Antagonist-bound Estrogen Receptors. <i>Journal of Biological Chemistry</i> , 2007, 282, 10449-10455. | 3.4 | 75 |
| 33 | Coordinated Recruitment of Histone Methyltransferase G9a and Other Chromatin-Modifying Enzymes in SHP-Mediated Regulation of Hepatic Bile Acid Metabolism. <i>Molecular and Cellular Biology</i> , 2007, 27, 1407-1424. | 2.3 | 90 |
| 34 | Co-planar 3,3'-di(4,4'-dichloro-5-pentachlorinated biphenyl and non-co-planar 2,2'-di(4,4'-dichloro-6-pentachlorinated biphenyl differentially induce recruitment of oestrogen receptor β to aryl hydrocarbon receptor target genes. <i>Biochemical Journal</i> , 2007, 406, 343-353. | 3.7 | 44 |
| 35 | Wrestling Rules in Transrepression: As Easy as SUMO-1, -2, -3?. <i>Molecular Cell</i> , 2007, 25, 178-180. | 9.7 | 17 |
| 36 | Estrogen Receptors: How Do They Signal and What Are Their Targets. <i>Physiological Reviews</i> , 2007, 87, 905-931. | 28.8 | 1,489 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Subtle Side-Chain Modifications of the Hop Phytoestrogen 8-Prenylnaringenin Result in Distinct Agonist/Antagonist Activity Profiles for Estrogen Receptors $\text{ER}\alpha$ and $\text{ER}\beta$. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7357-7365. | 6.4 | 76 |
| 38 | Delineation of a unique protein-protein interaction site on the surface of the estrogen receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 3593-3598. | 7.1 | 59 |
| 39 | EID3 is a novel EID family member and an inhibitor of CBP-dependent co-activation. <i>Nucleic Acids Research</i> , 2005, 33, 3561-3569. | 14.5 | 53 |
| 40 | Transcriptional corepression by SHP: molecular mechanisms and physiological consequences. <i>Trends in Endocrinology and Metabolism</i> , 2005, 16, 478-488. | 7.1 | 132 |
| 41 | Deoxyribonucleic Acid Response Element-Dependent Regulation of Transcription by Orphan Nuclear Receptor Estrogen Receptor-Related Receptor $\text{ERR}\beta$. <i>Molecular Endocrinology</i> , 2004, 18, 312-325. | 3.7 | 42 |
| 42 | An Alternative Splicing Variant of the Selenoprotein Thioredoxin Reductase Is a Modulator of Estrogen Signaling. <i>Journal of Biological Chemistry</i> , 2004, 279, 38721-38729. | 3.4 | 51 |
| 43 | Tomato Heat Stress Transcription Factor HsfB1 Represents a Novel Type of General Transcription Coactivator with a Histone-Like Motif Interacting with the Plant CREB Binding Protein Ortholog HAC1[W]. <i>Plant Cell</i> , 2004, 16, 1521-1535. | 6.6 | 196 |
| 44 | Identification of Tamoxifen-Induced Coregulator Interaction Surfaces within the Ligand-Binding Domain of Estrogen Receptors. <i>Molecular and Cellular Biology</i> , 2004, 24, 3445-3459. | 2.3 | 50 |
| 45 | Functional conservation of interactions between a homeodomain cofactor and a mammalian FTZâ€F1 homologue. <i>EMBO Reports</i> , 2004, 5, 613-619. | 4.5 | 59 |
| 46 | Expression and Functional Analysis of Liver Receptor Homologue 1 as a Potential Steroidogenic Factor in Rat Ovary1. <i>Biology of Reproduction</i> , 2003, 69, 508-517. | 2.7 | 73 |
| 47 | Regulation of Subnuclear Localization Is Associated with a Mechanism for Nuclear Receptor Corepression by RIP140. <i>Molecular and Cellular Biology</i> , 2003, 23, 4187-4198. | 2.3 | 48 |
| 48 | Inactivation of the Nuclear Receptor Coactivator RAP250 in Mice Results in Placental Vascular Dysfunction. <i>Molecular and Cellular Biology</i> , 2003, 23, 1260-1268. | 2.3 | 89 |
| 49 | Activation Functions 1 and 2 of Nuclear Receptors: Molecular Strategies for Transcriptional Activation. <i>Molecular Endocrinology</i> , 2003, 17, 1901-1909. | 3.7 | 240 |
| 50 | Glucocorticoid Signaling Is Perturbed by the Atypical Orphan Receptor and Corepressor SHP. <i>Journal of Biological Chemistry</i> , 2002, 277, 49761-49766. | 3.4 | 116 |
| 51 | Interaction of Transcriptional Intermediary Factor 2 Nuclear Receptor Box Peptides with the Coactivator Binding Site of Estrogen Receptor $\text{ER}\alpha$. <i>Journal of Biological Chemistry</i> , 2002, 277, 21862-21868. | 3.4 | 152 |
| 52 | Inhibition of Androgen Receptor (AR) Function by the Reproductive Orphan Nuclear Receptor DAX-1. <i>Molecular Endocrinology</i> , 2002, 16, 515-528. | 3.7 | 124 |
| 53 | Comparative distribution of the mammalian mediator subunit thyroid hormone receptor-associated protein (TRAP220) mRNA in developing and adult rodent brain. <i>European Journal of Neuroscience</i> , 2002, 16, 671-683. | 2.6 | 18 |
| 54 | A transcriptional inhibitor targeted by the atypical orphan nuclear receptor SHP. <i>EMBO Reports</i> , 2002, 3, 478-484. | 4.5 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Mechanisms of Estrogen Action. <i>Physiological Reviews</i> , 2001, 81, 1535-1565. | 28.8 | 1,671 |
| 56 | Differential Recruitment of the Mammalian Mediator Subunit TRAP220 by Estrogen Receptors ER α and ER β . <i>Journal of Biological Chemistry</i> , 2001, 276, 23397-23404. | 3.4 | 113 |
| 57 | DAX-1 Functions as an LXXLL-containing Corepressor for Activated Estrogen Receptors. <i>Journal of Biological Chemistry</i> , 2000, 275, 39855-39859. | 3.4 | 151 |
| 58 | Cloning and Characterization of RAP250, a Novel Nuclear Receptor Coactivator. <i>Journal of Biological Chemistry</i> , 2000, 275, 5308-5317. | 3.4 | 127 |
| 59 | The Orphan Nuclear Receptor SHP Utilizes Conserved LXXLL-Related Motifs for Interactions with Ligand-Activated Estrogen Receptors. <i>Molecular and Cellular Biology</i> , 2000, 20, 1124-1133. | 2.3 | 143 |
| 60 | The Role of AHA Motifs in the Activator Function of Tomato Heat Stress Transcription Factors HsfA1 and HsfA2. <i>Plant Cell</i> , 2000, 12, 265-278. | 6.6 | 146 |
| 61 | Receptor Interacting Protein RIP140 Inhibits Both Positive and Negative Gene Regulation by Glucocorticoids. <i>Journal of Biological Chemistry</i> , 1999, 274, 18121-18127. | 3.4 | 87 |
| 62 | Competition between Thyroid Hormone Receptor-associated Protein (TRAP) 220 and Transcriptional Intermediary Factor (TIF) 2 for Binding to Nuclear Receptors. <i>Journal of Biological Chemistry</i> , 1999, 274, 6667-6677. | 3.4 | 72 |
| 63 | The nuclear-receptor interacting protein (RIP) 140 binds to the human glucocorticoid receptor and modulates hormone-dependent transactivation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1999, 71, 93-102. | 2.5 | 25 |
| 64 | Regulation of Peroxisome Proliferator-Activated Receptors. <i>Vitamins and Hormones</i> , 1998, 54, 121-166. | 1.7 | 57 |
| 65 | A Regulatory Role for RIP140 in Nuclear Receptor Activation. <i>Molecular Endocrinology</i> , 1998, 12, 864-881. | 3.7 | 202 |
| 66 | Mechanistic Principles in NR Box-Dependent Interaction between Nuclear Hormone Receptors and the Coactivator TIF2. <i>Molecular and Cellular Biology</i> , 1998, 18, 6001-6013. | 2.3 | 100 |
| 67 | Intracellular distribution and identification of the nuclear localization signals of two plant heat-stress transcription factors. <i>Planta</i> , 1997, 202, 117-125. | 3.2 | 93 |
| 68 | Heat Stress Promoters and Transcription Factors. <i>Results and Problems in Cell Differentiation</i> , 1994, 20, 125-162. | 0.7 | 15 |