Willi McFarland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4382160/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Trends in Prevalence of HIV, Syphilis, Hepatitis C, Hepatitis B, and Sexual Risk Behavior Among Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 45, 581-587.	2.1	193
2	CONTINUING INCREASES IN SEXUAL RISK BEHAVIOR AND SEXUALLY TRANSMITTED DISEASES AMONG MEN WHO HAVE SEX WITH MEN: SAN FRANCISCO, CALIF, 1999–2001. American Journal of Public Health, 2002, 92, 1387-a-1388.	2.7	192
3	An Empirical Comparison of Respondent-driven Sampling, Time Location Sampling, and Snowball Sampling for Behavioral Surveillance in Men Who Have Sex with Men, Fortaleza, Brazil. AIDS and Behavior, 2008, 12, 97-104.	2.7	190
4	Amphetamine use is associated with increased HIV incidence among men who have sex with men in San Francisco. Aids, 2005, 19, 1423-1424.	2.2	185
5	Understanding the HIV/AIDS Epidemic in Transgender Women of Lima, Peru: Results from a Sero-Epidemiologic Study Using Respondent Driven Sampling. AIDS and Behavior, 2012, 16, 872-881.	2.7	184
6	HIV prevalence among men who have sex with men in Brazil. Medicine (United States), 2018, 97, S9-S15.	1.0	139
7	HIV among MSM in a large middle-income country. Aids, 2013, 27, 427-435.	2.2	136
8	Same race and older partner selection may explain higher HIV prevalence among black men who have sex with men. Aids, 2007, 21, 2349-2350.	2.2	129
9	Unveiling of HIV dynamics among transgender women: a respondent-driven sampling study in Rio de Janeiro, Brazil. Lancet HIV,the, 2017, 4, e169-e176.	4.7	116
10	Comparing Respondent-Driven Sampling and Targeted Sampling Methods of Recruiting Injection Drug Users in San Francisco. Journal of Urban Health, 2010, 87, 839-850.	3.6	110
11	Prevalence and correlates of substance use among trans*female youth ages 16–24 years in the San Francisco Bay Area. Drug and Alcohol Dependence, 2015, 147, 160-166.	3.2	108
12	Running in Place: Implications of HIV Incidence Estimates among Urban Men Who Have Sex with Men in the United States and Other Industrialized Countries. AIDS and Behavior, 2009, 13, 615-629.	2.7	98
13	Potential Bridges for HIV Infection to Men Who Have Sex With Men in Guangzhou, China. AIDS and Behavior, 2006, 10, 17-23.	2.7	97
14	Low Socioeconomic Status Is Associated With a Higher Rate of Death in the Era of Highly Active Antiretroviral Therapy, San Francisco. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 33, 96-103.	2.1	76
15	Differential HIV Risk for Racial/Ethnic Minority Trans*female Youths and Socioeconomic Disparities in Housing, Residential Stability, and Education. American Journal of Public Health, 2015, 105, e41-e47.	2.7	76
16	HIV Prevalence and Correlates of Unprotected Anal Intercourse Among Men Who Have Sex with Men, Jinan, China. AIDS and Behavior, 2008, 12, 469-475.	2.7	72
17	Risk of HIV infection attributable to oral sex among men who have sex with men and in the population of men who have sex with men. Aids, 2002, 16, 2350-2352.	2.2	71
18	Unprotected Anal Intercourse Between Potentially HIV-Serodiscordant Men Who Have Sex With Men, San Francisco. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 33, 166-170.	2.1	70

#	Article	IF	CITATIONS
19	Continuing increases in sexual risk behavior and sexually transmitted diseases among men who have sex with men: San Francisco, Calif, 1999-2001, USA. American Journal of Public Health, 2002, 92, 1387-8.	2.7	64
20	Race, place and AIDS: The role of socioeconomic context on racial disparities in treatment and survival in San Francisco. Social Science and Medicine, 2009, 69, 121-128.	3.8	60
21	HIV prevalence and related risk factors among male sex workers in Shenzhen, China: results from a time-location sampling survey. Sexually Transmitted Infections, 2010, 86, 15-20.	1.9	60
22	HIV/AIDS-Related Stigmatizing and Discriminatory Attitudes and Recent HIV Testing Among Men Who Have Sex With Men in Beijing. AIDS and Behavior, 2012, 16, 499-507.	2.7	57
23	Prevalence, correlates and trends in seroadaptive behaviours among men who have sex with men from serial cross-sectional surveillance in San Francisco, 2004–2011. Sexually Transmitted Infections, 2014, 90, 498-504.	1.9	57
24	A New Trend in the HIV Epidemic Among Men Who Have Sex With Men, San Francisco, 2004–2011. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 584-589.	2.1	56
25	Population size estimation of female sex workers in Iran: Synthesis of methods and results. PLoS ONE, 2017, 12, e0182755.	2.5	55
26	A peer-led, community-based rapid HIV testing intervention among untested men who have sex with men in China: an operational model for expansion of HIV testing and linkage to care. Sexually Transmitted Infections, 2014, 90, 388-393.	1.9	53
27	The Prevalence of HIV Among Men Who Have Sex With Men (MSM) and Young MSM in Latin America and the Caribbean: A Systematic Review. AIDS and Behavior, 2021, 25, 3223-3237.	2.7	53
28	Predictors of HIV Testing Among Men Who Have Sex With Men in a Large Chinese City. Sexually Transmitted Diseases, 2013, 40, 235-240.	1.7	52
29	Continuing High Prevalence of HIV and Risk Behaviors Among Young Men Who Have Sex With Men: The Young Men's Survey in the San Francisco Bay Area in 1992 to 1993 and in 1994 to 1995. Journal of Acquired Immune Deficiency Syndromes, 1998, 19, 178-181.	0.3	50
30	HIV Testing Patterns and Unrecognized HIV Infection Among Young Asian and Pacific Islander Men Who Have Sex With Men in San Francisco. AIDS Education and Prevention, 2005, 17, 540-554.	1.1	49
31	Behavioral and Serologic Survey of Men Who Have Sex with Men in Beijing, China: Implication for HIV Intervention. AIDS Patient Care and STDs, 2012, 26, 148-155.	2.5	46
32	HIV in Iran: onset, responses, and future directions. Aids, 2021, 35, 529-542.	2.2	46
33	An Opportunity for Prevention. Sexually Transmitted Diseases, 2004, 31, 475-480.	1.7	44
34	Alcohol Use and High-Risk Sexual Behavior Among Adolescents and Young Adults in Harare, Zimbabwe. AIDS and Behavior, 2002, 6, 211-219.	2.7	42
35	Evaluation of a Peer Network-Based Sexual Risk Reduction Intervention for Men in Beer Halls in Zimbabwe: Results from a Randomized Controlled Trial. AIDS and Behavior, 2011, 15, 1732-1744.	2.7	39
36	Reaching black men who have sex with men: a comparison between respondent-driven sampling and time-location sampling. Sexually Transmitted Infections, 2012, 88, 622-626.	1.9	39

Willi McFarland

#	Article	IF	CITATIONS
37	Theoretical and Empirical Comparisons of Methods to Estimate the Size of Hard-to-Reach Populations: A Systematic Review. AIDS and Behavior, 2017, 21, 2188-2206.	2.7	39
38	Low PrEP Awareness and Use Among People Who Inject Drugs, San Francisco, 2018. AIDS and Behavior, 2020, 24, 1290-1293.	2.7	39
39	Casual Sex among Men Who Have Sex with Men (MSM) during the Period of Sheltering in Place to Prevent the Spread of COVID-19. International Journal of Environmental Research and Public Health, 2021, 18, 3266.	2.6	36
40	Gay Asian Men in San Francisco Follow the International Trend: Increases in Rates of Unprotected Anal Intercourse and Sexually Transmitted Diseases, 1999-2002. AIDS Education and Prevention, 2004, 16, 13-18.	1.1	35
41	Human immunodeficiency virus testâ€seeking blood donors in a large blood bank in São Paulo, Brazil. Transfusion, 2010, 50, 1806-1814.	1.6	35
42	Quality of Life among Persons with HIV/AIDS in Iran: Internal Reliability and Validity of an International Instrument and Associated Factors. AIDS Research and Treatment, 2012, 2012, 1-6.	0.7	35
43	HIV and Related Risk Behaviors Among Female Sex Workers in Iran: Bias-Adjusted Estimates from the 2010 National Bio-Behavoral Survey. AIDS and Behavior, 2014, 18, 19-24.	2.7	34
44	Beyond Sugar Daddies: Intergenerational Sex and AIDS in Urban Zimbabwe. AIDS and Behavior, 2011, 15, 1275-1282.	2.7	33
45	Accessing Men Who have Sex with Men Through Long-Chain Referral Recruitment, Guangzhou, China. AIDS and Behavior, 2008, 12, 93-96.	2.7	32
46	HIV antiretroviral therapy and prevention use in US blood donors: a new blood safety concern. Blood, 2020, 136, 1351-1358.	1.4	32
47	Prevalence of HIV and Associated Risk Factors Among Long Distance Truck Drivers in Inchope, Mozambique, 2012. AIDS and Behavior, 2016, 20, 811-820.	2.7	31
48	Elevated Risk of Death for African Americans with AIDS, San Francisco, 1996-2002. Journal of Health Care for the Poor and Underserved, 2006, 17, 493-503.	0.8	30
49	High HIV Prevalence among Men who have Sex with Men in a Time-Location Sampling Survey, São Paulo, Brazil. AIDS and Behavior, 2015, 19, 1589-1598.	2.7	30
50	Awareness, Willingness, and PrEP Eligibility Among Transgender Women in Rio de Janeiro, Brazil. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 445-452.	2.1	30
51	HIV testing and the care continuum among transgender women: population estimates from Rio de Janeiro, Brazil. Journal of the International AIDS Society, 2017, 20, 21873.	3.0	29
52	Estimation of HIV incidence and its trend in three key populations in Iran. PLoS ONE, 2018, 13, e0207681.	2.5	28
53	HIV Incidence Among Repeat HIV Testers at a County Hospital, San Francisco, California, U.S.A Journal of Acquired Immune Deficiency Syndromes (1999), 2001, 28, 59-64.	2.1	27
54	Indicators of use of methamphetamine and other substances among men who have sex with men, San Francisco, 2003–2006. Drug and Alcohol Dependence, 2007, 90, 97-100.	3.2	27

#	Article	IF	CITATIONS
55	HIV/AIDS in the Middle East and North Africa: new study methods, results, and implications for prevention and care. Aids, 2010, 24, S1-S4.	2.2	27
56	Accuracy of HIV-Related Risk Behaviors Reported by Female Sex Workers, Iran: A Method to Quantify Measurement Bias in Marginalized Populations. AIDS and Behavior, 2013, 17, 623-631.	2.7	26
57	Improving uptake and use of malaria rapid diagnostic tests in the context of artemisinin drug resistance containment in eastern Myanmar: an evaluation of incentive schemes among informal private healthcare providers. Malaria Journal, 2015, 14, 105.	2.3	26
58	"Starfish Samplingâ€: a Novel, Hybrid Approach to Recruiting Hidden Populations. Journal of Urban Health, 2019, 96, 55-62.	3.6	25
59	Insights From a Survey of Sexual Behavior Among a Group of At–Risk Women in Tehran, Iran, 2006. AIDS Education and Prevention, 2007, 19, 519-530.	1.1	24
60	Balancing Theory and Practice in Respondent-Driven Sampling: A Case Study of Innovations Developed to Overcome Recruitment Challenges. PLoS ONE, 2013, 8, e70344.	2.5	24
61	Traditional Healers for HIV/AIDS Prevention and Family Planning, Kiboga District, Uganda: Evaluation of a Program to Improve Practices. AIDS and Behavior, 2005, 9, 485-493.	2.7	23
62	Fear of blood, injections and fainting as barriers to blood donation in Brazil. Vox Sanguinis, 2019, 114, 38-46.	1.5	23
63	Trends in sources and sharing of needles among people who inject drugs, San Francisco, 2005–2012. International Journal of Drug Policy, 2015, 26, 1238-1243.	3.3	21
64	HIV Prevalence, Sexual Partners, Sexual Behavior and HIV Acquisition Risk Among Trans Men, San Francisco, 2014. AIDS and Behavior, 2017, 21, 3346-3352.	2.7	21
65	Awareness and Willingness to use HIV Pre-exposure Prophylaxis (PrEP) Among Trans Women in China: A Community-Based Survey. AIDS and Behavior, 2021, 25, 866-874.	2.7	21
66	The importance of assessing self-reported HIV status in bio-behavioural surveys. Bulletin of the World Health Organization, 2016, 94, 605-612.	3.3	21
67	Socio-demographic, Behavioral and Health Characteristics of Underage Female Sex Workers in Mozambique: The Need to Protect a Generation from HIV Risk. AIDS and Behavior, 2015, 19, 2184-2193.	2.7	19
68	Lower HIV Prevalence Among Asian/Pacific Islander Men Who Have Sex with Men: A Critical Review for Possible Reasons. AIDS and Behavior, 2011, 15, 535-549.	2.7	18
69	Hepatitis C Infection Among Men Who Have Sex With Men, San Francisco, 2011. Sexually Transmitted Diseases, 2012, 39, 985-986.	1.7	17
70	Trends in Sexually Transmitted Diseases, Sexual Risk Behavior, and HIV Infection Among Asian/Pacific Islander Men Who Have Sex With Men, San Francisco, 1999–2005. Sexually Transmitted Diseases, 2007, 34, 262-264.	1.7	16
71	Impact of a Social Franchising Program on Uptake of Oral Rehydration Solution Plus Zinc for Childhood Diarrhea in Myanmar: a Community-Level Randomized Controlled Trial. Journal of Tropical Pediatrics, 2014, 60, 189-197.	1.5	16
72	Gay and bisexual men engage in fewer risky sexual behaviors while traveling internationally: a cross-sectional study in San Francisco. Sexually Transmitted Infections, 2015, 91, 220-225.	1.9	16

#	Article	IF	CITATIONS
73	Risk Factors Associated with HIV Among Men Who Have Sex Only with Men and Men Who Have Sex with Both Men and Women in Three Urban Areas in Mozambique. AIDS and Behavior, 2016, 20, 2296-2308.	2.7	16
74	High HIV prevalence and associated risk factors among transgender women in China: a crossâ€sectional survey. Journal of the International AIDS Society, 2019, 22, e25417.	3.0	16
75	Long-Chain Peer Referral of Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 59, 177-184.	2.1	15
76	Antiretroviral drug resistance mutations in naÃ⁻ve and experienced patients in Shiraz, Iran, 2014. Archives of Virology, 2016, 161, 2503-2509.	2.1	15
77	HIV Prevention Services and Testing Utilization Behaviors among Men Who Have Sex with Men at Elevated Risk for HIV in Chongqing, China. BioMed Research International, 2014, 2014, 1-10.	1.9	14
78	A Bayesian approach to synthesize estimates of the size of hidden populations: the Anchored Multiplier. International Journal of Epidemiology, 2018, 47, 1636-1644.	1.9	14
79	Age at Sexual Initiation and Sexual and Health Risk Behaviors Among Jamaican Adolescents and Young Adults. AIDS and Behavior, 2018, 22, 57-64.	2.7	13
80	A cross-sectional study of mental health, suicidal ideation and suicide attempt among transgender women in Jiangsu province, China. Journal of Affective Disorders, 2020, 277, 869-874.	4.1	13
81	Participation of HIV prevention programs among men who have sex with men in two cities of China—a mixed method study. BMC Public Health, 2012, 12, 847.	2.9	12
82	HIV Prevalence and Related Risk Behaviors in Men Who Have Sex with Men, Yemen 2011. AIDS and Behavior, 2014, 18, 11-18.	2.7	12
83	Cost-effectiveness of using a social franchise network to increase uptake of oral rehydration salts and zinc for childhood diarrhea in rural Myanmar. Cost Effectiveness and Resource Allocation, 2015, 13, 3.	1.5	12
84	Comparing Samples of Men Who Have Sex with Men Recruited Online and in Venues, Jiangsu Province, China, 2013. LGBT Health, 2016, 3, 238-242.	3.4	12
85	Testosterone and sexual risk among transmen: a mixed methods exploratory study. Culture, Health and Sexuality, 2017, 19, 256-266.	1.8	12
86	Illicit Drug Users in the Tanzanian Hinterland: Population Size Estimation Through Key Informant-Driven Hot Spot Mapping. AIDS and Behavior, 2018, 22, 4-9.	2.7	12
87	Evaluating the Completeness of HIV Surveillance Using Capture–Recapture Models, Alameda County, California. AIDS and Behavior, 2018, 22, 2248-2257.	2.7	12
88	Reproducibility of Respondent-Driven Sampling (RDS) in Repeat Surveys of Men Who have Sex with Men, Unguja, Zanzibar. AIDS and Behavior, 2017, 21, 2180-2187.	2.7	11
89	Population Size Estimates of Street Children in Iran: Synthesis of Multiple Methods. Journal of Urban Health, 2019, 96, 549-557.	3.6	11
90	Community Levels of PrEP Use Among Men Who Have Sex with Men by Race/Ethnicity, San Francisco, 2017. AIDS and Behavior, 2019, 23, 2687-2693.	2.7	11

#	Article	IF	CITATIONS
91	Intercategorical and Intracategorical Experiences of Discrimination and HIV Prevalence Among Transgender Women in San Francisco, CA: A Quantitative Intersectionality Analysis. American Journal of Public Health, 2021, 111, 446-456.	2.7	11
92	Evaluating national HIV prevention indicators: a case study in San Francisco. Aids, 2000, 14, 2015-2026.	2.2	10
93	Fentanyl self-testing in a community-based sample of people who inject drugs, San Francisco. International Journal of Drug Policy, 2020, 82, 102787.	3.3	10
94	Prevalence and disparities in opioid overdose response training among people who inject drugs, San Francisco. International Journal of Drug Policy, 2021, 90, 102778.	3.3	10
95	Hepatitis C Care Cascades for 3 Populations at High Risk: Low-income Trans Women, Young People Who Inject Drugs, and Men Who Have Sex With Men and Inject Drugs. Clinical Infectious Diseases, 2021, 73, e1290-e1295.	5.8	10
96	Progress toward closing gaps in the hepatitis C virus cascade of care for people who inject drugs in San Francisco. PLoS ONE, 2021, 16, e0249585.	2.5	10
97	Improved PrEP Awareness and Use among Trans Women in San Francisco, California. AIDS and Behavior, 2022, 26, 596-603.	2.7	10
98	How Many Transgender Men Are There in San Francisco?. Journal of Urban Health, 2018, 95, 129-133.	3.6	10
99	Availability and quality of anti-malarials among private sector outlets in Myanmar in 2012: results from a large, community-based, cross-sectional survey before a large-scale intervention. Malaria Journal, 2015, 14, 269.	2.3	9
100	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 606-609.	2.1	9
101	Estimating Incidence of HIV Infection Among Men Who Have Sex with Men, San Francisco, 2004–2014. AIDS and Behavior, 2016, 20, 17-21.	2.7	9
102	Estimating the population size of transgender women in San Francisco using multiple methods, 2013. International Journal of Transgenderism, 2018, 19, 107-112.	3.5	9
103	Factors that contribute to blood donation behavior among primary healthcare users: A structural approach. Transfusion and Apheresis Science, 2019, 58, 663-668.	1.0	9
104	Trends in late HIV diagnosis among men who have sex with men in Jiangsu province, China: Results from four consecutive community-based surveys, 2011-2014. PLoS ONE, 2017, 12, e0172664.	2.5	9
105	Estimation of the Number of Female Sex Workers in Yangon and Mandalay, Myanmar. AIDS and Behavior, 2015, 19, 1941-1947.	2.7	8
106	Who continues to stock oral artemisinin monotherapy? Results of a provider survey in Myanmar. Malaria Journal, 2016, 15, 334.	2.3	8
107	Software Application Profile: The Anchored Multiplier calculator—a Bayesian tool to synthesize population size estimates. International Journal of Epidemiology, 2019, 48, 1744-1749.	1.9	8
108	Undiagnosed and Untreated HIV Infection Among Persons Who Inject Drugs: Results of Three National HIV Behavioral Surveillance Surveys, San Francisco, 2009–2015. AIDS and Behavior, 2019, 23, 1586-1589.	2.7	8

7

#	Article	IF	CITATIONS
109	HIV Prevalence, Risk Factors for Infection, and Uptake of Prevention, Testing, and Treatment among Female Sex Workers in Namibia. Journal of Epidemiology and Global Health, 2020, 10, 351.	2.9	8
110	Comparison of HIV Behavioral Indicators Among Men Who Have Sex With Men Across Two Survey Methodologies, San Francisco, 2004 and 2008. Sexually Transmitted Diseases, 2013, 40, 689-694.	1.7	7
111	Bias analysis to improve monitoring an HIV epidemic and its response: approach and application to a survey of female sex workers in Iran. Journal of Epidemiology and Community Health, 2013, 67, 882-887.	3.7	7
112	Risk Behaviors and Perceptions Among Self-identified Men Who Have Sex with Men (MSM), Bisexuals, Transvestites, and Transgender Women in Western Guatemala. AIDS and Behavior, 2018, 22, 45-56.	2.7	7
113	Will We Get to Zero HIV Stigma in San Francisco?. AIDS and Behavior, 2020, 24, 5-7.	2.7	7
114	Lifetime Syphilis Prevalence and Associated Risk Factors Among Female Prisoners in Brazil. Sexually Transmitted Diseases, 2020, 47, 105-110.	1.7	7
115	Barriers and motivators to participation and retention in HIV/HCV cohort studies among people who inject drugs: a community consultation in Iran. Substance Abuse Treatment, Prevention, and Policy, 2020, 15, 56.	2.2	7
116	Brief Report: Young Age and Sex Work Are Associated With HIV Seroconversion Among Transgender Women in São Paulo, Brazil. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 88, e1-e4.	2.1	7
117	Nonprescribed Sex Hormone Use Among Trans Women: The Complex Interplay of Public Policies, Social Context, and Discrimination. Transgender Health, 2020, 5, 205-215.	2.5	7
118	Impact of Mass Screening on the Number of Confirmed Cases, Recovered Cases, and Deaths Due to COVID-19 in Iran: An Interrupted Time Series Analysis. Archives of Iranian Medicine, 2020, 23, 776-781.	0.6	7
119	Increased HIV Testing among Men Who Have Sex with Men from 2008 to 2012, Nanjing, China. PLoS ONE, 2016, 11, e0154466.	2.5	6
120	Blood donation history and eligibility assessment in a community-based sample of men who have sex with men. Transfusion, 2018, 58, 969-973.	1.6	6
121	How are transgender women acquiring HIV? Insights from phylogenetic transmission clusters in San Francisco. Aids, 2019, 33, 2073-2079.	2.2	6
122	Age and Factors Associated with First Non-marital Sex Among Iranian Youth. Sexuality and Culture, 2020, 24, 532-542.	1.5	6
123	Early loss to follow-up and mortality of HIV-infected patients diagnosed after the era of antiretroviral treatment scale up: a call for re-invigorating the response in Iran. International Journal of STD and AIDS, 2013, 24, 926-930.	1.1	5
124	Examining progress toward the UNAIDS 90-90-90 framework among men who have sex with men, San Francisco, 2014. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1177-1180.	1.2	5
125	HIV Testing and Awareness of Partner's HIV Status Among Chinese Men Who Have Sex with Men in Main Partnerships. AIDS and Behavior, 2016, 20, 833-840.	2.7	5
126	High HIV prevalence among transgender women in Paraguay. International Journal of STD and AIDS, 2020, 31, 1308-1314.	1.1	5

#	Article	IF	CITATIONS
127	Awareness and uptake of pre-exposure prophylaxis for HIV among low-income, HIV-negative heterosexuals in San Francisco. International Journal of STD and AIDS, 2021, 32, 704-709.	1.1	5
128	Disparities in Sexually Transmitted Infection Testing and the Need to Strengthen Comprehensive Sexual Health Services for Trans Women. Transgender Health, 2022, 7, 230-236.	2.5	4
129	Estimating the Population Size of Female Sex Workers in Namibia Using a Respondent-Driven Sampling Adjustment to the Reverse Tracking Method: A Novel Approach. JMIR Public Health and Surveillance, 2019, 5, e11737.	2.6	4
130	A Technology-Based Intervention Among Young Men Who Have Sex With Men and Nonbinary People (The Conectad@s Project): Protocol for A Vanguard Mixed Methods Study. JMIR Research Protocols, 2022, 11, e34885.	1.0	4
131	Gaps in the continuum of care among people living with HIV in Afghanistan. International Journal of STD and AIDS, 2022, 33, 282-288.	1.1	4
132	Immunologic treatment failure among HIV-infected adult patients in Jiangsu province, China. Scientific Reports, 2017, 7, 42381.	3.3	3
133	Does Religiosity Predict Blood Donation in Brazil?. Journal of Religion and Health, 2022, 61, 2083-2101.	1.7	3
134	Sex-seeking mobile application use and risk behavior among men who have sex with men in Brazil. International Journal of STD and AIDS, 2020, 31, 1161-1168.	1.1	3
135	Characteristics and Population Size Estimation of Female Sex Workers in Bhutan. Sexually Transmitted Diseases, 2021, 48, 754-760.	1.7	3
136	Methods for sampling geographically mobile female traders in an East African market setting. PLoS ONE, 2018, 13, e0190395.	2.5	3
137	HIV drug resistance among naÃ ⁻ ve HIV-infected patients in Iran. Journal of Research in Medical Sciences, 2019, 24, 31.	0.9	3
138	Mapping and population size estimates of people who inject drugs in Afghanistan in 2019: Synthesis of multiple methods. PLoS ONE, 2022, 17, e0262405.	2.5	3
139	Emergency Contraceptive Pills (ECP) Knowledge, Attitudes, and Practices Among Women Working in the Entertainment Industry and Men in the Trucking Industry, Bhutan. AIDS and Behavior, 2018, 22, 121-124.	2.7	2
140	Syringe Sharing in Drug Injecting Dyads: A Cross-Classified Multilevel Analysis of Social Networks. AIDS and Behavior, 2018, 22, 10-18.	2.7	2
141	Prevalence of Syphilis and Related Risk Behaviors Among Women in 5 Distinct Indigenous Populations in Paraguay. Sexually Transmitted Diseases, 2019, 46, 246-249.	1.7	2
142	Proportion and reasons for loss to follow-up in a cohort study of people who inject drugs to measure HIV and HCV incidence in Kerman, Iran. Substance Abuse Treatment, Prevention, and Policy, 2021, 16, 29.	2.2	2
143	Using expert opinion to quantify unmeasured confounding bias parameters. Canadian Journal of Public Health, 2016, 107, e43-e48.	2.3	1
144	Prevalence and correlates of initiating injection drug use before the age of 18 years in Iran: results of a national survey. Journal of Addictive Diseases, 2020, 38, 334-338.	1.3	1

Willi McFarland

#	Article	IF	CITATIONS
145	Homelessness, HIV testing, and the reach of public health efforts for people who inject drugs, San Francisco, California. Drug and Alcohol Dependence, 2021, 221, 108560.	3.2	1
146	Rates and Correlates of HIV Incidence in Namibia's Zambezi Region From 2014 to 2016: Sentinel, Community-Based Cohort Study. JMIR Public Health and Surveillance, 2020, 6, e17107.	2.6	1
147	Unsafe Injection Is Associated with Higher HIV Testing after Bayesian Adjustment for Unmeasured Confounding. Archives of Iranian Medicine, 2020, 23, 848-855.	0.6	1
148	Opium Use and the Risk of Cataract: a Hospital-based, Group-matched, Case–control Study in Iran. Ophthalmic Epidemiology, 2023, 30, 66-73.	1.7	1
149	HIV prevalence, engagement in care, and risk behavior among trans women, San Francisco: Evidence of recent successes and remaining challenges. International Journal of STD and AIDS, 2022, 33, 1029-1037.	1.1	1
150	Non-B variants of HIV-1 in San Francisco, California. Infection, Genetics and Evolution, 2021, 90, 104677.	2.3	0
151	Destination-Specific and Home Environment Condom Norms Influence Sexual Behavior During Travel. AIDS Education and Prevention 2022 34 245-255	1.1	0